### SAFETY CABINETS

### FLAMMABLE STORAGE CABINETS

- · Double wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flash arresters
- Full-height piano hinges open a full 180° for easy access
- Locking handle with 3-point latch
- · 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centres
- Adjustable levelling feet
- Tough corrosive resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for Class I, II and III liquids
- FM approved







Model No.	Door Type	Capacity Gallons	Adjustable Shelves	Exteri W"	ior X	Dime D"		ions H"	Wt. Ibs.
SEE911	Single	12	1	23	Х	18	Х	35	99
SEE912	Single	16	1	23	Х	18	Х	44	116
SEE913	Double	22	1	35	Х	22	Х	35	151
SEE914	Double	24	3	43	Х	12	Х	44	173
SAQ325	Double	30	1	43	χ	18	X	44	174
SAQ326	Double	45	2	43	Х	18	X	65	252
SAS521	Double	60	2	34	χ	34	X	65	430

### **EXTRA SHELF**

Model		Dimensions	Wt.
No.	For Use With:	W" x D"	lbs.
SEE922	SEE911, SEE912	19 1/2 x 14	5
SEE923	SEE913	31 1/2 x 18	9
SEE924	SEE914	39 1/2 x 8	6
SAQ328	SAQ325, SAQ326	39 3/8 x 14	9
SAS574	SAS521	30 3/8 x 30	12

### **SURE-GRIP® EX FLAMMABLE** STORAGE CABINETS

- Double wall welded 18-gauge steel construction with 1 1/2" of insulating air space
- Doors self-latch for easy and secure closure
- U-Loc<sup>™</sup> handle comes with two keys or accepts optional padlock for greater security
- Two flame arrester vents and ground wire connection screw
- 2" deep leakproof sill
- Adjustable leveler legs and galvanised SpillSlope<sup>TM</sup> shelves
- Haz-Alert™ reflective warning labels offer visibility under dark conditions
- Durable yellow powder coat paint finish
- Meet NFPA and OSHA requirements
- FM approved



Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D"x H"	Wt. Ibs.
SAP509	893000	2 Doors, Manual	30	1	43 x 18 x 44	231
SAQ021	893020	2 Doors, Self-Closing	30	1	43 x 18 x 44	237
SAP510	894500	2 Doors, Manual	45	2	43 x 18 x 65	310
SAQ023	894520	2 Doors, Self-Closing	45	2	43 x 18 x 65	313
SAQ024	896000	2 Doors, Manual	60	2	34 x 34 x 65	387
SAQ025	896020	2 Doors, Self-Closing	60	2	34 x 34 x 65	392
SAQ026*	899000	2 Doors, Manual	90	2	43 x 34 x 65	480
SAQ027*	899020	2 Doors, Self-Closing	90	2	43 x 34 x 65	480

\*Codes state that not more than 60 gallons may be Class I and Class II liquids.

### PAINT & INK STORAGE CABINETS

- Double wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flash arresters
- Full-height piano hinges open a full 180° for easy access
- Locking handle with 3-point latch
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable levelling feet
- Tough corrosive resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for Class I, II and III liquids
- FM approved







Model No.	Door Type	Capacity Gallons	Adjustable Shelves	w"	E) X	rt. Dii D"		Н"	Wt. Ibs.
SAQ327	2 Door, Manual	60	5	43	Х	18	х	65	267
Model			D	imens	ions				Wt.
No.	Descript	ion	W"	х	D'				lbs.
SAQ328	Extra She	lf	39 3/8	3 х	14	1			9

### SURE-GRIP® EX PAINT & INK STORAGE CABINETS

Offers the same safety and quality features and options that are available in Justrite®'s safety cabinets for flammables with additional shelves.

- · Multiple shelves are ideal for 1-gallon paint cans (Class III liquids)
- Cabinets are available in 20, 40, 60 and 120-gallon capacities
- U-Loc<sup>™</sup> handle comes with double key set or accepts optional padlock for greater security
- Haz-Alert<sup>TM</sup> reflective warning labels offer visibility under dark conditions
- Durable red powder coat paint finish easily identifies contents and is highly chemical resistant
- Meets NFPA and OSHA regulations
- FM approved



Model	Mfg.		Capacity	Adjustable		E	xt. D	im		Wt.
No.	No.	Door Type	Gallons	Shelves	W"	X	D"	X	H"	lbs.
SAQ079	891511	1 Door, Manual, Compa	c 20	2	23 1/4	χ	18	Х	44	154
SAQ081	893011	2 Doors, Manual	40	3	43	Х	18	Х	44	239
SAQ084	894511	2 Doors, Manual	60	5	43	Х	18	Х	65	345
SAQ087*	896011	2 Doors, Manual	96	5	34	Х	34	X	65	424
EXTRAS	SHELVES									
SAP839	29937	Extra Shelf for 40-Gallo	n Cabinets							
SAQ028	29944	Extra Shelf for 60-Gallo	n Cabinets							

\*Codes state that not more than 60 gallons may be Class I and Class II liquids.

### SURE-GRIP® EX SAFETY CABINETS

These cabinets offer U-Loc<sup>TM</sup> handles and come with a double key set or accept an optional padlock for greater security. They also have Haz-Alert<sup>TM</sup> reflective warning labels to offer visibility under dark conditions. Yellow powder-coat paint finish. Meet NFPA and OSHA regulations.

### WALL MOUNT

- Avoids taking up extra floor space
- Mount easily with furnished brackets
- FM approved



**COUNTERTOP & COMPAC** 

- Increased access to often-used liquids, without compromising safety
- Portable size keeps work areas flexible
- Each has one adjustable shelf
- A great size for the home handyman Compac cabinets are FM approved

- Three adjustable shelves provide flexible, safe storage
- Small footprint allows placement almost anywhere
- FM approved

### STACKABLE "PIGGYBACK"

- Designed to mount on top of Justrite®'s standard 30 and 45-gallon safety cabinets
- Can be used singly or stacked to provide expanded or segregated storage of flammables

SA088

- Suitable for wall mounting or countertop use
- · FM approved





Model	Mfg.			Capacity	Adjustable		Ex	t. Di	m.		Wt.
No.	No.	Type	Door Type	Gallons	Shelves	W"	X	D"	X	Н"	lbs.
SAQ034	890400	Countertop	1 Door, Manual	4	1	17	Х	17	Х	22	62
SAQ036	891200	Compac	1 Door, Manual	12	1	23 1/4	Х	18	Х	35	129
SAQ038	891500	Compac	1 Door, Manual	15	1	23 1/4	Х	18	Х	44	154
SAQ040	893400	Wall Mount	2 Doors, Manual	20	5	43	Х	12	Х	44	221
SAQ030*	891300	Piggyback	2 Doors, Manual	12	-	43	Х	18	Х	18	129
SAQ031*	891700	Piggyback	2 Doors, Manual	17	1	43	Х	18	Х	24	157
SAQ032	892200	Slimline	1 Door, Manual	22	3	23	Х	18	Х	65	200
<b>EXTRAS</b>	HELVES			·							
Model	Mfg.							Wt.			
M.	Mile		Donation of the same					11			

Model No.	Mfg. No.	Description	Wt. Ibs.
SAQ043	29936	For 12 and 15-Gallon Compac Cabinets	5

<sup>\*</sup>Piggyback cabinets are not to be used with sliding door cabinets.



Countertop

### SAQ046

Slimline



DRUM STORAGE SURE-GRIP® **EX SAFETY CABINETS** 

Suitable for storage of larger quantities of flammable liquids and have all the same features as Justrite®'s standard safety cabinets.

- · Two manual doors
- Safely store one or two 55-gallon US drums
- · Half-depth shelf allows additional storage of Class III flammables
- Accommodates drums equipped with pumps or funnels
- Rollers at bottom of cabinet
- facilitate drum movement (sold separately)
- Ramp for drum cabinets (sold separately) aids in loading drums with a hand truck



### FLAMMABLE STORAGE **CABINETS**

### ULC APPROVED -2" FIBRE INSULATED

- Double wall welded 18-gauge steel construction, filled with a fire-proof insulation
- Two manual-close doors
- · Full length piano-hinged doors with three-point lock
- Two 2" flame arrestor vents and ground wire connection screw
- 2" deep leak-proof sill, adjustable galvanised shelves on 1/2" centres
- · Zinc-plated leveler legs

### **HAZ**

### herbertwilliams

Model	Mfg.	Cap.	Adjustable			Dime	nsio	ns H"	Wt.
No.	No.	Gal.	Shelves	VV	X	ע	Х	п	lbs.
SA087	WB30	30	1	44	Х	19	χ	45	350
SA088	WB45	45	2	44	Х	19	Х	66	430

### **M** JUSTRITE



Model No.	Mfg. No.	Drum US Cap.	w"	ct. Dii D"	Н"	Listings & Approvals	Wt. lbs.
SAQ046 SAQ048	896260 899160	1-55 Gallons 2-55 Gallons		 34 34	 65 65	FM -	425 781

### GAS CYLINDER CABINETS

- Heavy-duty construction
- 2" x 2" 10-gauge formed steel angle posts 9-gauge wire mesh doors and walls for venting
- 14-gauge checker plate shelves and roof
- English and French warning labels included
- Padlock hasp for added security
- Innovative door design allows for left or right opening installation
- Easy assemble, knock-down feature saves on shipping costs

Note: Constructed to meet or exceed strict CSA International B149.2-0 Propane Storage and Handling Code. Cylinders must be stored vertically at all times.







### **COMPRESSED GAS (9" DIAMETER CYLINDERS)**

Model		Di	mensi	ons		Cylinder	Wt.
No.	W"	X	D"	X	Н"	Capacity	lbs.
SAF837	44	Х	30	Х	74	10	210
SAF848*	88	Х	30	Х	74	20	420
	,						

\*Consists of two units of the SAF837

### LIQUID PROPANE (35-LB CYLINDERS)

•			•				
Model		Di	mensi	ons		Cylinder	Wt.
No.	W"	X	D"	X	Н"	Capacity	lbs.
SEB837*	30	Х	17	Х	37	2	70
SEB838*	17	Х	17	Х	69	2	85
SAF836	44	Х	30	Х	37	6	135
SAF847	44	Х	30	Χ	74	12	270



### SAFETY CONTAINERS & FIRE EXTINGUISHERS

### TYPE I SAFETY CANS

- · Fully compliant Type I safety cans with stainless steel flame arresters
- Chemical resistant, provides faster liquid flow, and offers exceptional durability and corrosion protection
- Self-venting, self-closing leak tight lid prevents ruptures from pressure build-up and controls vapours and spills
- Warning label includes large ID zone for user labelling
- Optional poly funnel offers targeted pouring FM approved, UL/ULC listed
- 10-year limited warranty



**M** JUSTRITE®



SEA213

### TYPE II ACCUFLOW™ **SAFETY CANS**

- AccuFlow<sup>™</sup> exclusive Safe-Squeeze® trigger mechanism allows for smooth flow and accurate pouring
- Auto-venting pressure relief cap
- Leak proof self-closing gasketed lid controls vapours and spills
- Long lasting stainless steel flame arrester dissipates heat and prevents flashback ignition
- Extra large ID zone reduces misuse and has warning in three languages
- FM approved, UL/ULC listed
- 10-year limited warranty



SEA233



**№** JUSTRITE®

Red	Mfg.	Yellow	Mfg.	Capacity	E	kt. Dii	m.
Model No.	No.	Model No.	No.	US Gal.	Dia."	x	H"
5/8" HOSE	WIDTH						
SEA217	7210120	SEA218	7210220	1	9 1/2	х	11
SEA221	7220120	SEA222	7220220	2	9 1/2	Х	13 1/2
SEA224	7225120	SEA226	7225220	2.5	11 1/2	Х	12
SEA232	7250120	SEA234	7250220	5	11 1/2	Х	18
1" HOSE V	VIDTH						
SEA225	7225130	SEA227	7225230	2.5	11 1/2	Х	12
SEA233	7250130	SEA235	7250230	5	11 1/2	Х	18

Other colour/capacity/hose width combinations available, call us today!

Red	Mfg.	Yellow	Mfg.		Ex	t. Di	m.
Model No.	No.	Model No.	No.	Capacity	Dia."	X	H"
WITH FUN	INEL						
SEA240	7110110	SEA241	7110210	1 US Gal.	9 1/2	Х	11
SEA204	7120110	SEA244	7120210	2 US Gal.	9 1/2	Х	13 3/4
SEA208	7125110	SEA247	7125210	2.5 US Gal.	11 3/4	Х	11 1/2
SEA213	7150110	SEA250	7150210	5 US Gal.	11 3/4	Х	16 7/8
WITHOUT	T FUNNEL						
SAI516	10001	-	-	1 Pint	4 5/8	Х	6 3/4
SAI517	10101	-	-	1 Quart	4 5/8	Х	8 1/4
SEA199	7110100	SEA200	7110200	1 US Gal.	9 1/2	Х	11
SEA203	7120100	SEA205	7120200	2 US Gal.	9 1/2	Х	13 3/4
SEA207	7125100	SEA209	7125200	2.5 US Gal.	11 3/4	Х	11 1/2
SEA212	7150100	SEA214	7150200	5 US Gal.	11 3/4	Х	16 7/8

10 Year

Other colours available, call us today!

### LABORATORY SAFETY CANS IN STEEL & POLYETHYLENE

Convenient dispensing in two styles for use on shelves or in tilt stands.

- · Self-closing faucets offer controlled dispensing of hazardous liquids
- Fill spouts have self-closing pressure relief caps with built-in vacuum breakers and double mesh flame arresters
- The lab faucet allows easier dispensing into containers with small openings
- FM approved 5 US gallon cans



### **W** JUSTRITE®

Model	Mfg.		
No.	No.	Description	Faucet
SEC080	7150140	Steel Shelf Can	Control Flow Lab, 3/4" Brass
SEC081	7150150	Steel Shelf Can	3/4" NPT Rigid Brass
SEC082	7150146	Steel Tilt Can w/Stand	Control Flow Lab, 3/4" Brass
SEC083	7150156	Steel Tilt Can w/Stand	3/4" NPT Rigid Brass
SEC084	14545	Polyethylene Shelf Can	Control Flow Lab, 3/4" Brass
SEC085	14535	Polyethylene Tilt Can W/Stand	Control Flow Lab, 3/4" Brass

### **OILY WASTE CANS**

- OSHA compliant oily waste cans are essential whenever solvent cloths and wiping rags are used
- Self-closing cover reduces oxygen source to prevent fire from starting
- Round construction and raised bottom encourage air circulation to disperse heat and prevent rust
- Rugged galvanised steel body in a variety of sizes accommodates any work area
- Carrying handle for portability
- 6 21 US gallon foot-operated units are FM approved and UL listed
- 2 US gallon hand-operated, countertop model is FM approved






### 

Yellow	Mfg.	Red	Mfg.	Сар	Ext. Di	men	sions	Wt.
Model No.	No.	Model No.	No.	US Gal.	Dia."	X	H"	lbs.
SR361	09200Y	SR356	09200	2	9 5/8	Х	9 1/8	6
SR362	09101	SR357	09100	6	11 7/8	Х	15 7/8	10
SR363	09301	SR358	09300	10	13 15/16	Х	18 1/4	12
SR364	09501	SR359	09500	14	16 1/16	Х	20 1/4	15
SR365	09701	SR360	09700	21	18 3/8	Х	23 7/16	22


### STEEL DRY CHEMICAL ABC FIRE EXTINGUISHERS

- Steel cylinder complete with cylinder skirt
- · Industrial-strength cylinder has high corrosion and impact-resistant polyester powder paint finish
- Waterproof stainless steel gauge
- Anodised aluminum valve
- Strong polyester powder-coated steel handles
- Completely rechargeable
- Full hand grip for ease of operation
- ULC listed



SC951

Wall Hooks





Wall

50 1/3





### SPILL KITS ALLOW FOR IMMEDIATE CLEAN-UP OF SPILLS

Choice of oil, universal or hazmat kits. Oil kits can handle oil and fuel spills on land or on water. Universal kits handle more general purpose spills such as acids, caustics (bases), common fluids such as coolants, ethanol, pesticides and solvents. Hazmat kits handle chemical and more toxic fluids.



### 95-GALLON SPILL KITS

50 Sorbent Pads, 15" x 17"

- Sorbent Socks, 3" x 48"
- Sorbent Pillows, 8" x 18"
- Sorbent Booms, 5" x 10"
- Sorbent Roll, 15" x 150'
- Drain Cover, 36" x 36"
- Caution Tape, 3" x 300'
- 2 Pairs Nitrile Gloves, 2XL (11)
- 2 Pairs Safety Goggles, One Size
- Microporous Coveralls, XL
- Disposal Bags, 26" x 36"



Mobile





-

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.	
Spill Kit Mobile Spill Kit	SEJ262 SEJ264	SEI167 SEI494	SEJ263 SEJ265	
Renlacement Kit*	CE 1824	SF1873	CE 1826	

\*Replacement kit does not include original package container

### 55-GALLON SPILL KITS

- Sorbent Pads, 15" x 17"
- Sorbent Socks, 3" x 48"
- Sorbent Socks, 3" x 120"
- Drain Cover, 36" x 36" Pair Nitrile Gloves, 2XL (11)
- Microporous Coveralls, XL
- Pair Safety Goggles,
- One Size
- Disposal Bags, 26" x 36"



	Oil Only	Universal	Hazmat	
Description	Model No.	Model No.	Model No.	
Spill Kit	SEI196	SEI195	SEJ271	
Replacement Kit*	SEI576	SEJ833	SEJ834	

\*Replacement kit does not include original package container

### **5-GALLON SPILL KITS**

- 5 Sorbent Socks, 3" x 48"
- 1 Pair Nitrile Gloves, 2XL (11)
- 1 Pair Safety Goggles, One Size
- 2 Disposal Bags, 26" x 36"



Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.	
Spill Kit	SEJ975	SEI160	SEJ286	
Replacement Kit*	SEJ976	SEJ858	SEJ859	

<sup>\*</sup>Replacement kit does not include original package container

### **63-GALLON SPILL KITS**

100 Sorbent Pads, 15" x 17"

- Sorbent Socks, 3" x 120"
- Sorbent Pillows, 18" x 18"
- Drain Cover, 36" x 36"
- Optisorb®, 25-lb. Bag
- Pairs Nitrile Gloves, 2XL (11)
- Pair Safety Goggles, One Size
- Disposal Bags, 26" x 36"

### Mobile Version





	<del></del>		
Description	Oil Only Model No.	Universal Model No.	
Mobile Spill Kit Replacement Kit*	SEI198 SEI943	SE1197 SE1944	

\*Replacement kit does not include original package container

### **30-GALLON SPILL KITS**

- Sorbent Pads, 15" x 17" Sorbent Socks, 3" x 120"
- Drain Cover, 36" x 36"
- Caution Tape, 3" x 300'
- Pairs Nitrile Gloves, 2XL (11)
- Pairs Safety Goggles, One Size
- Microporous Coveralls, XL
- Disposal Bags, 26" x 36"



Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.	
Spill Kit	SEJ275	SEI165	SEJ276	
Replacement Kit*	SEJ839	SEI614	SEJ840	

\*Replacement kit does not include original package container

### 20-GALLON SPILL KITS

- Sorbent Pads, 15" x 17"
- Sorbent Socks, 3" x 48"
- Sorbent Pillows, 8" x 18"
- Pair Nitrile Gloves, 2XL (11)
- Pair Safety Goggles, One Size
- Disposal Bag, 26 "x 36"




Description	Oil Only	Universal	Hazmat
	Model No.	Model No.	Model No.
Spill Kit	SEJ291	SEJ164	SEJ277
Replacement Kit*	SEJ841	SEJ842	SEJ843

<sup>\*</sup>Replacement kit does not include original package container

### 10-GALLON VEHICLE SPILL KITS

20 Sorbent Pads, 15 "x 17"

- Sorbent Socks, 3" x 48" Sorbent Pillows, 8" x 18"
- Repair Putty, 4 oz.
- Pair Nitrile Gloves, 2XL (11)
- Pair Safety Goggles, One Size
- Disposal Bags, 26" x 36"




<sup>\*</sup>Replacement kit does not include original package container

### SPILL CONTROL

### **BONDED SORBENT PADS & ROLLS**

- 100% bonded polypropylene fibre
- Ideal for applications that require increased tensile strength
- More durable than traditional meltblown sorbents
- Bonded pads offer low linting and permit an easy clean up
- · All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials








Model		Din	iens	ions	Absorbency/Pkg.	Qty
No.	Weight	L	X	W	Gallons	/Pkg.
PADS - C	IL ONLY					
SEJ934	Heavy	15"	Х	17"	30	100
SEH968	Heavy	15"	Х	17"	10	25
SEH969	Medium	15"	Х	17"	25	100
SEI999	Light	15"	Х	17"	15	100
SEH970	Light	15"	Х	17"	30	200
ROLLS -	OIL ONLY					
SEH972	Heavy	150'	Х	30"	50	1
SEH971	Heavy	150'	Х	15"	25	1
SEJ001	Medium	150'	Х	30"	40	1
SEJ002	Medium	150'	Х	15"	20	1
SEH973	Light	300'	Х	30"	55	1



						CONTRACT CO.
Model No.	Weight	Din L	nens x	ions W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS - U	INIVERSAL					
SEJ935	Heavy	15"	Х	17"	30	100
SEH959	Heavy	15"	Х	17"	10	25
SEJ940	Medium	15"	Х	17"	25	100
SEH961	Light	15"	Х	17"	15	100
SEH962	Light	15"	Х	17"	30	200
ROLLS -	UNIVERSAL					
SEH966	Heavy	150'	Х	30"	50	1
SEH965	Heavy	150'	Х	15"	25	1
SEH964	Medium	150'	Х	30"	40	1
SEH963	Medium	150'	Х	15"	20	1



### **SORBENT PILLOWS**

- · Designed to recover and absorb large volumes of liquid
- Pillows can slide underneath dispensing units and machines to contain constant drips
- Oil only pillows are made from 100% polypropylene, and absorb more than 25x their weight
- Universal pillows are made from a polypropylene and cellulose blend, and absorb more than 18x
- Sold per package

ZENTH

**SEH956** 



ZEN/TH

ZENTH

Model	Dir	nens	ions	Absorbency/Pkg.	Qty
No.	L"	X	W"	Gallons	/Pkg.
PILLOWS - OIL ONLY					
SEH956	18	χ	8	25	10
SEH957	18	χ	18	40	10
PILLOWS - UNIVERSAL					
SEJ028	18	χ	8	30	10
SEJ029	18	Χ	18	45	10
PILLOWS - HAZMAT					
SEI006	18	Х	8	30	10
SE1005	18	χ	18	45	10

### **SORBENT SOCKS**

- Durable polypropylene shell prevents tearing and offers maximum flexibility
- Perfect for surrounding leaking machinery and drains
- Oil only and hazmat socks are made from 100%
- polypropylene, and absorb more than 25x their weight Universal socks are made from a polypropylene and
- cellulose blend, and absorb more than 18x their weight
- Sold per package



Model No.	Din L"		ions W"	Absorbency/Pkg. Gallons	Qty
NO.	L	X	VV	Gallons	/Pkg.
SOCKS - OIL ONLY					
SEH955	120	Х	3	45	10
SOCKS – UNIVERSAL					
SEI048	120	Х	3	40	10
SOCKS – HAZMAT					
SEI004	120	Х	3	45	10

### **RAG RUGS**

- Made of 100% recycled cotton and polyester, with a binder on one side
- Excellent non-slip surface for work spaces
- Best suited for busy areas with leaks and drips
- Absorbs more than 12x its weight in oil, water, or chemicals
- Sold per package





Model		Dir	men	sions	Absorbency/Pkg.	Qty
No.	Weight	Ľ	X	W"	Gallons	/Pkg.
ROLLS - I	UNIVERSAL					
SEI055	Heavy	150	Х	36	50	1

### FINE FIBRE SORBENT PADS & ROLLS

- · Premium fine fibre
- Bonded tri layered construction offers a smooth lint free finish that does not leave fibre residue behind
- Quickest absorption rate and increased durability
- · Offers superior absorbency and strength
- Adheres well to floors to offer a secure footing
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight
- Sold per package









Model No.	Wainht	Din L		ions W	Absorbency/Pkg. Gallons	Qty /Dkm
	Weight	L	X	W	Gallons	/Pkg.
PADS - OI	L ONLY					
SEH974	Heavy	15"	Х	17"	30	100
SEH975	Medium	15"	Х	17"	25	100
SEI977	Light	15"	Х	17"	30	200
ROLLS - O	IL ONLY					
SEH976	Heavy	150'	Х	30"	50	1
SEH977	Heavy	150'	Х	15"	25	1
SEH978	Medium	150'	Х	30"	40	1
SEH979	Medium	150'	Х	15"	20	1
PADS - UN	IIVERSAL					
SEJ936	Heavy	15"	Х	17"	30	100
SEH981	Medium	15"	Х	17"	25	100
SE1978	Light	15"	Х	17"	30	200
ROLLS - U	NIVERSAL					
SEH982	Heavy	150'	Х	30"	50	1
SEH983	Heavy	150'	Χ	15"	25	1
SEH984	Medium	150'	Х	30"	40	1
SEH985	Medium	150'	Х	15"	20	1
PADS - HA	ZMAT					
SEH986	Heavy	15"	Х	17"	30	100
SE1979	Medium	15"	Х	17"	25	100
SEH987	Light	15"	Х	17"	30	200
ROLLS - H	AZMAT					
SEH988	Heavy	150'	Х	30"	50	1
SEI980	Heavy	150'	Х	15"	25	1
SEI981	Medium	150'	Х	30"	40	1
SEI982	Medium	150'	Х	15"	20	1

### DRIP DAM<sup>TM</sup> ROOF LEAK DIVERTERS

- Fast & efficient response to overhead leaks
- Convenient hose connector with cap
- Fits 5/8" and 1/2" standard garden hose, not included
- High chemical resistance
- Lightweight, reusable and easy to store
- Material: PVC
- Attach with four bungee cords or rubber tie downs (not included)



Model No.	Dimensions'			
SEI133	3	Х	3	
SEI134	3	Х	6	
SEI136	6	Х	10	
SEI657	5	Х	5	
SEI658	6	Х	6	
SEI659	10	Х	12	
SE1660	12	Х	12	



### **RUBBER TIE DOWNS**

· Other sizes available



	0.00		-	-	-	-	-
- 1	Me I		5	70		nbo	
	IPO I	ш		ш١	ت	MIN	М
	-	_	_	-	-	-	=

### COLLAPSIBLE SHOVELS

• Aluminum

PE368

- · Compact storage
- Easy-to-connect lock buttons permit rapid assembly
- Ideal for picking up sorbent material and to include in spill kits
- Durable aluminum handle
- Non-sparking, designed for emergency responses
- Assembled length: 29" L
- Collapsed size: 15"L x 10"W x 3"H
- · Weight: 1.5 lbs.

Model No. SEI088 Mfg. No. 0401





### **NEOPRENE DRAIN COVERS**

- · Prevents contaminants from entering drain
- Resists oil, water and most aggressive chemicals, non-absorbing
- Cleans easily with soap and water between uses

Model		Di	mensi	ons	
No.	Ľ"	X	W"	X	Thick"
SH104	36	Х	36	Х	1/16
SAP060	48	Х	48	Х	1/16



### OPTISORB® GRANULAR ABSORBENT

- Made from diatomaceous earth, 100% natural and moisture free mineral
- All purpose absorbent designed for the quick clean up of water, oil and grease
- Very cost effective for every day spills
- · Environmentally friendly
- 50% more absorbency per pound than clay alternatives
- 25-lb. bag

Model No. SEI076



### SPILL CONTROL

### POLY-OVERPACK® 20 & 30 SALVAGE DRUMS

- Versatile units that can contain solids and sludges with security
- Nestable for
- compact shipment · 1/2-turn lid for easy opening and closing
- Built-in shoulder for easy handling
- UN rated salvage drums



### POLY-OVERPACK® 20 SALVAGE DRUM

- Accepts bottles, cans, and 5-gallon pails
- 20 US gallon sump capacity
- Exterior dimensions: 23" top dia. x 18" bottom dia. x 19" H Interior dimensions: 21 1/2" top dia. x 17" bottom dia. x 17 1/2" H



### POLY-OVERPACK® 30 SLAVAGE DRUM

- · Unit can contain up to 16 US gallon drums
- 30 US gallon sump capacity
- Exterior dimensions: 23" top dia. x 18" bottom dia. x 30" H Interior dimensions: 21 1/2" top dia. x 17" bottom dia. x 28 1/2" H

Model No.	Mfg. No.	Description	Wt. Ibs.
SAG189	1220-YE	Poly-Overpack® 20	10
SAH551	1230-YE	Poly-Overpack® 30	13

### POLY-OVERPACK® 95 SALVAGE DRUM

LIGHTWEIGHT POLYETHYLENE OVERPACK CAN **CONTAIN A BROAD RANGE OF HAZARDOUS CHEMICALS INCLUDING ACIDS AND CORROSIVES!** 

- · Damaged and deformed drums can be overpacked easily
- Twist-on lid with a closed cell polyethylene gasket can be closed securely and easily by using any long object, like a two-by-four
- Accepts all 55 US gallon drums
- Meets performance-oriented packaging requirements of U.S. DOT and UN regulations as well as Group 1 packaging standards and salvage drum regulations
- Molded area allows for easy gripping and pick-up by material handling equipment
- 95 US gallon sump capacity
- Exterior dimensions:

31 3/4" top dia. x 26" bottom dia. x 41 1/2" H Interior dimensions:

27" top dia. x 24 3/4" bottom dia. x 37" H

Model No.	Mfg. No.	Description	Wt. Ibs.
		<u> </u>	
SB756	1037-YE	Poly-Overpack® 95	48





### POLY-OVERPACK® 65 SALVAGE DRUM

- Appropriate for 30 US gallon drums
- Nests for easy storage
- Gasket in the lid for secure containment
- Can be used as a spill kit container
- Light enough for one person to handle and large enough to pack sufficient absorbent for incidental spills
- Meets Group 1 packaging standards, salvage drum regulation
- Meets performance-oriented packaging requirements of US DOT and UN regulations
- Maximum handling capacity: 440 lbs.
- **Exterior dimensions:**

27 3/4" top dia. x 23" bottom dia. x 37 1/2" H Interior dimensions:

26 3/4" top dia. x 22" bottom dia. x 34 1/4" H

Spill products not included



Model	Mfg.	Description	Wt.
No.	No.		lbs.
SE471	1065-YE	Poly-Overpack® 65	47



### WHEELED OVERPACK® 95 SALVAGE DRUM

First mobile 1-piece Overpack® that can handle 55 US gallon drums

Salvage drum and dolly all in one, eliminates the need for a separate dolly

- UN rated salvage drums, ideal for spill kits
- Built-in handles and 6" wheels allow for easy maneuverability
- Easy steering through doorways and around obstacles
- Polyolefin wheels recommended for indoor use and pneumatic wheels for outdoor use
- 95 US gallon sump capacity
- **Exterior dimensions:**
- 31 1/2" top dia. x 25 3/4" bottom dia. x 47 1/2" H Interior dimensions:

27" top dia. x 25" bottom dia. x 38 1/2" H



Model No.	Mfg. No.	Description	Wt. Ibs.
SAH549	1299-YE	Polyolefin Wheels	56
SAH550	1299-YE-A	Pneumatic Wheels	56



### SPILL SCOOTER™

- 100% polyethylene construction
- Contains incidental spills and drips
- Spout included for easy draining Holds 55 US gallon drums
- Optional metal T-handle available separately, 36 5/8" long
- Dimensions: 34 1/2" Dia. x 9" H
- 500-lbs. load bearing capacity 11 US gallon capacity



Model No.	Mfg. No.	Description	Wt. Ibs.
SB767	5205-YE	Spill Scooter™	26
SC554	5206-BK	T-Handle	3

### Drum not included



### LEAK CONTAINMENT DRUM DOLLIES

- · Polyethylene dolly will not dent, corrode, or rust
- Handles 45-gallon drums
- Solid bottom construction with a 2" lip contains spills up to 5 L
- Overall diameter: 24 1/4
- · Capacity: 1000 lbs.





Model	Caster		0.A.
No.	Type	Caster"	Height"
DC465	Polyurethane	3	6 1/4
DC466	Polyolefin	3	6 1/2
DC467	Polyolefin	4	7 1/4

**SAQ186** 

### NESTABLE 2-DRUM POLY-SPILLPALLET™

- · 100% polyethylene provides excellent chemical resistance
- · Removable grates for easy cleaning
- Forkliftable on two sides
- · Holds two 55 US gallon drums
- · Load bearing capacity of 2000 lbs.
- Sump capacity of 66 US gallons
- · Available with drain hole and plug
- Meets EPA 40 CFR 264.175
- Overall dimensions:
- 51" L x 26" W x 21" H





Model No.	Mfg. No.	Description	Wt. Ibs.
SE1786	5222-YE	2-Drum Poly-Spillpallet™	45
SEI787	5222-YE-D	2-Drum Poly-Spillpallet™ w/Drain	45

SF410

### POLY-SLIM-LINETM 6000

- 100% polyethylene with removable grates
- Features a low 12" profile
- Load bearing capacity of 6000 lbs.
- Sump capacity of 66 US gallons

### MULTI-PURPOSE RACKER/STACKER™

- Holds up to two 55 US gallon drums
- Unit can be placed on the floor (no sump) or on the Poly-Slim Line<sup>TM</sup> 6000
- Load bearing capacity of 2400 lbs.
- Use with the Poly-Shelf™ for easy dispensing into
- 5 or 6-gallon pails Forkliftable



SR442



2	
0	-
3/	-

Model	Mfg.			D	imensio	ns		Wt.
No.	No.	Description	L"	X	W"	X	Н"	lbs.
SE408	5400-YE	Poly-Slim-Line™	54	Х	54	Х	12	91
SE409	5400-YE-D	Poly-Slim-Line™ w/Drain	54	Х	54	Χ	12	91
SE410	6004-YE	Multi-Purpose Racker/Stacker™	48 1/2	Х	41	Χ	20	87
SB773	6003-YE	Poly-Shelf™	17	Х	22	Х	17 1/2	10
SAQ186	5039-BK	Poly-Ramp™	68	Х	30 3/4	Χ	12 1/2	65
SR442*	6005-BK	Universal® Well Liner	12 3/4	Х	15 1/2	Х	2 1/2	1.5

\*Can also be used with Poly-Dolly®

### LOW-PROFILE IN-LINE POLY-SPILLPALLET™ 3000

- 100% polyethylene
- Holds four 55 US gallon drums
- Low 12" profile
- Non-skid, removable grates
- Load bearing capacity of 3000 lbs.
- Poly-Ramp™ allows for
- easy loading of pallet



Model	Mfg.			D	imensio	ns		Wt.
No.	No.	Description	L"	X	W"	X	Н"	lbs.
SB762	5102-YE	Poly-SpillPallet™	98	Х	25 1/4	Х	12	84
SB763	5102-YE-D	Poly-SpillPallet™ w/Drain	98	Х	25 1/4	Х	12	84
SAQ186	5039-BK	Poly-Ramp™	68	Х	30 3/4	Х	12 1/2	65

### POLY-DOLLY®

### THE MULTI-FUNCTIONAL, TWO-WHEEL DISPENSING STATION!

- Transports 55 US gallon drums with ease
- Tilts to become an efficient self-dispensing station
- Acts as its own secondary containment unit
- Integrally molded handles for extra strength
- Double looped strap for easy loading
- Accessible to forklift from the rear
- Raised ribbed dispensing well
- Drain plug for removal of contents from sump
- Available as an all terrain dolly
- Dimensions: 69" L x 32 1/2" W x 26 1/2" H
- 70 US gallon sump capacity
- 600-lbs. load bearing capacity



Model No.	Mfg. No.	Description	Wt. Ibs.
SB769	5300-YE	Poly-Dolly®	98
SB770*	5300-YE-A	Poly-Dolly® ATD	104



Drums Not

\*All terrain dolly with heavy-duty pneumatic rubber wheels

### THE POLY-RACK™ SYSTEM

### THE MOST EFFICIENT DISPENSING/STORAGE SYSTEM!

### POLY-RACKER™

- One-piece polyethylene rack that holds two 55 US gallon drums
- 100 plus gallon containment sump
- · Deep dispensing well easily holds 5-gallon pails
- Both sides of the unit have a drain plug
- Entire unit can be transported by forklift
- · Rated to hold up to 3000 lbs.

### POLY-STACKER<sup>TM</sup>

- · Holds two 55 US gallon drums
- Can be quickly stacked with a forklift

Pallet not

included

Any spills from the second and third level falls into the dispensing well for containment and easy cleanup

### POLY-SHELF<sup>TM</sup>

- It easily attaches to Poly-Stacker<sup>TM</sup>
- Allows simultaneous dispensing from all drums
- A hole in the bottom of the Poly-Shelf<sup>TM</sup> drains into the dispensing well in the Poly-Racker™



Model	Mfg.		Max Capacity			Dimensio	ns		Wt.
No.	No.	Description	lbs.	L"	X	W"	X	H"	lbs.
SB771	6000-YE	Poly-Racker™	3000	49	Х	52 1/2	Х	22 1/2	120
SB772	6002-YE	Poly-Stacker™	2400	49	Х	41	Х	13	56
SR466	6006-YE	Single Poly-Racker™	1600	31	Х	53	Х	32	95
SR467	6007-YE	Single Poly-Stacker™	800	31	Х	40 1/2	Х	20	50
SB773*	6003-YE	Poly-Shelf™	60	17	χ	22	Х	17 1/2	10
***		THE RESERVE							

<sup>\*</sup>Use only with Poly-Racker™ or Poly-Stacker™

### SPILL CONTROL

### ECOPOLYBLEND™ SPILL CONTROL PALLETS

- Eco-friendly pallets are made of up to 100% recycled polyethylene, dirt hiding black colour is 100% recycled and high visibility yellow is 35% recycled content

  Fully compliant and quality engineered with a robust design, they withstand
- the toughest environments and are nearly impervious to chemical attack
- Featuring seamless construction, oversized sumps and sturdy removable self-locating grates, these pallets provide optimum, solid protection from leaks and spills
- 2-drum and 4-drum square pallets include wide forklift pockets for easy relocation
- Optional ramp for 4-drum square pallets offers convenience when loading and unloading heavy drums, and square or space saving linear styles in multiple sizes offer storage versatility
- Pallets meet or exceed EPA, SPCC, NFPA 1 and the International Fire Code





Yellow	Mfg.	Black	Mfg.		Exterior Dimensions	Sump Cap.	Load Bearing	Wt.
Model No.	No.	Model No.	No.	Description	W" x D" x H"	US Gallons	Cap.	lbs.
WITHOUT	DRAIN							
SBA997	28622	SBA844	28623	2-Drum, In-Line	49 x 25 x 18	66	2500	44
SBA853	28626	SBA846	28627	3-Drum, In-Line	73 x 25 x 11 5/8	75	3750	58
SBA857	28630	SBA850	28631	4-Drum, In-Line	97 x 25 x 9	75	5000	77
SBA855	28634	SBA848	28635	4-Drum, Square	49 x 49 x 10 1/4	73	5000	70
WITH DRA	IIN							
SBA852	28624	SBA845	28625	2-Drum, In-Line	49 x 25 x 18	66	2500	44
SBA854	28628	SBA847	28629	3-Drum, In-Line	73 x 25 x 11 5/8	75	3750	58
SBA858	28632	SBA851	28633	4-Drum, In-Line	97 x 25 x 9	75	5000	77
SBA856	28636	SBA849	28637	4-Drum, Square	49 x 49 x 10 1/4	73	5000	70
ACCESSOI	RIES							
SBA859	28620	-	-	Ramp for 4-Drum Square	49 x 33 x 10 1/2	-	1000	40
SBA860	28259	-	-	2-Drum Replacement Grate	24 x 48 x 21/2	-	-	16

### ECOPOLYBLEND™ LOW PROFILE ACCUMULATION CENTRES

- High value secondary containment centres are eco-friendly, made of up to 100% recycled durable polyethylene, dirt hiding black colour is 100% recycled and high visibility yellow is 35% recycled content
- · These handy platforms offer leak protection from drums, pails, batteries, or any other container of hazardous or non-hazardous liquids
- Sturdy, removable grates make sump cleaning easy while low profile offers convenience when loading/unloading
- Versatile modular design allows you to customize your workspace around existing structures, linear style or over entire floor
- Optional joining clips and Sump-to-Sump™ drain kit provide
- a continuous sump for on-site compliance when needed
- Accessory ramp can be located anywhere on any 2-drum or larger centre





Yellow	Mfg.	Black	Mfg.		Exterior Dimensions	Sump Cap.	Load Bearing	Wt.
Model No.	No.	Model No.	No.	Description	W" x D" x H"	US Gallons	Cap.	lbs.
SBA866	28652	SBA861	28653	1-Drum Unit	25 x 25 x 51/2	12	1250	17
SBA867	28654	SBA862	28655	2-Drum Unit	49 x 25 x 51/2	24	2500	32
SBA868	28656	SBA863	28657	4-Drum Unit	49 x 49 x 51/2	49	5000	61
SBA869	28658	SBA864	28659	6-Drum Unit	73 x 49 x 51/2	73	7500	91
SBA870	28660	SBA865	28661	8-Drum Unit	97 x 49 x 51/2	98	10000	122
SBA871	28650	-	-	Ramp	48 x 33 x 61/4	-	1000	41

### **HEAD & FACE PROTECTION**

### MATTERHORN CSA TYPE 2

- Foam liner for extra protection from lateral impacts
- · Rain trough
- · Slotted for attachments
- Ratchet or "Quick Fit" suspension
- "Quick Fit" suspension is ultra-lightweight with locking action, simply squeeze buckle and loosen
- Certified to CSA standard Z94.1-05 type 2 class E







I	I I a sa a sa a sa a I	
рy	Honeywel	l

Model	Mfg.			Wt.
No.	No.	Suspension	Colour	oz.
SH342	A89010000	Quick Fit	White	14.7
SH343	A89020000	Quick Fit	Yellow	14.7
SH344	A89030000	Quick Fit	Orange	14.7
SH345	A89080000	Quick Fit	Navy Blue	14.7
SAI080	A89070000	Quick Fit	Sky Blue	14.7
SH346	A89040000	Quick Fit	Green	14.7
SH347	A89R010000	Ratchet	White	15.6
SH348	A89R020000	Ratchet	Yellow	15.6
SH349	A89R030000	Ratchet	Orange	15.6
SH350	A89R080000	Ratchet	Navy Blue	15.6
SAI081	A89R070000	Ratchet	Sky Blue	15.6
SH351	A89R040000	Ratchet	Green	15.6
ACCESSO	RIES			
SA0538	A89S3	4-Point Quick Fit Suspension		
SAN022	A89RS3	4-Point Ratchet Suspension		

### **V-GARD® PROTECTIVE CAPS**

- · Comfortable, lightweight protection
- Polyethylene shell and suspension system
- Slotted sides and advanced styling in standard (6 1/2 - 8) size
- Meets or exceeds ANSI Z89.1-2003 Type I Class E and CSA Z94.1-2005 type 1 class E



### MSA

Model	Mfg.		
No.	No.	Suspension	Colour
SAF958	463942	Staz-On®	White
SAF959	463943	Staz-On®	Blue
SAF960	463944	Staz-On®	Yellow
SAF961	463945	Staz-On®	Orange
SAF970	475358	Fas-Trac®	White
SAF971	475359	Fas-Trac®	Blue
SAF972	475360	Fas-Trac®	Yellow
SAF973	475361	Fas-Trac <sup>®</sup>	Orange

### THE PEAK A79 CSA TYPE 1

- · High-density polyethylene shell
- · Side slots for attaching accessories
- · Rain trough to shed rain out
- Reinforcing ribs for extra shell strength
- Choice of ratchet or pinlock suspension
- Vertical adjustable headband and foam perforated vinyl sweatband
- · Weighs less than 12 oz.
- Pinlock and ratchet suspensions also available separately
- Certified to CSA standard Z94.1-05 type 1 class E







SA654

Model No.	Mfg.	Suspension	Colour
	No.		
SA653	A79010000	Pinlock	White
SA654	A79020000	Pinlock	Yellow
SH138	A79030000	Pinlock	Orange
SH139	A79080000	Pinlock	Navy Blue
CIII 44	A70D010000	D. r. l r	Militaria.

 SH138
 A79030000
 Pinlock
 Orange

 SH139
 A79080000
 Pinlock
 Navy Blue

 SH141
 A79R010000
 Ratchet
 White

 SH142
 A79R020000
 Ratchet
 Yellow

 SH143
 A79R030000
 Ratchet
 Orange

 SH144
 A79R080000
 Ratchet
 Navy Blue

Other colours available upon request.

### BIONIC™ FACESHIELDS

- Lightweight and balanced, ergonomic design for extended use
- Extended chin and top-of-head protection
- · Enhanced protection from airborne debris
- · Excellent optics and increased visibility
- Easy-to-set ratcheting headgear locking mechanism assures comfortable, secure fit
- Highly adjustable headgear tilts faceshield nearer or farther from face depending on preference and application
- · Easily replaceable faceshield with dual position choices
- Comfortable cell foam on back of headgear
- Breathable, removable, washable headband
- Comfortably worn with most goggles and respirators







Model No.	Mfg. No.	Description
FACESHIELD	S	
SAK421	\$8500	Clear Uncoated Faceshield
SAK422	\$8510	Clear Anti-Fog Hardcoat Faceshield
REPLACEME	NT FACESHIELDS	
SAK423	\$8550	Clear Uncoated
SAK424	\$8555	Clear Anti-Fog Hardcoat

### **EYE PROTECTION**

### **Z100**

- Traditional design with integral sideshields
- Scratch-resistant polycarbonate lens with UV protection
- Adjustable temples provide a superior comfort and fit
- Molded-in nose bridge
- Distortion-free Black frame
- Compliant with CSA standard Z94.3

Model	Lens
No.	Tint
SAN426	Clear



### **Z200**

- Superior protection at an economical price
- Ideal visitor spectacle
- Molded-in nose bridge
- Polycarbonate lens with UV protection
- Distortion-free
- Compliant with CSA standard Z94.3

Model	Lens
No.	Tint
SEF024	Clear



### **Z500**

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Anti-fog lens on SEB183 is ideal for high humidity applications
- Non-slip rubber head grips
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAP877	Clear
SEB183	Clear Anti-Fog
SAS362	Grey/Smoke
SAS363	Ámber
SAS364	Blue
SEA551	I/O Blue Mirror
SEE955	Orange



### **Z300**

- Impact-proof polycarbonate lens with UV protection
- Adjustable elastic headband
- Indirect ventilation on SEF219 and SAN430 protects against dust, fumes and chemical splash
- Anti-fog lens on SAN430 is ideal for high humidity applications
- Distortion-free
- Compliant with CSA standard Z94.3

Model	
No.	Description
SEF218	Direct Vent
SEF219	Indirect Vent
SAN430	Indirect Vent Anti-Fog



ZENTH

### **Z600**

- · Frameless design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- Flexible temple design for added durability
- Near total seal of the eye provides
- superior protection Distortion-free
- Compliant with
- CSA standard Z94.3

Model	Lens
No.	Tint
SAW920	Clear



### **Z**700

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra-soft non-slip nosepiece
- Flexible temple provides added durability
- Distortion-free
- Compliant with
  - CSA standard Z94.3

Model	Lens
No.	Tint
SAX442	Clear



### **Z900**

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber head grips
- Ultra-soft non-slip nosepiece
- Distortion-free
- Beige frame
- Compliant with
- CSA standard Z94.3





### Z1300

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model	Lens
No.	Tint
SEC953	Clear



### Z1400

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model	Lens
No.	Tint
SEC954	Clear



### Z1500

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free White frame
- Compliant with CSA standard Z94.3







### **EYE PROTECTION**

### Z1600

- · Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- · Ultra soft non-slip nosepiece
- · Extendable and ratchet temple provides superior comfort and fit
- · Distortion-free
- Black frame
   Compliant with CSA standard Z94.3

Model	Lens
No.	Tint
SEE817	Clear



ZENTH

### Z1700

- Frameless design with extended wraparound coverage
- Non-slip rubber head grips
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Compliant with
- CSA standard Z94.3

Model No.	Lens Tint	
SEG788	Clear	



### Z1900

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- · Ultra soft non-slip nosepiece
- Distortion-free
- Meets or exceeds CSA Z94.3 standard

Model No.	Lens Tint	
SEH632	Clear	
SEK286	Grey/Smoke	
SEK287	Amber	
SEK288	Blue	
SEK289	I/O Full Mirror	
SEK290	Clear Anti-Fog	



### **Z2000**

- Sporty design with extended wraparound coverage
- Non-slip, extremely flexible temples provide superior comfort and fit
- · Ultra soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- Green frame
- · Compliant with CSA standard Z94.3

Model	Lens
No.	Tint
SEK291	Clear



### **Z2100**

- · Modern design with extended wraparound coverage
- Ratchet temples provide superior comfort and fit
- · Ultra soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- · Clear frame
- Compliant with CSA standard Z94.3

Model	Lens
No.	Tint
SEK292	Clear



### **Z2200**

- · Modern design with extended wraparound coverage
- Flexible temples provide superior comfort and fit
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- · Clear frame
- Compliant with CSA standard Z94.3

Model	Lens
No.	Tint
SEK293	Clear



ZENTH

### GOGGLES W/SAFETY SHIELD

- Indirect ventilation and a polycarbonate shield for full face protection
- Face shield detaches from the goggles
- Curved face shield conforms to the shape
- of the users face for added protection

  Can be used over most
- prescription eyewear

  Compliant with

CSA standard Z94.3 Model No. SEL095





### **NYLON EYEWEAR RETAINER**

- · Lightweight and durable
- Fits a wide range of eyewear
- · Colour: Black

Model No. SEF182



### NEOPRENE EYEWEAR RETAINER

- · Lightweight and durable
- Fits a wide range of eyewear
- Colour: Black

Model No. SEF183



### EYEWEAR CASES

- Extends the life of eyewear by protecting the lens from scratches and abrasions
- · Zipper closure
- · Accommodates all Zenith® eyewear
- Attached belt clip offers multiple attachment options
- Colour: Black

Model No. SEF180





### **GOGGLES CASES**

- Extends the life of goggles by protecting the lens from scratches and abrasions
- Zipper closure
- Accommodates all
- Zenith® goggles

   Attached belt clip offers
  multiple attachment options
- Colour: Black

Model No. SEF181





### **HEARING PROTECTION**

### QUIET BANDS

Ergonomic design keeps the pods suspended so they do not become contaminated when you set the Quiet bands down

QB2° HYG supra-aural protection has a NRR 25 dB rating

One free pair of replacement pods included with each Quiet band.



by Honeywell

Model No.	Mfg. No.	Description	
SN616	QB2HYG	Supra-Aural, 25 dB	
REPLAC	CEMENT POD	S	
SN618	QB200HYG	1 pair per pkg.	



SM558

DESSED.

BEAT LITT

### MAX LITE® LOW PRESSURE FOAM

- · Ideal size for workers with smaller ear canals
- Low pressure polyurethane foam expands gently for comfortable long-term wear
- Contoured T-shape for easy handling and wear
- · Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- Rating: NRR 30 dB, CSA A(L)



Model	Mfg.	Description	Qty
No.	No.		/Box
SM558	LPF-1	Uncorded, Poly Bag	200 prs.
SM559	LPF-30	Poly Cord, Poly Bag	100 prs.

### PLUGSTATION® EAR PLUG DISPENSERS

- Gives workers easy access to hearing protection
- Affordable enough to be placed near every work area
- Clicking mechanism for easier use and dispensing
- Chute delivers plugs right into the palm of your hand Eliminates the mess of individual paper/polybag packaging
- Each dispenser is sealed and disposable plus completely recyclable
- Available in 250 or 500 pairs per PlugStation® with SparkPlugs® or Pura-Fit® foam ear plugs
- Camo Plugs® only available in 500 pair dispenser
- Mounting bracket with hardware included with every PlugStation®
- All rated at NRR 33 dB



Model	Mfg.		Qty
No.	No.	Description	/Dispenser
SE924	6644	SparkPlugs®	250 prs.
SE925	6645	SparkPlugs®	500 prs.
SE847	6844	Pura-Fit®	250 prs.
SF624	6845	Pura-Fit®	500 prs.
SAK439	6648	Camo Plugs®	500 prs

### **LEIGHTNING®**

- Maximum protection from an earmuff
- Robust steel headband withstands demanding use
- Padded foam headband and super-soft ear cushions deliver longwearing comfort
- Contemporary design improves wearer compliance
- Telescoping height adjustment
- Hygiene kits available



Model No.	Mfg. No.	Description	NRR dB
SAK147	1010922	L1, Over-Head Headband	25
SAK149	1010924	L3, Over-Head Headband	30



### LASER LITE® **MULTI-COLOUR FOAM**

- Vibrant colours make protection visible
- Self-adjusting polyurethane foam expands to fit virtually every wearer
- Contoured T-shape for easy insertion and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- Rating: NRR 32 dB, CSA A(L)



by Honeywell

Model No.	Mfg. No.	Description	Qty /Box
SM562	LL-1	Uncorded, Poly Bag	200 prs.
SM563	LL-30	Corded, Poly Bag	100 prs.


### MAX® FOAM

- The world's most-used polyurethane foam ear plug
- Bell shape delivers maximum in-ear comfort
- Contoured design easier to insert, resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- Rating: NRR 33 dB, CSA A(L)



by Honeywell

Model No.	Mfg. No.	Description	Qty /Box
SD630	MAX-1	Uncorded	200 prs.
SD631	MAX-30	Corded	100 prs.




**SEK003** 

SM562

BS-FD

### $FIRMFIT^{TM}$ SINGLE USE EARPLUGS

- Made of TPE foam
- Softer and exerts less expansion pressure on ear canal
- Orange colour makes compliance checks easy
- Rating: NRR 30dB





### **THUNDER®**

- Non-deforming comfort headband fits all head sizes
- Ventilated inner headband and soft pads for maximum comfort
- Quick-Click height adjustments
- Dielectric design safe for electrical environments
- Features patented Air Flow Control™ technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy
- Hygiene kits available



by Honeywell

Model No.	Mfg. No.	Description	NRR dB
SAK150	1010928	T1, Over-Head Headband	26
SAK151	1010929	T2, Over-Head Headband	28
SAK152	1010930	T3, Over-Head Headband	30





### **NUISANCE DUST MASKS**

- · Provides protection against nuisance dusts such as pollen, animal dander, saw dust, and other non-toxic dusts
- Lightweight construction
- · Adjustable nose clip provides a secure fit
- Latex straps 50 masks per box
- Sold per box

Model No. SAS499



### PARTICULATE RESPIRATORS

- Provides excellent worker protection
- Lightweight construction for enhanced comfort
- Adjustable nose clip with soft foam nose piece provides a secure fit
- Dual rubber strap design
- Latex-free
- SAS498 comes with exhalation valve for reduced humidity build up
- NIOSH approved N95
- Sold per box

Model No.	Qty/Box	
SAS497	20	
SAS498	12	




NORTH

### 7700 SERIES HALF MASK RESPIRATORS

- Non-allergenic silicone facepiece material
- Easy to clean, extremely durable and resists distortion
- Contoured sealing flange and improved cradle suspension

Model No.	Mfg. No.	Size
ZC352	770030S	Small
SM802	770030M	Medium
SA788	770030L	Large



### 5400 SERIES LOW MAINTENANCE **FULL FACEPIECE RESPIRATORS**

Elastomer material with high chemical resistance

Size

Small

- Oral nasal cup reduces fogging
- Hard-coated polycarbonate lens provides over 200° field vision







### N SERIES RESPIRATOR CARTRIDGES

Sleek, low profile design provides better balance and a wider field of vision

54001 Medium/Large

Sold two per package

No.

540015

Model

**SAH792** 

SAH791

**SEI596** 





wodei	mig.	
No.	No.	Description
SEI595	75SCL	Defender™ Multi-Gas
SEI596	N75001L	Organic Vapour
SEI597	N75002L	Acid Gas
SEI598	N75003L	Organic Vapour and Acid Gas
SEI601	75SCP100L	Defender™ Multi-Gas w/P100 Filter
SEI602	7581P100L	Organic Vapour w/P100 Filter
SEI603	7582P100L	Acid Gas w/P100 Filter
SEI604	7583P100L	Organic Vapour and Acid Gas w/P100 Filter



SFI601

by Honeywell

### 2300 N95 PARTICULATE RESPIRATORS

- Exhale valve reduces hot air build-up
- Dura-Mesh® shell resists collapsing
- Molded nose bridge easily seals
- without a metal nose band
- Soft foam nose cushion
- NIOSH approved N95
- 10 respirators per box
- Sold per box

Model No.	Mfg. No.	Description
SE849	2300N95	Medium/Large
SE850	2301N95	Small
SE851	2307N95	Alternate Shape



MOLDEX

MOLDEX

### 2700 N95 PARTICULATE RESPIRATORS

- HandyStrap® with buckle allows the respirator to hang down around neck when not in use
- Cloth strap feels cool and comfortable against the skin
- Ventex® valve lets the hot air out faster
- Soft foam nose cushion
- Dura-Mesh® shell resists collapsing
- NIOSH approved N95
- 10 respirators per box
- Sold per box



6	1	
	0	-
-	5	3

Model No.	Mfg. No.	Description
SJ902	2700N95	Medium/Large
SJ903	2701N95	Small

### 2800 N95 PARTICULATE RESPIRATORS

- Added carbon layer helps filter out nuisance levels of ozone and organic vapours (less than OSHA PEL)
- HandyStrap® with buckle allows the respirator to hang down around neck when not in use
- Cloth strap feels cool and comfortable against the skin
- Ventex° valve lets the hot air out faster
- Dura-Mesh® shell resists collapsing
- Soft foam nose cushion
- Softspun® lining increases comfort and durability
- NIOSH approved N95
- 10 respirators per box
- Sold per box

Model No.	Mfg. No.	Description
SJ904	2800N95	Medium/Large
SJ905	2801N95	Small



### 8511 N95 PARTICULATE RESPIRATORS

- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up
- Adjustable M-nose clip
- Braided comfort straps
- Lightweight construction
- NIOSH approved N95
- 10 respirators per box Sold per box
- Model No. SE261

Mfg. No. 8511N95





### 8210 N95 PARTICULATE RESPIRATORS

- Excellent worker protection
- Proprietary filter media helps make breathing easier
- Lightweight construction
- Adjustable nose clip
- Welded strap attachment no staples
- NIOSH approved N95 20 respirators per box
- Sold per box

Model No. SE260 Mfg. No. 8210N95





### **FALL PROTECTION**

### **EZ-STOP SHOCK ABSORBING LANYARDS**

- · Features the lightest, smallest, and strongest shock absorber in the world; 66% smaller and 40% lighter than previous EZ-stop models
- Lightest and strongest rebar hooks on the market
- Thinnest-ever webbing using HI-10<sup>TM</sup> Vectran® energy management material for reduced weight and bulk


Vectran® is a multifilament high tenacity performance yearn spun from liquid crystal polymer that is five times stronger than steel

- Repel™ webbing repels water to reduce the attraction of mold and dirt
- High abrasion resistance
- Excellent chemical and cut resistance
- High impact resistance
- High visibility accents keep you safe in low-light conditions
- Protected labels for durability and longevity
- Rugged and durable soft shock absorber cover is designed to last
- Certified to CSA standard Z259.11-05, Class E4









Model No.	Mfg. No.	Length'	No. of Legs	Harness Connection	Anchorage Connections	
SEJ418	1246012C	3	One	Snap Hook	Snap Hook	-
SEJ420	1246011C	6	One	Snap Hook	Snap Hook	
SEJ421	1246102C	6	One	Snap Hook	Rebar Hook	
SEJ423	1246024C	6	Two	Snap Hook	Rebar Hooks	
						_

### REBEL™ WEB SELF-RETRACTING LIFELINES

capital

- Self-locking hooks
- Great value with superior features
- Compact and lightweight
- Durable aluminum housing
- Certified to CSA standard Z259.2.2-98, Type 1 SRL



	-	-		
Model	Mfg.	Length'	Harness	Anchorage
No.	No.		Connection	Connection
SEB349	AD110BC	10	Swivel Snap Hook	Swivel Carabiner
SEB350	AD120BC	20	Rebar Hook	Swivel Carabiner
350330	AD 120DC	20	nepai nook	Swiver Carabiller

### DURABUILT LANYARDS

- Energy absorbing lanyard
- Durable polyester construction
- Variety of constructions and configurations available
- Double locking snap hook harness connection
- Certified to CSA standard Z259.11-05, class E4

Model No.	Mfg. No.	Length'	Number of Legs	Anchorage Connections
CONTIN	IUOUS WI	EB		
SAK520	FPD26311/4	4	0ne	Double Locking Snap Hook
SAK521	FPD26311/6	6	0ne	Double Locking Snap Hook
DECELE	RATOR			
SAH537	FPD29811/4	4	0ne	Double Locking Snap Hook
SAH750	FPD29811/6	6	One	Double Locking Snap Hook
SAH761	FPD29819/6	6	0ne	Double Locking Rebar Hook
SAK524	FPD2981G/4	1 4	One	Scaffolding Hook
SAK525	FPD2981G/6	5 6	0ne	Scaffolding Hook
DOUBL	DOUBLE-LEG DECELERATOR			
SAK528	<b>FPD299</b> 1G0	5/4 4	Two	Scaffolding Hooks
SAK529	FPD2991GG	/6 6	Two	Scaffolding Hooks



**SEB350** 



### MILLER® MANYARD® SHOCK-ABSORBING LANYARDS

- Unsurpassed in the market for safety, comfort and mobility
- Heavy-duty tubular outer jacket serves as a back-up web lanyard
- Locking snap hook harness connection
- ertified to CSA standard Z259.11-05. Class F4

• Certiii	Certified to C3A standard 2239.11-03, Class L4				
Model No.	Mfg. No.	Length'	Anchorage Connection		
SC980	216WLS-Z7/4FTYLC	4	Locking Snap Hook		
SC982	216WLS-Z7/6FTYLC	6	Locking Snap Hook		
SC984	219WRS-Z7/4FTYLC	4	Locking Rebar Hook		
SC986	219WRS-Z7/6FTYLC	6	Locking Rebar Hook		



SC980

### DELTA™ HARNESSES

- Patented triangular no-tangle design
- Repel™ webbing is water repellent
- Lanyard keepers hold your unused snap hooks and help reduce trip hazards
- Spring-loaded stand-up dorsal D-ring
- Certified to CSA standard Z259.10-06, Class A







Model No.	Mfg. No.	Leg Connections
SEB391	1110600C	Quick-Connect
SEB406	1102000C	Tongue Buckle
SEB403	1103321C	Pass-Thru

### PROTM HARNESSES

- · Harness design provides greater comfort and added safety
- High quality alloy steel dorsal D-ring is adjustable for worker convenience
- Spring-loaded torso buckles provide fast and easy adjustment on the job
- Lightweight hardware reduces fatigue and increases comfort and productivity
- Lanyard keepers provide a place to "park" a lanyard
- Certified to CSA standard Z259.10-06, Class A

Model No	Mfg. No.	Leg Connections	Additional Features
SEB363	1191201C	Pass-Thru	-
SEB366	1191237C	Tongue Buckle	-
SEB369	1191253C	Quick-Connect	Back, Shoulder, & Leg Padding
SEB360*	1191209C	Tongue Buckle	Hip Pad & Belt

\* CSA standard Z259.10-06, Class A, P

### RITE-ON™ HARNESSES

- · Integrated back and shoulder pad
- Fast-action bayonet style connectors
- Sweat wicking pad fabric
- Tangle-free pad design
- Lightweight polyester webbing
- Universal size with full adjustability
- Certified to CSA standard Z259.10-06




Certified to C3A standard 2239.10-00			
Model	Mfg.		CSA
lo.	No.	D-Rings	Class
AK490	FP81F/1DBA	Back	A
A0635	FP81F/4EDLA	Extended-back,	A, P, L

### **SAK490**

**SEB369** 

capital



### MILLER® AIRCORETM HARNESSES

- Designed with breathable, open-core padding technology that provides optimal air flow, while reducing heat and moisture entrapment, keeping a worker drier and cooler
- Patented Miller DuraFlex® stretchable webbing provides greater flexibility and increased comfort
- Easy adjustment with cam buckles on shoulder straps
- Contoured ergonomic padding design minimizes contact around a worker's neck, lower back, and inner thighs to reduce chaffing and irritation
- Stand-up back D-ring Steel hardware
- Quick-connect chest strap buckles for easy donning
- Lightweight materials and components reduce fatigue for all-day endurance and increased productivity
- Durable knitted mesh back shield minimizes moisture absorption and maintains optimal air circulation
- Certified to CSA standard Z259.10-12





Model	Mfg.	D-Rings	Leg	CSA
No.	No.		Connections	Class
SEJ642	AC-TB/UGN	Back	Tongue Buckle	A
SEJ643	AC-TB-D/UGN	Back and Side	Tongue Buckle	A, P
SEJ645	AC-QC/UGN	Back	Quick Connect	A
SEJ646	AC-QC-D/UGN	Back and Side	Quick Connect	A, P



### SUPERIOR QUALITY DOUBLE PALM SPLIT **COWHIDE FITTERS GLOVES**

- Top split cowhide leather construction
- Double layer of leather for premium protection
- Ultimate abrasion resistance
- Absorbent cotton lined palm
- Rubberized safety cuff provides superior protection
- Full leather tipped fingers and knuckle strap provides increased protection

· Sold per pair

Applications: Heavy-duty material handling, fabrication and metal handling



SM579

### SMOOTH GRAIN COWHIDE **FURNITURE LEATHER GLOVES**

- · Smooth grain leather finish
- · Resists oil and water
- · Durable, tough furniture leather construction
- · Cotton lined patch palm style
- · Safety cuff provides added protection
- Case Qty: 120
- · Sold per pair

Applications: Material handling, fabrication, metal handling and construction

Model No.	Size
SAN270	Large



ZEN/TH°



### THINSULATE™ LINED SPLIT COWHIDE FITTERS GLOVES

- Premium split cowhide leather construction
- Full Thinsulate<sup>TM</sup> lining provides superior warmth
- Good abrasion resistance
- · Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- · Thinner lining than acrylic boa provides better dexterity
- Sold per pair

Applications: Extreme cold material handling, fabrication, metal handling and construction

Model No.	Size	Lining Weight g	Qty/Case
SAS500	Ladies	100	72
SAN637	Medium	100	60
SAL544	Large	40	72
SM609	Large	100	72
SAP248	X-Large	100	72
SAP249	2X-Large	100	72

### **GRAIN COWHIDE FITTERS** ACRYLIC BOA-LINED GLOVES

- · Premium grain cowhide leather construction
- Full acrylic boa lining provides superior warmth
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Excellent comfort and durability
- · Full leather tipped fingers and knuckle strap
- provides increased protection
- Rubberized cuff for ultimate protection
- Case Qty: 72
- · Sold per pair

Applications: Extreme cold material handling, fabrication, metal handling and construction

Model No.	Description	Size
SA0053	Rubberized Safety Cuff	Large
SEI681	Ruberized Safety Cuff, Patch Palm	Large









SAO053



### **GRAIN COWHIDE PATCH PALM** FITTERS GLOVES

- Smooth grain cowhide leather construction
- Superior abrasion resistance
- Excellent comfort and durability
- Absorbent cotton lined palm
- Resists oil and water absorption better than split leather
- Patch palm design delivers added savings
- Full leather tipped fingers and knuckle strap provides increased protection
- Case Qty: 120 Sold per pair

Applications: Material handling, fabrication, metal handling and construction



Model No.	Description	Size
YC386	Standard Quality, Starched Cuff	Large
SAJ497	Better Quality, Plasticized Cuff	Large
SEC594	Better Quality, 43/4" Gauntlet Cuff	Large
SAP230	Better Quality, Rubberized Cuff	X-Large
SAP234	Superior Quality, Rubberized Cuff	X-Large

### SUPERIOR QUALITY HI-VIZ SPLIT COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton lined palm
- Full leather tipped fingers and knuckle strap
- Fluorescent yellow back and two grey reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 120
- Sold per pair

Model No.	Size	Colour	
SED160	Large	Fluorescent Yellow	
SEK236	Large	Fluorescent Orange	



### SUPERIOR QUALITY HI-VIZ GRAIN COWHIDE FITTERS THINSULATE™ LINED GLOVES

- Premium construction
- 100-g Thinsulate™ liner provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather tipped fingers and knuckle strap
- Fluorescent yellow back and two grey reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Otv: 72
- Sold per pair





		*
el No.	Size	Colour
128	Large	Fluoroescent Yellow
237	Large	Fluorescent Orange

### Mode SED4

### **HYD-TUF® GLOVES**

- Medium to heavy-duty nitrile coated
- Outperform standard cotton and leather gloves
- Nitrile coating resists snags, punctures, abrasions and cuts
- Excellent dry grip and repelling oil, grease and grime
- Snug and comfortable fit
- Safety cuff
- Accepted for use in Canadian food processing facilities
- Sold per pair


### **HYD-TUF 52-547 GLOVES**

- Driver's style, with cloth back and soft jersey lining
- Case Qty: 144

### **HYD-TUF 52-590 GLOVES**

- · Medium to heavy-duty A.C.P. impregnated winter gloves
- · Case Qty: 72

HYD-1 UF 52-547		
Model No.	Size	
SAW956	9	
SAW957	10	



SED428



### **MECHANICS/KNIT GLOVES**

### ZM100 MECHANIC GLOVES

- Ergonomic style and superior comfort
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Improved dexterity, grip and durability
- Case Qty: 12
- Sold per pair

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications

Model No.	Size
SEB047	Medium
SEB048	Large
SEB049	X-Large
SEB050	2X-Large

## SEB048

### ZEN/TH

### ZM200 MECHANIC GLOVES

- Ergonomic style combined with stylish look
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Stretchable nylon on knuckles improves dexterity and comfort
- Textured patches on palm and thumb permits superior grip and durability
- Case Qty: 12
- Sold per pair

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications

Model No.	Size
SEB051	Medium
SEB052	Large
SEB053	X-Large
SEB054	2X-Large



### ZM300 MECHANIC GLOVES

- Ergonomic style and superior comfort
- Grain leather palm and fingers
- improve tactility and protection
- Hook and loop cuff permits an adjustable fit Leather reinforced thumb and fingers offer increased durability
- Improved dexterity and grip
- Case Qty: 12
- Sold per pair

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications





Model No.	Size
SEB228	Medium
SEB229	Large
SEB230	X-Large
SEB231	2X-Large

### ZM400 PREMIUM MECHANIC GLOVES

- Ergonomic style combined with stylish look and premium features
- Hook and loop cuff permits an adjustable and secure fit
- Reinforced Kevlar stitching for
- maximum strength and durability PVC dots on palm and fingers for an enhanced grip
- Stretchable nylon on knuckles
- improves dexterity and comfort Ventilation holes between fingers
- for maximum breathability
- Textured patches on palm, finger tips and thumb crotch increase protection and durability
- Case Qty: 12
- Sold per pair

Model No. SEH739

SEH740

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications

Medium

Large X-Large





Model No.	Size
SEB228	Medium
SEB229	Large
SEB230	X-Large
SEB231	2X-Large

### POLY/COTTON STRING KNIT GLOVES

- Seamless string knit design provides excellent comfort and breathability
- 65% cotton and 35% polyester blend, 7 gauge
- Reversible pattern extends wear life and improves savings Knit wrist provides secure fit and prevents debris from entering the glove
- Accepted for use in Canadian food processing facilities
- Case Qty: 300
- Sold per pair



Model No.	Size
SEE932	X-Small
SEE933	Small
SEE934	Medium
SEE935	Large
SEE936	X-Large
SEE937	2X-Large

### **COTTON CANVAS GLOVES**

- Durable cotton fabric construction
- Moderate abrasion resistance
- Excellent comfort, dexterity and breathability
- Knit wrist eliminates dirt and debris from entering the glove
- Heavier weights provide enhanced protection and extended wear
- Case Qty: 300
- Sold per pair

Model No.	Fabric Weight Oz.	Size
SEE846	7	Large
SEE847	8	Medium
SEE848	8	Large
SEE849	8	X-Large
SEE850	12	Large





### NATURAL POLY/COTTON **DOTTED GLOVES**

- 65% cotton and 35% polyester blend, 7-gauge
- PVC dots provide excellent grip and abrasion resistance
- Natural colour poly/cotton seamless string knit provides a cool comfortable fit
- Ambidextrous, single side dotted
- Accepted for use in Canadian food processing facilities
- Case Qty: 240
- Sold per pair

Applications: General maintenance, shipping and receiving, assembly and parts handling

Model No.	Size	
SEE938	X-Small	
SEE939	Small	
SEE940	Medium	
SEE941	Large	
SEE942	X-Large	

### **BROWN JERSEY GLOVES**

- Durable knit jersey fabric offers premium comfort
- 65% polyester and 35% cotton blend
- Good abrasion resistance Provides moderate warmth
- Sold per pair

Applications: Light-duty material handling, assembly, automotive, and winter glove liner



ZEN/TH

ZEN/TH°

			Safety Products
Model No.	Description	Size	Qty/Case
SEE949	Slip-On Style, Red Fleece Lining	Large	144
SFF950	Knit Wrist	Large	300

### **NATURAL RUBBER LATEX** PALM COATED GLOVES

- 10-gauge seamless knitted poly/cotton shell
- Textured coating provides superior wet and dry grip
- Exceptional comfort and fit
- Resists abrasion, cuts and punctures
- Knit wrist prevents debris from entering the glove
- · Palm coating provides a cool comfortable fit
- Case Qty: 120
- · Sold per pair

Model No.	Size
SEB865	7
SAL255	8
SAL256	9
SAL257	10
SAL258	11



### HIGH VISIBILITY NATURAL RUBBER LATEX PALM-COATED ACRYLIC-LINED GLOVES

- 100% acrylic thermal liner offers superior cold protection
- 7-gauge seamless terry knitted and brushed lining
- Resists abrasions, cuts and punctures
- Exceptional comfort and fit
- · Natural rubber latex palm coating
- · Uncoated back permits breathability and limits perspiration
- · Fluorescent yellow shell and blue coating offer maximum visibility
- Crinkle finish coating provides superior wet and dry grip
- · Case Otv: 60
- · Sold per pair

Applications: Fishing industry, cold/outdoor environments, glass/wood handling, masonry and general maintenance.

Model No.	Size
SEC797	7
SEC798	8
SEC799	9
SEC800	10
SEC801	11





### WINTER MONKEY GRIP® 23-193 GLOVES

- · PVC-coated foam-insulated
- Tough PVC coating stays soft when cold
- Keep hands warm and dry
- Protect from abrasion
- Curved fingers, wing thumb, and soft jersey lining make them very comfortable
- Fully coated
- Accepted for use in Canadian food processing facilities
- Case Qty: 72
- Sold per pair

Applications: Cold storage, winter transportation, yard and field work, unheated warehouses, construction

Model No.	Description	
SBA992	Knit Wrist	
SBA993	Safety Cuff	
SEE953	Raised Finish, Safety Cuff	



Ansell

### MEDIUMWEIGHT NITRILE COATED GLOVES

- Interlock cotton lining
- Superior abrasion, cut and puncture resistance
- · Excellent comfort and breathability
- · Greater dexterity than heavyweight
- · Open back coating provides a cool and comfortable fit
- Knit wrist eliminates dirt and debris from entering the glove
- Case Qty: 120
- · Sold per pair



Model No.	Size
SA0150	7
SA0151	8
SA0152	9
SA0153	10
SA0154	11



### NITRILE PALM COATED GLOVES

- Seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Premium comfort and breathability
- Superior abrasion, cut and puncture resistance
- Excellent dry grip
- Durable nitrile-coated palm
- Knit wrist
- Case Qty: 120
- Sold per pair

Model No.	Size	Model No.	Size
GREY ON BL	.ACK	BLACK ON	WHITE
SAP931	7	SA0157	7
SAP932	8	SA0158	8
SAP933	9	SA0159	9
SAP934	10	SA0160	10
SAP935	11	SAP355	11



LIGHTWEIGHT POLYURETHANE PALM COATED GLOVES

- Seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Premium comfort and breathability
- Superior dry grip
- Excellent abrasion resistance
- Ultra soft polyurethane palm coated
- Knit wrist eliminates dirt and debris from entering the glove
- Case Qty: 120
- Sold per pair

White	Black	-
Model No.	Model No.	Size
SA0161	SAX694	6
SA0162	SAX695	7
SA0163	SAX696	8
SA0164	SAX697	9
SA0165	SAX698	10
SA0166	SAX699	11




ZENTH

SAO164

### LATEX-COATED KEVLAR® GLOVES

- Natural rubber latex palm coating
- Seamless 10-gauge Kevlar® liner
- Excellent cut, tear and puncture resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance
- Case Qty: 120
- Sold per pair



### HPPE POLYURETHANE-COATED GLOVES

- Stretchable seamless HPPE liner
- Breathable polyurethane palm coating
- Excellent cut, abrasion, and tear resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance Case Qty: 144
- Sold per pair

Model No.	Size
SAW908	7
SAW909	8
SAW910	9
SAW911	10
SAW912	11



### **CUT RESISTANT GLOVES**

### HPPE POLYURETHANE-COATED GLOVES

- Stretchable seamless HPPE liner
- · HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable polyurethane palm coating
- Superior cut, abrasion, and tear resistance
- Elastic knit wrist
- Provides a superior grip
- Meets EN388 Level 4 and 5 for cut resistance
- Case Qty: 144
- Sold per pair



Model No.	Size	Model No.	Size
LEVEL 4 CUT RES	SISTANCE	LEVEL 5 CUT RES	ISTANCE
SAW908	7	SEF166	7
SAW909	8	SEF167	8
SAW910	9	SEF168	9
SAW911	10	SEF169	10
SAW912	11	SEF170	11

### NITRILE COATED KEVLAR® GLOVES

- Stretchable seamless 13-gauge Kevlar® liner
- Nitrile palm coating
- Excellent cut, abrasion and tear resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance
- Case Qty: 120
- Sold per pair

Applications: Component assembly, waste handling, automotive and metal handling



-	•
SAP923	ZEN/TH

Model No.	Size
SEC137	7
SAP923	8
SAP924	9

	,
Model No.	Size
SAP925	10
SAP926	11
SEC138	12

### LATEX COATED KEVLAR® GLOVES

- Natural rubber latex palm coating
- Seamless 10-gauge Kevlar liner
- Excellent cut, tear and puncture resistance
- Flastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance
- Case Qty: 120
- Sold per pair

Applications: Material handling, automotive, glass handling and waste handling



Model No.	Size
SAP927	8
SAP928	9

,
Size
10
11

### HPPE NITRILE-COATED GLOVES

- Stretchable seamless liner
- Breathable nitrile palm coating
- Excellent abrasion and tear resistance
- Flastic knit wrist
- Meets EN388 Level 3 for cut resistance
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- Sold per pair





Model No.	Size
SEB090	7
SEB091	8
SEB092	9

Model No.	Size	
SEB093	10	
SEB094	11	

### HYFLEX® 11-501 GLOVES

- Intercept Technology<sup>TM</sup> yarn liner developed by Ansell and Dupont<sup>TM</sup>
- Lightweight fit and feel with superior cut resistance
- Outstanding dexterity
  - Superior oil grip, tactile sensitivity, dexterity and comfort
- Cut prevention improves productivity and profitability
- Teal foam nitrile palm coating
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance
- Case Qty: 144
- Sold per pair

Applications: Automotive assembly, sheet metal assembly, handling sharp small parts, handling glass

Model No.	Size	Model No.
SAW951	6	SAW954
SAW952	7	SAW955
SAW953	8	-



Ansell

### HY-FLEX® 11-518 GLOVES

- Blue polyurethane palm coating
- New Dyneema® Diamond Technology HPPE yarn offers an unmatched
- combination of cut protection, comfort and dexterity in an 18-gauge glove

10

- Soft, sheer Dyneema® Diamond fibre breathes to keep hands cool and dry and moves freely with the motion of the hand for a more comfortable fit
- Polyurethane coating provides a sure grip in light oil and dry applications and excellent resistance to abrasion
- The ultralight fabric and tailored fit of the 11-518 create a barehand-like
- sensation of contact when performing tasks that demand high tactility
- ANSI level 2 cut protection, EN388 level 3 for cut resistance
- Sold per pair

Applications: Handling/Assembly of small or ultra-fine dry sharp parts, packaging areas with risk of cut, wiring

Model No.	Size
SE1847	Small
SEI848	Medium
SE1849	Large
SE1850	X-Large



### HYFLEX® 11-624 GLOVES

- Advanced cut protection with ergonomic design
- Dyneema', Spandex' and nylon liner
- combined for excellent dexterity
- Yarn combination molds naturally to prevent hand fatigue
- Polyurethane coating provides a sure grip in dry and light oil applications
- Meets ANSI/ISEA 105 Level 2, EN388 Level 3 for cut resistance
- Accepted for use in Canadian food processing facilities
- Case Otv: 144
- Sold per pair

Applications: Assembly areas for use when handling metal components, glass handling and installation, small parts stamping, forming, machining and bending of small parts

		 _
Model No.	Size	Model No.
SAW989	6	SAW992
SAW990	7	SAW993
SAW991	8	SAW994




Ansell

### HYFLEX® 11-627 GLOVES

- Dyneema® innovative yarn liner with polyurethane coating Exceptional cut resistance with an optimal level of Dyneema
- Lycra and nylon combined for excellent dexterity
- Polyurethane palm coating for excellent grip Meets ANSI/ISEA 105 Level 1/EN388
- Level 3 for cut resistance
- Accepted for use in Canadian food processing facilities
- Case Otv: 144
- Sold per pair

Applications: Applications, automotive, metal, glass, aeronautics, white goods manufacturing

Size		
6		
7		
8		



Size 9

10

11




Ansell

### **DISPOSABLE/CHEMICAL RESISTANT GLOVES**

### **EXAMINATION GRADE NITRILE GLOVES**

- Pure 100% premium nitrile
- Textured surface provides superior wet and dry grip
- · Exceptional tactile sensitivity · Latex-free
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Protects against oil, grease and organic solvents
- · Superior puncture resistance · Ambidextrous design
- 4 mils, AQL 1.5 9.5" in length
- Accepted for use in Canadian food processing facilities
- Not for medical use
- Case Qty: 10 boxes
- Sold per box of 100 gloves

Applications: Manufacturing, maintenance, small parts handling, laboratory applications and automotive







### N-DEX® ORIGINAL 8005 INDUSTRIAL GRADE GLOVES

- Intended for occupational safety and health use only, not for medical use
- 100% nitrile, non-latex utility grade
- · Ambidextrous · Powder-free
- 9.5" long 8 mils, AQL 4.0
- Made of FDA compliant materials
- Accepted for use in Canadian food processing facilities
- Case Qty: 20 boxes
- Sold per box of 50 gloves

Model No.	Mfg. No.	Size
SAK070	8005PF-S	Small
SAK071	8005PF-M	Medium
SAK072	8005PF-L	Large
SAK073	8005PF-XL	X-Large





### VALUE MASTER® NATURAL RUBBER GLOVES

**SA588** 

- · Provides unequalled value, comfort and flexibility, outstanding tactile sensitivity, strength, dexterity and elasticity
- Form-fitting 100% natural rubber-latex
- · Features a self-flushing tractor-tread pattern that provides an excellent grip, wet or dry, and encourages run-off of fluids often trapped by diamond-shaped embossed patterns
- 12" length, 18-mil thick
- Resists a wide range of chemicals, including animal fats, caustics, acids, oils, salts, alcohols and detergents
- Case Qty: 144
- Sold per pair

Model No.	Mfg. No.	Description	Size
SA627	VM-S	Flock Lined, 12"	Small
SA626	VM-M	Flock Lined, 12"	Medium
SA625	VM-L	Flock Lined, 12"	Large
SA628	VM-XL	Flock Lined, 12"	X-Large





### **PVC WINTER LINED GLOVES**

- · Bright orange PVC on jersey liner
- · Resistant to most oils, acids, greases and solvents
- · Foam fleece lining offers added warmth
- · Colour: Orange
- Sold per pair

Applications: Fisheries, petrochemical industry, mining, outdoor winter conditions



Model No.	Description	Qty/Case
SAN383	12" Gauntlet	120
S0104	Knit Wrist	120
SAP922	Safety Cuff	60



**SAN383** 

### **BLACK NITRILE GLOVES**

- Textured fingertips provide superior wet and dry grip
- 8-mil glove has fully textured diamond pattern
- Beaded cuff for added strength
- Superior puncture and tear resistance
- Excellent tactile sensitivity and dexterity
- Latex-free Ambidextrous design AQL 1.5 • Powder-free
- Accepted for use in Canadian
- food processing facilities

Case Qty: 10 boxes Applications: Manufacturing, maintenance, small parts handling,



SEB086

laboratory and automotive, law enforcement

4 MILS - Sold per box of 100 gloves		9 MIL2, 201
Model No.	Size	Model No.
SEB085	Small	SEK261
SEB086	Medium	SEK262
SEB087	Large	SEK263
SEB088	X-Large	SEK264

8 MILS- Sold per box of 50 gloves		
Size		
Small		
Medium		
Large		
X-Large		
2X-Large		
	Size Small Medium Large X-Large	

### **EXAMINATION GRADE VINYL GLOVES**

Pure 100% premium vinyl

SED981

- Exceptional fingertip sensitivity
- Soft and stretchable for comfortable wear

2X-Large

- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Ambidextrous design
- 4 mils, AQL 1.5 9.5" length
- Accepted for use in Canadian food processing facilities
- Not for medical use
- Case Qty: 10 boxes
- Sold per box of 100 gloves

Applications: Light manufacturing, maintenance,

od processing. laboratory applications, painting and janitorial

rood processing, laboratory applications, painting and jair			
Model No.	Size	Model No.	Size
POWDERE	D	POWDER-I	FREE
SAP328	X-Small	SAP333	X-Small
SAP329	Small	SAP334	Small
SAP330	Medium	SAP335	Medium
SAP331	Large	SAP336	Large
CVD333	X-Large	CAP337	X_I arne



SAP328

### FLOCK-LINED GREEN NITRILE GLOVES

- Cotton flock lined
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture and abrasion
- Accepted for use in Canadian food processing facilities
- 13" length, 13-mil thick
- Case Qty: 120
- Sold per pair

Applications: Food processing, plant maintenance, chemical processing, automotive and printing

Model No.	Size
SEF083	7
SEF084	8
SEF085	9
SEF086	10
SEF087	11



### **PVC SMOOTH FINISH GLOVES**

- Bright red PVC on cotton interlock lining
- Resistant to most oils, acids, greases and solvents
- Ideal for general chemical handling
- Colour: Red
- Case Qty: 120
- Sold per pair

Applications: Fisheries, general maintenance, petrochemical industry



Model No.	Description
SEE804	12" Gauntlet
SEE805	14" Gauntlet
SEE806	Knit Wrist





### PROTECTIVE CLOTHING

### **RZ300 RAIN SUITS**

- 0.20 mm material thickness
- · Unsupported yellow PVC material with an embossed finish
- Jacket features storm flap and dome snaps, two patch pockets and a detachable hood
- Bib overall pants feature fly front
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically welded seams

Model No.	Size	
SEH092	Small	
SEH093	Medium	•
SEH094	Large	
SEH095	X-Large	ZENOTH
SEH096	2X-Large	Safety Product
SEH097	3X-Large	
SEH098	4X-Large	

### **RZ900 PREMIUM** TRAFFIC RAIN SUITS

- 0.35-mm thick high-visibility yellow triple layer laminated PVC/polyester/PVC
- 3M<sup>TM</sup> Scotchlite<sup>TM</sup> reflective material for maximum visibility
- 2" reflective stripes
- · Jacket features storm flap, dome fasteners, two patch pockets, corduroy collar and detachable hood
- Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Non-conductive fasteners
- Ultrasonically-welded seams
- Meets CSA standard Z96-02 standard. Class 3, Level 2 requirements

Model		
No.	Size	
SEH113	Small	
SEH114	Medium	
SEH115	Large	ZENOTH
SEH116	X-Large	
SEH117	2X-Large	Safety Product
SEH118	3X-Large	
SEH119	4X-Large	

### **POLYETHYLENE** APRONS & SLEEVES

- Disposable 0.02 mm polyethylene
- Colour: White
- Sold per package

### APRONS

- Waist ties
- Dimensions: 46" L x 35" W

### **SLEEVES**

· Elastic at both ends · Length: 16



### **BOUFFANT CAPS**

- Non-woven polypropylene
- · Elasticized band for an optimum fit
- 100% latex-free
- · Sold per package





Model			Qty
No.	Size	Colour	/Pkg.
SEC375	Medium 18"	White	100
SEC376	Large 21"	White	100
SEC377	X-Large 24"	White	100
SEC378	Large 21"	Blue	100

ZEN/TH<sup>®</sup>

SEK350

### **RZ100 RAIN SUITS**


- 0.35-mm material thickness
- Yellow triple layer PVC/polyester/PVC material
- Jacket features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Bib overall pants feature non-conductive fasteners, fly front and adjustable suspenders
- Ankle and cuff take-up snaps

M. I.I		
Model No.	Size	
SEH078	Small	
SEH079	Medium	<u>.</u>
SEH080	Large	ZENOTI
SEH081	X-Large	Safety Produ
SEH082	2X-Large	Salety Produ
SEH083	3X-Large	
SEH084	4X-Large	



### RZ500 FLAME RESISTANT RAIN SUITS

- 0.30-mm material thickness
- Yellow tear-resistant PVC/nylon/PVC material
- Lightweight material offers greater flexibility and comfort
- Jacket comes with storm flap, dome snap fasteners, two patch pockets and detachable hood
- Cape back vent on jacket with underarm vents
- Pants feature adjustable suspenders and waist straps
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically-welded seams
- Compliant with CSA testing under CAN/CGSB standard 155.20 for flame resistance



### **APRONS**

- Bib-style aprons
- Cotton straps for adjustability
- Vinyl aprons feature seamless edges to prevent residue and bacteria accumulation
- Denim aprons feature one chest

pocket and three waist pockets			Safety Products	
Model		Dimensions		
No.	Fabric	L" x W"	Colour	
SEE888	0.20 mm Lightweight Vinyl	45 x 36	Blue	
SEE852	10 oz. 100% Cotton Canvas	36 x 29	White	
	40 0 1	20 20	0.1	



### NON-CONDUCTIVE SHOE COVERS

- 100% spun-bonded polypropylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement Sewn seams offer maximum tear strength
- Skid-free model has a textured sole for improved traction
- Colour Blue
- Sold per package



**SEE888** 

ZEN/TH°



Model No.	Description	Size	Qty /Pkg.
SEC389	Regular Sole	Large	100
SEC390	Regular Sole	X-Large	100
SEC391	Skid-Free Sole	X-Large	100

### PROTECTIVE CLOTHING

### SMS HOODED COVERALLS

- Three layer polypropylene SMS (spun-bonded, melt-blown, spun-bonded)
- Offers protection against toxic particles and water-based liquids
- Double outer layer offers greater protection against tearing and abrasion
- Lightweight and flexible fabric permits superior comfort and breathability
- Zipper front with storm flap, attached hood, elastic wrists and ankles
- · Available in white or navy blue
- Fabric weight: 1.80 oz/yd2 (60 grams)
- · Case Qty: 25

Applications: Food processing, laboratories/pharmaceutical, light oil and grease, maintenance, manufacturing/assembly, refineries/chemical producers.





White Model No.	Navy Model No.	Size	
SEC841	SEC847	Medium	
SEC842	SEC848	Large	
SEC843	SEC849	X-Large	
SEC844	SEC850	2X-Large	
SEC845	SEC851	3X-Large	
SEC846	SEC852	4X-Large	

### POLYPROPYLENE HOODED COVERALLS

**SEK358** 

- Polypropylene permits breathability and comfort
- Offers protection against non-hazardous and non-toxic, liquid, dust and particles
   Espannical dispassible entire for
- Economical disposable option for protection in grimy work environments
- Elastic wrists, ankles and hood
- Case Qty: 50

Applications: Food processing, laboratories/pharmaceutical, warehouses, maintenance, manufacturing/assembly, dusty environments.





### **STANDARD**

- Front zipper for optimum fit
- 1.6 oz/m² fabric

Model	
No.	Size
STANDARD C	OVERALLS
SEK356	Medium
SEK357	Large
SEK358	X-Large
SEK359	2X-Large
SEK360	3X-Large
SEK361	4X-Large
SEK362	5X-Large

### PREMIUM

- Heavy-duty front zipper for optimum fit
- Heavy-duty front zipper flap
- · Features front left breast pocket
- 1.85 oz/m² fabric

Model	
No.	Size
PREMIUM C	OVERALLS
SEK370	Medium
SEK371	Large
SEK372	X-Large
SEK373	2X-Large
SEK374	3X-Large
SEK375	4X-Large
SEK376	5X-Large

### MICROPOROUS COVERALLS

- · Microporous film laminated to a polypropylene substrate
- Offers protection against liquid, dust and light chemical splashes
- High quality microporous fabric provides comfortable fit and breathability
- · Can be used in dry and wet work environments
- Passed penetration tests with Diazinon, motor oil, bleach, isocyanate based paint, sodium hydroxide, sodium hypochlorite and blood
- Fabric weight: 1.85 oz/yd² (63 grams)
- Case Qty: 25

Applications: Asbestos and lead abatement, clean rooms, radioactive dirt and dust, printing, refineries/chemical producers, maintenance, crime scenes, painting





Model No.	Description	Size
COVERAL	LS	
SEC807		Small
SEC808	Zipper front	Medium
SEC809	w/storm flap,	Large
SEC810	elastic wrists	X-Large
SEC811	and ankles	2X-Large
SEC812		3X-Large
SEC813		4X-Large

Model		
No.	Description	Size
HOODED	COVERALLS	
SEC814		Small
SEC815	Zipper front	Medium
SEC816	w/storm flap,	Large
SEC817	attached hood,	X-Large
SEC818	elastic wrists	2X-Large
SEC819	and ankles	3X-Large
SEC820		4X-Large

SAS042


### TYVEK® COVERALLS

- The best balance of protection, durability and comfort
- Inherent barrier protection against dry particulate hazards
- Even after abrasion, stops sub-micron particles better than reusable garments
- Case Qty: 25



### Applications:

General maintenance/operations, spray painting, lead abatement, environmental cleanup, asbestos abatement, agriculture, food processing, mold remediation, micro crystalline silica.





### **EMERGENCY EYEWASH STATIONS**

SAY472

& SAY473

### CEDERROTH® EYEWASH

- · Easy-to-use bottle with an ergonomic eye cup and a generous flow of fluid
- · Opens using one easy twisting motion
- · Integral dust cover keeps the eye cup clean and acts as an opening device
- · Buffered eye wash solution has a neutralising effect on splashes from acids or alkalis
- Does not meet ANSI standard Z358.1-2009 15-minute flushing requirement





SAY474

Model No.	Mfg. No.	Description	
SAY472	04100	235 ml Bottle	
SAY473	04101	Holster for SAY472	
SAY474	04102	500 ml Bottle	
SAY475	04103	Wall Bracket for SAY474	
SAY476	04104	Strap for Wall Bracket	
SEB188	04106	Portable Wall Case, Five 500 ml Bottles	
SEB189	04107	Wall Bracket for SEB188	

### PURE FLOW 1000™ EYEWASH STATIONS

- · Sure-grip handle provides instant activation
- Activation straps display expiration date
- Integral drain valve and fluid resevoir
- Automatically displays "Warning Service Immediately" once activated
- Requires two 3.8 gallon Eyesaline® fluid cartridges (sold separately)
- · Comes complete with product registration card, operating manual, metal hanging bracket for installation and an emergency eye wash sign
- SEI certified to meet ANSI standard Z358.1-2009



### Honeywell

Model No.	Mfg. No.	Description
SD552	32-001000-0000	Eyewash Station (English Instructions)
SAJ678	32-001000-0022	Eyewash Station (French Instructions)
SD553	32-001050-0000	Fluid Cartridges (2/pkg)

### ON-SITE® GRAVITY-FED EYEWASH STATIONS

- · Ideal for locations where a plumbed water source is not available
- · High-visibility yellow, molded pedestal and tank
- Transparent tank allows solution level to be checked easily
- Hinged eyewash tray activates in one quick motion
- Stainless steel clamps secure the tank
- Vandal-resistant unit: foreign objects cannot be introduced into tank
- SEI certified to ANSI standard Z358.1-2009
- · Includes wall bracket (can also deck mount)

### **ON-SITE® WASTE CARTS**

- · Captures used fluid, 56-gallon capacity
- Tapered sump, easy to drain







### PORTA STREAM® II & III EYEWASH STATIONS

- Versatile portability without costly plumbing
- Simple installation and operation
- Features a nozzle strap that is easily removed to activate flushing
- Molded handle accepts hanging bracket for vertical or horizontal surface installation
- Versatile flushing fluid options include Eyesaline® - a preserved, buffered, saline solution superior to tap water for emergency eye care, and Fend-all water additive
- Large 16-gallon (60.5 L) capacity
- SEI certified to meet ANSI standard Z358.1-2009



### Honeywell

Model	Mfg.	
No.	No.	Description
SEK529	32-000200-0000	Eyewash (Trilingual instructions)
SA411	32-000513-0020	Eyesaline® Concentrate, 180 oz.
SAJ677	32-001100-0022	Water Preservative, 8 oz. Bottles, 4/Case
SA426	32-000102-0000	Replacement Pull-Strap

### 9-GALLON PORTABLE EYEWASH STATIONS

- 9-gallon high density green polyethylene tank made from FDA approved materials
- Gravity fed
- Easy-to-operate yellow activation arm protects eyewash spouts when not in use
- Wide-fill opening with threaded cap
- Light design and mounting bracket (included)
- Certified by CSA to meet ANSI standard Z358.1-2009





Model No.	Mfg. No.	Description
SAR314	7501	Portable Gravity Eyewash Fountain
SAR315	9082	Bacteriostatic Water Preservative, 5 oz., 4/Case

### WALL-MOUNT AXION MSRTM EYE/FACE WASH STATIONS

- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- Wall mounts with an aluminum bracket
- 11" diameter bowl
- Mesh strainer collects debris
- Certified by CSA to meet ANSI standard 7358.1-2009





	1	SEB239
Description		
ARS Plactic Row	ı	

Model No.	Mfg. No.	Description	
EYE/FACE W	ASH		
SEB239	7260B-7270B	ABS Plastic Bowl	
SEB240	7360B-7460B	Stainless Steel Bowl	
ACCESSORIE	ES		
SEB264	9102	Dust Cover	



- · Cost effective solution for applications with an existing faucet
- · Mounts to standard or gooseneck type faucets
- Twin spray heads include a flow control and pop-off dust covers
- One-step activation
- Faucet can be used for normal operation
- · Includes a safety sign and inspection tag
- · Weight: 1 lb.
- SEI certified to ANSI standard Z358.1-2009

Model No. SAK621 Mfg. No. S19-200B





Faucet not

included

### **EMERGENCY SHOWERS & FIRST AID**

### COMBINATION EMERGENCY SHOWER & EYE/FACE WASH STATION

- Hydrodynamic shower designRevolutionary inverted flow sweeps
- contaminants away from the vulnerable nasal cavity
- 11" diameter green ABS plastic bowl
- Galvanized stanchion for long life
- · Mesh strainer collects debris
- · Durable stainless steel ball valve
- Certified by CSA to meet ANSI standard Z358.1-2009



Model No.	Mfg. No.	Description
SEB257	8320-8325	Combination Shower
SEB264	9102	Dust cover

### HALO™ COMBINATION SHOWER & EYEWASH STATIONS

- Combine Halo<sup>TM</sup> eyewash technology with SpinTec<sup>TM</sup> shower features for high performance safety installations
- SpinTec<sup>™</sup> showers yield superior fluid distribution
- Durable ABS plastic showerhead and bowl
- · Compact profile means less in-plant damage
- Features antimicrobial protection, integral strainers, and rugged safety-yellow powder coat paint
- Aquaduct<sup>™</sup> self-draining design eliminates bacteria growth from standing fluid
- Eye/face wash models provides industry leading 85% facial coverage
- Optional see-through plastic dust cover (shown) makes inspection simple
- ULC certified to ANSI standard Z358.1-2009







Model No.	Mfg. No.	Dust Cover Included
EYEWASH		
SEB801	S193140A1AAAA00	No
SEB803	S193140A1AABA00	Yes
EYE/FACE \	WASH	
SEB806	S193140A1ABAA00	No
SEB807	S193140A1ABBA00	Yes



### OCCUPATIONAL HEALTH & SAFETY REGULATION FIRST AID KITS

Occupational first aid kits meet regulations required by federal, provincial and territorial jurisdictions.

For more information regarding federal and provincial first aid regulations, please visit the websites listed in the chart.

Regulations change on a continuing basis. Requirements vary from jurisdiction to jurisdiction and are dependent on a number of factors including (but not limited to):

- · Maximum number of employees at the work site (or per shift)
- Location of the place of employment/industry
- Type of industry and potential hazards
- Proximity or travel time to a medical facility





### SAFE CROSS FIRST AID .....

Model No.	Refill No.	Container Type	Kit Type
FEDER A	L - http:/	/laws.justice.gc.ca/er	g/SOR-86-304
SAY106	SAY108	10-unit plastic	Type A, 2-5 workers
SAY109	SAY111	24-unit plastic	Type B, 6-19 workers
SAY113	SAY114	# 2 metal	Type C, 20-199 workers
BRITISH	I COLUM	BIA - www.worksafel	c.com
SAY117	SAY119	36-unit plastic	Basic
SAY121	SAY123	# 2 plastic	Level 1
SAY125	SAY127	# 2 plastic	Level 2
ALBERT	A - www.	gov.ab.ca	
SAY132	SAY134	16-unit plastic with gaske	t No. 1
SAY135	SAY137	36-unit plastic with gaske	t No. 2
SASKAT	CHEWAI	N - www.labour.gov.sl	k.ca
SAY141	SAY143	24-unit plastic	1-9 workers
SAY144	SAY146	36-unit plastic	10-40 workers
MANIT	OBA - ww	/w.gov.mb.ca/labour	
SAY150	SAY152	24-unit plastic	25 workers

Model No.	Refill No.	Container Type	Kit Type
ONTAR	IO - www.la	abour.gov.on.ca/e	english/hs
SAY153	SAY155	10-unit plastic	Sec. 8, 1-5 workers
SAY156	SAY158	36-unit plastic	Sec. 9, 6-15 workers
SAY159	SAY161	# 2 plastic	Sec. 10, 16-199 workers
SAY240	-	10-unit plastic	Truck Kit, 1-5 employees
SAY242	-	16-unit plastic	Contractor's Kit,
		with gasket	1-5 employees
QUEBE	C - www.css	t.qc.ca	
SAY174	SAY176	36-unit plastic	Sec. 4 (Standard)
SAY171	SAY173	10-unit plastic	Sec. 5 (Vehicle)
SEE531	-	10-unit plastic	Truck Kit
SEE534	-	#6 metal	Workplace standard kit
NEW BE	RUNSWICK	- www.worksafe	nb.ca
SAY177	-	10-unit plastic	Personal
SAY179	SAY181	36-unit plastic	Standard

Model	Refill	Container	Kit
No.	No.	Type	Type
NOVA S	COTIA - w	ww.gov.ns.ca	
SAY185	SAY187	16-unit plastic	No. 2, 2-19 workers
SAY188	SAY190	24-unit plastic	No. 3, 20-49 workers
PRINCE	EDWARD	ISLAND - www.wo	b.pe.ca
SAY197	SAY199	16-unit plastic	No. 2, 2-19 workers
SAY200	SAY202	24-unit plastic	No. 3, 20+ workers
NEWFO	UNDLAND	& LABRADOR -	www.gov.nf.ca
SAY207	SAY209	16-unit plastic	No. 2, 2-14 workers
SAY210	SAY212	24-unit plastic	No. 3, 15-199 workers
NORTH www.go		RITORIES & NUN	AVUT -
SAY213	SAY215	24-unit plastic	No. 1
YUKON	- www.wcl	o.yk.ca	
SAY224	SAY226	16-unit plastic	No. 1

### **LOCKS & LOCKOUT DEVICES**

### RESETTABLE BRASS COMBINATION PADLOCKS

- Easy "Set-your-Own" 4-digit combination with up to 10 000 combinations available
- Strong, solid brass case construction resists corrosion ideal for harsh environments
- Heavy hardened steel shackles provide high resistance to cutting and prying
- SEJ513 features a key override proving immediate access to supervisors in the field
- SEJ514 control key sold seperately







Master

Model	Mfg.	Body	Sha	ckle Clear	ance	Shipping
No.	No.	Width"	Α"	В"	C"	Weight lbs.
SAS366	T175	2	5/16	1	1	0.60
SAG162	175LH	2	5/16	2 1/4	1	0.70
SEJ513	176	2	5/16	1	1	0.60
SEJ514	K176	Control Key				0.02

### **ECONOMY V-LINE BRASS** PADLOCKS (NON-REKEYABLE)

- Solid brass body and cylinder construction resists corrosion - ideal for harsh environments
- Case hardened shackle resists sawing and filing
- Pin tumbler cylinder provides greater pick resistance
- Locks come with two keys
- · For keyed alike options, please call us



### Master

Model	Mfg.	Key	Body	Shack	de Clea	rance	Shipping
No.	No.	Type	Width"	Α"	B"	C"	Weight lbs.
SAS395	4120	Different	3/4	5/32	5/8	9/16	0.10
SAS396	4120KA	Alike	3/4	5/32	5/8	9/16	0.10
SAS397	4130	Different	1 1/8	3/16	9/16	9/16	0.20
SAS398	4130KA	Alike	1 1/8	3/16	9/16	9/16	0.20
SAS015	4140	Different	1 1/2	1/4	13/16	13/16	0.30
SAS400	4140KA	Alike	1 1/2	1/4	13/16	13/16	0.30
SAS401	4150	Different	1 7/8	9/32	15/16	1	0.40
SAS402	4150KA	Alike	17/8	9/32	15/16	1	0.40

### PRO SERIES® WEATHER TOUGH™ SECURITY PADLOCKS (REKEYABLE)

- Constructed of hardened, chrome rustproofed steel laminated bodies that resist cutting, sawing and corrosion
- Durable thermal plastic covers protect the body of the lock from dirt, dust and other contaminants
- · Hardened boron alloy steel shackles offers superior cut resistances while dual ball bearing locking mechanism resists pulling and prying attacks
- 5-pin Pro Series® cylinders provide tens of thousands of key changes
- Special spool pin tumblers are virtually impossible to pick
- Rekeyable replaceable cylinder and shackle
- · Locks come with two keys
- For keyed alike options and master keying, please call us



Model	Mfg.	Key	Body	Shac	kle Clear	ance	Shipping
No.	No.	Type	Width"	Α"	В"	C"	Weight lbs.
SAL433	6121	Different	2 1/8	5/16	1 1/8	7/8	1.00
SAL434	6121LJ	Different	2 1/8	5/16	2 1/2	7/8	1.05
SA902	6125	Different	2 3/8	3/8	1 3/8	7/8	1.20
SA903	6125KA	Alike	2 3/8	3/8	13/8	7/8	1.20

### ZENEX<sup>TM</sup> THERMOPLASTIC SAFETY PADLOCKS

- Designed exclusively for lockout/tagout
- Durable, lightweight, non-conductive body
- Offers superior performance against chemicals, moisture, temperature and UV
- Reserved-for-safety cylinder provides over 40,000 unique key changes available
- Key retaining ensures that padlocks are not left unlocked
- Includes write-on "Danger" and "Property of" labels in English, French and Spanish
- Locks comes with one key: Compliance with OSHA "one employee, one lock, one key" directive
- · For extra keys, keyed alike options or master keying, please call us

Model	Mfg.		Body	Shac	kle Clearan	ice	Weight
No.	No.	Colour	Width"	Width"	Height"	Dia."	lbs.
SAL134	410BLK	Black	1 1/2	25/32	1 1/2	1/4	0.23
SAL135	410BLU	Blue	1 1/2	25/32	1 1/2	1/4	0.23
SAL136	410GRN	Green	1 1/2	25/32	1 1/2	1/4	0.23
SAL137	4100RJ	Orange	1 1/2	25/32	1 1/2	1/4	0.23
SAL138	410RED	Red	1 1/2	25/32	1 1/2	1/4	0.23
SAL139	410YLW	Yellow	1 1/2	25/32	1 1/2	1/4	0.23

### **ALUMINUM SAFETY** LOCKOUT PADLOCKS

- Ideal for corrosive and tough environments
- Hardened shackles for superior resistance to cutting
- Steel shackle 1 9/16" wide solid body, 1/4" diameter x 1 1/16" long shackle
- 5-spool pin tumbler cylinder for added pick resistance
- Removable cylinder can be replaced or repinned
- Tens of thousands of key changes available
- Baked-on powder-coated finish stays bright
- Available in six colours, keyed different
- Laser engraving service available for an additional charge



Master

Model No.	Mfg. No.	Colour
SN709	6835RED	Red
SN710	6835BLU	Blue
SN711	6835GRN	Green

Model No.	Mfg. No.	Colour
SN712	6835YLW	Yellow
SN713	68350RJ	Orange
SN714	6835BLK	Black

### LAMINATED PADLOCKS

- Each keyed different lock has a unique key for higher security
- Padlocks are made from rustproofed laminated steel
- SA886 and SA888 are economic protection best suited for tamper resistant applications
- SA890 and SA892 provide medium general security, use on tool boxes, man hole covers
- SA894 to SA900 are high security locks that provide a higher tamper resistant lock body and shackle.
- Use on tool cribs, storage cabinets and gates
- All models include two keys





Model	Mfg.	Security	Locking	Body	Sha	ckle Dimens	ions	Wt
No.	No.	Level	Mechanism	Width"	A"	В"	C"	lbs.
SA886	22	Medium	Warded	1 1/2	1/4	5/8	9/16	0.3
SA888	500	Medium	Warded	13/4	9/32	13/16	13/16	0.5
SA890	7	Medium	4-Pin Tumbler	1 1/8	3/16	9/16	1/2	0.2
SA892	7LJ	Medium	4-Pin Tumbler	1 1/8	3/16	2 1/2	1/2	0.2
SA894	3	High	4-Pin Tumbler	1 9/16	9/32	3/4	5/8	0.5
SA896	3LH	High	4-Pin Tumbler	1 9/16	9/32	2	5/8	0.5
SA898	1	High	4-Pin Tumbler	13/4	5/16	15/16	3/4	0.6
SA900	1LJ	High	4-Pin Tumbler	13/4	5/16	2 1/2	3/4	0.6

### COMBINATION LOCKS

- World's best-selling combination lock
- Hardened steel shackle for extra cut resistance
- Combination security for keyless convenience
- 17/8" wide double-armored stainless steel body
- 3-digit dialing and 1500 combinations
- for maximum security Different combinations



Model	Mfg.	Shac	kle Dime	nsions
No.	No.	A"	B"	C"
SR914	1500	9/32	3/4	13/16
SAL506	1500LH	9/32	2	13/16



### **LOCKS & LOCKOUT DEVICES**

### LATCH TIGHT™ PORTABLE LOCK BOXES

- With new Latch Tight™ locking mechanism
- English, Spanish, French message on box
- Accepts 12 padlocks or lockout hasps



Model No.	Mfg. No.	Colour	ī
SAL519	498A	Red	

### Master

### LABELED SNAP-ON HASPS

- · Combines multiple-person lockout and tagout identification
- Features an easy-to-apply "snap-on" advantage with its spring-loaded locking arm
- Fits more lockout points than alternative rivet-hinge labeled lockout hasps
- Anodised aluminum and stainless steel construction for combined corrosion resistance and strength
- · Up to five workers can apply their personal safety locks

Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and

مده ما ه		ć	مماء		:	
tnen	erased	101	tne	next	JOD	

Model No.	Mfg. No.	Colour
SAL541	427	Red
SAP994	427BLK	Black
SAP995	427BLU	Blue
SAP997	427CLR	Silver
SAP998	427GRN	Green
SAQ002	427YLW	Yellow
SAQ003	427AST	Assorted 6/Pkg.





### **ROTATING GATE VALVE LOCKOUTS**

- Unique, patent-pending outward rotation allows for easier installation in confined space applications
- Each size rotates into itself
- Each size nests within the next larger size
- Tough, lightweight, dielectric Zenex<sup>TM</sup> thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C)
- Up to four workers can apply their personal safety locks
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job



Model No.	Mfg. No.	Description
SAL526	480	Fits 1" to 3" Diameter Valve Handle
SAL527	481	Fits 2" to 5" Diameter Valve Handle
SAL528	482	Fits 4" to 6 1/2" Diameter Valve Handle
SAL529	483	Fits 6" to 10" Diameter Valve Handle
SAL530	484	Fits 8" to 13" Diameter Valve Handle
SAL531	485	1 Set Consists of 1 x SAL526, SAL527, SAL528, SAL529 & SAL530

### ADJUSTABLE CABLE LOCKOUTS

- Infinitely adjustable for a secure fit every time
- Integrated, single-piece safety hasp and cable for ease-of-use
- Ideal for both multiple circuit breaker panel and side-by-side gate valve lockouts
- Tough, lightweight, Zenex<sup>™</sup> thermoplastic body withstands chemicals; performs effectively in extreme conditions
- Up to four workers can apply their personal safety locks
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job
- Custom cable lengths available



Model No.	Mfg. No.	Description
SED596	S806CBL3	Cable Lockout w/3' Cable
SED597	\$806	Cable Lockout w/6' Cable
SED598	S806BL15	Cable Lockout w/12' Cable

### LOCKOUT STATIONS

### VIRTUALLY INDESTRUCTIBLE. THE STRONGEST STATIONS AVAILABLE!

- · Integrated, 1-piece molded construction eliminates loose parts
- Resilient polycarbonate material provides twice the heat resistance and quadruples the impact strength of typical stations
- Reinforced snap-lock clips provide easy
- padlock and hasp storage and removal Exclusive translucent lockable cover protects contents and prevents loss of valuable safety lockout padlocks
- Zenex<sup>™</sup> locks available with up to 100 000 key changes available to fit even the largest lockout systems
- Lockout stations are bilingual with English/ French labels and lockout tags
- Compliant with OSHA "One employee, One lock, One key" directive

### 4-LOCK STATION INCLUDES:

- Four Master Lock® Safety Series™ Padlocks
- Two Safety Series<sup>TM</sup> hasps for lockouts by up to six workers
- 12 Safety Series™ heavy-duty bilingual Do Not Operate lockout I.D. tags with brass grommets
- Dimensions: 12 1/4" x 16" x 1 3/4"

Model	Mfg.	
No.	No.	Description
SA0598	1482BFRC	Base only
SA0601	1482BP3FRC	Station with Laminated Padlocks
SA0602	1482BP410FRC	Station with Zenex <sup>™</sup> Padlocks
SA0603	1482RP1106FRC	Station with American Lock® Aluminum Padlocks

### SAFETY LOCKOUT HASPS

- Keeps equipment inoperative while repairs or adjustments are made
- Attach device to energy disconnect switch
- Control cannot be turned on until last worker's padlock is removed
- Up to six workers at each lockout point Heavy gauge steel jaws resist
- prying against unauthorised access Lockout hasp has vinyl coated
- handles and is plated to resist rust
- Compatible with nos. 3, 410, 411. 6835 and 6836 safety lockout padlocks with shackle diameters as large as 3/8"

### **RED W/O LOCKING TABS**

Model No.	Mfg. No.	Diameter"
SA875	420	1
SA876	421	1 1/2



LOCKOUT STATION

STATION DE VERROUILLAGE

SAO601

Master

Master Lock

### YELLOW (ECONOMY) W/LOCKING TABS

TEEE ON (ECONOMIT) IN ECONOMIC					
Model	Mfg.				
No.	No.	Diameter"			
SAN507	422	1			
SAN508	424	1 1/2			

### **ROTATING ELECTRICAL PLUG LOCKOUTS**

- Outward/inward rotation allows for easier installation and storage
- Surrounds the electrical plug; protects against accidental reconnection
- Each size rotates into itself to fit effectively into safety tool boxes
- Tough, lightweight, dielectric Zenex<sup>™</sup> thermoplastic bodies with stand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C)
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish)
- SAL521 labels can be written on to identify the responsible person and then erased for the next job

Model No.	Mfg. No.	For Electrical Plugs Up To
SAL520	487	2 1/4" Dia. x 3 1/4" w/Cord Dia. up to 3/4" (Most 110- and Many 220-Volt Plugs)
SAL521	488	3" Dia. x 6" w/Cord Dia. up to 3/4" (Most 220- and 550-Volt Plugs)





**Padlock** not included



### DOME MIRRORS

- · Prevent accidents and increase surveillance due to blind corners
- Constructed of acrylic for added durability
- All mirrors have a black protective edge and hanging clips
- Full dome mirrors come with hanging chains and hooks




### **IDEAL LOCATIONS:**

360° 4-way intersections 180 T-intersections 90° Corner intersections



Full Dome 360



mirrors. Glass cleaner will damage surface.

Use furniture polish to clean



Half Dome 180°



Quarter Dome 90°

### **FULL DOME** Comes with

### hanging hardware

Model No.	Mirror Dia."*	Wt. Ibs.	Model No.
SEJ875	20	1.5	SEJ879
SEJ876	24	2	SEJ880
SEJ877	31	3	SEJ881
SEJ878	47	6.5	SEJ882
* The dime	nsions listed ar	e that of a f	ull dome

### **HALF DOME**

Model No.	Mirror Dia."*	Wt. Ibs.
SEJ879	20	0.75
SEJ880	24	1
SEJ881	31	1.5
SEJ882	47	3.25

### **OUARTER DOME**

QUARTE	IN DOME	
Model	Mirror	Wt.
No.	Dia."*	lbs.
SEJ883	20	0.35
SEJ884	24	0.5

### CONVEX MIRRORS

Prevent accidents and increase surveillance with a lightweight acrylic convex mirror. Adjustable mounting hardware included with each mirror. 100° viewing angle and mounted ball and swivel. Telescoping arm adjusts from 15" to 21". For indoor or outdoor use.

### **INDOOR**







### ROUNTAGULAR CONVEX MIRRORS

- The top and bottom of these convex mirrors have been trimmed or "cropped" to fit into smaller spaces
- · Provides the same larger view as the full sized convex
- Exterior models are enclosed

### Ideal for locations where accurate depth perception is essential. Mirrors are made of acrylic with galvanized steel

backs. Framed mirrors have an aluminum edge. Telescoping arm adjusts from 15" to 21". Ball and swivel, telescoping arm and bracket are included with each mirror.

**FLAT MIRRORS** 

RALSTON MISSORS

RALSTON MI

12

18

24

30



INDOOR

Dimensions"	Model No.	Wt. Ibs.	Model No	Wt. Ibs.
Dimensions	NO.	inz.	NO	ins.
12 x 18	SAQ971	3.5	SAQ975	4.7
18 x 26	SAQ972	4.75	SAQ976	8
20 x 30	SAQ973	6.7	SAQ977	12.5
24 x 36	SAQ974	9.3	SAQ978	18.25

### SECURITY INSPECTION MIRRORS

- 8" convex mirror for wider viewing area
- · 40" handle with adjustable angle
- Lightweight

Model No. SAQ807 Mfg. No. 2100ML5086



**OUTDOOR** 

### RALSTON MIR

### REAR VIEW MIRRORS

- · Designed for use on forklifts, delivery trucks or other transit vehicles
- · Helps eliminate dangerous blind spots 2 3/4" x 7" rectangular convex mirror
- · Complete with mounting bracket Adjustable swivel mount
- Model No. SED112 Mfg. No. 2100RV2X3



### SA748 **DROP-IN CEILING PANEL DOMES**

Unframed

SA744

SA745

SA746

SA747

Model No.

Framed

SA749

SA750

SA751

SA752

SA753

- Attractive 24" dome mirror for 360° viewing
- One-piece drop-in dome includes a mirrored
- ceiling panel to fit a standard 2' x 2' drop-ceiling tile Can also fit a standard 2' x 4' drop-ceiling
- tile (simply cut the ceiling tile in half)

Model No. SAR052 Mfg. No. 2000FDCO24

**Dimensions**'

Х

12

12

18

24





### **SAFETY TAPES & PAINTS**

### **AISLE MARKING &** HAZARD WARNING TAPE

Colour-coded for instant recognition of specific areas.

Tapes give continuous lines that are both eye catching and long lasting and can be applied quickly by hand or with a tape applier. 6-mil general purpose pressure sensitive vinyl tape is easy to apply and has excellent adhesion for a fast, firm hold. Excellent for marking floors, equipment, pipes and many other uses. Available in 2" and 3" by 108' rolls. Reflective engineer grade available in 2" by 30' rolls.



IN COM.

### **RECOMMENDED GUIDELINES**

Dark Blue:	General Information
Orange:	Warning/Hazardous
	Biohazard
Green:	Safety and First Aid
	Equipment

### AISLE MARKING TAPE

Model No.	Width"	Colour	Wt.lbs. Roll
SOLID			
SAL689	2	Blue	0.8
SAL688	2	Orange	0.8
SAL684	2	Green	0.8
SAL685	2	Red	0.8
SAL686	2	White	0.8
SAL683	2	Yellow	0.8
SAL687	2	Black	0.8
SAL696	3	Blue	1.2
SAL695	3	Orange	1.2
SAL691	3	Green	1.2
SAL692	3	Red	1.2
SAL693	3	White	1.2
SAL690	3	Yellow	1.2
SAL694	3	Black	1.2

Red:	Fire Protection/Danger/Stop
White:	Traffic and Housekeeping
Yellow:	Caution

**Boundaries** Black: Hazard/Warning Stripes:

### HAZARD WARNING TAPE

Model No.	Width"	Colour	Wt. lbs. Roll
STRIPES	(NON-LA	MINATED)	
SAL701	2	Black/White	0.8
SAL697	2	Black/Yellow	0.8
SAL699	2	Red/White	0.8
SAL702	3	Black/White	1.2
SAL698	3	Black/Yellow	1.2
SAL700	3	Red/White	1.2
REFLEC	TIVE ENGI	NEER GRADE	STRIPES
SN611	2	Black/Yellow	0.8
SN612	2	Red/White	0.8
Model	Max. Ro	II Overa	di .
No.	Diamet	er Heigh	it
FLOOR	TAPE APP	LICATOR	
SED019	4	39	

### **ANTI-SKID TAPE**

Provides a sure footing on stairs, ladders, fork trucks and any area where slipping can occur. Tough and durable adhesive-backed tape can easily be installed in seconds to any clean, dry, oil-free surface including metal, wood and concrete. Used indoors or outdoors, rolls are 60' in length. Recommended for hospitals, schools, labs, etc.

### GATOR GRIP

Model
No. Width"
BLACK
NC910 1
NC383 2
NC385 4
NC386 6
NC381 12

Model No.	Width"
CLEAR	
NC912	1
NC913	2
NC914	4
NC915	6



### **BARRICADE TAPE**

· Warn against hazards by restricting entry to dangerous areas

Black on Red

- · Ideal for both indoor and temporary outdoor usage
- · Made of polyethylene
- Roll size: 3" x 1000'

SEK405

Model		
No.	Message	Colour
STANDARI	D-DUTY - 1.5 M	ILS
SEK397	Caution	Black on Yellow
SEK398	Attention	Black on Yellow
SEK399	Danger	Black on Red
HEAVY-DU	JTY - 2.0 MILS	
SEK400	Caution	Black on Yellow
SEK401	Attention	Black on Yellow
SEK402	Danger	Black on Red
EXTRA HE	AVY-DUTY - 2.5	MILS
SEK403	Caution	Black on Yellow
SEK404	Attention	Black on Yellow

Danger



### MARKING WANDS

- · Constructed of durable, rugged plastic and lightweight steel
- Comfortable pistol grip for easy handling and marking
- Apply a uniform 1" to 1 1/2" wide stripe of paint



KRYLO

INDUSTRIAL

NE340





NC310

Model No.	Description
NC309	Spotter Hand Held Wand 12"
NC310	Hand Held Wand 34"

NC309

### LINE-UP® STRIPING **MACHINES & PAINTS**

- · Engineered and designed for easy operation and durability
- 18-gauge all-steel construction 12-can storage
- Stripes widths of 2" to 4'

### PAVEMENT STRIPING MACHINES

- 7" wheels provide a smooth ride on hard surfaces, such as concrete, blacktop and metal
- · Excellent for use in parking lots, warehouses, plants, factories, etc.

### Model No. NE340

### ATHLETIC FIELD STRIPING MACHINES

- 10" wheels elevate the carriage to provide an even ride over rough or uneven surfaces
- Ideal for grass, dirt, gravel or any uneven surface

Model No. NE341

Model No.	Description	Colour	
WATER BASED	- ATHLETIC FIELD		
VE333	White		EPYLEN.
NE334	Yellow		Name and
11795	Turf Green		€
SOLVENT BAS	ED - PAVEMENT		7_
VE335	Highway White		₹
NE336	Highway Yellow		
NE337	Handicap Blue		DO
VE338	Firelane Red		Samuel S
NE339	Cover-up Black		

### Actual paint colours may vary

Actual paint colours may vary

### QUICK-MARK<sup>TM</sup> MARKING PAINTS



Inverted marking paints are VOC-compliant, lead-free and highly pigmented. Available in water and solvent based, 20-oz. cans (17 oz. net weight). Can Mod

Can be used with hand held wands.					
Model No.	Solvent Base	Colour	Model No.	Water Base	Colour
NC320	Fl. Red/Orange		NC331	White	
NC321	Fl. Orange		NC332	Utility Yellow	
NC322	Fl. Safety Red		NC333	Fl. Orange	
NC323	Fl. Green		NC334	Fl. Red	
NC324	White		NC335	Fl. Safety Pink	
NC325	High Vis. Yellow		NC336	Fl. Blue	
NC326	Caution Blue		NC337	Fl. Safety Green	
NC327	Warning Orange		NC338	Fl. Red/Orange	
NC328	Safety Red				
NC329	Safety Green				

### **CROWD & TRAFFIC CONTROL**

### TRAFFIC CONES

100% PVC construction offers excellent flexibility and durability

Temperature resistance in hot and cold environments

- · Fluorescent orange color provides high visibility
- Available with 6" and 4" reflective collars
- High-density interlocking base offers maximum stability

 Meets Minister of Transport regulations for Québec, Ontario and Alberta



ZEN/TH<sup>®</sup>

SEC153

Model No.	Height"	Collar	Wt. lbs.
SEF026	18	6" (QC, ON, AB)	3.15
SEF027	28	4" (ON, AB)	6.75
SEF028	28	6" and 4" (QC, ON, AB)	6.75

### PREMIUM DELINEATOR POSTS

- Standard 42" high post with indentations for easier grip
- 100% LDPE construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Two pre-applied 4" 3M<sup>TM</sup> high intensity reflective tape collars
- High density interlocking 16" x 16" base offers maximum stability and durability

Model No.	Description	Wt. Ibs.
SEB773	Delineator Post Only	1.5
SEB774	Rubber Base	12
SEC153	Post and Base Kit	14

### PREMIUM TRAFFIC CONES

- · 100% PVC construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Available with 6" and 4" 3M<sup>TM</sup> high intensity collars
- · High density interlocking base offers maximum stability
- Meets Ministry of Transport regulations for Quebec, Ontario and Alberta

Model		Wt.
No.	Description	lbs.
TRAFFIC	CONES	
SEB768	12"	2
SEB769	18"	3.3
SEB771	28"	7
TRAFFIC CONES W/COLLAR		
SEB770	18" w/6" Collar (QC, ON, AB)	3.3
SEB772	28" w/6" and 4" Collars (QC, ON, AB)	7
SEB826	28" w/4" Collar (ON, AB)	7



### PORTABLE INTERLOCKING BARRIERS

- Ideal for directing people in areas where crowd control is required
- Rugged welded steel construction
- Feet are removable so railing will lay flat for shipping and storage
- Includes connectors to attach multiple units together
- Overall dimensions: 102" L x 40" H
- Distance between vertical bars: 7'
- Rail diameter: 15/8"
- Weight: 56 lbs.

Model No.	Description
SEE395	Galvanized Finish
SEE396	Safety Yellow Finish



### SPEED BUMPS

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil, weather variations and UV light
- Perfect for speed reduction in parking lots, school zones and areas with heavy pedestrian traffic
- Black with bright yellow reflective stripes for maximum visibility
- Easily installed with 14" rebar spike for permanent or temporary installation
- 11" W x 2 1/4" ł

• 11 W X Z 1/4	11			
Model No.	Description	Length	Spikes Required	Weight lbs.
SEH142	Speed Bump	4'	5	35
SEH143	Speed Bump	6'	4	55
SEH144	Rebar Spike	14"	-	-



### FREE-STANDING CROWD CONTROL BARRIERS

- 4-way connection permits all posts to receive up to three tapes from any direction
- Slow retracting tape cassette insures tape will retract safely
- Specially designed locking mechanism prevents accidental release
- Receiver post without tape cassette for use at the end of a line of posts
- Height: 35" Tape length: 7' Recommended post spacing: 6'6"

### STANDARD FREE-STANDING BARRIERS




Model No.	Description	Tape Colour	Tape Length'
SAS226	Stainless Steel Post with Cassette	Red	7
SAS227	Black Post with Cassette	Black	7
SAS230	Stainless Steel Receiver Post	-	-
SAS231	Black Receiver Post	-	-





### SAFETY FREE-STANDING BARRIERS



Model No.	Description	Tape Colour	Tape Length'	
SAS228	Yellow Post with Cassette	Yellow	7	
SAS229	Yellow Post with Cassette	Yellow (Caution Do Not Enter)	7	
SEE818	Yellow Post with Cassette	Yellow (Attention Ne Pas Entrer)	7	
SAS232	Yellow Receiver Post	-	-	
	-	-	-	

### TRAFFIC VESTS

- High-visibility lightweight polyester mesh provides daytime visibility
- 2" yellow reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release



Model No.	Size
SEF093	Medium
SEF094	Large
SEF095	X-Large
SEF096	2X-Large

### TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange or fluorescent lime-yellow sports mesh knit fabric provides daytime visibility
- 2" silver reflective stripes offer maximum nighttime visibility
- · Front velcro enclosure permits optimal fit
- · Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Mod	el No.	
<b>Orange</b>	Lime-Yellow	Size
SEB698	SEB702	Medium
SEB699	SEB703	Large
SEB700	SEB704	X-Large
SEB701	SEB705	2X-Large

### PREMIUM POLYESTER T-SHIRTS

- Moisture wicking, lightweight, soft and breathable fabric
- Fluorescent lime-green 100% polyester "bird's eye" mesh material
- 3" fluorescent orange/silver dual reflective stripes
- Upper left breast pocket with velcro closure
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Mod	el No.	
<b>Orange</b>	Lime-Yellow	Size
SEF109	SEL243	Medium
SEF110	SEL244	Large
SEF111	SEL245	X-Large
SEF112	SEL246	2X-Large

### TRAFFIC HARNESSES

- 1 1/2" lime-yellow/silver reflective stripes
- Elasticized material permits optimal fit
- Four strap adjusters and front clip for maximum adjustability





Model	
No.	Size
SEF117	Medium
SEF118	Large
SEF119	X-Large
SEF120	2X-Large
SEF121	3X-Large



### 5-POINT TEAR-AWAY TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility
- 2" yellow reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Model	
No.	Size
SEF097	Medium
SEF098	Large
SEF099	X-Large
SEF100	2X-Large

# Size Redium Large -Large K-Large

### SURVEYOR TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility
- 4" yellow/silver reflective stripes offer maximum nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- Two top Velcro sealed pockets and two bottom open pockets
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Model No.		
<b>Orange</b>	Lime-Yellow	Size
SEF101	SEK232	Medium
SEF102	SEK233	Large
SEF103	SEK234	X-Large
SEF104	SEK235	2X-Large

### ----

- ARM & LEG BANDS

   2" lime-yellow/silver reflective bands
- Velcro closure permits optimal fit
- Available in various lengths





Safety Products	
Model No.	Length"
SEF122	10
SEF123	12
SEF124	13 1/2
SEF125	15
SEF126	17
SEF127	19

