CLASSES OF FIRE:

Fires are classified according to the material that is burning. Fire extinguishers are rated by the area each will cover for a particular class of fire. The higher the number, the bigger the fire area you can fight.

Note: Maintenance and recharging of all fire extinguishers should be performed by a qualified service company.



class A fires are the most common. They involve ordinary combustibles such as wood, paper, cloth, rubber, a number of plastics, and other ordinary materials.



CLASS B fires are caused by gasoline, grease, oil, paint and other flammable liquids. Commonly strikes in warehouses and manufacturing plants.



class c for live electrical equipment. Often occurs in computers, monitors, wiring and appliances.

STEEL DRY CHEMICAL ABC FIRE EXTINGUISHERS

- Steel cylinder complete with cylinder skirt
- Industrial-strength cylinder has high corrosion and impact-resistant polyester powder paint finish
- · Waterproof stainless steel gauge
- Anodised aluminum valve
- Strong polyester powder-coated steel handles
- Completely rechargeable
- Full hand grip for ease of operation
- ULC listed







Order	Mfg.	Cap.		Range	Discharge				Included	Wt.
No.	No.	lbs.	Rating	Feet	Time Sec.	PSI	H"	Dia."	Bracket	lbs.
SAQ814	WBDL-ABC110VB	2.5	1A:10BC	8 - 10	12 - 14	150	15 1/2	3 1/8	Vehicle	4 1/4
SA445	WBDL-ABC310LV	5	3A:10BC	8 - 10	13 - 14	195	16	4 1/4	Wall	10 1/2
SC946	WBDL-ABC310VVB	5	3A:10BC	8 - 10	13 - 14	195	16	4 1/4	Vehicle	10 1/2
SED109*	WBDL-ABC340LV	5	3A:40BC	8 - 10	13 - 14	195	16	4 1/4	Vehicle	10 1/2
SA443	WBDL-ABC10WH	10	6A:80BC	10 - 15	14 - 16	235	21 1/4	5 1/8	Wall	19 1/4
SA444	WBDL-ABC20WH	20	10A:120BC	10 - 15	20 - 22	235	24	7 1/8	Wall	35 1/4
SED110	WBDL-ABC30WH	30	10A:120BC	10 - 15	28	195	30 3/4	7 1/8	Wall	50 1/3

^{*}Meets requirements for forklifts

ACCESSORIES

Order No.	Mfg. No.	Description	Fits	Order No.	Mfg. No.	Description	Fits	
SC951	C160738	Wall Hook	5 lbs.	SA442	UP2	Vehicle Bracket	2.5 lbs.	
SC952	C160752	Wall Hook	10 lbs.	SC955	UB5	Vehicle Bracket	5 lbs.	
SC953	C160791	Wall Hook	20 lbs.					

ALUMINUM CYLINDER CARBON DIOXIDE (CO₂) FIRE EXTINGUISHERS

- Well suited for corrosive environments
- Industrial-strength aluminum cylinder is up to 30% lighter than steel
- Stainless steel hose band
- · Strong impact-resistant horn
- Bar-coded label
- · Easy to service
- Comes with wall hook
- ULC listed





Order	Mfg.	Cap.		Range		Wt.		
No.	No.	lbs.	Rating	Feet	Time Sec.	Н"	Dia."	lbs.
SAJ098	SF-5CO2	5	5BC	6-12	10	17 1/4	5 3/4	13 1/4
SAJ099	SF-10CO2	10	10BC	6-12	10	19 3/4	6 3/4	27
SAJ100	SF-15CO2	15	10BC	6-12	15	26 3/4	6 3/4	37
SAL344	SF-20C02	20	10BC	6-12	20	26 3/4	8	48 1/8

ACCESSORIES

Order No.	Mfg. No.	Description	Fits
SAM953	SF5WH	Wall Hook	5 lbs.
SAM954	SF1015WH	Wall Hook	10-15 lbs.
SAM955	SF20WH	Wall Hook	20 lbs.
SAP900	HDVB-2	Vehicle Bracket	5 lbs.
SAM957	HDVB-3	Vehicle Bracket	10 lbs.
SED313	HDVB-4	Vehicle Bracket	15 lbs.

K CLASS WET CHEMICAL EXTINGUISHERS

- Brass valve construction
- Specially designed and tested for address fires in restaurants and commercial fryers
- Very effective on cooking oil and grease fires
- Ideal for restaurants, kitchens, cafeterias, food courts, and other locations with high temperature cooking materials
- Nozzle designed to prevent splashing
- Designed to be used in conjunction with a kitchen suppression system
- Comes with wall hook
- Weight: 25 lbs.





					Discharge	•		
Order No.	Mfg. No.	Cap. Liters	Rating	Range Feet	Time Sec.	PSI	Н"	Dia."
SED438	SF-6LK	6	1-A:K	10-12	60	100	21 1/2	7

Dim.

W" x H"

12 x 20

12 x 20

16 x 25

16 x 25

12 x 20

12 x 20

16 x 25

16 x 25

12 x 20

12 x 20

16 x 25

SD019

Fits

10 lbs.

10 lbs.

20 & 30 lbs.

20 & 30 lbs.

10 lbs.

10 lbs

20 & 30 lbs.

20 & 30 lbs.


10 lbs.

10 lbs.


20 & 30 lbs.

20 & 30 lbs.

STANDARD-DUTY VEHICLE & **MARINE BRACKETS FOR** ABC EXTINGUISHERS



ULC listed





MEDIUM-DUTY VEHICLE & MARINE BRACKETS FOR ABC EXTINGUISHERS

- Black polyester powder-coated with two stainless steel straps
- Ideal for forklifts, industrial equipment and warehouse retail
- ULC listed

Fits
5 lbs. 10 lbs.
_



HEAVY-DUTY VEHICLE & MARINE BRACKETS

- Ideal for construction equipment. industrial and commercial trucks
- Corrosion-resistant
- Uni-body steel construction
- · Rounded corners for added safety

Order	Mfg.	Fits	Fits
No.	No.	ABC	CO ₂
SAP900	HDVB-1	5 lbs.	-
SAM956	HDVB-2	10 lbs.	5 lbs.
SAM957	HDVB-3	20 lbs.	10 lbs.
SED313	HDVB-3	30 lbs.	15 lbs.





HEAVY-DUTY OUTDOOR EXTINGUISHER CABINETS

FIRE EXTINGUISHER COVERS

Reinforced vinyl covers fasten

over wall-mounted extinguishers

 Protect valves, fittings and gauges from dust and corrosive fumes

Available with or without window

Available in English, French or bilingual

to check pressure gauge

u herbertwilliams

E-FEC10

E-FEC20

F-FEC10

F-FEC20

B-FEC10

B-FEC20

E-FEC10NW

E-FEC20NW

F-FFC10NW

F-FFC20NW

B-FEC10NW

B-FEC20NW

Mfg.

No.

Order

SD019

SD020

SD021

SD022

SE271

SF272

SE273

SE274

SD023

SD024

SD025

No.

 Velcro® closure on back provides quick and easy removal with a quick jerk of pull handle

Fluorescent red colour provides high visibility

Description

English w/window

English w/o window

English w/window

English w/o window

French w/window

French w/o window

French w/window

French w/o window

Bilingual w/window

Bilingual w/o window

Bilingual w/window

Bilingual w/o window 16 x 25

- 16-gauge cold-rolled steel
- Welded construction with sloped roof
- Full-length stainless steel piano hinge and weatherproof gasket around door iam
- Full metal door with keyed paddle latch Baked red acrylic enamel over
- phosphate treated steel
- Accomodates up to a 30-lb. dry chemical ABC extinguisher



FIRE EQUIPMENT LTD.

Order	Mfg.		Insid	e Dime	ension	s
No.	No.	W"	х	D"	Х	Н"
SAN296	OEC	14	Х	10	Х	28

SURFACE-MOUNTED FIRE EXTINGUISHER CABINETS

- Extinguishers are readily available while keeping them safe from potential vandals
- Complete with cylinder lock keyed alike
- · Baked white enamel finish with acrylic plastic viewing panel
- · Break glass hammer and chain with "break glass" sticker

u herbertwilliams FIRE EQUIPMENT LTD.

ACCUFORM


Order	Mfg.		Dimensions				
No.	No.	W"	X	D"	X	H"	Accommodates
SAS062*	C-100	8 1/2	Х	6	х	20 1/2	5-lb Dry Chemical
SD028	C-999	10 9/16	Х	6 9/16	Х	24 5/16	10-lb Dry Chemical
SD027	C-104	14 1/8	Х	9 1/16	Х	30 1/8	20-lb Dry Chemical or 10-lb CO ₂

*Break glass hammer and chain not included.





SAFETY SIGNS









Fire Protection

CARBON MONOXIDE ALARMS

- Quick and easy hardwire connection to AC power
- Interconnectable to up to 12 multiple station alarms
- Low power consumption:
 0.085 A standyby, 0.087 A in alarm
- Operating voltage: 120 V AC, 60 Hz
- Back-up 9 V battery comes pre-installed
- Red LED indicates which power supply is active
- Single test/silencer button
- Alarm horn: 85 dB at 10'


Order No. SEI607 Mfg. No. CO5120BNA



MULTI-GAS ALARMS

- 3-way protection against carbon monoxide, propane, and natural gas
- Plug-in unit with back-up battery (included)
- EZ access battery door located on the front of the unit to make maintenance easier
- Accurate display easily identifies hazards
- Remote controlled silence/test feature just point and click with any TV remote to quiet unwanted alarms or test alarm functions
- Low battery warning with silence feature to quiet low battery warnings for up to 8 hours
- End of life timer provides audible notice when it is time to replace alarm

Order No. SEH170





COMBINATION CARBON MONOXIDE & SMOKE ALARMS

- 120 V hardwire
- Dual protection CO/Smoke
- Alarm-Pause® silence feature
- Ionization technology
- Alarm source indicator
- Distinct audible and visual alarm indicators
- Instant test/reset feature
- Interconnectable up to 18 units, 12 of which may be smoke alarms
- Dimensions: 5" dia. x 1.97" deep
- 5-year limited warranty
- ULC listed

Order No. SEJ965 Mfg. No. SC9120A



SMOKE DETECTOR TESTER™

- Puts both ionization and photoelectric smoke detectors through their paces to ensure their circuitry, alarm and power are all functioning
- Patented formulation simulates the entire range of fire conditions
- 2.5-oz. aerosol spray can contains 200+ sprays per can
- Leaves no residue, non-toxic, and 100% ozone safe
- NFPA 72 compliant testing when used as directed
- UL and ULC listed

Order No. SAI386 Mfg. No. 25S





NATURAL GAS DETECTORS

- Measures the concentration of natural gas
- Install by simply plugging into any standard 120 V AC wall outlet (requires no batteries)
- Loud 85 dB alarm is set to alarm before gas levels reach 25% of lower explosive level
- Instant test feature and self-diagnosing circuitry
- 6' drop cord and mounting plate included
- 5-year comprehensive warranty
- UL listed
- Not for industrial use



Plugs into

any standard

AC outlet,


120 V AC

Order	Mfg.			Di	imens	sion	s	
No.	No.	Description	W"	X	D"	X	Н"	
SD536	NG200	Plug-In	6.5	Х	5	х	3.5	

FIRST RESPONSE™ GENERAL PURPOSE SMOKE ALARMS

- Battery powered, 9 V battery (included)
- Suitable for all rooms
- Dual-ionization technology
- Easy Touch[™] Alarm-Pause[®] feature
- Alarm and power test feature
- Operating LED
- Up to 30 days low battery warning
- Easy installation, mounting hardware included
- 10-year limited warranty (battery excluded)
- ULC listed





HARDWIRE SMOKE ALARMS W/BATTERY BACK-UP

- 120 V AC hardwire with a 9 V battery back-up feature (battery included)
- Alarm-Pause® silencer feature
- Ionization technology
- Interconnectable up to 18 units (combined with CO alarms)
- Alarm source indicator
- Alarm and power test feature and LED's
- Low battery warning
- Tamper resistant "Lock-it" key mounting hardware included
- 10 year limited warranty (battery excluded)
- ULC listed





Order	Mfg.		Dimer	nsi	ons
No.	No.	Description	Dia."	X	D"
SAQ316 XB876	670LBX EN22	120 V Hardwire Smoke Alarm Replacement Battery, 9 V, 12/Pk	5.25 g	х	1.75

KEY BOXES

Durable ABS red plastic

Unique snap in design

- Pre-slotted mounting holes
- Printed glass, "Break Glass For Key"
- Replacement glass available
- 4 1/4" W x 1 1/4" D

Order No.	Mfg. No.	Description	100
SAG771	KB	Key Box	
SAG772	RKBG	Replacement Glass	

Safety Technology International, Inc.

EXIT STOPPER® DOOR ALARMS

- Highly effective alarm alerts you to any unauthorized exits/entries through emergency exit doors and rear doors
- Highly visible "stop sign" design acts as a deterrent
- Housing is molded of UV stabilized tough polycarbonate
- Compact patented design 5" in diameter and 1.875" deep
- Emits an ear piercing 95 or 105 dB warning alarm when activated which can be preset to sound for 30 seconds, 3 minutes, indefinitely or annunciator mode (10 beeps)
- Key-operated override silences the alarm and allows authorized exits
- May be programmed for 15 second delay or immediate trip
- Alarming delay allows unit to arm following an authorized exit
- Inlcudes warning label (often placed on protected door)
- Fitted with a long life 9-VDC alkaline battery
- 3 year guarantee against breakage of polycarbonate housing in normal use, 1 year on electronics



TI	Safety Technology International, Inc.

			
Order No.	Mfg. No.	Language	
SE461	STI6400	English	
SEJ347	STI-6400/FRE	French	

UNIVERSAL STOPPER® FIRE ALARM COVERS SEJ348

- Unique and patented device helps stop false alarms, without restricting legitimate alarms
- On model with optional horn, when cover is lifted it sounds a piercing 105 dB warning, drawing attention to the area or pranksters
- Horn will sound until cover is snapped back onto the frame (or for the life of the battery)
- · High strength piano hinge
- Clear, tamperproof, tough polycarbonate shield and frame fit over pull station or call point
- UV-stabilized covers are for indoor or outdoor use
- Ideal for schools, hospitals, nursing homes, public transport, stores, hotels or any public area with an exposed fire pull station
- Flush or surface mount, with or without internal horn
- · Sized to fit most pull stations




Safety Technology International, Inc.

Order	Mfg.	Mounting	
No.	No.	Туре	Language
SEJ348	STI-13010FR	Flush	English
SEJ349	STI-13020FR	Flush, w/horn	English
SEJ350	STI-13210FR	Surface	English
SEJ351	STI-13220FR	Surface w/horn	English
SEJ352	STI-13310FR	Enclosed flush back box	English
SEJ353	STI-13010FR/FRE	Flush	French
SEJ354	STI-13020FR/FRE	Flush, w/horn	French
SEJ355	STI-13210FR/FRE	Surface	French
SEJ356	STI-13220FR/FRE	Surface w/horn	French
SEJ357	STI-13310FR/FRE	Enclosed flush back box	French

EMERGENCY ESCAPE LADDERS

- Quickly and easily attaches to any window
- No tools or assembly required
- Tangle-free design
- Constructed of durable and flame resistant aluminum
- Anti-slip rungs
- Tested to 1000 lbs.
- Available in two story, (13') or three story (25') ladder
- 5-year limited warranty



SAF947	HW3D	25	
5AF946	HWZD	13	

Mfg. No.

EMERGENCY KEY BOXES

- Sturdy all-metal construction
- Heavy-gauge steel
- · Scratch resistant red paint
- Rust proof

Order No.

- Replaceable glass, 3" W x 4.8" H
- Pre-slotted mounting holes
- Secure, multi-functional cam lock with two keys
- 6.92" W x 2.04" D x 6.8" H
- Includes steel smash rod and chain
- · Complete with key hook, two screws and plugs

Order No.	Mfg. No.	Description
SAG773	5151	Key Box
SAG774	5151-G	Replacement Glass

FIRE BLANKET

- Made of 100% compact structure fibreglass fabric
- Suitable for extinguishable small fires or burning clothing
- Can be used as a radiant heat shield to aid in escaping fires
- Comes in a nylon storage bag with hanging hook
- Quick release tabs for easy use in an emergency
- Dimensions: 59" x 72"

Order No. SEL048



CLASS™ FIRE RETARDANT

- Professional grade fire retardant
- Reduces dangerous flame spread on a range of materials including draperies, furniture, mattresses, wooden structures, cardboard and external clothing
- All flame treated items must be able to absorb moisture and have a minimum content of 30% natural fibre
- Easy to apply
- ASTM EB4-81A earned a flame spread of 25 "A" rating

Order No.	Mfg. No.	Description
AA904	61314-SPRAYBOTTLE	350 g Spray Bottle



FINE FIBRE SORBENT PADS & ROLLS - INDUSTRIAL GRADE

- Premium industrial grade fine fibre
- Bonded tri layered construction offers a smooth lint free finish that does not leave fibre residue behind
- Quickest absorption rate and increased durability
- Offers maximum absorbency and strength
- · Adheres well to floors to offer a secure footing
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight

OIL ONLY

Order		Dir	nens	sions	Absorbency/Pkg.	Qty
No.	Weight	L	X	W	Gallons	/Pkg.
PADS - O	IL ONLY					
SEI956	Heavy	15"	Х	17"	40	100
SEI957	Medium	15"	Х	17"	35	100
SEI958	Light	15"	Х	17"	40	200
ROLLS - C	OIL ONLY					
SEI959	Heavy	150'	Х	30"	70	1
SEI960	Heavy	150'	Х	15"	35	1
SEI961	Medium	150'	Х	30"	50	1
SEI962	Medium	150'	Х	15"	25	1

UNIVERSAL

Order		Din	nens	sions	Absorbency/Pkg.	Qty
No.	Weight	L	х	W	Gallons	/Pkg.
PADS – U	NIVERSAL					
SEI963	Heavy	15"	х	17"	40	100
SEI964	Medium	15"	Х	17"	35	100
SEI965	Light	15"	Х	17"	40	200
ROLLS -	UNIVERSAL					
SEI966	Heavy	150'	х	30"	70	1
SEI967	Heavy	150'	Х	15"	35	1
SEI968	Medium	150'	Х	30"	50	1
SEI969	Medium	150'	Х	15"	25	1

Order		Dir	nens	sions	Absorbency/Pkg.	Qty
No.	Weight	L	X	W	Gallons	/Pkg.
PADS – HA	ZMAT					
SEI970	Heavy	15"	х	17"	40	100
SEI971	Medium	15"	Х	17"	35	100
SEI972	Light	15"	Х	17"	40	200
ROLLS - H	AZMAT					
SEI973	Heavy	150'	х	30"	70	1
SEI974	Heavy	150'	Х	15"	35	1
SEI975	Medium	150'	Х	30"	50	1
SEI976	Medium	150'	Х	15"	25	1











FINE FIBRE SORBENT PADS & ROLLS


- Premium fine fibre
- Bonded tri layered construction offers a smooth lint free finish that does not leave fibre residue behind
- · Quickest absorption rate and increased durability
- · Offers superior absorbency and strength
- Adheres well to floors to offer a secure footing
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight

OIL ONLY						
Order		Dir	nens	sions	Absorbency/Pkg.	Qty
No.	Weight	L	х	W	Gallons	/Pkg.
PADS - OIL	. ONLY					
SEH974	Heavy	15"	х	17"	30	100
SEH975	Medium	15"	Х	17"	25	100
SEI977	Light	15"	х	17"	30	200
ROLLS - OI	L ONLY					
SEH976	Heavy	150'	х	30"	50	1
SEH977	Heavy	150'	Х	15"	25	1
SEH978	Medium	150'	Х	30"	40	1
SEH979	Medium	150'	х	15"	20	1






Order		Dir	nen	sions	Absorbency/Pkg.	Qty
No.	Weight	L	х	W	Gallons	/Pkg.
PADS - UN	IVERSAL					
SEJ936	Heavy	15"	х	17"	30	100
SEH981	Medium	15"	Х	17"	25	100
SEI978	Light	15"	Х	17"	30	200
ROLLS - UI	NIVERSAL					
SEH982	Heavy	150'	Х	30"	50	1
SEH983	Heavy	150'	Х	15"	25	1
SEH984	Medium	150'	Х	30"	40	1
SEH985	Medium	150'	Х	15"	20	11



Order		Dir	nens	sions	Absorbency/Pkg.	Qty
No.	Weight	L x W		W	Gallons	/Pkg.
PADS - HA	ZMAT					
SEH986	Heavy	15"	х	17"	30	100
SEI979	Medium	15"	Х	17"	25	100
SEH987	Light	15"	х	17"	30	200
ROLLS - HA	AZMAT					
SEH988	Heavy	150'	х	30"	50	1
SEI980	Heavy	150'	Х	15"	25	1
SEI981	Medium	150'	Х	30"	40	1
SEI982	Medium	150'	Х	15"	20	1



LAMINATED (SMS) SORBENT PADS & ROLLS

- Three layer spun bonded/melt blown/spun bonded finish (SMS)
- Extra strength polypropylene outer layer
- Laminated sorbents are lint free and permit a fast and easy clean up
- Premium durability; ideal for high traffic surfaces
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight

OIL ONLY

Order		Dir	nens	sions	Absorbency/Pkg.	Qty
No.	Weight	L	x	W	Gallons	/Pkg.
PADS - OIL	ONLY					
SEH990	Heavy	15"	х	17"	30	100
SEI983	Medium	15"	Х	17"	25	100
SEI984	Light	15"	х	17"	30	200
ROLLS - OI	L ONLY					
SEH991	Heavy	150'	х	30"	50	1
SEH992	Heavy	150'	Х	15"	25	1
SEI986	Medium	150'	Х	30"	40	1
SEI987	Medium	150'	х	15"	20	1



UNIVERSAL

Order		Dir	nen	sions	Absorbency/Pkg.	Qty
No.	Weight	L	X	W	Gallons	/Pkg.
PADS - UN	IVERSAL					
SEH996	Heavy	15"	Х	17"	30	100
SEI988	Medium	15"	Х	17"	25	100
SEI989	Light	15"	х	17"	30	200
ROLLS - UI	NIVERSAL					
SEH994	Heavy	150'	х	30"	50	1
SEH995	Heavy	150'	Х	15"	25	1
SEI990	Medium	150'	Х	30"	40	1
SEI991	Medium	150'	Х	15"	20	1



Order		Din	nens	sions	Absorbency/Pkg.	Qty
No.	Weight	L	х	W	Gallons	/Pkg.
PADS - H	AZMAT					
SEI992	Heavy	15"	х	17"	30	100
SEI993	Medium	15"	Х	17"	25	100
SEI994	Light	15"	х	17"	30	200
ROLLS - F	IAZMAT					
SEI995	Heavy	150'	х	30"	50	1
SEI996	Heavy	150'	Х	15"	25	1
SEI997	Medium	150'	Х	30"	40	1
SEI998	Medium	150'	Х	15"	20	1



BONDED SORBENT PADS & ROLLS

- 100% bonded polypropylene fibre
- Ideal for applications that require increased tensile strength
- More durable than traditional meltblown sorbents
- Bonded pads offer low linting and permit an easy clean up
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight

\sim		\sim	NI	LY
OI	ш.	u	IV	LY


	Din	nen	sions	Absorbency/Pkg.	Qty
Weight	L	х	W	Gallons	/Pkg.
L ONLY					
Heavy	15"	Х	17"	30	100
Heavy	15"	Х	17"	10	25
Medium	15"	Х	17"	25	100
Light	15"	Х	17"	15	100
Light	15"	Х	17"	30	200
IL ONLY					
Heavy	150'	х	30"	50	1
Heavy	150'	Х	15"	25	1
Medium	150'	Х	30"	40	1
Medium	150'	Х	15"	20	1
Light	300'	Х	30"	55	1
	Heavy Heavy Medium Light Light Heavy Heavy Heavy Heavy Medium Medium	Weight L LONLY 15" Heavy 15" Medium 15" Light 15" Light 15" IL ONLY 150' Heavy 150' Medium 150' Medium 150' Medium 150'	Weight L x L ONLY 15" x Heavy 15" x Medium 15" x Light 15" x Light 15" x IL ONLY 150' x Heavy 150' x Medium 150' x Medium 150' x Medium 150' x	Heavy 15" x 17" Heavy 15" x 17" Medium 15" x 17" Light 15" x 17" Light 15" x 17" Light 15" x 17" ILONLY Heavy 150' x 30" Heavy 150' x 30" Medium 150' x 30" Medium 150' x 30"	Weight L x W Gallons L ONLY Heavy 15" x 17" 30 Heavy 15" x 17" 10 Medium 15" x 17" 25 Light 15" x 17" 15 Light 15" x 17" 30 IL ONLY Heavy 150' x 30" 50 Heavy 150' x 15" 25 Medium 150' x 30" 40 Medium 150' x 15" 20




Order		Din	nens	sions	Absorbency/Pkg.	Qty
No.	Weight	L	X	W	Gallons	/Pkg.
PADS - UN	IVERSAL					
SEJ935	Heavy	15"	х	17"	30	100
SEH959	Heavy	15"	Х	17"	10	25
SEJ940	Medium	15"	Х	17"	25	100
SEH961	Light	15"	Х	17"	15	100
SEH962	Light	15"	Х	17"	30	200
ROLLS - U	NIVERSAL					
SEH966	Heavy	150'	х	30"	50	1
SEH965	Heavy	150'	Х	15"	25	1
SEH964	Medium	150'	Х	30"	40	1
SEH963	Medium	150'	х	15"	20	1

Order		Dir	nens	sions	Absorbency/Pkg.	Qty
No.	Weight	L	X	W	Gallons	/Pkg.
PADS - HA	ZMAT					
SEI007	Heavy	15"	х	17"	30	100
SEJ004	Medium	15"	Х	17"	25	100
SEJ005	Light	15"	Х	17"	15	100
SEJ006	Light	15"	х	17"	30	200
ROLLS - H	AZMAT					
SEI009	Heavy	150'	х	30"	50	1
SEI008	Heavy	150'	Х	15"	25	1
SEJ008	Medium	150'	Х	30"	40	1
SEJ009	Medium	150'	х	15"	20	1







BLUE BONDED SORBENT PADS & ROLLS

- 100% bonded polypropylene fibre
- Ideal for applications that require increased tensile strength
- More durable than traditional meltblown sorbents
- Bonded pads offer low linting and permit an easy clean up
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight
- Blue pads and rolls are excellent for snow conditions, where distinguishing colour is needed
- Same quality and finish as the white pads and rolls

Order		Din	nens	sions	Absorbency/Pkg.	Qty
No.	Weight	L x W		W	Gallons	/Pkg.
BLUE PADS	- OIL ONLY					
SEJ186	Heavy	15"	Х	17"	30	100
SEJ187	Heavy	15"	Х	17"	10	25
SEJ188	Medium	15"	Х	17"	25	100
SEJ189	Light	15"	Х	17"	15	100
SEJ190	Light	15"	х	17"	30	200
BLUE ROLL	S - OIL ONLY					
SEJ191	Heavy	150'	х	30"	50	1
SEJ192	Heavy	150'	х	15"	25	1
SEJ193	Medium	150'	Х	30"	40	1
SEJ194	Medium	150'	Х	15"	20	1
SF 1195	Light	300,	v	30"	55	1



Also available in fine fibre and laminated



MELTBLOWN SORBENT PADS & ROLLS

- 100% meltblown polypropylene fibre
- Most cost effective sorbent in the industry
- Permit an easy and quick clean up
- · Quick and effective solution for all spills or leaks
- All sorbent pads and rolls have absorption capacities of more than 25x their weight

Order		Din	nens	sions	Absorbency/Pkg.	Qty
No.	Weight	L	х	W	Gallons	/Pkg.
PADS - OII	LONLY					
SEH942	Heavy	15"	х	17"	30	100
SEH943	Heavy	15"	Х	17"	10	25
SEH944	Medium	15"	Х	17"	25	100
SEH946	Medium	30"	Х	30"	50	50
SEH945	Light	15"	Х	17"	15	100
SEI620	Light	15"	Х	17"	30	200
ROLLS - O	IL ONLY					
SEH947	Heavy	150'	х	30"	50	1
SEH948	Heavy	150'	Х	15"	25	1
SEH949	Medium	150'	Х	30"	40	1
SEH950	Medium	150'	Х	15"	20	1



ANTI STATIC SORBENT PADS

- 100% meltblown polypropylene fibre
- Chemically treated with anti static agent
- · Permit an easy and quick clean up
- Ideal for cold conditions or highly flammable environments, will not spark
- All sorbent pads have absorption capacities of more than 25x their weight

Order		Di	mens	sions	Absorbency/Pkg.	Qty
No.	Weight	L"	X	W"	Gallons	/Pkg.
PADS - OIL	ONLY					
SEI577	Heavy	15	х	17	25	100
SEJ014	Heavy	30	Х	30	55	25






NATURAL FINE FIBRE SORBENT PADS & ROLLS

- Cold formation fine fibre cotton
- Biodegradable
- Lint free finish that does not leave fibre residue behind
- Permits rapid absorption
- All sorbent pads and rolls have absorption capacities of more than 25x their weight

Order		Dir	nens	sions	Absorbency/Pkg.	Qty	
No.	Weight	L x W		W	Gallons	/Pkg.	
PADS - OIL	ONLY						
SEI037	Heavy	16"	Х	18"	30	100	
SEI038	Medium	16"	Х	18"	25	100	
ROLLS - OI	L ONLY						
SEI039	Heavy	150'	Х	28"	50	1	
SEI040	Heavy	150'	х	14"	25	1	
SEI041	Medium	150'	х	28"	40	1	
SEJ292	Medium	150'	х	14"	20	1	

Order		Dir	nens	sions	Absorbency/Pkg.	Qty
No.	Weight	L	X	W	Gallons	/Pkg.
PADS - UN	IVERSAL					
SEI042	Heavy	16"	Х	18"	30	100
SEI043	Medium	16"	х	18"	25	100
ROLLS - U	NIVERSAL					
SEI044	Heavy	150'	х	28"	50	1
SEI045	Heavy	150'	Х	14"	25	1
SEI046	Medium	150'	Х	28"	40	1
SEJ293	Medium	150'	Х	14"	20	1



MULTI-PURPOSE SORBENTS

- Folded sorbents are a quick and easy solution for cleaning/absorbing spills and drips
- May be used as a pad, roll, pillow or sock
- Perforated every 17" for convenient length selection





SEI068

Order		Di	men	sions	Absorbency/Pkg.	Qty
No.	Weight	L'	х	W"	Gallons	/Pkg.
MULTI-P	URPOSE SORB	ENTS				
SEI068	Universal	50	Х	5	10	3
SEI069	Oil Only	50	Х	5	10	3
SEI070	Hazmat	50	Х	5	10	3





CAMOUFLAGE UNIVERSAL SORBENTS


- Three layer spun bonded/melt blow/spun bonded finish (SMS)
- Strong tensile strength is ideal for wiping and MRO applications

Also available in

laminated, bonded

and meltblown.

- Military camouflage design and colour offers maximum spill and dirt concealment
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight



Order		Dir	nens	sions	Absorbency/Pkg.	Qty
No.	Weight	L	x	W	Gallons	/Pkg.
PADS - UN	IVERSAL					
SEI056	Heavy	15"	Х	17"	25	100
ROLLS - UN	NIVERSAL					
SEI057	Heavy	150'	х	30"	50	1
SEI058	Heavy	150'	х	15"	50	1

RAG RUGS

- Made of 100% recycled cotton and polyester, with a binder on one side
- Provides an excellent non-slip surface for work spaces
- Best suited for busy areas with leaks and drips
- Protects floor by preventing damage, and keeps it dry and clean
- Absorbs more than 12 times its weight in oil, water, or chemicals

Order		Dir	nens	sions	Absorbency/Pkg.	Qty
No.	Weight	L'	X	W"	Gallons	/Pkg.
ROLLS - UN	IIVERSAL					
SEI055	Heavy	150	Х	36	50	1

INDUSTRIAL RUGS

- Needle punched 100% polypropylene fibre
- Provides an excellent non-slip surface for work spaces
- · Best suited for busy areas with leaks and drips
- · Protects floor by preventing damage, while keeping it dry and clean
- · Absorbs more than 12 times its weight in oil, water, or chemicals

Order		Dir	nens	sions	Absorbency/Pkg.	Qty
No.	Weight	L'	X	W"	Gallons	/Pkg.
ROLLS - UN	IIVERSAL					
SEJ019	Heavy	100	х	36	25	1
SEJ020	Heavy	150	Х	36	35	1
SEJ021	Heavy	300	х	36	70	1

POLY BACKED INDUSTRIAL RUGS

- Needle punched 100% polypropylene fibre
- Poly backing prevents absorbed fluids from penetrating through to the floor
- Provides an excellent non-slip surface for work spaces
- Best suited for busy areas with leaks and drips
- Protects floor by preventing damage, while keeping it dry and clean
- · Absorbs more than 12 times its weight in oil, water, or chemicals

Order		Dir	nens	sions	Absorbency/Pkg.	Qty
No.	Weight	L'	x	W"	Gallons	/Pkg.
ROLLS - UN	IIVERSAL					
SEJ022	Heavy	50	х	36	25	1
SEJ023	Heavy	100	Х	36	35	1
SEJ024	Heavy	150	x	36	70	1

HIGH TRAFFIC UNIVERSAL SORBENTS

- Three layer spun bonded/melt blow/fine fibre finish (SMF)
- · Best suited for problem areas with high traffic
- Conceived for added durability and absorbency
- · Offers the top layer strength of laminated sorbents, with the bottom layer floor adherence of fine fibre sorbents
- · Ideal for use in forklift traffic areas
- All universal rolls are antistatic and made of up to 90% recycled materials
- · All sorbent rolls have absorption capacities of more than 25x their weight

Order		Dir	nens	sions	Absorbency/Pkg.	Qty
No.	Weight	L'	X	W"	Gallons	/Pkg.
ROLLS - UN	IIVERSAL					
SEJ015	Heavy	150	х	30	60	1
SEJ016	Heavy	150	Х	15	30	1
SEJ017	Light	150	Х	30	40	1
SEJ018	Light	150	х	15	20	1













OIL ONLY BILGE BOOMS

- 100% polypropylene
- Will not sink when fully saturated permitting easy retrieval
- Can be used indoors or outdoors, and will not absorb water
- Prevents odors by absorbing bacteria breeding oily residues



Order	Di	imensi	ons	Absorbency/Pkg.	Qty
No.	L"	х	W"	Gallons	/Pkg.
BILGE BOOI	M - OIL				
SEI051	18	Х	5	31	12
SEJ294	18	х	8	31	12

ZEN

SORBENT BOOMS

- Made of a durable spunbond sock and net filled with 100% polypropylene particulate
- Oil only booms are used for marine spills, universal booms are used for large land spills
- Durable rope runs between the sock and net allowing all tension to remain on the rope
- Hooks and clips at ends and 18" provide overlap at connection points
- Quick snaps provide easy handling and permit to attach multiple lengths together
- UV resistant for up to 12 months
- Oil only booms are made from 100% polypropylene, and absorb more than 25x their weight
- Universal booms are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Polypropylene and cellulose blend absorption capacities far exceed those of 100% cellulose sorbents

OIL ONLY SWEEP

- Made of durable laminated polypropylene
- 2" nylon webbing for additional strength is added on the length of the sweep
- Ideal for marine spill, fine sheen and surface spill removal
- Sorbent sweep absorbs oil, and repels water
- Looping straps at each end to tie sweep across waterways or on boats for dragging



Order	Din	nensi	ons	Absorbency/Pkg.	Qty
No.	L"	X	W"	Gallons	/Pkg.
SWEEP - OIL	ONLY				
SEI049	100	х	19	33	1





Order	Din	nens	ions	Absorbency/Pkg.	Qty
No.	L"	х	W"	Gallons	/Pkg.
BOOMS - OIL	ONLY				
SDK911	120	х	5	35	4
SEH952	120	Х	8	70	4
BOOMS - UN	IVERSAL				
SEH999	120	х	5	35	4
SEI001	120	Х	8	70	4

DRUM COVER ABSORBENT PADS

- 100% polypropylene
- Precut to fit 55-gallon drums perfectly with a cut out bung hole
- Retains pump drips and drum leaks at the source and away from surrounding areas
- · Keeps drum tops and floors clean and dry



Order No.	Size Diameter"	Absorbency/Pkg. Gallons	Qty /Pkg
DRUM COV	ER - OIL ONLY		
SEI050	22	10	25
DRUM COV	ER - UNIVERSAL		
SEI053	22	10	25

SORBENT PILLOWS


- The perfect sorbent solution to trap drips and leaks
- Designed to recover and absorb large volumes of liquid
- Pillows can slide underneath dispensing units and machines to contain constant drips
- Oil only pillows are made from 100% polypropylene, and absorb more than 25x their weight
- Universal pillows are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Polypropylene and cellulose blend absorption capacities far exceed those of 100% cellulose sorbents



Order	Din	nensi	ons	Absorbency/Pkg.	Qty
No.	L"	Х	W"	Gallons	/Pkg.
PILLOWS - 0	OIL ONL	Υ			
SEH956	18	Х	8	25	10
SEH957	18	Х	18	40	10
PILLOWS - U	JNIVERS	SAL			
SEJ028	18	х	8	30	10
SEJ029	18	Х	18	45	10
PILLOWS - I	HAZMAT				
SEI006	18	х	8	30	10
SEI005	18	Х	18	45	10

DRIP PANS

- Pans are filled with sorbent pillows which keep liquids contained and prevents splashing
- Convenient, versatile, and easy to use around the work environment
- Best suited for placing under drums or machinery, and any other areas where drips occur
- Perfect solution for continuous leaks



Order	_		Size			Absorbency/Pkg.	Qty
No.	L"	Х	W"	X	Н"	Gallons	/Pkg.
DRIP PAN	OIL ONLY	,					
SEI052	10 1/2	х	10 1/2	х	3	1	1
DRIP PAN	UNIVERS	AL					
SEI054	10 1/2	х	10 1/2	х	3	1	1

SORBENT SOCKS

- Durable polypropylene shell prevents tearing and offers maximum flexibility
- Perfect for surrounding leaking machinery and drains
- Best suited to surround spills when easy containment and clean up is required
- Oil only and hazmat socks are made from 100% polypropylene, and absorb more than 25x their weight
- Universal socks are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Polypropylene and cellulose blend absorption capacities far exceed those of 100% cellulose sorbents





SEIC)48
------	-----

Order	Dir	nen	sions	Absorbency/Pkg.	Qty	
No.	L"	Х	W"	Gallons	/Pkg.	
SOCKS - O	IL ONL	Y				
SEH953	48	Х	3	25	12	
SEJ937	48	Х	3	45	25	
SEH955	120	Х	3	45	10	
SOCKS – U	NIVER:	SAL				
SEJ938	48	Х	3	20	12	
SEI002	48	Х	3	40	25	
SEI047	48	Х	3	50	30	
SEJ025	48	Х	3	65	40	
SEJ026	96	Х	3	65	20	
SEI048	120	Χ	3	40	10	
SOCKS - H	AZMA	Γ				
SEJ941	48	Х	3	40	25	, and the second
SEI011	96	Х	3	50	15	
SEI004	120	Х	3	45	10	

97-GALLON SPILL KITS

Description	Oil Only Order No.	Universal Order No.
Spill Kit	SEJ260	SEI166
Mobile Spill Kit	SEJ261	SEI493
Replacement Kit*	SEJ823	SG967

^{*}Replacement kit does not include original package container

CONTENTS:

Oty	Description	Oil Only	Universal
100	Sorbent Pads, 15" x 17"	SEI140	SEJ772
10	Sorbent Socks, 3" x 120"	SEI142	SEI157
8	Sorbent Pillows, 8" x 18"	SEI143	SEJ776
1	Drain Cover, 36" x 36"	SH104	SH104
1	Caution Tape, 3" x 500'	SED027	SED027
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067
2	Pairs Safety Goggles, One Size	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817
10	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Spill Control Locker, 42" x 30" x 29"	97 Gal.	CC389
Mobile Spill Control Locker, 42" x 30" x 29"	97 Gal.	SEI518

95-GALLON SPILL KITS

Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit	SEJ262	SEI167	SEJ263
Mobile Spill Kit	SEJ264	SEI494	SEJ265
Replacement Kit*	SEJ824	SEI873	SEJ826

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
50	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
5	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
4	Sorbent Booms, 5" x 10"	SEH951	SEI149	SEI149
1	Sorbent Roll, 15" x 150'	SEH950	SEH963	SEJ009
1	Drain Cover, 36" x 36"	SH104	SH104	SH104
1	Caution Tape, 3" x 500'	SED027	SED027	SED027
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
2	Pairs Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
10	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gal.	SB756
Mobile Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gal.	SAH549

95-GALLON SHOP SPILL KITS

Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit	SEJ266	SEI168	SAL321
Mobile Spill Kit	SEJ268	SEI495	SEJ269
Replacement Kit*	SEJ827	SEI947	SEJ829

^{*}Replacement kit does not include original package container

Qty	Description	Oil Only	Universal	Hazmat
100	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
10	Sorbent Socks, 3" x 120"	SEI142	SEI157	SEI151
8	Sorbent Pillows, 8" x 1 8"	SEI143	SEJ776	SEI153
1	Drain Cover, 36 " x 36"	SH104	SH104	SH104
1	Caution Tape, 3" x 500'	SED027	SED027	SED027
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
2	Pairs Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
10	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gal.	SB756
Mobile Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gal.	SAH549







95-GALLON INDUSTRIAL SPILL KITS

Description	Oil Only Order No.
Spill Kit	SAK243
Mobile Spill Kit	SAK245
Replacement Kit*	SEI874

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only
50	Sorbent Pads, 15" x 17"	SEI140
5	Sorbent Socks, 3" x 48"	SEI141
5	Sorbent Pillows, 8" x 18"	SEI143
4	Sorbent Booms, 5" x 10"	SEH951
1	Sorbent Roll, 15" x 150'	SEH950
1	Drain Cover, 36" x 36"	SH104
1	Caution Tape, 3" x 300'	SED027
1	Repair Putty, 4 oz.	SH105
2	Pairs Nitrile Gloves, 2XL (11)	SAS067
2	Pairs Safety Goggles, One Size	SEF219
2	Microporous Coveralls, XL	SEC817
10	Disposal Bags, 26" x 36"	SEI272

Replacement Containers	Capacity	Order No.
Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gal.	SB756
Mobile Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gal.	SAH549

95-GALLON HAZMAT SPILL KITS

	HazMat
Description	Order No.
Spill Kit	SAL321
Replacement Kit*	SEJ829

^{*}Replacement kit does not include original package container

CONTENTS:

QTY	Description	HazMat
100	Sorbent Pads, 15" x 17"	SEJ773
10	Sorbent Socks, 3" x 120"	SEI151
8	Sorbent Pillows, 8" x 18"	SEI153
1	Drain Cover, 36" x 36"	SH104
1	Caution Tape, 3" x 300'	SED027
2	Pairs Nitrile Gloves, 2XL (11)	SAS067
2	Pairs Safety Goggles, One Size	SEF219
2	Microporous Coveralls, XL	SEC817
10	Disposal Bags, 26" x 36"	SEI272

Replacement Containers	Capacity	Order No.
Polvethylene Overpack Drum, 32" x 26" x 42"	95 Gal.	SB756

95-GALLON ECONOMY SPILL KITS

Description	Oil Only Order No.	Universal Order No.
Spill Kit	SAK251	SEJ272
Mobile Spill Kit	SAK253	SEJ273
Replacement Kit*	SEJ830	SEJ831

^{*}Replacement kit does not include original package container

Qty	Description	Oil Only	Universal
100	Sorbent Pads, 15" x 17"	SEI140	SEJ772
4	Sorbent Booms, 5" x 10"	SEH951	SEI149
1	Drain Cover, 36" x 36"	SH104	SH104
1	Caution Tape, 3" x 300'	SED027	SED027
1	Repair Putty, 4 oz.	SH105	SH105
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067
2	Pairs Safety Goggles, One Size	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817
10	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gal.	SB756
Mobile Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gal.	SAH549







63-GALLON SPILL KITS

Description	Oil Only Order No.	Universal Order No.
Mobile Spill Kit	SEI198	SEI197
Replacement Kit*	SEI943	SEI944

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
100	Sorbent Pads, 15" x 17"	SEI140	SEJ772
4	Sorbent Socks, 3" x 120"	SEI142	SEI157
4	Sorbent Pillows, 18" x 18"	SEI144	SEJ777
1	Drain Cover, 36" x 36"	SH104	SH104
1	Optisorb, 25-lb. Bag	SEI076	SEI076
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067
2	Pair Safety Goggles, One Size	SEF219	SEF219
3	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Yellow Mobile Container, 23" x 29" x 42"	63 Gal.	SEI276



55-GALLON ECO-FRIENDLY SPILL KITS

Description	Oil Only	Universal	Hazmat
	Order No.	Order No.	Order No.
Spill Kit	SEI182	SEI181	SEJ270
Replacement Kit*	SEI945	SEI946	SEJ832

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
50	Natural Fibre Pads, 16" x 18"	SEI154	SEI155	SEI155
3	Sorbent Socks, 3" x 120"	SEI142	SEI157	SEI151
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
1	Drain Cover, 36" x 36"	SH104	SH104	SH104
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
3	Disposal Bags, 26"x36"	SEI272	SEI272	SEI272
D I	Deule consent Ocutations Ocupation Ocular Na			

Replacement Containers	Capacity	Order No.
Blue Polyethylene Drum	55 Gallons	DC137



55-GALLON SPILL KITS

Description	Oil Only	Universal	Hazmat
	Order No.	Order No.	Order No.
Spill Kit	SEI196	SEI195	SEJ271
Replacement Kit*	SEI576	SEJ833	SEJ834

^{*}Replacement kit does not include original package container

Qty	Description	Oil Only	Universal	Hazmat
50	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
3	Sorbent Socks, 3" x 120"	SEI142	SEI157	SEI151
1	Drain Cover, 36" x 36"	SH104	SH104	SH104
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
3	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Black Polyethylene Drum	55 Gallons	DC138



31-GALLON TOOL BOX SPILL KITS

Description	Oil Only Order No.	Universal Order No.
Spill Kit	SEI261	SEI260
Replacement Kit*	SEJ835	SEJ836

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
25	Sorbent Pads, 15 "x 17"	SEI140	SEJ772
4	Sorbent Socks, 3" x 48"	SEI141	SEI156
5	Sorbent Pillows, 8" x 18"	SEI143	SEJ776
1	Oil Gator, 30-lb. Bag	SEI158	SEI158
1	Drain Cover, 36" x 36"	SH104	SH104
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067
2	Pairs Safety Goggles, One Size	SEF219	SEF219
3	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Water Resistant Storage Container, 33" x 19" x 13"	31 Gal.	SEI277





30-GALLON TOOL KADDIE SPILL KITS

Description	Oil Only Order No.	Universal Order No.
Mobile Spill Kit	SEI200	SEI199
Replacement Kit*	SEI953	SEI952

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
40	Sorbent Pads, 15" x 17"	SEI140	SEJ772
5	Sorbent Socks, 3" x 48"	SEI141	SEI156
2	Sorbent Socks, 3" x 120"	SEI142	SEI157
8	Sorbent Pillows, 8" x 18"	SEI143	SEJ776
50	Industrial Wipes	SEI278	SEI278
4	Repair Putty, 4 oz.	SH105	SH105
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219
2	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Mobile Tool Kaddie	30 Gal.	SEI275





30-GALLON SHOP SPILL KITS

Description	Oil Only Order No.	Universal Order No.
Spill Kit	SEI163	SEJ274
Replacement Kit	SEJ837	SEJ838

^{*}Replacement kit does not include original package container

Qty	Description	Oil Only	Universal
50	Sorbent Pads, 15" x 17"	SEI140	SEJ772
4	Sorbent Socks, 3" x 48"	SEI141	SEI156
1	Drain Cover, 36" x 36"	SH104	SH104
1	Repair Putty, 4 oz.	SH105	SH105
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067
5	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Blue Polyethylene Drum	30 Gallons	SEI490



30-GALLON SPILL KITS

Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit	SEJ275	SEI165	SEJ276
Replacement Kit*	SEJ839	SEI614	SEJ840

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
75	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
4	Sorbent Socks, 3" x 120"	SEI142	SEI157	SEI151
1	Drain Cover, 36" x 36"	SH104	SH104	SH104
1	Caution Tape, 3" x 300'	SED027	SED027	SED027
2	Pairs Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
2	Pairs Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
5	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Blue Polyethylene Drum	30 Gal.	SEI490



20-GALLON SPILL KITS

	1		
	Oil Only	Universal	Hazmat
Description	Order No.	Order No.	Order No.
Spill Kit	SEJ291	SEI164	SEJ277
Replacement Kit*	SEJ841	SEJ842	SEJ843

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
50	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
4	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
2	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
1	Disposal Bag, 26 "x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Yellow Polyethylene Container, 23" x 18" x 19"	20 Gal.	SAG189





17-GALLON WESTERN CANADA SPILL KITS

Description	Oil Only	Universal	Hazmat
	Order No.	Order No.	Order No.
Spill Kit	SEI194	SEI193	SEJ280
Replacement Kit*	SEJ844	SEJ845	SEJ846

^{*}Replacement kit does not include original package container

Qty	Description	Oil Only	Universal	Hazmat
10	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
3	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
1	Optisorb, 2-lb. Bag	SEI270	SEI270	SEI270
1	Peat Moss, 2-lb. Bag	SEI271	SEI271	SEI271
1	Plug n' Dyke, 10 oz.	SEI071	SEI071	SEI071
1	Scoop, Non-Sparking	SEI280	SEI280	SEI280
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Containement Pool, 20-gal.	SAQ189	SAQ189	SAQ189
1	Disposal Bag, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Red Nylon Bag	N/A	SEI557





16-GALLON SPILL KITS

Description	Oil Only	Universal	Hazmat
	Order No.	Order No.	Order No.
Spill Kit	SEJ278	SEI162	SEJ279
Replacement Kit*	SEJ847	SEJ848	SEJ849

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
5	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
3	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Blue Polyethylene Pail	16 Gal.	SEI489



10-GALLON TRUCK SPILL KITS

Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit - Zip-Lock Bag	SEI186	SEI185	SEJ281
Spill Kit - Nylon Bag	SEI188	SEI187	SEJ282
Spill Kit - Blue Drum	SEI190	SEI189	SEJ283
Replacement Kit*	SEJ669	SEJ770	SEJ850

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
10	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
3	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
2	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
1	Disposal Bag, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Zip-Lock Bag	N/A	SEI279
Nylon Bag	N/A	SEI557
Blue Drum	10 Gal.	SEI488





10-GALLON HAZMAT SPILL KITS

Description	HazMat Order No.
Spill Kit Replacement Kit*	SEI615 SEJ855
neplacement Kit	3E3633

^{*}Replacement kit does not include original package container

Qty	Description	HazMat
5	Sorbent Socks, 3" x 48"	SEJ775
1	Pair Nitrile Gloves, 2XL (11)	SAS067
1	Pair Safety Goggles, One Size	SEF219
2	Disposal Bags, 26" x 36"	SEI272


Replacement Containers	Capacity	Order No.
White Polyethylene Pail	5 Gal.	CB046
White Polyethylene Pail Cover	N/A	CB045





DUFFLE BAG VEHICLE SPILL KITS

Description	Oil Only	Universal	Hazmat
	Order No.	Order No.	Order No.
Spill Kit	SEI184	SEI183	SEJ284
Replacement Kit*	SEI888	SEI889	SEJ851



CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
20	Sorbent Pads, 15 "x 17"	SEI140	SEJ772	SEJ773
2	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
2	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Repair Putty, 4 oz.	SH105	SH105	SH105
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.	
Nylon Bag	N/A	SEI557	





10-GALLON SERVICE VEHICLE SPILL KITS

Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit	SEI192	SEI191	SEJ285
Replacement Kit*	SEJ852	SEJ853	SEJ854

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
2	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
4	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Oil Gator, 5-lb. Bag	SEI159	SEI159	SEI159
2	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Nylon Bag	N/A	SEI557

ZENOTH®



ECO-FRIENDLY TRUCK SPILL KITS

Description	Oil Only Order No.	Universal Order No.
Spill Kit - Zip-Lock Bag	SEI174	SEI173
Spill Kit - Nylon Bag	SEI176	SEI175
Spill Kit - Blue Drum	SEI178	SEI177
Replacement Kit*	SEI871	SEI612

*Replacement kit does not include original package container **CONTENTS**:

CONTENTS: Qty Descri

Qty	Description	Oil Only	Universal
10	Natural Fibre Pads, 16" x 18"	SEI154	SEI155
3	Sorbent Socks, 3" x 48"	SEI141	SEI156
2	Sorbent Pillows, 8" x 18"	SEI143	SEJ776
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219
1	Disposal Bag, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Order No.
Zip-Lock Bag	N/A	SEI279
Nylon Bag	N/A	SEI557
Blue Drum	10 Gal.	SEI488







	Oil Only	Universal
Description	Order No.	Order No.
Spill Kit - Zip-Lock Bag	SEI170	SEI169
Spill Kit - Nylon Bag	SEI172	SEI171
Replacement Kit*	SEJ856	SEJ857

^{*}Replacement kit does not include original package container

CONTENTS:

Qty Description	Oil Only	Universal
10 Natural Fibre Pads, 16 "x 18"	SEI154	SEI155
1 Sorbent Sock, 3" x 48"	SEI141	SEI156
1 Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067
1 Disposal Bag, 26" x 36"	SEI272	SEI272
, , ,		00

Replacement Containers	Capacity	Order No.
Zip-Lock Bag	N/A	SEI279
Nylon Bag	N/A	SEI557

5-GALLON SPILL KITS



Description	Oil Only	Universal	Hazmat
	Order No.	Order No.	Order No.
Spill Kit	SEJ975	SEJ160	SEJ286
Replacement Kit*	SEJ976	SEJ858	SEJ859

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.	
White Polyethylene Pail	5 gallons	CB046	
White Polyethylene Pail Cover	N/A	CB045	

5-GALLON ECONOMY SPILL KITS



Description	Oil Only Order No.	Universal Order No.	Hazmat Order No.
Spill Kit	SEI266	SEI265	SEJ287
Replacement Kit*	SEJ860	SEJ861	SEJ862

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
10	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
1	Sorbent Sock, 3" x 48"	SEI141	SEI156	SEJ775
1	Pair Nitrile Gloves, 2XL (11)	SAS067	SAS067	SAS067
1	Disposal Bag, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Order No.	_
Nylon Bag	N/A	SEI558	

5-GALLON OIL SPILL KITS



	Oil Only	
Description	Order No.	
Spill Kit	SEI161	
Replacement Kit*	SEI613	

^{*}Replacement kit does not include original package container

Qty	Description	Oil Only	
20	Sorbent Pads, 15" x 17"	SEI140	
1	Sorbent Sock, 3" x 48"	SEI141	
1	Pair Nitrile Gloves, 2XL (11)	SAS067	
2	Disposal Bags, 26" x 36"	SEI272	

Capacity	Order No.
5 gallons	CB046
N/A	CB045
	5 gallons

20-GALLON ACID SPILL KITS

Order		
No.	Description	
SEI263	Acid Spill Kit	
SEJ863	Replacement Kit*	

*Replacement kit does not include original package container

CONTENTS

Qty	Description	Order No.
8	Acid neutralizer, 2-lb. shaker	SEI060
15	Sorbent pads, 15" x 17"	SEJ772
2	Sorbent socks, 3" x 48"	SEI156
2	Microporous coveralls, XL	SEC817
2	Pairs nitrile gloves, 2XL (11)	SAS067
2	Pairs safety goggles, one size	SEF219
2	Disposal bags, 26" x 36"	SEI272

Replacement Containers	Capacity	Order No.
Yellow Polyethylene Container	20 Gallons	SAG189



20-GALLON CAUSTIC SPILL KITS

Order		
No.	Description	
SEI262	Caustic Spill Kit	
SEJ865	Replacement Kit*	

*Replacement kit does not include original package container

CONTENTS:

Qty	Description	Order No.
8	Caustic Neutralizer, 2-lb. Shaker	SEI064
15	Sorbent Pads, 15" X 17"	SEI140
2	Sorbent Socks, 3" x 48"	SEI141
2	Microporous Coveralls, XL	SEC817
2	Pairs Nitrile Gloves, 2XL (11)	SAS067
2	Pairs Safety Goggles, One Size	SEF219
2	Disposal Bags, 26" x 36"	SEI272
	· ·	

Replacement Containers	Capacity	Order No.
Yellow Polyethylene Container	20 Gallons	SAG189



20-GALLON BATTERY ACID SPILL KITS

Order	
No.	Description
SEI264	Spill Kit
SEJ864	Replacement Kit*
×B 1 1111 1 11	

*Replacement kit does not include original package container

Qty	Description	Order No.
8	Acid Neutralizer, 2-lb. Shaker	SEI060
20	Sorbent Pads, 15" x 17"	SEJ772
3	Sorbent Socks, 3"x 48"	SEI156
2	Microporous Coveralls, XL	SEC817
2	Pairs Nitrile Gloves, 2XL (11)	SAS067
2	Pairs Safety Goggles, One Size	SEF219
3	Disposal Bags, 26" x 36"	SEI272

Replacement Containers	Capacity	Order No.	
Yellow Polyethylene Container	20 Gallons	SAG189	





50-ML MERCURY SPILL KITS

CONTENTS:

Qty	Description
1	Plastic Carry Case
1	Mercury Powder

Mercury Vapour Supressant

Sorbent Pads, 15" X 17" 2

Dust Mask 1

Pair Disposable Boots

Pairs Nitrile Gloves, 2XL (11) 2


Dust Pan With Brush 1 1 Respirator

Disposal Bags, 26" X 36"

Order No. SEI268

40-ML MERCURY SPILL KITS

CONTENTS:



Mercury Absorb Jar Mercury Absorb Sponges

Mercury Absorb Powder, 500 g

Pair Nitrile Gloves, 2XL (11)

Disposal Bag, 26" X 36"

Order No. SEJ552



LAB ACID/BASE SPILL KITS

CONTENTS:

Description Qty

Plastic Carry Case Sorbent Pads, 15" X 17"

Acid Neutralizer

Base Neutralizer

Pair Safety Goggles, One Size

Pair Nitrile Gloves, 2XL (11)

Disposal Bag, 26" x 36"

Order No. SEI269



ZEN/TH[®]

ZEN/TH[®]



UNIVERSAL PRECAUTION **BLOODBORNE PATHOGEN** SPILL KITS

CONTENTS:

Qty Descripti	on
---------------	----

Poly Bag

Protective Apron Combo Mask/Safety Shield

Red Z® Solidifier, 10 g Pouch

Scoop

SaniZide Plus®, Germicidal Wipe, 8" x 8"

P.A.W.S.® Antimicrobial Hand Wipe, 5" X 8"

Pair Nitrile Gloves, 2XL (11)

Pair Safety Goggles, One Size

Red Bio Hazard Waste Bag, 24" X 24

Identification Tag and Instructions

Order No. SEJ290



CONTENTS:

Qty	Description

Plastic Carry Case

Sorbent Pads, 15" X 17"

Sorbent Sock, 3" X 48"

Repair Putty, 4 oz.

Pair Nitrile Gloves, 2XL (11) Pair Safety Goggles, One Size

Disposal Bag, 26" X 36"



Description	Oil Only Order No.	Universal Order No.
Spill Kit	SEJ288	SEJ289

BLOCK OFF HAZARDOUS AREAS WITH ZEN TH' CROWD CONTROL BARRIERS. SEE PAGES 274 & 275.





TABLE TOP SPILL BERM®

- 3/4" tall mini berm bends to form any shape
- Non-absorbing urethane design allows easy clean up
- Designed for use in laboratory, research, medical and industrial applications





Order		Dimensions					
No. Description		L"	X	W"	X	Н"	
SEI059	Table Top	48	Х	1	Х	3/4	

POLY-LABTRAY™

BRINGS SPILL PROTECTION TO THE LABORATORY BENCH!

- Reduces unrecoverable spills and overflows of liquid and free-flowing powder chemicals during the transfer of materials in the lab
- Holds four one gallon bottles
- Removable grate for easy cleaning, 20 3/4" L x 17 1/4" W
- Molded-in corner spout makes waste disposal clean, easy and efficient
- 40-lb static load weight
- 2.5 US gallon sump capacity



ENPAC	

Order	order Mfg. Exterior Dimensions W					Wt.	
No.	No.	L"	X	W" x	Н"	lbs.	
SB768	5248-YE	25	х	21 1/2 x	3	6.5	

SPILL BERMS®

- Non-absorbing berms stop machine leaks from spreading and are easily cleaned for repeated use
- Flexible, urethane design will bend to follow any curve or angle needed
- Contains leaks, and reduces slip hazards
- Allows quick and easy cleanup or recycling of liquids
- Can be cut to various lengths to meet custom needs
- Interlocking end joints on all models create longer lengths and are self-sealing except model number SEI129 which requires connectors and corners




ZENOTH® Safety Products

Order		Dimensions					_
No.	Description	L"	X	W"	X	H"	
SEI128	Low Profile	120	Х	2 1/4	Х	1 3/8	
SEI129	Ultra	120	Х	4	Х	2 1/4	
SEI130	Ultra Plus	60	Х	4	Х	4 1/2	
SEI131	Connector for SEI129			-			
SEI132	Corner for SEI129			-			

DRAIN PLUGS

- Prevents leaks and spills from entering circular drains from 2" to 4" in diameter
- Tapered design wedges securely into standard drains to form a tight seal
- Eyebolts are removable, allowing easy installation of grating with Drain Plug in place
- Non-absorbing and easily cleaned for repeated use
- Resists oils and most aggressive chemicals

Order	
No.	Size"
SEI124	2
SEI125	3
SEI126	4
SEI127*	2, 3 4 Kit





POLY-SPILLPAD™ PADS

- Handles spent batteries, 5-gallon pail, 16 US gallon drums and your small jobs
- Sturdy chemically resistant fabric provides protection, while an inner polyethylene beam keeps incidental spills contained
- Lightweight and easily moved on floor or travels to prevent incidental spills
- Large sump area allows for an extended response time
- Removable 100% polyethylene grate allows easy access to sump



Order	Mfg.	Exterio	Exterior Dimensions		Sump Cap.	Load Bearing	Wt.	
No.	No.	L" x	W"	X	H"	US Gal.	Cap. lbs.	lbs.
SD519	5600-YE	28 x	28	Х	2 1/4	2	4000	13
SD520	5610-YE	31 1/2 x	54	Х	2 1/4	7.5	8000	21
SD521	5620-YE	55 1/2 x	55	Х	2 1/2	12	16000	25



STORMWATER GRATEGUARD MATS

- Constructed of 100% solid tacky polyurethane
- Reversible, lightweight and easy to use
- · Cost effective reusable solution for emergency chemical spills
- Ideal to seal around drains, storm sewer inlets or in front of curb culverts



SEI106

Order		Dimensions					
No.	L"	X	W"	X	Н"		
STORMWATER GRAT	TEGUARDS – SEDIMI	ENT O	NLY				
SEI106	18	Х	24	Х	4		
SEI107	24	х	24	Х	4		
SEI108	28	х	28	Х	4		
SEI109	30	х	32	Х	4		
SEI110	24	х	36	Х	4		
SEI111	24	х	40	Х	4		
SEI112	24	Х	48	Х	4		
STORMWATER GRAT	TEGUARDS - OIL & S	EDIM	ENT				
SEI113	18	Х	24	Х	4		
SEI114	24	x	24	Х	4		
SEI115	28	x	28	Х	4		
SEI116	30	х	32	Х	4		
SEI117	24	Х	36	Х	4		
SEI118	24	Х	40	Х	4		
SEI119	24	х	48	Х	4		

NEOPRENE DRAIN COVERS

- Prevents contaminants from entering drain
- Resists oil, water and most aggressive
- chemicals, non-absorbing
- Cleans easily with soap and water between uses

Order	Mfg.	Dimensions					
No	No.	L"	X	W"	X	Н"	
SH104	Drain-Cover	36	х	36	х	1/16	
SAP060	Drain-Cover-48	48	Х	48	Х	1/16	



STORMWATER DRAINGUARDS

- Prevents oil and other contaminants from entering water systems and drains
- Designed for use in industrial facilities, construction sites, parking lots and retail outlets
- Can remove up to 0.87 gallons of oil, or 40 lbs of sediments
- Ideal to seal around drains, storm sewer inlets or in front of curb culverts



Order	Dimensions				Qty	Wt.		
No.	L"	X	W"	X	H"	/Package	lbs.	
SEI122	48	х	36	х	18	1	1	
SEI123	48	Х	36	Х	18	10	1	

DRAIN SEAL MATS

- Constructed of 100% solid tacky polyurethane
- Reversible, light weight and easy to use
- Cost effective reusable solution for emergency chemical spills
- Ideal to seal around drains, storm sewer inlets or in front of curb culverts



Order		Dir	mensio	ons		
No.	L"	X	W"	X	H"	
DRAIN SEALS – SQUARI	E					
SEI091	18	Х	18	Х	3/8	
SEI092	24	Х	24	Х	3/8	
SEI093	36	Х	36	Х	3/8	
SEI094	42	Х	42	Х	3/8	
SEI095	48	Х	48	Х	3/8	
SEI096	54	Х	54	Х	3/8	
DRAIN SEALS - RECTAN	IGUL	AR				
SEI097	36	х	60	х	3/8	
SEI098	18	Х	60	Х	3/8	
DRAIN SEALS – CIRCUL	AR					
SEI099		12 Dia.	Х	3/8 H		
SEI100		20 Dia.	х	3/8 H		
SEI101		30 Dia.	х	3/8 H		
SEI102		42 Dia.	Χ	3/8 H		
WALLMOUNT HOLDER						
SEI103	Fits	18" and	24" Dr	ain Seals	3	
SEI104	Fits	36" Drai	n Seal	s		

Fits 48" Drain Seals

SEI105

PLUG RUG® MATS

- Quick and instant, non-toxic seal
- Cost effective and easy to use
- Resistant to oils and most chemicals
- Will seal even if the surface is dirty and rough
- Ideal to seal around drains, storm sewer inlets or in front of curb culverts



Order	Dimensions		ons	Qty
No.	L"	х	W"	/Pkg.
SEI077	8	х	8	4
SEI078	16	Х	16	4
SEI079	24	Х	16	4

DRIP DAM™ ROOF LEAK DIVERTERS

- Fast & efficient response to overhead leaks
- Flow rate of over 3 gallons per minute
- Convenient hose connector with cap
- Fits 5/8" and 1/2" standard garden hose, not included
- Hose can then be directed to proper drainage point
- High chemical resistance
- Lightweight, reusable and easy to store
- Material: PVC
- Attach with four bungee cords or rubber tie downs (not included)



Order No.	Mfg. No.	Dimensions'			
SEI133	460303-YE	3	Х	3	
SEI134	460306-YE	3	х	6	
SEI136	460610-YE	6	х	10	
SEI657	460505-YE	5	х	5	
SEI658	460606-YE	6	х	6	
SEI659	461012-YE	10	Х	12	
SEI660	461212-YE	12	Χ	12	

RUBBERTIE DOWNS



Order No.	Size"	Max. Safe Stretch"
PE368	15	22 1/2

PIPE LEAK DIVERTERS



- Fast and efficient response to leaks eliminating slip hazards
- High chemical resistance
- 7-gallon fluid capacity
- Convenient hose connector with cap
- Hose can then be directed to proper drainage point
- Fits 5/8" and 1/2" standard garden hose, not included
- Lightweight, reusable and easy to store
- Material: PVC
- Dimensions: 18" x 18"
- Includes four bungee cords

Order No. SEI661 Mfg No. 46R18



PLUG N'DIKE® SEALANTS

- Easy to use and convenient emergency sealant
- Seals immediately and sticks to unprepared, dirty and crumpled surfaces
- Non-toxic and non-flammable blend of high absorption polymers
- Can be used with hydrocarbons and water-based chemicals
- Antifreeze mix prevents hardening in cold weather applications
- Dry, granular blend can me mixed with water to form a paste



Order		Qty				
No.	Format	/Pkg.				
PLUG N'DIKE® PA	STE					
SEI071	10-oz. Jar	1				
SEI072	1-lb. Jar	1				
PLUG N'DIKE® GRANULAR						
SEI080	5-Gallon Pail	1				
SEI081	1-Gallon Jug	4				

THE RUPTURESEAL™

- Designed to assist in the stoppage of liquid and other hazardous materials from accidental ruptures in seconds
- For single use only
- Temporary measure intended to last upwards of 10 hours in the rupture
- Protects the environment
- · Reduces the cost of cleanup
- Tested to operate successfully in environments with a direct temperature range between -50° and 50° and a pressure of up to 16 PSI
- Small: Capable of sealing a rupture from 1/8" to 1"
- Medium: Capable of sealing a rupter from 1/4" to 2"
- Large: Capable of sealing a rupture from 4" to 6" long and 1/4" to 2" wide



Order No.	Mfg. No.	Number of Units	Description
SEF156	21RS-1	1	Small, 1" RuptureSeal™
SEF157	21RS-2	1	Medium, 2" RuptureSeal™
SEF158	21RS-2X6	1	Large, 2" x 6" RuptureSeal™
SEF159	21RS-3PACK	3	3 pack in plastic bag (one of each size)
SEF634	21RS-KIT1	3	3 pack in wall-mount box (one of each size)
SEJ956	21RS-KIT2	3	3 pack in nylon bag (one of each size)

ENSORB® SUPER ABSORBENT

- 15 to 20 times the absorption capacity of clav-based products
- · Virtually unlimited uses as a dry absorbent that is safe in all applications
- · Picks up all liquids, of any viscosity, off any hard surface
- Turns the spilled liquid into a solid that can be disposed of easily
- Lightweight and simple to use, it dramatically reduces cleanup costs
- · Not injurious to soil, cement, asphalt, tile, plants, animals, or humans
- · Contains no reactive chemicals, is not toxic or flammable
- · Biodegradable, environmentally safe and friendly





Order No.	Mfg. No.	Description	Wt. lbs.	
SEC928	ENP D225	1.5 cu.ft. Bag	15	

OIL-DRI® GENERAL-PURPOSE ABSORBENT

- · Superior retention of liquids such as oil, grease, hydraulic fluid, water and other liquid spills, all non-aggressive fluids
- · Virtually dust free, lowering airborne contamination
- · Its high absorbency, low density, enables more scoops per pound
- · Packaged in a poly bag making it next to unbreakable and water resistant
- · Composed of light grey fuller's earth

		<u> </u>
Order	Mfg.	
No.	No.	Format
SAR327	15005	33 lbs. (15 kg)
SI965	18002	40 lbs. (18 kg)

All Furpose

OIL-DRI® PREMIUM ABSORBENT

- Superior moisture extraction process increases absorption and minimizes dust
- Non-toxic, virtually dust-free product absorbs aggressive and non-aggressive fluids in minutes and leaves no residue
- Holds liquids in; will not breakdown and turn to mud
- · Low density: more scoops per pound saves money
- 25-lb. (11.25-kg) bag

Order No. SAR328 Mfa No. 11001



OIL-DRI® QUICK SORB® **ABSORBENT**

- Specially designed to absorb up to twice as much fluid per pound as conventional clay
- Smaller granules offer more surface area for greater absorption power
- Strong granules improve traction and will not break down when saturated
- · Comes in an easy-to-carry store pail
- 20-lb. (9.1-kg) pail

Order No. SAR329 Mfg No. 05000



ENSORB® SOK - SPILL & **ODOR KILLER ABSORBENT**

- Quickly neutralize odors at the source with Ensorb® Sok
- Effective and environmentally safe
- Safe to use around kids, pets and virtually anywhere

SFC931

- Easy clean-up and disposal
- Non-bleaching or staining



0_00_0	020001		
Order No.	Mfg. No.	Description	Wt. lbs.
SEC929	EG029-0121-06EP	Travel Kit - 6 Pack	6
SEC930	EC029-0160-06EP	Shaker	5
SEC931	EC029-0009-00EP	5-Gallon Pail	12
SEC932	EC029-0025-00EP	15-Gallon Drum	35

OPTISORB® GRANULAR ABSORBENT

- Made from diatomaceous earth, 100% natural and moisture free mineral
- · All purpose absorbent designed for the quick clean up of water, oil and grease
- Very cost effective for every day spills
- Environmentally friendly
- 50% more absorbency per pound than clay alternatives
- 25-lb. bag

SFC929

Order No. SEI076



QUALISORB™ GOLD ABSORBENT

- Non-corrosive, non-toxic product that offers the best absorbency
- · Absorbs almost twice as much as other product in water or oil
- · Can be used in all applications, even for toxic waste absorption
- · It absorbs spills in no time leaving floor safe and dry
- Used in plants, refineries repair shops, machine shops and garages
- 20-lb. (11.4-kg) pail

Order No. SAJ503 Mfg. No. 628N



SAFE T SORB® PREMIUM OIL ABSORBENT

- 100% fuller's earth
- All-purpose absorbent designed for the quick clean up of water, oil, and grease
- Made from montmorillonite, a naturally occurring mineral with superior absorption ability
- Packaged in a leak-resistant, moisture-proof poly bag
- · Works on any concrete surface
- 40-lb. bag

Order No. SR927 Mfg No. 2410096825



CHEETAH SORB

- Loose particulate
- Highly absorbent, dust free and incinerable
- Environmentally friendly and silica free
- Verv cost effective oil sorbent
- · Green/eco friendly
- 20-lb. bag

Order No. SAL267



VOLCANIC ASH ABSORBENT

- · Highest anti-slip and non-skid characteristics of all safety sorbents
- · Volcanic ash rock creates a natural surface for work areas
- Ideal for vapor suppression
- 25-lb. bag

Order No. SEI086



PEAT MOSS ABSORBENT

- Organic heat treated peat moss
- · Hydrophobic and biodegradable granular
- Contains less than 5% moisture
- · Ideal absorbent for fine sheens and concrete stains
- Absorbs up to 15 times its weight in hydrocarbons
- 25-lb. Bag

Order No. SEI074

VERMICULITE ABSORBENT

- All recycled grade 4 vermiculite
- Ideal for solidification, packaging, and incineration
- One bag can absorb up to 4 gallons of water
- · Excellent for fuel blending
- 4 cu.ft. bag

Order No. SEI578

OIL GATOR ABSORBENT

- All natural cellulosic fibers
- When activated with the addition of moisture, the active bacteria will rapidly use all the available hydrocarbons as a food source
- · Non carcinogenic and non abrasive
- Stops leaking of contaminants into the soil or groundwater
- Ideal for hydrocarbons
- 30-lb. bag

Order No. SEI158









ABSORBENT FLOOR DRY

- · Traditional clay based absorbent
- Very cost effective for every day spills
- · Granular mesh size creates a safe non-slip work surface

Order	
No.	Format
SEI085	30-lb. Bag
SEI084	50-lb. Bag



NEUTRALIZERS

- Neutralizes and absorbs aggressive alkaline and caustic spills
- · Colour changing indicators to signify when neutralization has occurred
- Available in granular (dry) or liquid forms









SE1060	SEI065	SEI062	SEI067
Order			Qty
No.	Туре	Format	/Pkg.
NEUTRAL	IZERS - ACID		
SEI060	Dry	2-lb. Shaker	1
SEI061	Dry	5-Gallon Pail	1
SEL096	Dry	4-kg Bottle	1
SEI063	Liquid	5-Gallon Pail	1
NEUTRAL	IZERS – CAUSTIC	(BASE)	
SEI064	Dry	2-lb. Shaker	1
SEI065	Dry	5-Gallon Pail	1
SEL097	Dry	4-kg Bottle	1
SEI067	Liquid	5-Gallon Pail	1



Order	Scoop	Assembled		Colla	apsed	Din	١.	Weight
No.	Material	Length"	L"	Х	W"	Х	Н"	lbs.
COLLAP	SIBLE SHOVEL							
SEI088	Aluminum	29	15	Х	10	Х	3	2
TELESCO	OPIC SHOVEL							
SEI089	Aluminum	33	15	х	10	Х	3	1.75
SEI090	Polyethylene	37	19	Х	10	Х	3	1

UNIVERSAL POLY-DRUM FUNNEL™

- Patented scalloped design, high sidewall and bung fitting holders
- For use with 30 and 55 US gallon drums
- Funnels nest for compact shipment
- Safety funnel includes a non-sparking safety bung closure with flame arrestor for use with flammable liquids
- Optional cover keeps the weather out
- Exterior dimensions: 26" dia. x 5 1/2" H Interior dimensions: 22" dia. x 4" H





Order	Mfg.		Wt.
No.	No.	Description	lbs.
SAH565	3004-YE	Funnel	3
SAH566	3004-YE-SF	Safety Funnel	5
SAH567	3040-YE	Funnel Cover	3

SAFETY DRUM FUNNELS

- Suitable for handling flammables, minimise potentially dangerous spills
- Large 10 3/4" mouth provides quick dumping
- Steel construction with 6" flame arrestor for the DA102 and 32" flame arrestor for the DA101
- Hinged cover with fusible link reduces spread of vapours
- 2" NPS
- FM approved



W JUSTRITE®

Order No.	Mfg. No.	Description	Wt. lbs.
DA102	8207	6" Flame Arrestor	12
DA101	8205	32" Flame Arrestor	12

SAFETY FUNNELS W/VENT

- Provides safe waste solvent disposal due to automatic pressure and vacuum relief
- 9" diameter polyethylene funnel comes with brass safety vent and 6" flame arrestor
- Cap comes with safety chain to prevent loss
- 2" NPS
- Wt.: 4 lbs.
- FM approved

Order No. DA103 Mfg No. 8211





POLY-PAIL FUNNEL™

Mounts to 3 1/2, 5 and 6-gallon tight-head pails. Also fits open top pails with 12" diameter. Optional Poly-Pail Funnel™ cover available.

POLY-PAIL FUNNEL™

• Exterior dimensions: 9 1/4" top dia. x 11" bottom dia. x 2 3/4" H Interior dimensions: 8 1/2" x 2 3/8" side wall height

POLY-PAIL FUNNEL™ COVER

• Exterior dimensions: 9 1/4" dia. x 2 3/8" H







Order No.	Mfg. No.	Description	Wt. lbs.
DA098	3005-YE	Poly-Pail Funnel™	2
SG291	3051-YE	Poly-Pail Funnel™ Cover	3

POLY-DRUM TOPPER™

- Snaps directly onto any 45-gallon open or closed-head drum to keep out debris and protect drum tops
- Exterior dimensions: 25 1/2" dia. x 3 3/4" H





Order	Mfg.		Wt.
No.	No.	Description	lbs.
SAQ193	3065-BK	Poly-Drum Topper™	1.5



POLY-OVERPACK® 20 & 30 SALVAGE DRUMS

- Versatile units that can contain solids and sludges with security
- Nestable for compact shipment
- 1/2-turn lid for easy opening and closing
- · Built-in shoulder for easy handling
- UN rated salvage drums

POLY-OVERPACK® 20 SALVAGE DRUMS

- · Accepts bottles, cans, and 5-gallon pails
- Exterior dimensions: 23" top dia. x 18" bottom dia. x 19" H Interior dimensions: 21 1/2" top dia. x 17" bottom dia. x 17 1/2" H
- 20 US gallon sump capacity
- Weight: 10 lbs.
 Order No. SAG189
 Mfg. No. 1220-YE

POLY-OVERPACK® 30 SALVAGE DRUMS

- Unit can contain up to 16 US gallon drums
- Exterior dimensions: 23" top dia. x 18" bottom dia. x 30" H Interior dimensions: 21 1/2" top dia. x 17" bottom dia. x 28 1/2" H
- 30 US gallon sump capacity
- Weight: 13 lbs.

Order No. SAH551 Mfg. No. 1230-YE





POLY-OVERPACK® 65 SALVAGE DRUMS

- Appropriate for 30 US gallon drums
- Nests for easy storage
- · Gasket in the lid for secure containment
- Can be used as a spill kit container
- Light enough for one person to handle and large enough to pack sufficient absorbent for incidental spills
- Meets Group 1 packaging standards, salvage drum regulation
- Meets performance-oriented packaging requirements of US DOT and UN regulations
- Exterior dimensions: 27 3/4" top dia. x 23" bottom dia. x 37 1/2" H Interior dimensions: 26 3/4" top dia. x 22" bottom dia. x 34 1/2" H
- Maximum handling capacity: 440 lbs.



Order	Mfg.	D	Wt.
No.	No.	Description	lbs.
SE471	1065-YE	Poly-Overpack® 65	47



POLY-OVERPACK® 95 SALVAGE DRUMS

LIGHTWEIGHT POLYETHYLENE OVERPACK CAN CONTAIN A BROAD RANGE OF HAZARDOUS CHEMICALS INCLUDING ACIDS & CORROSIVES!

- Damaged and deformed drums can be overpacked easily
- Twist on lid with a closed cell polyethylene gasket can be closed securely and easily by using any long object, like a two-by-four
- · Accepts all 45 gallon drums
- Meets performance-oriented packaging requirements of U.S. DOT and UN regulations as well as Group 1 packaging standards and salvage drum regulations
- · Molded area allows for easy gripping and pick-up by material handling equipment
- Exterior dimensions: 31 3/4" top dia. x 26" bottom dia. x 41 1/2" H Interior dimensions: 27" top dia. x 24 3/4" bottom dia. x 37" H
- 95 US gallon sump capacity



Order	Mfg.	Description	Wt.
No.	No.		lbs.
SB756	1237-YE	Poly-Overpack® 95	48



WHEELED OVERPACK® SALVAGE DRUMS

- First mobile 1-piece Overpack® that can handle 55 US gallon drums
- · Salvage drum and dolly all in one, eliminates the need for a separate dolly
- UN rated salvage drums, ideal for spill kits
- Built-in handles and 6" wheels allow for easy maneuverability
- · Easy steering through doorways and around obstacles
- Polyolefin wheels recommended for indoor use and pneumatic wheels for outdoor use

OVERPACK® 50 SALVAGE DRUM

Exterior dimensions:

23" top dia. x 18 1/2" bottom dia. x 43 1/2" H Interior dimensions:

20" top dia. x 17 3/4" bottom dia. x 36" H


OVERPACK® 95 SALVAGE DRUM

• Exterior dimensions:

31 1/2" top dia. x 25 3/4" bottom dia. x 47 1/2" H Interior dimensions:

27" top dia. x 25" bottom dia. x 38 1/2" H





POLY-DOLLY®

THE MULTI-FUNCTIONAL, TWO-WHEEL DISPENSING STATION!

- Holds 55 US gallon drums
- Tilts to become an efficient self-dispensing station
- Acts as its own secondary containment unit with patented sidewall sump
- · Integrally molded handles for extra strength
- Double looped strap for easy loading
- · Accessible to forklift from the rear
- Raised ribbed dispensing well
- · Drain plug for removal of contents from sump
- · Available as an all terrain dolly

• 69" L x 32 1/2" W x 26 1/2" H • 80 US gallon sump capacity

Drum not included





Mfg.		Wt.
No.	Description	lbs.
5300-YE	Poly-Dolly®	98
5300-YE-A	Poly-Dolly® ATD	104
6005-BK	Universal Well Liner	1.5
	No . 5300-YE 5300-YE-A	No. Description 5300-YE Poly-Dolly® 5300-YE-A Poly-Dolly® ATD

^{*} All Terrain Dolly with heavy-duty pneumatic rubber wheels

DRUM/OVERPACK® LIFTERS

- A safe method of moving 45 and 75-gallon steel drums
- · Design allows for quick, gentle loading, drum stays upright during lift
- Low-profile clamp design on 45-gallon lifter lowers open (lid must be on) or closed head steel drums all the way to bottom of overpack

• 70-gallon Overpack® lifter picks up both 70-gallon steel Overpack® drums and 45-gallon steel drums

• Universal DA876 handles many lever-lock closure fibre drums typical steel drums and 45-gallon rimmed plastic drums

• Capacity: 1000 lbs.



Order	Mfg.		Wt.
No.	No.	Description	lbs.
DA224	90S	45-gal. Lifter	21
DA225	90S-A	75-gal. Overpack®/ 45-gal. Lifter	22
DA876	92	Universal Lifter	25
DC094	92-SS	Stainless Steel Universal Lifter	25

POLY-SPILLCART™

ELIMINATES RISK OF SPILLS DURING TRANSPORT!



- Tough polyethylene construction cannot rust or corrode
- · Dual drain plugs let you empty sump easily
- · Removable structural foam grate for easy cleaning
- · Built-in tool tray
- 10" polyolefin wheels
- Rear wheels move around freely, brake for secure position
- Available as an All Terrain Cart (ATC) with heavy-duty pneumatic rubber wheels
- 66 1/2" L x 29" W x 43 3/4" H
- 57-gallon sump capacity
- 500-lb. load bearing capacity

Order No.	Mfg. No.	Description	Wt. lbs.
SB766	5200-YE	Poly-Spillcart™	126
SR438	5200-YE-A	Poly-Spillcart™ ATC	133

LEAK CONTAINMENT DRUM DOLLIES

- Polyethylene dolly will not dent, corrode, or rust
- Handles 45 imp. gal./55 US gal. drums
- · Solid bottom construction with a 2" lip contains spills up to 5 L
- Overall diameter: 24 1/4"
- Capacity: 1000 lbs.
- Colour: Grey



	•		
ZEI	Safety F	TH [®])

Order No.	Caster Type	Caster"	O.A. Height"
DC465	Polyurethane	3	6 1/4
DC466	Polyolefin	3	6 1/2
DC467	Polyolefin	4	7 1/4

SPILL SCOOTERTM

- 100% polyethylene construction
- Contains incidental spills and drips
- Spout included for easy draining
- Holds up to 55 US gallon drums
- Optional metal T-handle available separately, 36 5/8" long
- 34 1/2" diameter x 9" high
- 500-lb load bearing capacity
- 11 US gallon capacity





Order	Mfg.		Wt.	
No.	No.	Description	lbs.	
SB767	5205-YE	Spill Scooter™	22	
SC554	5206-BK	T-Handle	3	

DRIP CATCHER DOLLIES

- Handles standard 45-gallon drums and larger containers up to 27" in diameter
- 2" lip contains drips
- Absorbent sock included
- 3 3/4" x 1/4" rubber casters
- Overall dimensions: 31 1/2" dia. x 5 3/4" H
- 1000-lb capacity
- · Weight: 26 lbs.

Order No. DA600 Mfg. No. 9713

Drum not included





POLY-COLLECTOR™

- Portable hazardous materials collection systems
- Built of tough UV-stabilized polyethylene for excellent chemical resistance to a broad range of industrial materials
- Equipped with the universal Poly-Drum Funnel™ to prevent over-spills while allowing multiple oil filters, pails, and cans to drain at once
- Ideal for collecting waste oil, antifreeze and maintenance chemicals
- · Drum dolly included

POLY-COLLECTOR™ 66

- Poly outer shell holds 70 US gallons
- Inner drum holds 55 US gallons
- Interior dimensions: 27" top dia. x 25 3/4" bottom dia. x 29 1/4" H
- Available with shell only, 70 US gallon sump capacity



			Ex	terio	or Dimer	isio	ns	
Order	Mfg.		Тор		Bottom			Wt.
No.	No.	Description	Dia"	X	Dia."	X	H"	lbs.
SE554	8001-YE	W/Steel Drum	32 1/2	х	26 1/4	Х	42	81
SE555	8002-YE	W/Poly Drum	32 1/2	Х	26 1/4	Х	42	65
SE556	8075-YE	Shell Only	32 1/2	х	26 1/4	Χ	31	25



THE POLY-RACK™ SYSTEMS

THE MOST EFFICIENT DISPENSING/STORAGE SYSTEM!

POLY-RACKER™

- One-piece polyethylene rack that holds two 55 US gallon drums securely in place
- 100 plus gallon containment sump

ensures spill safety even in worst-case drum leaks

 Deep dispensing well easily holds 5-gallon pails while containing incidental spills and splashes in a ribbed bottom without contaminating the sump

SR467.

- Dispensing wells have a scalloped edge so pails can be easily removed
- Both sides of the unit have a drain plug
- Entire unit can be transported by forklift
- Rated to hold up to 3000 lbs.
- Can easily handle up to six drums when used with two Poly-Stacker[™]

POLY-STACKER™

- Holds two 55 US gallon drums
- · Can be quickly stacked with a forklift
- Any spills from the second and third level falls into the dispensing well for containment and easy cleanup

SR466


 Increase safety and productivity by adding Poly-Shelf[™] to the Poly-Racker[™] System



- · Holds up to two 55 US gallon drums
- Unit can be placed on the floor (no sump) or on a pallet
- Use with the Poly-Shelf[™] for easy dispensing into 5 or 6-gallon pails
- Forkliftable

POLY-SHELF™

- It easily attaches to Poly-Stacker[™]
- Allows simultaneous dispensing from all drums
- A hole in the bottom of the Poly-Shelf[™] drains into the dispensing well in the Poly-Racker[™]





SR442



Drums & Pallet Not Included

Order	Mfg.		Max			Dimension	s		Wt.	
No.	No.	Description	Capacity Ibs.	L"	X	W"	X	H"	lbs.	
SB771	6000-YE	Poly-Racker™	3000	49	Х	52 1/2	х	22 1/2	120	
SB772	6002-YE	Poly-Stacker™	2400	49	Х	41	х	13	56	
SR466	6006-YE	Single Poly-Racker [™]	1600	31	Х	53	х	32	95	
SR467	6007-YE	Single Poly-Stacker™	800	31	Х	40 1/2	Х	20	50	
SE410	6004-YE	Multi-Purpose Racker/Stacker™	2400	48 1/2	Х	41	Х	20	87	
SB773*	6003-YE	Poly-Shelf™	60	17	Х	22	Х	17 1/2	10	
SR442	6005-BK	Universal® Well Liner	-	12 3/4	Х	15 1/2	Х	2 1/2	1.5	

^{*} Use only with Poly-Racker™ or Poly-Stacker™

DRUMS-UPTM TRAYS

THE INCIDENTAL SPILL SOLUTION!

- Catch liquid before it reaches the floor, reducing the risk of slip and fall injuries
- Ideal for use as a drum pumping station
- Secondary containment unit features a unique geometric design covering more floor area
- Drain hole makes emptying easy

DRUMS-UP™

- Contains drips for containers up to 55 US gallons
- Control nuisance spills from drums with a 20 US gallon capacity

DRUMS-UP JR™

- Containment for 16 to 30 US gallon drums and 5-gallon pails
- 7 1/2 US gallon capacity

Order No.	Mfg. No.	Description	Dimensions Dia" x H"	Wt. lbs.
DA104	8091-YE	Drums-Up™	34 x 7 1/4	12
SD361	8200-YE	Drums-Up Jr.™	21 1/2 x 7 1/2	4





NESTABLE 2-DRUM POLY-SPILLPALLET™

- 100% polyethylene provides excellent chemical resistance
- · Removable grates for easy cleaning
- Forkliftable on two sides
- Holds two 55 US gallon drums
- Load bearing capacity of 2000 lbs.
- Sump capacity of 66 US gallons
- Available with drain hole and plug
- Meets EPA 40 CFR 264.175
- Overall dimensions: 51" L x 26" W x 21" H



Order No.	Mfg. No.	Description	Wt. Ibs.
SEI786	5222-YE	2-Drum Poly-Spillpallet™	45
SEI787	5222-YE-D	2-Drum Poly-Spillpallet™ w/Drain	45



LOW-PROFILE IN-LINE POLY-SPILLPALLET™ 3000

- 100% polyethylene
- Holds four 55 US gallon drums
- Low 12" profile
- Non-skid, removable grates
- Load bearing capacity of 3000 lbs.
- Sump capacity of 66 US gallons
- Overall dimensions: 98" L x 25 1/4" W x 12" H
- Poly-Ramp[™] allows for easy loading of pallet



Order No.	Mfg. No.	Description	Wt. lbs.
SB762	5102-YE	4-Drum Poly-Spillpallet™	84
SB763	5102-YE-D	4-Drum Poly-Spillpallet™ w/Drain	84
SAQ186	5039-BK	Poly-Ramp [™]	65



POLY-SPILLPALLET™ 6000

- Includes the same rugged features as the Poly-Spillpallet[™] 2000
- Two removable grates
- · Forkliftable from all sides
- Holds four 55 US gallon drums
- Load bearing capacity of 6000 lbs.
- Sump capacity of 83 US gallons
- Overall dimensions: 50" L x 50" W x 17" H



Order No.	Mfg. No.	Description	Wt. Ibs.
SB795	5001-YE	4-Drum Poly-Spillpallet™	88
SB794	5001-YE-D	4-Drum Poly-Spillpallet™ w/Drain	88



POLY-SLIM-LINE™ 6000

- Offers all of the same advantages as the Poly-Spillpallet[™] 6000
- Features a low 12" profile
- Load bearing capacity of 6000 lbs.
- Sump capacity of 66 US gallons
- Overall dimensions: 54" L x 54" W x 12" H
- Poly-Ramp[™] allows for easy loading of pallet



Order No.	Mfg. No.	Description	Wt. lbs.
SE408	5400-YE	4-Drum Poly-Slim-Line™	91
SE409	5400-YE-D	4-Drum Poly-Slim-Line™ w/Drain	91
SAQ186	5039-BK	Poly-Ramp [™]	65



Drums Not Included

WORKSTATIONS™

- Tough, 1-piece polyethylene construction will not rust or corrode
- Low profile design and optional ramp make it easy to load
- Forkliftable when empty
- Large sump capacity catches incidental spills
- · Removable heavy-duty structural foam grates for easy cleaning
- Multi-Purpose Work Ramp[™] hooks onto any Workstation[™] for easy loading

LINK-LOCK™

- Link and lock multiple Workstations[™] together in a wide variety of configurations
- Made of 100% polyethylene
- Sold in pairs

Order	Exterior Dimensions					Sump Cap.	Wt.		
No.	Description	L"	X	W"	X	Н"	US Gallons	Cap. lbs.	lbs.
SR437	2-Drum	53	Х	28 1/2	Х	6	22	2400	38
SR436	4-Drum	52 1/2	х	53	Х	6	43	6000	70
SR435	6-Drum	76 1/2	х	53	х	6	61	7000	102
SB764	8-Drum	100	х	53 1/4	х	6	77	8000	173
SAQ187	Work Ramp™	25 1/2	х	46	х	6 1/4	-	1000	30
SAQ188	Link-Lock [™]	9 1/2	Х	7	Х	3 1/2	-		3



SPILLPAL™ FLEXIBLE WORKSTATIONS

- Provides incidental spill control during temporary storage of equipment
- Can be used as a washdown pad or pumping station
- Alternative to hard plastic pallets
- Features 4" high foam sidewalls that spring back into place after any type of pressure is applied
- Folded unit ships easily
- When not using, store on a shelf, freeing up valuable floor space
- · Easy drive-in and drive-out with a hand truck or forklift

Order	Mfg.	Exte	rio	r Din	Sump Cap.	Wt.			
No.	No.	Description	L"	X	W"	X	Н"	US Gallons	lbs.
SAF814	5750-YE	1-Drum	24	Х	24	х	4	10	2
SAF815	5755-YE	2-Drum	24	Х	48	Х	4	20	4
SAF816	5760-YE	4-Drum	48	Х	48	Х	4	40	5
SAF817	5765-YE	4-Drum In-Line	24	Х	96	Х	4	40	6
SAF818	5770-YE	6-Drum	48	Х	72	Х	4	60	7
SAF819	5775-YE	8-Drum	48	Х	96	Х	4	80	9
SE553	7006-BK	Optional Grate	48	Х	23	Х	1 3/4	-	18
SAP041	7007-BK	Optional Grate	25 1/2	2 x	24	Х	1 3/4	-	9



ULTRA-SPILLDECK BLADDER SYSTEMS

- Hidden containment bladder automatically unfurls to capture large spills or drum leaks
- Low profile, rugged, double layer polyethylene containment decks
- Low 5" deck height allows safe and convenient drum loading, even without drum handling equipment
- Meets EPA container storage regulations 40 CFR 264.175 and Uniform Fire Code Spill Containment regulations

Note: SpillDecks do not require usage of the bladder attachment to meet EPA and Uniform Fire Code regulations. Require adequate aisle space to allow the bladder to unfurl properly.

Order		Dimensions	Total Containment	Wt.
No.	Description	L" x W" x H"	Cap. US gallons	lbs.
SE411*	1-Drum, 11 US Gal Cap.	25 7/8 x 30 1/2 x 5 3/4	66	27
SE412*	2-Drum, 22 US Gal Cap.	52 x 30 1/2 x 5 3/4	77	44
SE413*	4-Drum, 44 US Gal Cap.	52 x 56 5/8 x 5 3/4	99	66
SE414*	Bladder Attachment	25 1/8 x 4 5/8 x 4 5/8	-	4
SE415	Replacement Bladder	66 x 58 (unfurled)	55	2





STEEL SPILL CONTAINMENT PALLETS

RUGGED STEEL PALLETS FOR INDUSTRIAL APPLICATIONS OFFER LONGEVITY WITH 100% TESTED LEAK TIGHT SUMPS FOR COMPLIANT SPILL CONTROL

- Durable and corrosion resistant
- 100% tested leak tight sump, fully compliant
- Constructed of 11-gauge hot rolled steel and strengthened with formed edging
- Provide excellent chemical resistance and durability
- Generous sump capacities are fully compliant
- · Safely stores hazardous and flammable liquids to protect the environments
- Protect workers and the environment from hazardous leaks or spills
- Sturdy, galvanised steel bar grating keeps drums out of overflow
- Removable grating for convenient sump inspection and easy cleaning
- Sump is nestable for storage and transport to save space during shipping
- Large forklift pockets (8 3/8" W x 3 7/8" H) in front and back makes relocation easy
- Available in two finishes: environmentally friendly, tough powder coat paint in blue; or steel, hot-dipped galvanised after fabrication, for greater protection against rust and corrosion
- Meets EPA 40 CFR 264.175
- Meets NFPA 1 the Uniform Fire Code 60.3.2.10
- Meets International Fire Code 2704.2.3
- Spill Prevention, Control and Countermeasures (SPCC) Compliant





Drums not included





Order	Mfg.	Description	Calaur	Sump Capacity	Load Bearing Capacity			l Outs		Dim. H"	Approval/Lstg	Weight
No.	No.	Description	Colour	(Gal.)	(lbs.)	W" x	X	D"	Х	П	Regulation	lbs.
SAS578	28610	2-Drum	Blue	72	1200	47 1/4 ×	x 3	31 1/2	Х	16 5/16	EPA, SPCC, U	165
SAS579	28611	2-Drum	Galvanised	72	1200	47 1/4 x	x 3	31 1/2	Х	16 5/16	EPA, SPCC, U	165
SAS580	28612	4-Drum In Line	Blue	102	2400	94 1/8 x	x 3	31 1/2	Х	13 1/16	EPA, SPCC, U	305
SAS581	28613	4-Drum In Line	Galvanised	102	2400	94 1/8 x	x 3	31 1/2	Х	13 1/16	EPA, SPCC, U	305
SAS582	28614	4-Drum Square	Blue	77	2400	47 1/4 x	x 4	17 1/4	Х	13 1/16	EPA, SPCC, U	215
SAS583	28615	4-Drum Square	Galvanised	77	2400	47 1/4 x	x 4	17 1/4	Х	13 1/16	EPA, SPCC, U	215

SEE PAGES 31-40 FOR A VARIETY OF SPILL KITS





ECOPOLYBLEND™ SPILL CONTROL PALLETS

THE FIRST AND ONLY SPILL CONTROL LINE MADE OF RECYCLED POLYETHYLENE!

- Eco-friendly pallets are made of up to 100% recycled polyethylene, making them twice as good for the environment!
- They not only protect against groundwater contamination, they also utilize
 post-industrial material that might have otherwise been discarded into the waste stream
- Quality engineered with a robust design, pallets withstand the toughest environments for superior spill control
- Durable, UV-protected EcoPolyBlend™ polyethylene is nearly impervious to chemical attack from hazardous acids, caustics and solvents
- Seamless construction eliminates leaks even if a 55-gallon (200 L) drum fails and completely empties its contents
- Fully compliant, Justrite® EcoPolyBlend™ Pallets feature oversized leak proof sumps that meet or exceed regulations
- Sturdy, removable grates are nearly 2 1/2" (64 mm) thick for superior crack resistance
- Self-locating, they reduce the chance of grate "ride-up" and remove for quick sump inspection and cleaning
- 2-drum and 4-drum square pallets include wide forklift pockets for easy relocation
- Square pallet may be equipped with an optional ramp to facilitate loading and unloading of heavy drums

Yellow = For high visibility or liquid segregation when desired; material content consist of virgin poly sumps with 100% recycled grates resulting in a total of 35% recycled content.

Black = Are made of 100% recycled material. Their dark color camouflage dirt and keeps workplaces looking clean.



Drums not included









Yellow	Mfg.	Black	Mfg.		Exte	erio	r Di	mer	nsions	Sump Cap.	Load Bearing	Wt.
Order No.	No.	Order No.	No.	Description	W"	X	D"	X	H"	US Gallons	Cap.	lbs.
WITHOUT [DRAIN											
SBA997	28622	SBA844	28623	2-Drum, In-Line	49	Х	25	Х	15 1/2	66	2500	44
SBA853	28626	SBA846	28627	3-Drum, In-Line	73	Х	25	Х	11 5/8	75	3750	58
SBA857	28630	SBA850	28631	4-Drum, In-Line	97	Х	25	Х	9	75	5000	77
SBA855	28634	SBA848	28635	4-Drum, Square	49	Х	49	Х	10 1/4	72	5000	68
WITH DRAI	N											
SBA852	28624	SBA845	28625	2-Drum, In-Line	49	х	25	Х	15 1/2	66	2500	44
SBA854	28628	SBA847	28629	3-Drum, In-Line	73	х	25	Х	11 5/8	75	3750	58
SBA858	28632	SBA851	28624	4-Drum, In-Line	97	х	25	Х	9	75	5000	77
SBA856	28636	SBA849	28637	4-Drum, Square	49	х	49	Х	10 1/4	72	5000	73
ACCESSOR	IES											
SBA859	28620	-	-	Ramp for 4-Drum Square	49	Х	33	х	10 1/2	-	1000	40
SBA860	28259	-	-	2-Drum Replacement Grate	24	х	48	х	2 1/2	-	-	16

ECOPOLYBLEND™ ACCUMULATION CENTERS

THE ONLY SPILL PLATFORMS MADE FROM RECYCLED POLYETHYLENE!

- Get reliable, high performance spill control and help reduce landfills by using recycled products
- These economical, low profile secondary containment platforms are ecofriendly made of up to 100% recycled, post-industrial, durable polyethylene that might have otherwise been discarded into the waste stream
- Long lasting EcoPolyBlend[™] polyethylene is nearly impervious to chemicals, including acids and corrosives
- Accumulation centres feature a seamless design to ensure any leaks or spills are captured in the sump, before they reach floor drains or create a slip hazard
- Sturdy grates are nearly 2 1/2" (64 mm) thick for superior crack resistance
- · Self-locating, they reduce the chance of grate "ride-up" and remove for easy cleaning
- Modular centres offer the ability to create a customized system
- As capacity needs increase, use optional joining clips to firmly lock units together and expand storage space
- Sumps remain separate and clips can be removed for easy repositioning
- In applications calling for a continuous sump, optional Sump-to-Sump™ drain kit (includes joining clips and transfer tube), allows centers to be joined together on-site for full compliance to EPA and fire codes when combined sump capacities need to meet 66 gallons (250 L)
- Optional companion ramp facilitates movement of heavy drums and features anti-skid ribs for maximum safety
- It can be located anywhere on any 2-drum or larger centre

Yellow = For high visibility or liquid segregation when desired; material content consist of virgin poly sumps with 100% recycled grates resulting in a total of 35% recycled content.

Black = Are made of 100% recycled material. Their dark colour camouflage dirt and keeps workplaces looking clean.









ramp SBA871







Yellow	Mfg.	Black	Mfg.		Exterior Dimensions						Load Bearing	Wt.
Order No.	No.	Order No.	No.	Description	W"	X	D"	X	H"	US Gallons	Cap.	lbs.
SBA866	28652	SBA861	28653	1-Drum Unit	25	Х	25	х	5 1/2	12	1250	17
SBA867	28654	SBA862	28655	2-Drum Unit	49	х	25	Х	5 1/2	22	2400	40
SBA868	28656	SBA863	28657	4-Drum Unit	49	Х	49	Х	5 1/2	43	6000	69
SBA869	28658	SBA864	28659	6-Drum Unit	73	Х	49	Х	5 1/2	64	7000	93
SBA870	28660	SBA865	28661	8-Drum Unit	97	Х	49	Х	5 1/2	85	8000	185
SBA871	28650	-	-	Ramp	48	Х	33	Х	6 1/4	-	1000	41



SBA866

POLY-SAFETYPACK®

SAFE, SECURE TWO-DRUM STORAGE!

- Tough, indoor or outdoor performer protects two 55 US gallon drums
- Hinged, gull-wing covers provides convenient, safe access for decanting and removal of drums
- 100% polyethylene has excellent resistance to chemicals as well as weather
- · Security locks are included to secure the covers and contents
- Removable polyethylene grating 48" x 24" x 1 3/4"
- Translucent yellow sidewalls allow visual leak detection without removing lids
- Easily handles by forklift or pallet jack from two sides
- For easier mobility, use the Poly-Safetypack® caster frame assembly SE565
- Exterior Dimensions: 60 1/4" L x 36 1/2" W x 45 3/4" H
 Interior Dimensions: 52" L x 26 1/2" W x 37" H
- 130 US gallon sump capacity

Order	Mfg.		Wt.	
No.	No.	Description	lbs.	
SB757	2038-YE	Poly-Safetypack®	103	
SR415	2038-YE-D	Poly-Safetypack® w/Drain	103	
SE565	2200-BK	Poly-Safetypack® Caster Frame	37	
SR416	2077-YE	Poly-Safety Pack® Plus	137	
SR417	2077-YE-D	Poly-Safety Pack® Plus w/Drain	137	

POLY-SAFETY PACK® PLUS

- Inside height of 54 1/4"
- Allows the lids to be closed with the pumps in place
- · Optional drain
- Exterior dimensions: 60 1/2" L x 36 1/2" W x 63 1/4" H
- Interior dimensions: 51 1/4" L x 26 1/4" W x 54 1/4" H
- 264 US gallon sump capacity





HAZARD HUT®

THE SOLUTION TO YOUR INDOOR STORAGE PROBLEM IS OUTDOOR CONTAINMENT!

- One-piece molded 100% polyethylene construction so there are no joints or seams to leak
- Molded-in side vents reduce fumes and condensation inside
- Removable interior decking makes it easy to clean
- 72 US gallon sump capacity ensures leak and spill containment
- Double doors provide easy access for up to four 55 US gallon drums
- Double-wall construction and heavy-duty hinges and lock latches keep contents secure
- · Four-way forklift entry design
- Loading the Hazard Hut[®] is easy with the Hazard Hut[®] Poly Ramp



HAZARD HUT® POLY-RAMP

- Integrally molded handles
- 5" polyolefin wheels
- 10° slope allows for easy loading
- Ribbed, non-skid surface
- 100% polyethylene

Order	Mfg.		Exterior Dimensions	Load Bearing	Wt.
No.	No.	Description	L" x W" x H"	Cap. lbs.	lbs.
SB758	4000-YE	Hazard Hut®	63 1/2 x 67 x 71 1/2	4000	269
		Door Opening	41 1/2 x 48 1/2		
SB759	4001-BK	Poly-Ramp	115 x 31 x 16 1/2	1000	154



JOB HUT™

OUTDOOR STORAGE HAS NEVER BEEN SO PRACTICAL...OR SO AFFORDABLE!

- Constructed of tough 100% polyethylene
- Will not rust or corrode
- Molded-in vents to reduce fumes and condensation inside
- Heavy-duty double-walled doors and lock keep contents secure
- Tie down feature for secure anchorage
- Eight 55 US gallon drums capacity
- Load bearing capacity of 8000 lbs.
- 72 US gallon maximum sump capacity (to top of grate) that eliminates the risk of spills or leaks
- Structural foam grates remove for easy cleaning
- · Low profile design allows for easy access
- · Forkliftable from all sides for effortless handling
- Job Hut[™] meets EPA regulation 40 CFR 264.175, is not fire rated
- Multi-purpose work ramp attaches to the Job Hut[™] in seconds

MULTI-PURPOSE WORK RAMPS

LIGHTWEIGHT & EASY TO HANDLE!

- Featuring a 10° non-skid slope facilitates loading drums quickly and safely
- Load bearing capacity of 1000 lbs.





Extra-wide doorway allows for easy forklift entry

Order Mfg. Dimensions								Wt.
No.	No.	Description	L"	X	W"	X	H"	lbs.
SE563	4010-YE	Job Hut™	90	х	60 1/2	х	93 (ext.)	480
			70	Х	51	х	82 (int.)	
SAQ187	5111-BK	Work Ramp™	25 1/2	Х	46	Х	6 1/4	30



DRUM HARDCOVER & SPILLPALLET™ SYSTEMS

- Ideal for indoor/outdoor storage of 55 US gallon drums
- · Roll-top design allows it to be used in limited space or next to buildings where swing-open doors would be a problem
- Top or front loadable
- Poly-Ramp[™] available to assist in the loading of drums
- Optional drain

2-DRUM HARDCOVER & SPILLPALLET™

- Holds up to two 55 US gallon drums
- · Used in conjunction with the Poly-Spillpallet™
- · Load bearing capacity of 2000 lbs.
- Sump capacity of 58 US gallons
- · Ramp extender to accommodate 17" high pallets

4-DRUM HARDCOVER & SPILLPALLET™

- · Holds up to four 55 US gallon drums
- Used in conjunction with the Poly-Slim-Line™ 6000
- Load bearing capacity of 6000 lbs.
- Sump capacity of 66 US gallons

ECO DRUM HARDCOVER & SPILLPALLET™ SYSTEMS

- All the same great benefits of the standard hardcover and Spillpallets™ but in an ECO-friendly version
- Made from up to 100% recycled material





SEE974 2-drum system with optional ramp

51/43	
2-drum	system

included

Order	Mfg.			. D	imensi	on		Wt.
No.	No.	Description	L"	X	W"	X	Н"	lbs.
2-DRUM S	SYSTEM							
SI743	4062-YE	Hardcover and Spillpallet™	60	Х	37	Х	72	210
SI744	4062-YE-D	Hardcover and Spillpallet™ w/Drain	60	Х	37	Х	72	210
SEI786	5222-YE	Poly-Spillpallet™	53 1/2	Х	29	Х	17	55
SEI787	5222-YE-D	Poly-Spillpallet™ w/Drain	53 1/2	Х	29	Х	17	55
SAQ186	5039-BK	Poly-Ramp [™]	67	Х	30 1/2	Х	12 3/4	65
SI746	5038-BK	Ramp Extender	29 1/2	Х	8 1/2	Х	6 1/2	6
4-DRUM S	SYSTEM							
SI740	4064-YE	Hardcover and Spillpallet™	65	х	58	х	69	269
SI741	4064-YE-D	Hardcover and Spillpallet™ w/Drain	65	Х	58	Х	69	269
SE408	5400-YE	Poly-Slim Line™ 6000 Pallet	54	Х	54	Х	12	91
SE409	5400-YE-D	Poly-Slim Line™ 6000 w/Drain	54	Х	54		12	91
SAQ186	5039-BK	Poly-Ramp [™]	67	Х	30 1/2	Х	12 3/4	65
ECO 2-DR	UM SYSTEM							-
SEE974	4062-ECO	Eco-Efficient Hardcover and Spillpallet™	60	х	37	х	72	197
SEE975	4062-ECO-D	Eco-Efficient Hardcover and Spillpallet™ w/Drain	ո 60	Х	37	Х	72	197
SEE970	5253-ECO	Eco-Efficient Poly-Spillpallet [™] 2000	53.5	Х	29	Х	17	52
SEE971	5253-ECO-D	Eco-Efficient Poly-Spillpallet [™] 2000 w/Drain	53.5	Х	29	Х	17	
SAQ186	5039-BK	Poly-Ramp [™]	67	Х	30 1/2	Х	12 3/4	65
SI746	5038-BK	Ramp Extender	29 1/2	Х	8 1/2	Х	6 1/2	6
ECO 4-DR	UM SYSTEM							
SEE976	4064-ECO	Eco-Efficient Hardcover and Spillpallet™	65	х	58	х	69	32
SEE977	4064-ECO-D	Eco-Efficient Hardcover and Spillpallet™ w/Drain	ո 65	Х	58	Х	69	232
SEE972	5400-ECO	Eco-Efficient Poly-Spillpallet™ 6000	54	Х	54	Х	12	73
SEE973	5400-ECO-D	Eco-Efficient Poly-Spillpallet™ 6000 w/Drain	54	Х	54	Х	12	73
SAQ186	5039-BK	Poly-Ramp [™]	67	Х	30 1/2	Х	12 3/4	65
SI746	5038-BK	Ramp Extender	29 1/2	Х	8 1/2	Х	6 1/2	6


IBC 2000 I™

INTERMEDIATE BULK **CONTAINMENT MADE EASY!**

- Fits more than 99% of all IBC dispensing units
- · Large sump capacity of 385 US gallons, exceeding EPA 40 CFR 264.175 regulations
- Equipped with an integrated 5-gallon pail holder for quick and easy dispensing
- 1-piece, lightweight, 100% polyethylene
- · Forkliftable and nestable
- · Will not rust or corrode or have adverse reactions with chemicals
- Exterior Dimensions: 72" L x 80" W x 29" H
- Pedestal Dimensions: 55" L x 55 1/2" W x 29" H
- Optional drain available



IBC dispensing unit not included



IBC SPACE-SAVER™

- Floor space efficient alternative for storing, dispensing and containing IBC totes
- Solid 100% polyethylene construction
- · Will not rust, corrode or have adverse reactions with chemicals
- Sump capacity: 330 US gallons
- Load capacity: 3000 lbs. • Exterior dimensions:
- 57" L x 57" W x 47" H
- · Optional drain





Order No.	Mfg. No.	Description	Wt. lbs.	
SE1788	5460-YE	IBC Space-Saver™	245	
SE1789	5460-YE-D	IBC Space-Saver™ w/Drain	245	

PROWLER POOL™

- Made of high-density polyethylene and a low-density coating
- · Offers excellent resistance to the widest range of chemicals, acids, leaded and unleaded gasoline, diesel fuels and other hazardous materials
- · Resistant to cold temperatures, as low as minus 65°F, as well as abrasion, punctures
- and ultraviolet rays Lightweight; half the weight of comparably sized PVC pools while offering double the strength



ENPAC

Order	Mfg.	Dimensions	Sump Cap.
No.	No.	Base" x Top" x Height"	US Gallons
SAQ189	5920-YE	28 Dia. x 18 Dia. x 13	20
SAQ190	5966-YE	48 Dia. x 36 Dia. x 13	66
SAQ191	5900-YE	48 Dia. x 32 Dia. x 18	100
SAQ192	5950-YE	60 Dia. x 44 Dia. x 18	150

STINGER BERM™

- Ideal for large scale spill containment
- Flexible sidewalls and easy-to-assemble design allows for immediate response to emergency response situations
- Designed for quick set up and compact fold-up, storage and transport
- Features excellent rip, tear and puncture resistance for the most demanding application or terrain
- · Sidewalls fold down for easy drive-in and drive-out
- · Chemical and abuse resistance






Order	Mfg.	Exte	Exterior Dimensions			ions	Sump Cap.	Wt.
No.	No.	L'	X	W'	X	H'	US Gallons	lbs.
SAF806	4804-BK-SU	4	Х	6	Х	1	179	28
SAF807	4806-BK-SU	6	Х	6	Х	1	269	36
SAF808	4810-BK-SU	10	Х	10	Х	1	748	60
SAF809	4820-BK-SU	10	Х	26	Х	1	2333	112
SAF810	4836-BK-SU	12	Х	36	Х	1	3410	156

ECONO SPILL SHELLS

- 5" sidewall allows for more sump space
- Diamond center pulls spills away from the drums
- Drip parameter retains liquids for cleaner sump area





STINGER YELLOW JACKET™

LIGHTWEIGHT, PORTABLE PALLET CAN BE CARRIED ANYWHERE TO PREVENT SPILLS FROM OCCURRING!

- Made of chemical-resistant vinyl coated polyester
- Unique snap-up support strips create a sturdy sidewall when unit is opened
- Optional removable polyethylene grates for easy access to the sump (SE553)
- Grates helps you comply with EPA 40 CFR 264.175 when used with a pallet





		וווע	nensio	Cap.	Wt.		
No.	L"	X	W"	X	H"	US Ġal.	lbs.
5700-YE	48	Х	48	Х	8	80	15
5710-YE	48	Х	72	Х	8	120	18
5720-YE	48	Х	96	Х	8	160	28
5730-YE	96	Х	96	Х	8	320	31
5740-YE	96	Х	120	Х	8	400	38
BLE GRATE							
7006-BK	48	х	23	х	1 3/4	-	18
	5700-YE 5710-YE 5720-YE 5730-YE 5740-YE BLE GRATE	5700-YE 48 5710-YE 48 5720-YE 48 5730-YE 96 5740-YE 96 BLE GRATE	5700-YE 48 x 5710-YE 48 x 5720-YE 48 x 5730-YE 96 x 5740-YE 96 x	5700-YE 48 x 48 5710-YE 48 x 72 5720-YE 48 x 96 5730-YE 96 x 96 5740-YE 96 x 120 BLE GRATE	5700-YE	5700-YE	5700-YE 48 x 48 x 8 80 5710-YE 48 x 72 x 8 120 5720-YE 48 x 96 x 8 160 5730-YE 96 x 96 x 8 320 5740-YE 96 x 120 x 8 400 BLE GRATE

Note: Interior dimensions for grates are 12" less than the exterior length and width.

DRIPILLOW BERMS™

- Ideal for outdoor leaks and spills under vehicles, hydraulic lines or equipment
- Designed as durable, portable drip-pan
- · Stable weighted base will not flip, tip or splash in windy conditions
- Compatible with all fuels and hydrocarbons
- · Folds for easy carrying and storage
- · Standard includes grounding strap, weighted base and UV resistant removable pad
- Refill pads sold as a case of 5

Order No.	Mfg. No.	Description	Exterior Dim. L" x W" x H"	Capacity US Gal	Wt. lbs.
SAH552	5650-YE	Small w/Pad	22 x 22 x 3	1	7
SAH553	5660-YE	Medium w/Pad	24 x 36 x 3	2	9
SAH554	5670-YE	Large w/Pad	24 x 54 x 3	3	11
SAH555	5680-YF	X-Large w/Pad	38 x 42 x 3	4	9

REFILL PADS

Order	Mfg.		
No.	No.	Description	
SAH556	5655-WH	Small	
SAH557	5665-WH	Medium	
SAH558	5675-WH	Large	
SAH559	5685-WH	X-Large	



STINGER SNAP-FOAM BERM™

- One time set-up and then continual drive in and drive out capability
- Foam sidewall system consists of urethane (fed. Spec. PPP-C-1752D, Type 1, Class 1, Grade A)
- Foam end caps from 2-way air-relief system to snap end walls back automatically to their upright position
- High fuel/chemical resistant containment area
- Custom sizes available for your convenience
- Accessories available to prolong berm life





Shown with Tracmat™ (sold separately)


ENPAC


Order	Order Mfg.		erior	Dime	nsic	ns	Sump Cap.	Wt.
No.	No.	L'	X	W'	X	H'	US Gallons	lbs.
SAP046	4820-BK-SF	10	х	26	х	1	1944	142
SAP047	4836-BK-SF	12	Х	36	Х	1	2231	170
SAP048	4854-BK-SF	14	Х	54	Х	1	5654	252

Tracmats[™] and ground pads are available in any size/dimensions to match any style berm.

BERM ACCESSORIES

TRACMAT™





• Other sizes available





Order	Mfg.		Wt.
No.	No.	Description	lbs.
SEC898	4812-TM	For 12' x 12' Berm	60
SEC902	4850-TM	For 15' x 50' Berm	200
SEC903	4854-TM	For 14' x 54' Berm	220

GROUND PADS

- · Protects berms from truck wheels or rough terrain
- Prevents underside puntures from sharp objects when placed directly underneath the berm
- Other sizes available



Order	Mfg.		Wt.
No.	No.	Description	lbs.
SEC916	4812-GP	For 12' x 12' Berm	56
SEC920	4850-GP	For 15' x 50' Berm	192
SEC921	4854-GP	For 14' x 54' Berm	124

STORAGE & TRANSPORT BAGS

- · Heavy-duty chemically resistant bag for ease in maneuverability and storage
- Other sizes available



Order No.	Mfg. No.	Description	Wt. lbs.	
SEC908	4820-BAG	For SAP046	7	
SEC909	4836-BAG	For SAP047 and SAF810	21	
SEC910	4854-BAG	For SAP048	7	

DRIPILLOW BERM™

Available in four convenient sizes to capture small leaks and drips, and with its stable weighted base, it will not tip or splash in windy conditions. Eliminates nuisance drips under vehicles, hydraulic lines, or equipment.

- · Grommets in the corners provide attachment points
- · Fold for easy carrying
- Replaceable UV protected pad available
- Available in OD green upon request





Order	Mfg.		Exterior Dim.					Cap.	Wt.
No.	No.	Description	L"	X	W"	X	Н"	US Gal.	lbs.
SAH552	5650-YE	w/Pad - Small	22	х	22	х	3	1	7
SAH553	5660-YE	w/Pad - Medium	24	х	36	х	3	2	9
SAH554	5670-YE	w/Pad - Large	24	х	54	х	3	3	11
SAH555	5680-YE	w/Pad - X-Large	38	х	42	Х	3	4	9

BERM REPAIR KITS

DELUXE BERM REPAIR KITS

- For berm with 12" side walls Contents:
- Leister professional heat gun
- XR material 1 sq. yd. (black) PVC material 1 sq. yd. (yellow)
- Replacement berm stays
- Peel and stick berm patches
- Rubber brayer roller
- Cutting knife
- Locking tool box

STANDARD BERM REPAIR KITS

4 Peel and stick sheets (8" x 11")



Order	Mfg.		Wt.
No.	No.	Description	lbs.
SEC892	48-BRK-DLX-12	Deluxe Berm Repair Kits	15
SEC891	48-BRK	Standard Berm Repair Kits	1

BAZOOKATM

- Water will continually drain through the filter, but in case of a spill within the berm, when an organic substance is detected, the Imbiber Bead® technology takes over (colour change), and the flow is completely shut off
- Automated shut off system allows water drainage of containment berm applications
- Utilises an innovative system for detection of Class I and II organics such as diesel fuel
- Trickle filter allows water flow rate of 20 gallons per hour
- Compatible with all Enpac containment berms





ENPAC

	No. of Concession, Name of Street, or other Persons, Name of Street, or ot
SAR418	



Order No.	Mfg. No.	Description
SAR417	BAZOOKA	Trickle Filter w/Automatic Shutoff
SAR418	BAZOOKA-12KIT	Bazooka™ and Installation Kit

Spill Control Vacuums

FACTORY INDUSTRIAL WET/DRY VACS 3.0 PEAK HP - 2-STAGE MOTOR

• Factory tough large capacity 44-gallon vacuum and head assembly built to handle the toughest shop jobs

• NG343 converts your steel drum into a wet/dry vac

Heavy-duty dolly with NG342

INCLUDES:

- 12' hose (NC249)
- Master nozzle chrome plated 6" (NC239)
- Elbow joint 2 1/2" (NC277)
- Ultra web cartridge filter (NI735)





Order No.	Mfg. No.	Tank Cap. Gal/L	Electrical 120 V 60 Hz	CFM	Sealed Pressure"	Cord Length'	Wt. Ibs.
NG342	970-05	44/204.5	11 A	109	100	18	41
NG343	970-06	Head Assem	. 11 A	109	100	-	30



CLEANSTREAM® FILTERS

- 99.97% efficient down to 0.3 microns
- Picks up wet or dry, no need to remove filter anymore
- Fits on Shop-Vac® brand dry/wet vacuums



WET/DRY VAC 2.5 PEAK HP 2-STAGE MOTOR

• Powerful industrial vacuum at moderate cost



Order	Mfg.	Tank Cap.	Electrical		Sealed	Cord	Wt.
No.	No.	Gal/L	120 V, 60 Hz	CFM	Pressure"	Length'	lbs.
NI732	962-21	10/45.5	5.9 A	100	90	35	27

INDUSTRIAL WET/DRY STAINLESS STEEL VAC

• 16 US gallon stainless steel tank

• 6.5 peak HP motor

• 100 CFM air flow

• 80" sealed pressure

 Heavy-duty rear wheels with swivel front casters provide easy movement

Removable steel handle

· Positive lock on hose eliminates unexpected disconnections

· Large accessory storage box attached

• 20' power cord

• Includes: 2 1/2" accessories, flexible hose, extension wands, crevice tool, utility nozzle, floor brush,



LIGHTWEIGHT INDUSTRIAL-DUTY WET/DRY VAC 6.5 PEAK HP SINGLE STAGE MOTOR

• Blower port, Lock-On® hose system, quiet running motor, tool basket and tank drain

Comes with a 4-wheel dolly

• Includes: 1 1/4" 8-piece accessory package and filter kit



Order No.	Mfg. No.		Electrical 120 V, 60 Hz	CFM	Sealed Pressure"		Wt. lbs.
NG332	925-28	6.5/29.5	9.7 A	185	66	18	19



• 8 US gallon stainless steel tank

• 5.5 peak HP motor

• 85 CFM air flow

• 72" sealed pressure

 Swivel casters provide easy movement in any direction

· Positive lock on hose eliminates unexpected disconnections

• 18' power cord

• Includes: 1 1/4" accessories, flexible hose, extension wands, crevice tool, utility nozzle, floor brush, cartridge filter and dust bag

Order No. JC525





Spill Control Vacuums

ATTIX 30 HEPA WET/DRY VACUUMS

- Superior suction power in a compact design
- Push & Clean Technology for fast and simple filter cleaning; simply block the inlet fitting or the hose, push and release the filter cleaning button
- Certified HEPA filter that captures 99.97% of debris, down to and including 0.3 microns
- Ideal superior quality professional vacuum used in general maintenance shops, abatement (i.e.: mold and lead) when using the bag and HEPA filter, surface preparation, auto-body shops; ideal for sawdust and drywall
- 8 US gallon polypropylene tank
- Max. Waterlift: 92"
- · Weight: 32 lbs.
- Comes with standard 1/2" 10-piece accessory kit

Nilfisk ALTO

Order	Mfg.	Watt	Voltage	Flow	Dimensions
No.	No.		Frequency	CFM	L" x W" x H"
JD278	900130	1000	120V/60 Hz	135	18 x 15 x 23

PORTABLE OMEGA® DRY VACUUMS, ESD SAFE

- Ideal for the electronics, telecommunications, pharmaceutical, gaming, medical, military and robotics industry
- One gallon poly tank
- Quiet 1.2 HP flow thru motor with sound baffles and electronic line filter
- 5.2 Amps AC, 120 V, 60 Hz
- Static pressure 60", 98 CFM
- Convenient self-storing utensil (cover insert)
- Includes: 1 3/16" dia x 6' L hose, 0.3 micron HEPA disposable filter canister and standard filter, 12' power cord,

shoulder strap, crevice tool brush and a flexible 16" goose neck for hard to reach places

Dimensions:
 19 1/4" L x 7 3/8" W x 9 5/16" H

Weight: 11 1/2 lbs.UL approved

Order No. JC155

Order	
No.	Description
JC156	0.3 micrometre HEPA Filter
JC157	Filter Single Pack
JC158	UI PA (99.999% @ 0.12 micrometre) Filter

ATTIX 50 AS/E XC WET/DRY VACUUMS

- Attix 50 features cutting edge Xtreme Clean Technology which automatically pulses the filter clean every 30 seconds while vacuum is in operation
- Automatically turns on vacuum when you power up the tool
- Speed control to adjust suction power
- Ideal superior quality professional vacuum used in general maintenance shops, abatement (i.e.: mold and lead) when using the bag and HEPA filter, surface preparation, auto-body shops; ideal for
- 12 US gallon polypropylene tank
- Max. Waterlift: 92"

sawdust and drywall


- Weight: 37.5 lbs.
- Certified HEPA filter optional
- Comes with standard 1/2"
 7-piece accessory kit

Nilfisk

Order	Mfg.	Watt	Voltage	Flow	Dimensions
No.	No.		Frequency	CFM	L" x W" x H"
JD279	302004235	1000	120V/60 Hz	135	18 x 15 x 30

HAWG AIR VAC

- Last longer and need little maintenance, with no moving parts, cleanable filters or corrosion resistant epoxy coated tanks
- Venturi system provides
- increased motor efficiency
- Pick up wet or dry
- Low-pitched motor runs very quietly
- Pick-up fine material and filter down to 5 micrometers
- Capacity: 60 GPM water pick-up



Order No.	Description	Pick up Hose"	Water Lift"	Flow SCFM	CFM@ 90 PSIG	Inlet"	Wt. lbs.
TG262*	55 gallons	1 1/2	116	110	5.5	3/8	18.5
STANDA	STANDARD ACCESSORIES						
TG284	10' x 1 1/2" Vir	nyl hose	-	-	-	-	-
TG391 T	wo stage filter	cartridge	-	-	-	-	-

*Lid only, drum not included.

Caution: Vac must be grounded and conductive hose used to control static electricity. Recommended air supply hose size: 1/2" I.D. Performance rated at 90 PSIG.

COMPRESSED AIR VACUUMS

- Compressed air-powered vacuums offer significant advantages in dependability, safety and efficiency over conventional electric powered vacuums
- No electricity required operate strictly on compressed air
- Dramatically more powerful up to 259" of water lift
- Always dependable no moving parts to wear out, no motors to burn out
- Safe in almost any wet environment
- Extremely versatile pick up chips, dust, powder, debris and most liquids

INCLUDES:

- Vacuum generating head with standard cartridge filter for JB511, cloth filter for JB510
- 2" x 20' standard-duty vinyl vacuum hose for JB511 and 1 1/2" x 20' for JB510
- Metal wet/dry floor tool (12" wide) with 4' wand
- 24" long metal crevice tool
- 3/4" x 20' air supply hose with fittings
- Incoming Air Line Pressure: 100 PSI

			17.000	, ,, , , , , ,	4	
Order No.	Description	Air Consump. (SCFM)	Min. Comp. Size	Vacuum Lift (in H₂0)	Vacuum Flow (SCFM)	Wt. lbs.
JB510	15 gallons	47	10 HP	213	60	79
JB511	55 gallons	68	15 HP	185	89	121



A GUIDE TO EMERGENCY EYEWASH & SHOWER EQUIPMENT

Emergency showers, eyewashes and tepid water delivery systems are required to provide emergency treatment in preventing permanent eye and skin damage from accidental exposure to chemicals, biohazards or airborne debris.

In the absence of a uniquely Canadian standard for the design and placement of emergency eyewash and shower equipment, provincial authorities in all jurisdictions in Canada refer to the ANSI Z358.1-2009 standard for recommendations and enforcement regarding emergency eyewash and shower requirements.

Emergency drenching fixtures must be readily accessible for use in manufacturing, laboratories, refineries, mines, construction sites and wherever workers may be accidentally splashed or sprayed with injurious solvents, acids, harmful particulates and, in some cases, biological hazards.



KEY REQUIREMENTS FROM THE ANSI STANDARD Z358.1-2009 INCLUDE:

- Device must be positioned within 10 seconds (55') from hazard
- Device must be activated in one second or less
- Device must be capable of delivering minimum flow of flushing fluid for at least 15 minutes*
- Device must provide "tepid" water (16-38°C, 60-100°F)
- Device must be activated weekly to remove dust/debris
- There must be no obstruction in the pathway to the device
- The water supply uninterruptible at the valve
- Device must be identified with highly visible signage
- Device must be well lighted
- Device must be fully inspected annually





* Because of the limited quantity of fluid they contain, supplemental eyewash devices alone (such as bottled eyewash) cannot meet the 15 minute flushing requirements in the ANSI standard. These should be used for initial first aid only to treat a patient during the path to certified eyewash. You should never substitute a fully compliant eyewash station with supplemental devices.

Safety flushing devices are not a substitute for primary personal protective devices such as proper eyewear and clothing. Chemical MSDS' dictate proper first aid measures in case of accidental exposures.

Depending on site conditions and severity of the hazard, emergency eyewash and shower devices are found in various forms including:

- Plumbed-In
- Enclosed Safety Showers
- Portable
- Laboratory
- Tempering Systems
- Supplemental Devices

THE COMPLETE ANSI STANDARD IS AVAILABLE FROM:

International Safety Equipment Association 1901 North Moore Street, Ste 808 Arlington, VA 22209 USA





Plumbed-in eyewash stations and showers are designed to direct a fixed water source to eyes, face or body in emergencies. Wall mount or pedestal-mounted eyewash stations and eye/face washes should be located nearest the point of need but no more then 10 seconds (55') from the hazard.

HALO™ WALL MOUNT EYEWASH STATIONS



- Features antimicrobial protection, integral strainers, and rugged safety-yellow powder coat paint for easy visual identification in an emergency
- Aquaduct[™] self-draining design eliminates bacteria growth from standing fluid
- Eye/face wash models provide industry leading 85% facial coverage
- Activate by push handle or by lifting dust cover
- Eyewash models feature unique flip open dust caps
- Optional see-through dust cover (shown) makes inspection simple and keeps device free of debris and ready for use
- Stainless steel models are ideal for corrosive, high abuse environments
- Wheelchair accessible
- · Arrives fully assembled
- ULC certified to ANSI standard Z358.1-2009



IMPORTANT:

Regulations require tepid water (18-37°C). See page 67 for water tempering devices





Order	Mfg.		Dust Cover
No.	No.	Bowl	Included
EYEWASH	I		
SEB793	S19224EW	Plastic	-
SEB794	S19224PT	Plastic	Plastic
SEB795	S19224B	Stainless Steel	-
SEB796	S19224DC	Stainless Steel	Stainless Steel
EYE/FACE	WASH		
SEB797	S19224FW	Plastic	-
SEB798	S19224PDCFW	Plastic	Plastic
SEB799	S19224T	Stainless Steel	-
SEB800	S19224DCFW	Stainless Steel	Stainless Steel

WALL-MOUNT AXION MSR™ EYE/FACE WASH STATIONS

- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- Wall mounts with an aluminum bracket
- 11" diameter bowl
- Mesh strainer collects debris
- Durable stainless steel ball valve
- Certified by CSA to meet the ANSI standard Z358.1-2009







Order	Mfg.	
No.	No.	Description
EYE/FACE WA	ASH	
SEB239	7260B-7270B	ABS Plastic Bowl
SEB240	7360B-7460B	Stainless Steel Bowl
ACCESSORIE	S	
SEB264	9102	Dust Cover

HALO™ PEDESTAL MOUNT EYEWASH STATIONS

- Pedestal safety eyewash fixtures are ideal where wall mount is not practical, and allow placement closest to point-of-need
- Features antimicrobial protection, integral strainers, and rugged safety-yellow powder coat paint for easy visual identification in an emergency
- Aquaduct[™] self-draining design eliminates bacteria growth from standing fluid
- Eye/face wash models provides industry leading 85% facial coverage
- Activate by push handle or by lifting dust cover
- Eyewash models feature unique flip open dust caps
- Optional see-through dust cover (shown) makes inspection simple and keeps device free of debris and ready for use
- Stainless steel models are ideal for corrosive, high abuse environments
- Arrives fully assembled
- Wheelchair accessible
- ULC certified to ANSI standard Z358.1-2009

IMPORTANT: Regulations require tepid water (18-37°C). See page 67 for water tempering devices



Order	Mfg.		Dust Cover
No.	No.	Bowl	Included
EYEWASH	ł		
SEB785	S19214EW	Plastic	-
SEB786	S19214PDC	Plastic	Plastic
SEB787	S19214B	Stainless Steel	-
SEB788	S19214DC	Stainless Steel	Stainless Steel
EYE/FACE	WASH		
SEB789	S19214FW	Plastic	-
SEB790	S19214CFW	Plastic	Plastic
SEB791	S19214PDCFW	Stainless Steel	-
SEB792	S19214DC	Stainless Steel	Stainless Steel

WALL-MOUNT AXION MSR™ EYE/FACE WASH STATIONS

- · Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort. stability, and effectiveness
- No bowl, floor drain recommended
- Wall mounts with an ABS plastic wall bracket
- Durable stainless steel ball valve
- · Certified by CSA to meet the ANSI standard Z358.1-2009

Order No. SEB241

Mfg. No. 7324







AXION MSR™ PEDESTAL EYE/FACE WASH STATIONS

- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- 11" diameter bowl
- Galvanized stanchion for long life
- · Mesh strainer collects debris
- Durable stainless steel ball valve
- · Certified by CSA to meet the ANSI standard Z358.1-2009

Order	Mfg.	
No.	No.	Description
SEB242	7261-7271	ABS Plastic Bowl
SEB243	7361-7461	Stainless Steel Bowl
SEB264	9102	Dust Cover





Combination showers and eyewash fixtures pair-up eyewash with emergency showers when the MSDS calls for both eye and skin irrigation. To accommodate various site conditions, combination units provide several options including: Stainless components, PVC, foot-treadle operation, anti-scald or anti-freeze valves and freeze-protected heat trace units.


HALO™ COMBINATION SHOWER & EYEWASH STATIONS

- Combine Halo[™] eyewash technology with SpinTec[™] shower features for high performance safety installations
- SpinTec[™] showers yield superior fluid distribution
- Durable ABS plastic showerhead
- Compact profile means less in-plant damage
- Features antimicrobial protection, integral strainers, and rugged safety-yellow powder coat paint
- Aquaduct[™] self-draining design eliminates bacteria growth from standing fluid

- Eye/face wash models provides industry leading 85% facial coverage
- · Optional see-through dust cover (shown) makes inspection simple
- Stainless steel models are ideal for corrosive, high abuse environments
- · Arrives fully assembled
- ULC certified to ANSI standard Z358.1-2009







IMPORTANT: Regulations require tepid water (18-37°C). See page 67 for water tempering devices



- Hydrodynamic shower design produces equal flow distribution
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- 11" diameter green ABS plastic bowl

- · Galvanized stanchion for long life
- Mesh strainer collects debris
- Durable stainless steel ball valve
- · Certified by CSA to meet the ANSI standard Z358.1-2009





Order	Mfg.		Shower
No.	No.	Bowl	Head
SEB257	8320-8325	Plastic	Plastic
SEB258	8800-8309	Stainless Steel	Plastic
SEB259*	8330	Stainless Steel	Stainless Steel

^{*}Corrosion resistant



HORIZONTAL & VERTICAL SUPPLY EMERGENCY SHOWERS

- Designed for wall (horizontal) or ceiling (vertical) mounting
- SpinTec[™] showerhead improves water distribution
- Activated with stainless steel pull rod and
 I' IPS chrome-plated brass stay-open ball valve
- Constructed with 1" galvanized steel pipe, coated with safety-yellow Bradtech™ polyurethane to prevent corrosion
- Water supply: 1" IPS (female)
- Includes safety sign and inspection tag
- SEI Certified to ANSI standard Z358.1-2009



Bradley

Order No.	Mfg. No.	Shower Head	
HORIZONTAL SUPPLY		11000	
SA414	S19-120	Plastic	
SAK644	S19-120A	Stainless Steel	
VERTICAL	SUPPLY		
SA416	S19-130	Plastic	
SAK645	S19-130A	Stainless Steel	

HEAT TRACE COMBINATION EMERGENCY SHOWER & EYE/FACE WASH STATIONS

- Intended for use in areas where temperatures fall below freezing
- Heat trace cable protects unit from freezing down to -50°F
- Unit is encased in highly-visible yellow ABS removable plastic shell that resists chemicals and other harsh environmental conditions
- SpinTec[™] showerhead improves water distribution shower activated by a stainless steel pull rod and 1/2" IPS chrome-plated stay-open ball valve
- Eye/face wash is activated by a large, highly visible push handle
- Twin-perforated disc eye/face wash heads with pop-off dust caps to protect spray heads from debris
- Includes universal identification sign and inspection tag
- SEI certified to ANSI standard Z358.1-2009



Bradley

Order	Mfg.		Wt.
No.	No.	Description	lbs.
120 VOLT	S		
SAK640	S19-300D2T1AEFW	Top Water Supply	110
SAK641	S19-300D2B1AEFW	Bottom Water Supply	110
220 VOLT	S		
SAK642	S19-300D2T2AEFW	Top Water Supply	110
SAK643	S19-300D2B2AEFW	Bottom Water Supply	110

FLUSH-MOUNTED HORIZONTAL SUPPLY EMERGENCY SHOWERS

- Integral flange mounts flush with ceiling
- Concealed pipe and fittings
- Exceed minimum water flow of 20 GPM at 30 PSI
- Universal identification sign and inspection tag included
- SEI Certified to ANSI standard Z358.1-2009

Order No. SAR320

Mfg. No. S19-120FM



CORROSION RESISTANT COMBINATION EMERGENCY SHOWER & EYE/FACE WASH STATIONS

- SpinTec[™] showerhead activated by a stainless steel pull rod and 1" IPS chrome-plated stay-open ball valve
- Impact-resistant plastic eyewash bowl with twin plastic spray heads
- Activated by a PVC push handle and 1/2" NPT stainless steel stay-open valve
- Fittings are all stainless steel
- 2" schedule 80 PVC pipe and floor flange withstands highly corrosive environments including chlorine

SAK638

SEI Certified to ANSI standard Z358.1-2009



Order No.	Mfg. No.	Description
SAK638	S19-310PVC	Combination shower and Eye/Face Wash
SR377	S53-063	Replacement Dust Caps (sold per each)

HEAT-TRACED COMBINATION EMERGENCY SHOWER & EYE/FACE WASH STATIONS

- Hydrodynamic shower design produces equal flow distribution
- Features Axion MSR™ components
- 120 VAC cable-heated
- Perfect for extreme weather conditions dropping down to -30°F
- Solid stainless steel pipe stanchion and galvanized fittings offer durability and corrosive-resistance
- Universal design allows for top or bottom water supply
- Unit is pre-built and fully water/pressure
- tested to reduce installation time
- Certified by CSA to meet the ANSI standard Z358.1-2009

Order No. SEB261

Mfg. No. 8317CTFP





Laboratory, Faucet-Mounted and Swing-Away Eyewash and Shower Fixtures are uniquely designed for indoor environments where space is at a premium, including healthcare, university, and the QC lab. Product solutions include swing-activated units, faucet-mounted eyewash stations, and combination fixtures: all designed to provide the safest possible lab environment.

FAUCET-MOUNT EYEWASH STATIONS

- Cost effective solution for applications with an existing faucet
- Now lead free
- Mounts to standard or gooseneck type faucets
- Twin spray heads include a flow control and pop-off dust covers
- One-step activation
- Activated by an actuator pin on adapter when pin is in closed position, faucet can be used for normal operation
- Includes a safety sign and inspection tag
- Weight: 1 lb.
- SEI certified to ANSI standard Z358.1-2009

Order No. SAK621 Mfa. No. S19-200B



SWING-ACTIVATED EYEWASH STATIONS

- Swing-activated eye and eye/face wash stations mount to a counter or a wall
- · Swing-over unit mounts to a counter only
- 90° swivel activates eyewash over sink to begin flow of water to cleanse eyes
- · Stows neatly to side of sink when not in use to save space
- Twin spray heads include a flow control and pop-off dust covers
- Include a safety sign and inspection tag
- SEI certified to ANSI standard Z358.1-2009





Order No.	Mfg. No.	Description	Wt. lbs.
EYEWAS	SH		
SEI776	S19274C	Counter-Mounted, Swing Over	5
SEI777	S19274HD	Counter-Mounted, Swing Down	5
SEI778	S19274HW	Wall-Mounted, Swing Down	5
EYE/FAC	E WASH		
SEI779	S19274E	Counter-Mounted, Swing Over	5
SEI780	S19274JD	Counter-Mounted, Swing Down	5
SEI781	S19274JW	Wall-Mounted, Swing Down	5

SWING-AWAY SINK-MOUNTED EYE/FACE WASH STATIONS



- Single-action swing-away eye/face wash stations can be mounted on left or right side of sink to better fit numerous locations
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- Dust cover protects the unit from debris when not in use
- Certified by CSA to meet ANSI standard Z358.1-2009

Order No. SEB252 Mfg. No. 7611

axion





PULL-DOWN SINK-MOUNTED EYE/FACE WASH STATIONS

- Barrier-free pull down eye/face wash can be mounted to a sink or wall
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- Extended-length pull down arms are designed to accommodate wheelchair access
- Rear mount design allows the sink to remain open to other uses
- Certified by CSA to meet ANSI standard Z358.1-2009

Order No. SEB251 Mfg. No. 7610







EYEPOD™ EYEWASH STATIONS

- Faucet-mounted eyewash in an attractive, low-cost, compact package
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Sleek, smooth, stainless steel exterior blends with any décor
- Includes a variety of industry-standard adapters, making installation a snap
- Easy to use and clean, the EyePOD™ activates with just a guick rotation
- Features a built-in thermostatically safe valve that automatically shuts off eyewash flows at 100°F (37°C)

Order No. SEC658 Mfg. No. 7620





Water Tempering Products are designed to meet ANSI standard Z358.1-2009 requirements to deliver "tepid" water to injured workers. In addition to discouraging use of a safety flushing device, a 15-minute deluge of cold water to the injured worker can negatively affect core body temperature, and hypothermia can result. Therefore, ANSI standard Z358.1-2009 requires emergency showers and eyewash stations to deliver "tepid" water. ANSI defines "tepid" water as 15.6°C to 38°C (60-100°F). Tempering solutions include steam, instantaneous (on demand) heaters and thermostatic mixing valves (TMV's). TMV's blend hot and cold water to meet strictly specified water temperature ranges.

THERMOSTATIC MIXING VALVES


- Blend hot and cold water to a comfortable flushing temperature
- Reliable liquid-filled thermostat with a 10-year manufacturer's warranty
- Check stops on inlets
- · Adjustable set point within temperature range
- Accurate temperature control to within ±3°F
- · Built-in cold water bypass, assuring cold flow
- Easy installation and serviceability

- Positive shut-off of hot supply when cold supply is lost
- Dirt and lime resistant
- Dial thermometer
- · Factory assembled and tested
- · Universal mounting capability
- · Rough bronze finish
- SEI certified to ANSI standard Z358.1-2009
- Temperature adjustment are vandal resistant



Order No. SAI299

54 gallons per minute; accommodates up to two combination showers with eyewash or multiple eyewash stations







Order No. SAI289 7.3 gallons per minute; accommodates up to three evewash stations or one eve/face wash

SAI299

ce wash	multiple eyewash stations	
Mfg. No.	Description	
S19-2000 S19-2100	7.3 GPM @ 30 PSI 19.5 GPM @ 30 PSI	
	Mfg. No. S19-2000	Mfg. No. Description S19-2000 7.3 GPM @ 30 PSI

Order No. SAI294

19.5 gallons per minute;

shower with eyewash or

54 GPM @ 30 PSI

accommodates one combination

THERMOSTATIC MIXING VALVES

- · Designed to mix hot and cold water
- Flows from 10 78 GPM

S19-2200

- Modular brass design with internal check stops
- Wax based thermostat technology for fast response time
- · Oversized valve seals resist failures caused by foreign matter
- Proven highly reliable temperature control









SEC204 SEC205 **SED975**

Order	Mfg.		
No.	No.	Description	
SEI814	9201EW	10 GPM @ 30PSI	
SEB268*	TWBSEWE	12 GPM @ 30 PSI	
SEC205	9201E	31 GPM @ 30 PSI	
SEC206	9202E	78 GPM @ 30 PSI	

^{*}Lead-free with full-flow bypass

Portable Eyewash Stations provide self-contained fluid where plumbed water is not available. Gravity-fed or pressurized portable eyewash systems should deliver the ANSI minimum 15-minute safety eyewash drench. To keep water stored in these portable systems safe for ophthalmic use, an antibacterial agent is included or available separately. These units often can be freeze protected for outdoor applications.

ON-SITE® GRAVITY-FED EYEWASH STATIONS

- Ideal for locations where a plumbed water source is not available
- High-visibility yellow, molded pedestal and tank
- Transparent tank allows solution level to be checked easily
- Hinged eyewash tray activates in one guick motion
- Stainless steel clamps secure the tank during transport
- · Vandal-resistant unit: foreign objects cannot be introduced into tank because all openings are sealed once the tank is installed
- One of the lightest portable eyewash stations on the market
- SEI certified to ANSI standard Z358.1-2009
- Includes wall bracket (can also deck mount)

ON-SITE® WASTE CARTS

- · High-visibility yellow
- · Captures used fluid, 56-gallon capacity
- · Tapered sump, easy to drain

ON-SITE® HEATER JACKETS

- Protects against freezing: down to -23.3°C (-10°F)
- Insulated heater jacket conceals a 121 W heater
- · Secondary thermostat prevents overheating if primary thermostat fails



Order	Mfg.	
No.	No.	Description
SAK609	S19-921	Gravity-Fed Eyewash
SAK610	S19-921H	Gravity-Fed Eyewash w/Heater Jacket
SAK611	S19-399	. Waste Cart
SEB751	133-140	Replacement Tank
SAK613	S19-865	Water Preservative, 8 oz., 4/case

9-GALLON PORTABLE EYEWASH STATIONS

- 9-gallon high density green polyethylene tank made from FDA compliant materials
- · Gravity-fed to supply a continuous flow of water for 15 minutes at 0.4 GPM
- Easy-to-operate yellow activation arm protects eyewash spouts when not in use
- · Wide-fill opening with threaded cap allows easy inspection, cleaning and filling
- · Light design and mounting bracket (included) make relocation simple
- Optional sterile bacteriostatic additive, which permits storage of the water for up to three months
- Freeze-protected version SEI815 ideal for remote low traffic areas where protective measures are still needed and ambiant temperature could drop below freezing
- Certified by CSA to meet ANSI standard Z358.1-2009



SAR314

SEI815



Order	Mfg.	
No.	No.	Description
SAR314	7501	Portable Gravity Eyewash Fountain
SEI815	7501.FP	Freeze Protected Gravity Eyewash Fountain
SAR315	9082	Bacteriostatic Water Preservative, 5 oz., 4/case



IPRESERVETM EYEWASH WATER **PRESERVATIVE**

- Sterile water preservative prevents bacteria growth for up to 90 days
- · For use in gravity fed or other portable eyewash devices where water stands for long periods of time
- The only brand of water preservative in Canada to pass the industry standard Antimicrobial Effectiveness Test
- High efficiency concentrate treats tank sizes from 18.93 to 75.7 L
- Four 5-oz. bottles per box

Order No. SEI501

Mfg. No. 19PE-1.10.148



PURE FLOW 1000™ EYEWASH STATIONS

- Sure-grip handle provides instant, simple activation
- Activation straps display expiration date
- Integral drain valve allows easy draining of reservoir after use
- Integral fluid reservoir captures waste fluid, eliminating potential safety hazards and simplifying fluid disposal
- Once activated, this device automatically displays a prominent, Warning Service Immediately, notice on the front of the unit; new fluid cartridges must be installed
- Requires two 3.8-gal. Eyesaline® fluid cartridges (sold separately)
- Device must be mounted on a wall or other suitable vertical surface
- Comes complete with product registration card, operating manual, metal hanging bracket for installation and an emergency eye wash sign
- SEI certified to meet ANSI standard Z358.1-2009

Order No.	Mfg. No.	Description	Wt. lbs.
SD552	32-001000-0000	Eyewash Station (English Instructions)	40
SAJ678	32-001000-0022	Eyewash Station (French Instructions)	40
SD553	32-001050-0000	Fluid Cartridges, 2/pkg	70



PORTA-STREAM® II EYEWASH STATIONS

- Versatile portability and 15-minutes of uninterrupted flushing - without costly plumbing
- Simple installation and operation
- Features a nozzle strap that is easily removed to activate flushing, leaving hands free to hold eyelids open
- Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or universal stand
- Molded handle accepts hanging bracket for vertical or horizontal surface installation
- Versatile flushing fluid options include Eyesaline® a preserved, buffered, saline solution superior to tap water for emergency eye care and water additive
- Large 16-gallon (60.5 L) capacity
- SEI certified to meet ANSI standard Z358.1-2009

Honeywell





Order	Mfg.		Wt.
No.	No.	Description	lbs.
SEK529	32-000200-0000	Porta-Stream® II, Trilingual	36
SA408	32-000509-0000	Eyesaline® Concentrate, 70 oz., Eng/Fr	5.3
SA411	32-000513-0000	Eyesaline® Concentrate, 180 oz. (For Porta-Stream® II, III)	13
SAJ677	32-001100-0022	Water Preservative, 4 - 8 oz. Bottles	-
SA426	32-000102-0000	Replacement Pull-Strap, (Fits Porta-Stream® I, II, III)	1
SEL253	32-000517-0020	Dust Cover for Porta-Stream [®] I, II	2

PORTA-STREAM® FLUID DISPOSAL CARTS

- Portable, self-contained eyewash stations provide flexible, emergency eyewash capability in economical systems
- Lightweight, portable units don't require plumbing
- Heavy-duty, polyethylene, wheeled disposal cart
- Provides a convenient mean to transport waste solution to the nearest disposal site
- Can be used to catch fluid when testing plumbed emergency eyewash and showers that do not have drain
- Capacity: 23.5 gallons
- 3.94" diameter hole

Order No. SE137 Mfg. No. 32-000511-0000 Honeywell



10-GALLON PORTABLE/PRESSURISED EYEWASH STATIONS

- Stainless steel pressure tanks include tire filler valve with 0-100 PSI air gauge, pressure relief valve to prevent over pressurization and built-in carry handles for easy transportation
- Eyewash assembly includes twin eyewash heads with a flow control and pop-off dust covers
- Eyewash activated by a large stainless steel push handle with stay-open ball valve
- 8' drench hose with hand-held squeeze valve
- Optional 4-wheel, stainless steel cart
- SEI Certified to ANSI Z358.1-2009

10-GALLON UNIT:

- Eyewash flow: Minimum 15-minute water flow
- Drench hose flow: 3 1/2-minute water flow

15-GALLON UNIT:

- Eyewash flow:
 Minimum 22-minute water flow
- Drench hose flow:5-minute water flow

HEATED UNITS:

- 510 watt heater
- Maintain average water temperature at 75°F (24°C)
- Secondary thermostat prevents overheating
- UL-listed components
- Plug into 120-volt AC line, GFCI recommended





Order No.	Mfg. No.	Description	Wt. Ibs.
SAK628	S19-690	10 Gallons	30
SAK629*	S19-690H	10 Gallons w/Heater Jacket	31
SAK630	S19-788	15 Gallons	35
SAK631*	S19-788H	15 Gallons w/Heater Jacket	36
SAK632	S19-690A	Transport Cart	12
SAK613	S19-865	Water Preservative (4-8 oz)	3

^{*} Eyewash only, no drench hose



PORTABLE PRESSURISED EYEWASH STATIONS

- ASME rated stainless steel tank
- Pressure fed to supply a continuous flow of water for 15 minutes at 0.4 GPM
- Safety features include an air pressure gauge, pressure relief valve, and a tire-type air fill valve
- Optional sterile bacteriostatic additive, which permits storage of the water for up to three months
- Includes a 6" hose to extend body-spray reach
 Continue to CCA to react the
- Certified by CSA to meet the ANSI standard Z358.1-2009



SEB249



Order No.	Mfg. No.	Description
SEB248	7601.10.2	13-Gal. Eyewash Station
SEB249	7601.37	37-Gal. Eyewash Station



Supplemental Eyewash includes bottled eyewash and other devices that do not meet 15-minute drench criteria. These supplemental solutions are designed to treat nuisance hazards and/or as an initial first aid to injured workers during the path to certified eyewash, but they do not meet the 15 minute drench criteria of the ANSI standard Z358.1-2009. Bottled eyewash is designed to be positioned close to the point of need. Acceptable for immediate first-aid, bottled eyewash should support, but not substitute, a primary eyewash or shower unit.

SALINE EYEWASH BOTTLES

- Contains a buffered saline solution that is sterile and superior to tap water for emergency eye care
- Blow-Fill-Seal (BFS) bottle is tamper resistant, and maintains the sterility and integrity of the eyewash
- Easy to remove and open in emergency situations
- 1, 4, and 8 oz. bottles have user controlled delivery, delivering drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle
- Trilingual instructions (English, French and Spanish)

 Does not meet ANSI standard Z358.1-2009 15-minute flushing requirement



Honeywell

Order No.	Mfg. No.	Cap. Oz.	
SEC467	32-000451-0000	1	
SEC468	32-000452-0000	4	
SEC469	32-000445-0000	8	
SEC470	32-000454-0000	16	
SEC471	32-000455-0000	32	

CEDERROTH EYEWASH BOTTLES

- Easy-to-use bottle with an ergonomic eye cup and a generous flow of fluid
- Opens using one easy twisting motion
- Integral dust cover keeps the eye cup clean and acts as an opening device
- Buffered eye wash solution has a neutralising effect on splashes from acids or alkalis
- Does not meet ANSI standard 2358.1-2009 15-minute flushing requirement





Order	Mfg.	
No.	No.	Description
SAY472	04100	235 ml Bottle
SAY473	04101	Holster for SAY472
SAY474	04102	500 ml Bottle
SAY475	04103	Wall bracket for SAY474
SAY476	04104	Strap for wall bracket SAY475
SEB188	04106	Portable Wall Case, Five 500 ml Bottles
SEB189	04107	Wall Bracket for SEB188

SALINE EYEWASH WALL STATIONS

- Holds bottle firmly in place while allowing easy access in an emergency
- Mounts to wall with provided screws
- Integral overhand protects bottles from dust and debris
- Durable plastic is easy to clean
- Simple, highly visible operating instructions are provided on each unit
- Bottle contains a buffered saline solution that is sterile and superior to tap water for emergency eye care

 Diversity Contains the second of the s
- Blow-Fill-Seal (BFS) bottle is tamper resistant, and maintains the sterility and integrity of the eyewash
- Delivers drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle
- Trilingual instructions
- (English, French and Spanish)
 Does not meet
 ANSI standard 7358 1-2009
- Does not meet
 ANSI standard Z358.1-2009
 15-minute flushing requirement



SEC473

SEC472



Honeywell

Order No.	Mfg. No.	Station Type	Bottle Cap. Oz.
SEC472	32-000460-0000	Single	16
SEC473	32-000465-0000	Double	16
SEC474	32-000461-0000	Single	32
SEC475	32-000462-0000	Double	32

CEDERROTH HEATED EYEWASH CABINETS

- Wall-mountable heated cabinet for use in cold environments
- Manufactured from expanded polypropylene
- Keeps solution at 20°C (when surroundings are as low as -20°C)
- Holds two bottles of eyewash solution (SAY474, sold separately)
- For mobile or stationary work sites
- Includes a 2 m cord for use with a 12 V or 24 V automobile auxiliary power outlet
- Automatically switches off if voltage drops below a certain lowest limit to prevent battery drain
- Optional wall plug/power converter available (sold separately)



SEJ550

Order No.	Mfg. No.	Description
SEJ550	04120	Heated Eyewash Cabinet
SEJ551	04121	Wall Plug/Power Converter

PORTA-STREAM® I EYEWASH STATIONS

- · Delivers 6 minutes of flushing fluid
- Easy installation with no plumbing required
- Single bracket mounting device included
- One-piece, molded construction with no moving parts
- · Large hole simplifies refilling and cleaning
- Features simple, highly visible instructions on the unit itself
- Does not meet ANSI standard Z358.1-2009 15-minute flushing requirement

Order No.	Mfg. No.	Description	Wt.
IVO.	INU.	Describrion	105.
SA425	32-000100-0000	Porta-Stream® I - 6 Gal., 6 Min. Flush (Trilingual)	19
SA408	32-000509-0000	Eyesaline® Concentrate, 70 oz. (For Porta-Stream® I)	5
SAJ677	32-001100-0022	Water Preservative, 4 - 8 oz. Bottles	-
SA426	32-000102-0000	Replacement Pull-Strap, (Fits Porta-Stream® I, II, III)	1



SA408

FLASH FLOOD® EYEWASH STATIONS

- Delivers 3 minutes of flushing fluid
- One-gallon sealed cartridges are easy to store and offer quick changes without mixing or measuring
- Easily wall or table mounted
- Features simple, highly visible instructions on the unit itself
- Does not meet ANSI standard Z358.1-2009 15-minute flushing requirement

Order No.	Mfg. No.	Description	Wt. Ibs.
SA419	32-000400-0000	Flash Flood Eyewash Station (English Instructions)	14
SAM657	32-000400-0022	Flash Flood Eyewash Station (French Instructions)	14
SA403	32-000401-0000	Eyesaline® 1 Gal. Refill (4/Pkg.) (English Instructions)	36
SAM658	32-000401-0022	Eyesaline® 1 Gal. Refill (4/Pkg.) (French Instructions)	36
SA420	32-000402-0000	Wire Rack for Cartridges	3
SA421	32-000403-0000	Replacement Pull Strap	1



NEUTRALISER™ EYEWASH & FACE-RINSE

- Provides immediate first aid and neutralized chemical burns
- Ingredients neutralize acids and alkalis better than standard saline solution
- Responds to all accidents with one "all risks" formula, which includes antiseptics to prevent infection
- Quick rinse design 1/4 twist to open
- Bottle pods allow you to locate the solution close to the potential risk

Order	Mfg.	
No.	No.	Description
SEI502	80-1600-1	947 ml Neutraliser™ Solution
SEI503	80-1600-2	474 ml Neutraliser™ Solution
SEI504	80-1600-1BN	947 ml BottlePod™ w/Neutraliser™ Sign
SEI505	80-1600-2BN	474 ml BottlePod™ w/Neutraliser™ Sign



Honeywell





EYEWASH STATIONS

- Recommended for use in workplaces, industry, laboratories, schools, garages and food processing plants
- Acrylic mirror to assist the user
- Wall mountable
- Does not meet ANSI standard Z358.1-2009 15-minute flushing requirement



SAY483

Mfg.	
No.	Description
04074	Plastic Station w/One 946 ml Empty Eyewash Bottle
01490	Metal Station w/One 946 ml Empty Eyewash Bottle
04066	Plastic Station w/One 1 L Eyewash Solution
04068	Metal Station w/One 1 L Eyewash Solution
04757	Plastic Station w/Two 946 ml Empty Eyewash Bottle
04067	Plastic Station w/Two 1 L Eyewash Solution
IENT EMPTY EY	YEWASH BOTTLES
04700	Empty 473 ml Bottle w/Eyecup
04099	Empty 946 ml Bottle w/Eyecup
	No. 04074 01490 04066 04068 04757 04067 IENT EMPTY EV

EYEWASH BOTTLES

STERILE

- Ready-to-use solution for eye irrigation
- Cleanses the eye to help relieve irritation, discomfort, burning, stinging, smarting or itching by removing loose, foreign material, air pollutants (smog or pollen) or chlorinated



Order No.	Mfg. No.	Size	
SAY477	04076	500 ml	
SAY478	04077	1 L	
SAY479	04078	4 L	

SIGNS:

Accessories and Service Parts provide enhanced emergency shower and eyewash installation and include: drench hoses, alarm systems, matting,, shower testers, spray pattern gauges, modesty curtains, and signage. There are a wide variety of accessories and service parts available. If you can't find what you're looking for here, please contact us and we'll be glad to find what you're looking for.

EYEWASH STATION SIGNS

- Make sure your emergency eyewash and shower stations are well identified in accordance with ANSI standard Z358.1-2009
- Conveniently available in several material choices to meet your needs:
- 4-mil thick moisture resistant adhesive vinyl with permanent acrylic adhesive is perfect for light-duty applications
- 0.055" thick semi-flexible plastic with UV inhibitors is ideal for indoor and sheltered outdoor applications
- 0.040" thick aluminum with 2-mil UV polyester over-laminate film has superior abrasion and chemical resistance and is ideal for indoor and outdoor applications

	7" X 10"		10" X 14"	
	English Order No.	•		French Order No.
Adhesive Vinyl	SAU145	SP603	SAU148	SP604
Plastic	SAU146	SP601	SAU149	SP602
Aluminum	SAI 1147	SP599	SALI150	SP600





PROJECTION™ SIGNS

- 0.10" thick high-impact plastic
- 3D signs, projecting 45° from the wall, provide optimum viewing from front and sides
- 90D signs, projecting 90° from the wall, are viewed from either side
- · Includes mounting holes and hardware





Order		Panel	Overall
No.	Description	Dimensions	Dimensions
ENGLISH			
SAW431	3D	6" x 5"	6" x 8 1/2" x 4"
SAW432	90D	8" x 8"	8" x 8" x 1 1/2"
FRENCH			
SED962	3D	6" x 5"	6" x 8 1/2" x 4"
SED963	90D	8" x 8"	8" x 8" x 1 1/2"

EMERGENCY SHOWER STATION MATS F.I.T.™ KITS NO. 546

- Simple and compact emergency eyewash and shower mats kits
- · Easy to assemble, no cutting or tools required
- Patented LockSafe® connections simply snap together and zip apart
- Green is recommended for eyewash stations and red for shower stations
- Highly visible mats designate the location of emergency stations
- · Created for high visibility per ANSI recommendations
- · Elevates user above hazardous overflow
- Conforms to ANSI Z535.1-1998 standard
- Available in two sizes
- 5/8" thick
- Contents:
 - 6 Tiles
- 2 Male Corner Ramps
- 1 Male Ramp w/o Tab
- 2 Male Ramps w/Tab
- 2 Female Ramps





WEARWELL'

Order	Dimensions		ons	
No.	W"	X	L"	Colours
SEG993	27	х	30	Green w/Yellow Border
SEG994	27	Х	30	Red w/Yellow Border
SEG995	27	Х	42	Green w/Yellow Border
SEG996	27	Х	42	Red w/Yellow Border

DRENCH SHOWER TESTERS

- Heavy-duty tester provides a convenient way to comply with ANSI specifications for weekly testing on all drench showers - without getting wet
- 84" long, watertight chemcal resistant Tyvek® funnel with weighted bottom directs water to a drain or bucket
- 8" telescoping aluminum handle

Order No. SC338 Mfg. No. S19-330ST





PRIVACY CURTAINS

- Double-laminated, chemical-resistant Tyvek®
- Durable construction with top and bottom reinforcements
- Highly visible yellow color
- · Stainless steel curtain rail and mounting brackets included
- Dimensions: 70" L x 145" W

Order No. SAQ295 Mfg. No. S19-330





OCCUPATIONAL HEALTH AND SAFETY REGULATION FIRST AID KITS

Occupational first aid kits meet regulations required by federal, provincial and territorial jurisdictions. For more information regarding federal and provincial first aid regulations, please visit the websites listed on the following pages. Regulations change on a continuing basis. Requirements vary from jurisdiction to jurisdiction and are dependent on a number of factors including (but not limited to):

SAFE CROSS

- Maximum number of employees at the work site (or per shift)
- Location of the place of employment/industry
- Type of industry and potential hazards
- Proximity or travel time to a medical facility

FEDERAL REGULATION FIRST AID KITS

Common federal employers include the following interprovincial and international industries:

- Banks
- · Railways, highway and air transport
- Ferries, tunnels, bridges and canals
- Telephone and telegraph systems
- Pipelines
- · Radio and television broadcasting and cable systems
- Shipping and shipping services
- Employment in the operation of ships, trains and aircraft
- Licensed grain elevators, and certain feed mills and feed warehouses, flour mills and grain seed clearing warehouses, flour mills and grain seed clearing plants
- Federal public service and persons employed by the public service and Crown corporation and agencies
- Indian reserves
- Exploration and development of petroleum on lands subject to federal jurisdiction



http://laws.justice.gc.ca/eng/SOR-86-304

Order	Mfg.	
No.	No.	Container Type
TYPE A, 2 - 5	WORKERS (ANY ON	IETIME)
SAY106	51200	10-unit Plastic
SAY107	51203	10-unit Metal
SAY108	51212	Refill
TYPE B, 6 - 19	WORKERS (ANY O	NETIME)
SAY109	51231	24-unit Plastic
SAY110	51234	24-unit Metal
SAY111	51242	Refill
TYPE C, 20 -	199 WORKERS (ANY	ONE TIME)
SAY112	51260	# 2 Plastic
SAY113	51263	# 2 Metal
SAY114	51272	Refill
TYPE D		
SAY115	51290B	Medium Promo Plastic









PROVINCIAL REGULATION KITS

BRITISH COLUMBIA FIRST AID KITS - www.worksafebc.com

DITITION COLON	IDIA I IIIO I AID I	NITO WWW.WOIRSUICEO.COIII
Order No.	Mfg. No.	Container Type
PERSONAL		
SAY116	50000B	Small Promo Plastic
BASIC		
SAY117	50006	36-unit Plastic
SAY118	50009	36-unit Metal
SAY119	50021	Refill
SAY120	50018B	Soft Pack Briefcase
LEVEL 1		
SAY121	50026	# 2 Plastic
SAY122	50024	# 2 Metal
SAY123	50027	Refill
LEVEL 2 & LEVE	EL 3	
SAY125	50032	# 2 Plastic
SAY126	50030	# 2 Metal
SAY127	50036	Refill







ALBERTA FIRST AID KITS - www.gov.ab.ca

Order	Mfg.	
No.	No.	Container Type
TYPE P		
SAY131	50154B	Soft Pack Belt Pouch Small
NO. 1		
SAY132	50100	16-unit Plastic with Gasket
SAY133	50103	16-unit Metal
SAY134	50112	Refill
NO. 2		
SAY135	50124	36-unit Plastic with Gasket
SAY136	50127	36-unit Metal
SAY137	50136	Refill
NO. 3		
SAY138	50140	#2 Plastic with Gasket
SAY139	50139	#2 Metal
SAY140	50148	Refill





SASKATCHEWAN FIRST AID KITS - www.labour.gov.sk.ca

Order	Mfg.	
No.	No.	Container Type
1 - 9 WORKER	S	
SAY141	50200	24-unit Plastic
SAY142	50203	24-unit Metal
SAY143	50212	Refill
10 - 40 WORKI	ERS	
SAY144	50215	36-unit Plastic
SAY145	50218	36-unit Metal
SAY146	50227	Refill
40+ WORKERS	3	
SAY147	50228	36-unit Plastic
SAY148	50229	36-unit Metal
SAY149	50233	Refill








PROVINCIAL REGULATION KITS (CONT'D)

MANITOBA FIRST AID KITS - www.gov.mb.ca/labour			
Order	Mfg.		
No.	No.	Container Type	
PERSONAL			
SEJ355	50320	10-unit Plastic	
SEJ356	50322	10-unit Metal	
25 WORKERS			
SAY150	50303	24-unit Plastic	
SAY151	50306	24-unit Metal	
SAY152	50318	Refill	



ONTARIO DELUXE FIRST AID KITS -

Order	Mfg.		
No.	No.	Container Type	
SEC. 8 DELU	XE, 1 - 5 WORKERS	3	
SAY162	50410	10-unit Plastic	
SAY163	50412	10-unit Metal	
SAY164	50418	Refill	
SEC. 9 DELU	XE, 6 - 15 WORKEF	RS	
SAY165	50438	36-unit Plastic	
SAY166	50440	36-unit Metal	
SAY167	50446	Refill	
SEC. 10 DELU	JXE, 16 - 199 WOR	KERS	
SAY168	50455	# 2 Plastic	
SAY169	50454	# 2 Metal	
SAY170	50458	Refill	

QUEBEC FIRST AID KITS - www.csst.qc.ca

50775

QOLDEO I III	OI AID KITO	**************************************	
Order No.	Mfg. No.	Container Type	
SEC. 4			
SAY174	50500	36-unit Plastic	
SAY175	50503	36-unit Metal	
SAY176	50512	Refill	
SEC. 5			
SAY171	50515	10-unit Plastic	
SAY172	50518	10-unit Metal	
SAY173	50527	Refill	

NEW BRUNSWICK FIRST AID KITS - www.worksafenb.ca		
Order	Mfg.	
No.	No.	Container Type
PERSONAL		
SAY177	50736	10-unit Plastic
SAY178	50745B	Small Soft Pack Belt Pouch
STANDARD		
SAY179	50754	36-unit Plastic
SAY180	50757	36-unit Metal

Refill





SAFE CROSS

















SAY181

PROVINCIAL REGULATION KITS (CONT'D)

NOVA SCOTIA	FIRST AID KITS - \	www.gov.ns.ca	
Order	Mfg.		
No.	No.	Container Type	
1 WORKER			
SAY182	50600	10-unit Plastic	
SAY183	50603	10-unit Metal	
SAY184	50612	Refill	
NO. 2, 2 - 19 W	ORKERS		
SAY185	50615	16-unit Plastic	
SAY186	50618	16-unit Metal	
SAY187	50627	Refill	
NO. 3, 20 - 49 V	VORKERS		
SAY188	50630	24-unit Plastic	
SAY189	50633	24-unit Metal	
SAY190	50645	Refill	
NO. 3 PLUS, 50	- 99 WORKERS		
SAY191	50649	# 2 Plastic	
SAY192	50648	# 2 Metal	
SAY193	50651	Refill	







SAY182



SAY192

PRINCE EDWARD ISLAND FIRST AID KITS - www.wcb.pe.ca

Order	Mfg.	
No.	No.	Container Type
NO.1, 1 EMPLO	OYEE	
SAY194	50900	10 unit Plastic
SAY195	50903	10 unit Metal with Gasket
SAY196	50912	Refill
NO. 2, 2-19 EN	IPLOYEES	
SAY197	50915	16 unit Plastic
SAY198	50918	16 unit Metal with Gasket
SAY199	50927	Refill
NO. 3, 20+ EM	PLOYEES	
SAY200	50930	24 unit, Plastic
SAY201	50933	24 unit, Metal with Gasket
SAY202	50942	Refill



SAY201



Order No.	Mfg. No.	Container Type	
POCKET			
SAY203	50848B	Medium Promo Plastic	
NO. 1, 1 WORKER	₹		
SAY204	50800	10-unit Plastic	
SAY205	50803	10-unit Metal	
SAY206	50812	Refill	
NO. 2, 2 - 14 WO	RKERS		
SAY207	50815	16-unit Plastic	
SAY208	50818	16-unit Metal	
SAY209	50827	Refill	
NO. 3, 15 - 199 W	ORKERS		
SAY210	50830	24-unit Plastic	
SAY211	50833	24-unit Metal	
SAY212	50845	Refill	





PROVINCIAL REGULATION KITS (CONT'D)

NORTHWEST TERRITORIES & NUNAVUT FIRST AID KITS

- www.gov.nt.ca

Order	Mfg.	
No.	No.	Container Type
NO. 1		
SAY213	51100	24-unit Plastic
SAY214	51103	24-unit Metal
SAY215	51115	Refill
NO. 2		
SAY216	51119	# 2 Plastic
SAY217	51118	# 2 Metal
SAY218	51121	Refill
NO. 3		
SAY219	51124	# 6 Metal Cabinet
SAY220	51127	Refill









Order	Mfg.		
No.	No.	Container Type	
PERSONAL			
SEJ538	51301B	Belt Pack	
LEVEL 1			
SAY221	51300	16-unit Plastic	
SAY222	51303	16-unit Metal	
SAY223	51312	Refill	
LEVEL 2			
SAY224	51315	36-unit Plastic	
SAY225	51318	36-unit Metal	
SAY226	51327	Refill	
LEVEL 3			
SAY227	51330	#2 Plastic	
SAY228	51333	#2 Metal	
SAY229	51342	Refill	



SAY255



PLASTIC FIRST AID KIT CONTAINERS

- Manufactured from high-quality, lightweight polypropylene
- Weather and water-resistant
- Will not rust or corrode
- Wall-mountable
- Dimensions: 14 1/4" W x 3 1/8" D x 9 3/4" H

Order No. SAY252 Mfg. No. 01552

METAL FIRST AID KIT CONTAINERS

- Manufactured from high-quality steel with a white enamel finish
- Withstands cold conditions
- Complete with carrying handle
- Wall-mountable
- Some models include a gasket to protect contents from moisture, dust, and dirt

Order	Mfg.	Dimensions					Gasket
No.	No.	W"	х	D"	х	H"	Included
SAY253	01477	9 1/2	х	2 9/16	х	9 1/2	Yes
SAY254	01030	14	Х	2 9/16	Х	9 1/2	Yes
SAY255	01031	15 3/4	х	4 5/16	Х	12 3/8	No

MEDICINE-STYLE CABINETS

- Manufactured from high-quality steel with a baked-on white enamel finish
- Fixed shelves provide ample space to store a complete line of first aid products
- SAY257 includes windowed door and lock with 2 keys
- Wall-mountable

Order No.	Mfg. No.	W"	х	D"	х	H"	Description
SAY256	01034	14 1/2	Х	6 3/8	Х	18 5/16	No. 6 Cabinet
SAY257	01798	18	Χ	8	Х	27	No. 7 Cabinet



SAY256



SAY257

MULTIPURPOSE FIRST AID KITS

- Contains items for treating both small and large wounds
- Ideal for motor vehicles, boats, recreational vehicles, cottages and homes

Order No. SAY233 Mfg. No. 01363





SAY233

BELT POUCH FIRST AID KITS

- Contains supplies to treat the most common incidents/ accidents that may occur during an outdoor trip or vacation
- Compact, portable, slim design, water-resistant nylon bag features sturdy double belt loops
- Ideal for outdoor activities and cyclists

Order No. SAY232 Mfg. No. 01350



PROMOTIONAL FIRST AID KITS

- For vehicle, personal, sporting, vacation and recreational needs
- Ideal for promotional and incentive programs, employee gifts, fundraising and awards

Order	Mfg.	
No.	No.	Description
SEE503	01367	Promo "A" Vinyl Wallet
SAY230	01368	Promo "B" Small Plastic Box
SAY231	01369	Promo "C" Medium Plastic Box



RECTANGLE FIRST AID KITS

- General-purpose first aid kits for personal and recreational use
- Suitable for outdoor activities, vacations, family outings, motor vehicles, cottages and homes

Order No. SAY234 Mfg. No. 01341



BRIEFCASE FIRST AID KITS

- Includes insect bite treatment, waterless hand cleaner, eye pads and wipes, CPR protective device, rescue foil blanket, purified drinking water, burn care and an assortment of bandages and dressings
- Ideal for motor vehicles, boats, recreational vehicles, cottages and homes

Order No. SAY235 Mfg. No. 01375



ADVENTURE FIRST AID KITS

- Ideal for treating minor injuries that may occur during an outdoor adventure
- Contains supplies for blister care and prevention, as well as items to treat insect bites, cuts and scrapes

Order No. SAY236 Mfg. No. 01338



HIKERS' FIRST AID KITS

- Ideal for hiking and cycling outings, as well as general outdoor use
- Contains supplies to treat small and large wounds as well as insect bites

Order No. SAY237 Mfg. No. 01372



SPORTS FIRST AID KITS

- Comprehensive first aid kit ideal for on-site treatment of sport-related injuries
- Contains a full assortment of practical, single-use, disposable products to treat injuries in a sanitary way
- Ideal for sport events and sport teams also recommended for playground activities

Order No. SAY238 Mfg. No. 01376





SAY238

ATHLETIC FIRST AID KITS

- Ideal for track events and team sports such as baseball, football, hockey, basketball, volleyball and soccer
- · Also recommended for playground activities
- Durable, weather and water-resistant utility boxes come complete with convenient lift-out trays, recessed carrying handles and metal securing latches

Order No. SAY239 Mfg. No. 01360



ONTARIO SPECIALTY KIT -TRUCK FIRST AID KIT

- General-purpose first aid kit designed for transport vehicles
- Contains supplies to treat small and large injuries.

Order No.	Mfg. No.	Container Type	
SAY240	01378	10-unit Plastic	
SAY241	01386	10-unit Metal	

CONTRACTORS' FIRST AID KITS

- General-purpose first aid kit designed for mobile contract workers
- Ideal for the construction industry including carpenters, plumbers, electricians, landscapers and general contractors

Order No. SAY242 Mfg. No. 01335

OFFICE STANDARD FIRST AID KITS

- · Ideal for treating injuries that may occur in an office setting
- Contains a full assortment of practical, single-use, disposable products to treat injuries in a sanitary way

Order No. SAY243 Mfg. No. 01361









WORKPLACE FIRST AID STATIONS

- Comprehensive first aid kit contains supplies for treating common injuries, wounds and burns
- Includes waterless hand cleaner, foil rescue blanket, CPR protective device, first aid and CPR reference guide, first aid ointment and spray, burn care; as well as an assortment of bandages, dressings and splints
- Deluxe first aid kit contains additional recommended supplies for treating common injuries, wounds and burns

Order No.	Mfg. No.	Description	
SAY244	01379	Standard	
SAY245	01391	Deluxe	



WELDERS' FIRST AID KITS

- For quick response to emergencies caused by flash burns and sparks from welding equipment
- Contains an assortment of products for immediate care and relief of pain to the skin and eye areas

Order No. SAY248 Mfg. No. 01250





S.O.S. DISTRESS FIRST AID KITS

- Contains an extensive assortment of first aid and emergency rescue supplies
- Ideal for motorist distress emergencies; also as a promotional item for employee incentive programs and gifts, fundraising, awards and golf tournaments

Order No. SAY249 Mfg. No. 01365



TRAUMA & CRISIS FIRST AID KITS

- Features a comprehensive assortment of first aid and emergency rescue supplies for quick response to minor and major medical emergencies
- Suitable for emergency rescue personnel, police, fire fighters, paramedics, first aiders, lifeguards, nurses and ski patrol personnel
- Deluxe kit contains all the features of the standard kit plus additional supplies to deal with more serious injuries

Order No.	Mfg. No.	Description
SAY250	01377	Standard in Nylon Bag
SAY251	01356	Deluxe in Nylon Bag







WATER JEL® EMERGENCY BURN KITS

- Response kits for rescue units, industry, contractors, restaurants, cafeterias, boats, schools and offices
- Contains an assortment of sterile burn dressings and Cool Jel
- Packaged in a wall-mountable plastic container with gasket



	0.41/

Order No.	Mfg. No.	Description	Container Type
SAY458	06641	Standard Kit I	10-Unit
SAY459	06639	Large Kit II	16-Unit





EMERGENCY BURNFREE® KITS

- Kit contains an assortment of Burnfree® gel, Burnfree® dressings and conform bandages
- Burnfree® products are for use on all burns
- The Burnfree® solution relieves pain by cooling the burn injury, stopping the burning process and minimizing the depth of the burn wound
- Burnfree® products are sterile, non-toxic, non-irritating, bacteriostatic and do not contain any fats or greases
- Burnfree® fire/trauma blanket (not included in kits) is an optional product to enhance the components of the Burnfree® burn kits

Order		
No.	Description	
SD858	10-unit Plastic Box	
SD859	16-unit Plastic Box	
SD866	72" x 60" Wool Blanket	
SD867	96" x 60" Wool Blanket	







TRAUMA BAGS

- Spacious interiors and side pockets keep contents organized and protected
- Front pockets include multiple easy-access pouches, pockets and elasticized loops for storage of supplies and instruments
- Plastic stabilizing feet keep the bag clean and dry

NYLON TRAUMA BAGS

- Constructed of lightweight, 420-denier, PVC-coated nylon with a waterproof backing
- · Bag features one large main compartment and four easy-access side/end pockets, sturdy reinforced carrying handles with fast-stick connector, detachable adjustable shoulder strap, single reflective strip for visibility and safety, plastic buckles, two-way zippers, replaceable bottom and a clear plastic pouch for identification tag
- · Ideal for rescuers, first aiders, health care and security personnel, schools, industry and motor vehicles
- · Suitable for outdoor activities and sporting events
- Dimensions: 19 1/2" W x 11 1/2" D x 13 1/4" H

Order No. SAY258 Mfg. No. 01444

HEAVY-DUTY TRAUMA BAGS

- · Constructed of heavy-duty, 1000-denier, urethane-coated, durable, water-repellent nylon
- Features sturdy reinforced carrying handles with fast-stick connector, detachable adjustable shoulder straps, heavy-duty metal buckles and two-way zippers
- Reinforced with impact-absorbing foam liners
- Double reflective strips for visibility and safety
- Ideal for rescuers, first aiders, police, fire fighters, ambulance attendants, health care and security personnel, schools, industry and motor vehicles

Order	Mfg.	Dimensions					
No.	No.	W " 2	X	D"	X	H"	
SAY259	01446	19 1/2	Х	11 1/2	Х	13 1/4	
SAY260	01445	26 1/2	Х	11	х	12 1/2	







FABRIC BANDAGES

- · High-quality cotton/rayon woven fabric bandages cushion wounds and offer protection against infection
- For minor cuts, scrapes, abrasions and burns
- Open-weave construction permits the skin to breathe for faster healing
- Strong adhesive allows the dressings to stick and stay in place
- Highly absorbent, non-adherent pads keep the wound clean and dry for faster healing
- Specially constructed knuckle and fingertip bandages permit maximum protection and flexibility
- Latex-free

Order	Mfg.		- 1	Dim		Quantity
No.	No.	Description	W"	X	L"	/Box
STANDARD	BANDAGES					
SAY261	03569	Heavyweight	7/8	х	1 1/2	50
SAY262	02122	Heavyweight	7/8	х	3	12
SAY263	03026	Heavyweight	7/8	х	3	100
SAY264	03029	Lightweight	7/8	Х	3	100
SAY265	03570	Heavyweight	1 1/2	х	1 1/2	50
SAY266	03533	Heavyweight	2	Х	3	12
SAY267	03035	Heavyweight	2	х	3	50
KNUCKLE E	BANDAGES					
SAY268	02123		1/2"	х	3	12
SAY269	03025		1/2"	Х	3	50
SAY270	03451		1/2"	Х	3	100
FINGERTIP	BANDAGES					
SAY271	02124		1 3/4	х	2	12
SAY272	03016		1 3/4	Х	2	50
SAY273	03454		1 3/4	х	2	100
SAY274	02125		1 3/4	Х	3	12
SAY275	03017		1 3/4	Х	3	50
SAY276	03455		1 3/4	х	3	100

WOUNDSEAL® TOPICAL POWDER

- A non-prescription topical powder that controls external bleeding
- Composed of a hydrophilic polymer and potassium ferrate
- Pour onto a bleeding wound and apply pressure to form an instant waterproof seal that stops bleeding and protects the wound
- · Falls off naturally as the wound heals

Order	Mfg.	B. 1	
No.	No.	Package Format	Applications
SEB214	06022	Pour Pack, 2/Pack	Easy to reach wounds
SEB215	06025	Applicator, 2/Pack	Nosebleeds, head wounds, and
			hard-to-reach wounds
SEB216	06028	Rapid Response Reclosable Bottle	Larger or multiple wounds







SAY267





SAY271



SAY272



SFR214 **SEB215**

PLASTIC BANDAGES

- High-quality plastic bandages promote healing and offer protection against infection
- For minor cuts, scrapes, abrasions and burns
- Strong adhesive allows the dressings to stick and stay in place
- Highly absorbent, non-adherent pads keep the wound clean and dry for faster healing
- Water-resistant
- Latex-free Sterile

Order	Mfg.	Dim.			Quantity
No.	No.	W"	X	L"	/Box
SAY282	02021	3/4	х	3	24
SAY283	03041	3/4	Х	3	100
SAY284	02203	1	х	3	25
SAY285	03040	1	Х	3	100



SAY285







SAY302

SAY303

SALVEQUICK® BANDAGE DISPENSING SYSTEMS

- Clear cover allows the user to view contents to ensure an adequate supply is available when needed
- Features an automatic locking system to ensure bandages are dispensed individually
- · Reduces consumption and theft of bandages
- Adhesive is exposed when bandage is removed from dispenser for immediate application
- Sturdy plastic panel easily mounts to wall
- Sterile

DISPENSERS

Order No.	Mfg. No.	Description
SAY302	03460	Assortment of 45 Sterile Plastic
CATOUL	00400	and 40 Sterile Fabric Bandages
SAY303	03461	Assortment of 70 Sterile Metal
		Detectable Plastic Bandages

REFILLS				
Order No.	Mfg. No.	Туре	Contains	Quantity /Box
SAY304	03462	Plastic	27 – 3/4" x 2 27/32" 18 – 1" x 2 27/32"	6
SAY305	03463	Fabric	24 – 3/4" x 2 27/32" 16 – 1" x 2 27/32"	6
SAY306	03464	Metal Detectable	21 – 3/4" x 2 27/32"	6



BUTTERFLY SKIN CLOSURES

 Waterproof dressings designed to hold wounds together, support sutures (stitches) and provide post-surgical support after the removal of sutures

Mfg.

No.

SAY284

• Sterile

Order

No.



Description



Quantity

/Box

SAY313

METAL DETECTABLE BANDAGES

- High-quality plastic and fabric metal detectable bandages cushion wounds and offer protection against infection
- For minor cuts, scrapes, abrasions and burns
- Bright blue colour and metallic content allow for misplaced or lost bandages to be easily detected and retrieved
- · Recommended for use in the food and restaurant industries
- Latex-free
- Sterile



Order	Mfg.		Dim.				
No.	No.	Colour	W"	X	L"	/Box	
SAY307	03197	Fabric	1	х	3	100	
SAY311	03358	Plastic	1	Х	3	100	
SAY310	03198	Fabric Knuckle	1 1/2	Х	3	50	
SAY309	03199	Fabric Fingertip	1 3/4	Х	3	50	
SAY308	03200	Fabric Patch	2	Χ	3	50	

SAY312 03674 Assorted (10 Med., 10 Lg.) 20 SAY313 03219 Medium, 3/8" x 1 3/4" 100 SAY314 03220 Large, 1/2" x 2 3/4" 100

STERI-STRIP™ REINFORCED SKIN CLOSURES

- Advanced skin closures, made of porous, non-woven rayon material, allow skin to breathe; reinforced with filaments to provide extra strength
- For use as a skin closure device for lacerations and surgical incisions
- For use with or without skin sutures (stitches)
- Provides additional support after the removal of sutures or staples

Sterile





Shed-Strip	344
Amples Section	1
Envelop	es

Order No.	Mfg. No.	Dim. W" x L"	Strips /Envelope	Envelopes /Box
SD935	R1540	1/8 x 3	5	50
SD937	R1541	1/4 x 3	3	50
SAY317	03486	Assorted	Assorted	19

COMPRESS (PRESSURE) BANDAGES

- Used to stop bleeding without the need for separate gauze pads and gauze bandage rolls
- Non-adherent pad will not disturb or stick to the wound
- Moisture-proof packaging resists water and ensures sterility
- Fast and easy to apply in emergency situations
- Compressed and vacuum-packed for maximum use of space in first aid kits
- Sterile





Order	Mfg.	Di	m		
No.	No.	W " 2	x	L"	Units
SAY365	02020	2	x	2	4/box
SAY367	02011	2 1/2	X	3 3/8	1/box
SAY369	02024	3 1/2	X	4 1/4	1/box
SAY371	02760	4 1/2	X	6	1/box

BANTEX® COHESIVE SAFETY TAPE

- · Resists perspiration, washing, soaking, bathing and immersion in soapy or detergent solutions; will not loosen, slip or distort when wet
- · Safe for sensitive skin; will not adhere to skin, hair or clothing
- · Medical uses: protects cuts, burns, sprains and other injuries; retains dressings and provides support for sprains, weak arches, ankles and wrists
- Industrial uses: protects fingers and hands from industrial hazards; improves the user's grip; protects delicate products from finger and hand contaminants

Order	Mfg.	Dim.			Qty
No.	No.	W"	x	L'	/Pack
SAY391	07271	3/4	х	90	16
SAY392	07799	1	Х	90	12

GAUZE BANDAGE ROLLS & PADS

- High-quality gauze made of 100% cotton
- · For wound dressing, treatment, and general cleansing
- · Individually wrapped in water-resistant, tamper-proof packaging





Order Mfg.			Dim		Quantity
No.	No.	W"	x	L'	/Box Î
ROLLS					
SAY324	02102	1	х	15	6
SAY326	02018	2	Х	15	4
SAY330	02022	4	Х	15	2
SAY333	02150	2	Х	30	1
SAY336	02152	4	Х	30	1
PADS					
SAY343	03186	2	х	2	25
SAY344	03143	2	Х	2	100
SAY345	03052	3	Х	3	25
SAY346	03085	3	Х	3	100
SAY347	02221	4	Х	4	25
SAY348	03222	4	Х	4	100

LARGE COMPRESS BANDAGES

SAFE CROSS

FIRST AID with

SAFE CROSS

FIRST **# AID** பக்

- Versatile, super-absorbent pressure dressing
- Features a non-adherent pad and stretch gauze tails
- 5 1/2" x 5 1/2" when used as a triple pad
- 15" x 5 1/2" when used fully expanded
- Sterile

Order No. SAY373


Mfa. No. 02567

COMPRESS BANDAGES WITH RUBBER ELASTIC TAILS

- · High-quality pressure dressing
- · Features rubber elastic tails for extra compression and a secure, comfortable fit
- Non-adherent triple pad construction provides extra absorbency and comfort
- Fastens securely with affixing clip (included)
- Pad measures 4" x 6"
- Sterile

Order No. SAY374 Mfg. No. 02727

ELASTIC SUPPORT COMPRESSION BANDAGES



- Additional uses include: post-cast support; dressing retention; control of swelling; and prevention of scuffs and bruising
- Complete with metal affixing clips
- Rolls are 4.5 m in length when stretched

Latex-free

SAFE CROSS FIRST AID with

Order	Mfg.		
No.	No.	Width"	Applications
SAY394	08048	2	Wrists, Feet
SAY395	08049	3	Elbows, Knees, Ankles, Lower Legs
SAY396	08050	4	Shoulders, Knees, Lower Legs
SAY397	08051	6	Chest, Shoulders

TRIANGULAR BANDAGES

- Made of 100% cotton
- · Complete with two safety pins
- Vacuum-packed for maximum use of space in first aid kits
- Dimensions: 40" x 40" x 56"

Order No. SAY375 Mfa. No. 02019



NEW-SKIN® LIQUID BANDAGE

- Antiseptic liquid bandage for use on minor wounds in place of bandages
- · Dries rapidly to form a tough protective cover
- Prevents and protects against blisters
- · Flexible and waterproof
- Allows the skin to breathe
- 285 g (1 oz.) aerosol

Order No. SAY322

Mfg. No. 03322



MICROPORE™ HYPOALLERGENIC SURGICAL TAPE

- · Lightweight, gentle, breathable hypoallergenic paper tape
- Excellent for repeated applications on sensitive skin, fragile skin
- Hold well on damp skin
- 1" x 10 yds
- 12 rolls/box

Order No. SD953 Mfg. No. 1530-1





BLENDERM™ WATERPROOF SURGICAL TAPE

- Transparent tape for protecting wounds from fluids and contaminants
- Waterproof transparent tape to allow for easier monitoring of wound condition
- Flexible for easy application on hard-to-tape areas
- Hypoallergenic
- Available in rolls of 5 yards
- 1" x 5 yds

Order No. SN767 Mfg. No. 1525-1





TRANSPORETM SURGICAL PLASTIC TAPE

- A strong, reliable plastic tape that's specially designed for holding thicker dressings and tubings in place
- Transparent to allow for easy monitoring of wound condition
- Perforated for easier, bi-directional tear
- Easy to handle while wearing gloves
- Hypoallergenic
- 1" x 10 yds
- 12 rolls per box

Order No. SN770 Mfg. No. 1527-1





LEUKOPLAST® WATERPROOF PLASTIC TAPE

- Versatile waterproof plastic tape
- · Constructed from thin, flesh-coloured PVC film
- · Ideal for securing and protecting dressings likely to be exposed to fluids and moisture
- · Specially designed for skin contact
- · Protects against water, oil and contaminants
- Dimensions: 1" x 10'
- · Latex-free

Order No. SAY390 Mfg. No. 03699

ADHESIVE TAPE REMOVER

- Quickly removes adhesive tape and residue
- · Non-irritating formula
- 100 ml bottle

Order No. SAY393 Mfg. No. 14883



WATERPROOF ADHESIVE TAPE

- High-tensile strength, vinyl-coated cloth with a zinc oxide adhesive backing
- Includes protective spool and shell
- SAY385 is triple cut: each roll contains three pre-cut widths: 1/2", 5/8", and 7/8"



Order	Mfg.	Dim.	
No.	No.	W" x L'	
SAY383	07045	1/2 x 15	5
SAY384	07037	1 x 15	;
SAY385	07392	Triple cut x 15	;

COBAN™ SELF-ADHERENT WRAPS

- Rubber-based, porous self-adhering wraps designed for compression, tension and support without clips, pins or tape
- Will not stick to skin or dressings
- · Lightweight and comfortable
- Can be cut to size
- Rolls are 4.6 m in length when stretched
- Applications: supporting strains and sprains; wrapping splints; holding and protecting primary and compression dressings



Order	Mfg.	
No.	No.	Width"
SN461	1581	1
SD907	1582	2
SD908	1583	3
SD909	1584	4

TENSOPLAST® FABRIC **ELASTIC TAPE**

- Flexible fabric tape made of extensible, comfortable, open-weave stretch fabric with a strong zinc oxide adhesive
- · Used for dressing retention, as well as a support for fractures and sports injuries
- Provides maximum flexibility, strong support and air circulation



Order	Mfg.		Dim.	
No.	No.	W"	X	L'
SAY402	03042	1	х	15
SAY403	03399	2	Х	15
SAY404	03400	3	Х	15

TENSOPLAST® ELASTIC ADHESIVE BANDAGES

- Porous adhesive support bandages made of cotton and rayon fabric
- Provides full non-slip support, firm compression and comfort with minimal stretch
- Uses include: prevention and treatment of strains, sprains, injured joints and dislocations: support bandage to keep wound dressings in place
- Adhesive permits evaporation even when the bandage is overlapped



Order No.	Mfg. No.	Width"	Length' (stretched)	
SAY405	03307	2	15	
SAY406	03308	3	15	
SAY407	03434	4	15	

TELFA™ "OUCHLESS" NON-ADHERENT DRESSINGS

- Used as a primary dressing over surgical incisions, lacerations and abrasions
- Will not disturb or stick to the wound
- Encourages air circulation and light fluid collection
- Sterile



Order	Mfg.		Dim	١.	Quantity	
No.	No.	W"	X	L"	/Box	
SAY359	03183	2	х	3	100	
SAY360	03184	3	х	4	100	
SAY488	03185	2	Х	3 3/4	50	

CURITY® EYE PADS

- Oval-shaped eye pads made of absorbent cotton filler and enclosed in a non-woven fine mesh gauze
- Suitable for eye injury care and medication application
- Individually wrapped in tamper-proof packaging
- Fifty 1 5/8" x 2 5/8" pads per box
- Sterile

Order No. SAY470 Mfg. No. 04273



SAFECROSS® ANTISEPTIC SKIN CLEANER

- Medicated antiseptic, antibacterial and antimicrobial cleanser
- Ideal for cuts, scratches, minor burns and insect bites
- Cleanses, disinfects and prevents infection
- Active ingredient: chlorhexidine gluconate 2% (weight by volume)

Order No.	Mfg. No.	Size
SAY417	06104	125 ml

ann. Nyt.

SAFE CROSS

FIRST AID LTD.

BENZALKONIUM CHLORIDE (BZK) ANTISEPTIC TOWELETTES

- · For cleansing skin and minor wounds
- Sting-free for sensitive skin areas
- Individually packaged in compact, single-use foil sachets
- Active ingredient: benzalkonium chloride 0.40%

Order No.	Mfg. No.	Quantity /Box
SAY432	02619	12
SAY433	06061	100



SURGITUBE® TUBULAR GAUZE BANDAGES

- Seamless knitted tubular cotton gauze bandages used to secure primary bandages
- Can be cut to any size and is applied with an applicator
- Complete with applicator for fingers and toes
- One 5/8" x 15' bandage per box

Order No. SAY361 Mfg. No. 31651

ISOPROPYL RUBBING ALCOHOL

 For use as an antiseptic cleanser and anti-bacterial agent

Order	Mfg.		
No.	No.	%USP	Size
SAY423	06270	70	500 ml
SAY425	06274	99	500 ml
SEJ345	06272	70	3.78 L
SEJ346	06273	99	3.78 L

SAY426



ALCOHOL ANTISEPTIC SWABS

- Non-woven pads saturated with isopropyl alcohol 70%
- Antiseptic and antimicrobial for minor wound care, injection and IV site preparation
- Individually packaged in compact, single-use foil sachets



Order No.	Mfg. No.	Quantity /Box
SAY429	06575	10
SAY430	06450	100
SAY431	06095	200

POLYSPORIN®

- Prevents infection and assists in the healing of minor cuts, nicks, scratches, scrapes and abrasions
- Soothing ointment forms a protective coating
- Non-stinging and odourless
- 15 g tube

De	Luc	000		Ma	af Au
Po	lys	UUI	in	40	
_			THE REAL PROPERTY.	90 -	

Order	Mfg.	
No.	No.	Description
SAY443	05257	Cream
SAY444	05253	Antibiotic Ointment
SAY445	05564	Triple Antibiotic Ointment

BACITIN ANTIBIOTIC OINTMENT

- Topical first aid antibiotic ointment helps prevent infection in minor cuts and burns
- · Contains bacitracin USP to kill infection-causing bacteria
- 15 g tube

Order No. SAY442

Mfg. No. 05262



DETTOL® ANTISEPTIC

- Antiseptic and antibacterial solution for use on cuts, scratches, insect bites and blemishes
- Effective against a wide range of bacteria and germs that cause infection
- For general disinfection of first aid rooms, floors and furniture
- Prevents mildew
- 1 litre bottle

Order No. SAY420 Mfg. No. 06246



HYDROGEN PEROXIDE 3% USP

• Topical antiseptic for cuts, scratches and sores; also used for oral hygiene

Order No.	Mfg. No.	Size
SAY418	06271	100 ml
SAY419	06036	250 ml



WHITE PETROLEUM JELLY

 Provides relief from dry skin, minor burns, sunburns and chapped lips



Order No.	Mfg. No.	Description
SAY508	05274	460 ml (15.6 oz.) Tub
SAY509	05644	2.3 L (78 oz.) Pail
SEC455	05645	20 L (5.3 US Gallons) Pail

BLISTEX® LIP BALM (SPF 15)

- Prevents and heals dry, chapped and sun/wind burned lips
- UVA/UVB protection with a sun protective factor (SPF) of 15
- 4.25 g stick

Order No. SAY511 Mfg. No. 05112



TUMS® ANTACID

- Chewable tablets for fast relief of acid indigestion, heartburn and sour stomach caused by excess stomach acidity
- Bottle contains 100 tablets

Order No. SAY502 Mfg. No. 16384



EMESIS BAGS FOR MOTION DISCOMFORT

- Consists of a high-density polyethylene liner with a heat-sealed bottom
- Ideal for buses, airplanes and marine travel
- Complete with two attached ties for bag closure after use
- Designed for maximum leak-proof protection
- Dimensions: 4 1/2" x 8 1/2" x 2 1/2"

Order No. SAY630 *Mfg. No.* 14241



COTTON PRODUCTS

ABSORBENT BALLS

 General-purpose absorbent rayon balls

SAY377

pent rayon balls

COTTON TIPPED APPLICATORS

 High-quality cotton swabs for general medical applications





SAY378

Order	Mfg.	D	1	0
No.	No.	Description	Length"	Quantity
SAY377	20107	Cotton Balls	-	300/bag
SAY378	20139	Single-ended	3	100/pkg
SAY379	20140	Single-ended	6	100/pkg

CEPACOL® LOZENGES

- Antibacterial formula for fast, soothing relief of sore, dry throats and minor mouth irritations
- Contains 576 lozenges per box

Order No. SEH648 Mfg. No. 28602



ADVIL®

- Coated caplets for relief of headaches, fever, toothaches, backaches, menstrual cramps, arthritis, muscle and joint soreness
- Contains ibuprofen 200 mg
- Bottle contains 50 caplets

Order No. SAY497 Mfg. No. 09217





TYLENOL®

 For fast relief of headaches, arthritis pain, muscle aches and sprains, fever, menstrual cramps and aches and pains due to flu



Order No.	Mfg. No.	Description
SAY495	09080	Regular Strength, 100 x 325 mg
SAY496	09466	Extra Strength, 100 x 500 mg

MEDICINE CUPS

- Plastic construction; graduated with pressed lines and figures with metric and imperial measurements (ml, cc, oz, drams)
- Convenient, hygienic and economical
- Capacity: 30 ml/30 cc/1 oz/8 drams
- 100 cups per pack

Order No. SAY629 *Mfg. No.* 14415



SINGLE USE INSTANT COLD PACKS

- Ready-to-use and easy to activate for emergency use whenever cold therapy is required
- Reaches 0° C (32° F) within seconds





SAY516

SAY517

Order	Mfg.		Dim.	
No.	No.	Description	W" x L"	
SAY516	14190	Small, Packaged each	4 x 6	
SAY517	14189	Small, Packaged in a box	4 x 6	
SAY518	14130	Large, Packaged each	6 x 9	

SAFECROSS® SPLINTEROUT®

- Tri-bevel design enables the removal of splinters with minimal discomfort
- Compact and easy to store in any first aid kit
- Individually wrapped, single-use
- Stainless steel
- Sterile

Order No.	Mfg. No.	Quantity /Pack	
SAY541	19181	10	
SAY542	19182	20	



SURGICAL SCISSORS

- General-purpose scissors for cutting dressings, gauzes, tapes, bandages, dressing strips, metal and metal/foam splints
- Sharp/blunt tip
- 5 1/2" long, made of stainless steel

Order No. SAY533 Mfg. No. 19091



- Angled cutting blade and rounded blunt tip assist in the removal of dressings without disturbing the wound
- 5 1/2" long, made of stainless steel

Order No. SAY534 Mfg. No. 19161



INSTRUMENT KITS

- Complete kit contains the following items:
 1 - scissors;
 1 - splinter forceps;
- 12 assorted safety pins
 Order No. SAY544

Order No. SAY54 Mfg. No. 02695



REUSABLE COLD/HOT GEL PACKS

- Reusable gel packs for cold and hot therapy
- Can be placed in a freezer for cold treatment; or in hot water or microwave oven for fast heating
- Always stays flexible
- Non-toxic



Order	Mfg.		Dim	
No.	No.	W"	X	L"
SAY522	14535	4	х	6
SAY523	14281	5	х	10

INSTANT COLD PACKS W/SELF-ADHERING COMPRESSION WRAP

- Extra absorbent pad with adhesive strip to keep it in place
- Easy activation with new FTP[™] technology
- · Offers safer healing than ice
- Latex-free
- Size: Large

Order No. SEJ382 *Mfg. No.* 14138



SPLINTER FORCEPS

- Assists in the removal of splinters from the skin
- Ideal for general workplaces, wood shops, forestry industry, steel mills, homes, cottages and outdoor activities
- Stainless steel



Order No.	Mfg. No.	Description	Length"	
SAY537	19156	Fine-point forceps	4 1/2	
SAY538	19157	Feilchenfeld forceps	4 1/2	

TONGUE DEPRESSORS

- Uses include: assisting choking victims, splinting and throat examinations
- Packaged 100 per box



Mfg.	
No.	Description
14186	Junior, 5/8" x 5 1/2"
14184	Senior, 3/4" x 6"
	No. 14186

WATER JEL®

- · Provides cool and soothing temporary relief of pain, protects against contamination and stops burn progression
- · Lowers and stabilizes skin temperature; cools through transference, not evaporation, to reduce the risk of hypothermia
- Water-based, water-soluble gel is easy to remove and assists in the removal of burnt clothing
- Non-toxic and non-irritating
- · Unaffected by prior freezing, air travel and hot temperatures

WATER JEL® BURN DRESSINGS

 Individually wrapped non-woven dressings infused with Water Jel® will not stick to the wound



SAY451

SEJ381



63	BURN DRES
	STREET, E. SAIL BOARD
-	THE REAL PROPERTY.
	E E E
220	Married Street Co.
	908 8

Order	Mfg.		Size	
No.	No.	W"	x	L"
SAY451	06630	2	х	6
SAY452	06629	4	х	4
SAY453	06628	4	х	16
SAY454	06626	8	х	18
SAY455	06627	12	х	16
SF.I381	06632	8	x	20

WATER JEL® COOL JEL

 Pain relieving gel soothes burns, moisturizes and provides a protective barrier against contaminants and irritants



Order No.	Mfg. No.	Description
SAY456	06643	3.5 g Single Use Pouches (25/Box)
SAY457	06635	118 ml Squeeze Bottle

WATER JEL® FIRE BLANKETS

SAY461

 Multipurpose fire blanket made of 100% wool, saturated with Water Jel® gel

· Packaged in a high-density, water-resistant, polyethylene case

• Dimensions: 60" x 72"

Uses:

- Emergency burn victim care and fire protection
- To extinguish small fires
- To construct an escape route
- To shield and protect a rescuer from intense heat and flames

Order No. SAY460

Mfa. No. 06622

MOUNTING BRACKET

Order No. SAY461 Mfg. No. 06623



SAY460

SOLARCAINE® FIRST AID LIDOCAINE SPRAY

- Provides fast relief from pain associated with superficial wounds, minor burns, sunburn, windburn and itching
- . Contains aloe and vitamin E to soothe and rehydrate dry and chapped skin
- 115 g aerosol can

Order No. SAY437 Mfg. No. 06491



SAFE CROSS

FIRST AID 178

SAFECROSS® CALCIUM **GLUCONATE GEL**

- Antidote for hydrofluoric acid skin burns
- Heals and relieves pain
- Easy and painless to apply
- Creates no risk of increasing tension in the tissues
- Reduces the risk of hypocalcaemia
- · Compact; fits into first aid kits and pockets for fast response in an emergency
- 30 g tube

Order No. SAY447 Mfg. No. 06645



SPENCO® 2ND SKIN® MOIST BURN PADS

- Moist transparent pads saturated with sterile water
- · Provides a comfortable protective barrier to encourage healing of minor burns
- · Cools and soothes for temporary relief of pain
- Non-adherent dressings will not stick to the wound
- Sterile





Order	Mfg.	Dim.	Qty	
No.	No.	L" x W"	/Pkg.	
SAY448	05635	1 1/2 x 2	6	
SAY449	05636	2 x 3	4	
SAY450	05637	3 x 4	3	
SAZ539	05638	1 x 1	200	

BURNFREE® BURNGEL™

- Pain relieving gel is for use on all burns, but is especially designed for minor burns including sunburns
- · Burn dressings are constructed of a special, soft open-cell foam
- Non-adherent and will not shed threads, strands or fibres that could become embedded in a burn wound



SD862

Order	
No.	Description
SD862	1/8-oz. Sachet, 6/Box
SD863	1/8-oz. Sachet, 24/Box
SD864	4" x 4"
SD865	8" x 8"
SAJ502	12" x 12"

RESCUE BASKET STRETCHERS

- · Durable, steel basket stretcher for extrication procedures
- · Can be used with lifting bridle set, basket stretcher mattress, spinal backboard and restraint straps
- Dimensions: 26" x 80 1/2" x 8"
- Weight: 10.3 kg (22.7 lbs.)
- Capacity: 182 kg (400 lbs.)

Order No. SAY602

Mfg. No. 26610

BASKET STRETCHER BRIDLES

- · Heavy-duty bridle set complete with O-ring and extra-strength double-locking snaps made of forged steel
- Breaking strength: webbing: 4545 kg (10000 lbs.); double-locking snaps: 1136 kg (2500 lbs.) each; O-ring: 2272 kg (5000 lbs.)

Order No. SAY603

Mfg. No. 26611

BASKET STRETCHER MATTRESSES

- Vinyl-covered foam mattress provides added comfort to the victim
- Dimensions: 40.6 x 177.8 x 2.5 cm (16" x 70" x 1")

Order No. SAY604

Mfg. No. 26613

K.E.D.® (KENDRICK **EXTRICATION DEVICES)**

· Versatile means of immobilizing and extricating patients from auto accidents and confined spaces

· Immobilizes torso, head and neck enabling prompt removal while minimizing further injury

· Adaptable to the needs of children and pregnant women

Order No. SEE495

Mfg. No. 26465



QUICK RESTRAINT SYSTEM

- 10-point, 5-strap system
- Sturdy nylon straps are individually adjustable and colour-coded for quick and easy application
- Universal fit for both adults and children
- For use with spinal backboards

Order No. SAY600

Mfg. No. 26500

STRAPS WITH SWIVEL SPEED CLIPS

• Two-piece restraint straps made of 5.1 cm (2") nylon webbing with a quick-release push button buckle (automobile-type) and metal swivel speed clip

- · For use with spinal backboards with pins
- Length: 152.4 cm (5')

Order No. SAY599 Mfg. No. 26501



STRETCHERS & CABINETS

STRETCHERS

- Used to transport injured or ill individuals
- Constructed from lightweight aluminum • Durable, wear and stain-resistant

18 oz vinyl-coated nylon bed · Double-fold model folds lengthwise and widthwise for storage convenience, and includes

rubber hand grips for secure and comfortable carrying



STRETCHER CABINETS

- · Manufactured from high-quality steel with a white enamel finish and tension latches
- Printed with "STRETCHER" in English & French for quick identification
- Available for single or double-folding stretchers

Mfg.

26153

26718

No.

Wall-mountable

STRETCHERS SAY591

Order

SAY592

No.



Description Single-Fold Double-Fold

STRETCHER CABINETS

SAY593 26280 For Single-Fold Stretcher **SAY594** 26719 For Double-Fold Stretcher

PLASTIC BACKBOARDS W/PINS

- Lightweight, foam-filled polyethylene spinal backboard for easy patient transfer
- Compatible with most head immobilization devices
- Can be worn during x-ray procedures
- Suitable for water rescues
- · Includes heavy-duty pins for use with speed clip restraining straps
- Dimensions: 45.7 x 182.9 x 5.1 cm (18" x 72" x 2")
- Weight: 7.7 kg (17 lbs.)
- Capacity: 205 kg (450 lbs.)

Order No. SAY595

Mfg. No. 26458



- · Features a comprehensive sizing system and one-piece application for a perfect fit on patients ranging from neckless to tall
- Rigid one-piece construction does not require assembly
- Radiolucent, CT and MRI compatible
- Large Velcro® closures
- Adjusts to 16 different sizes between neckless and tall

Order No. SAY590 Mfg. No. 14970



MULTIPURPOSE SPEEDSPLINT™

 Fast and easy-to-apply splint for temporary immobilization of the arm, leg or foot

- Permits complete padding procedures for effective immobilization
- Can be worn during x-ray procedures
- Universal fit fits adults and children
- Compact, flat, easily stored and carried
 Constructed from lightweight,

high-visibility yellow plastic

• Dimensions (unassembled):

 Dimensions (unassembled 8 3/4" x 30 1/2" x 1/8"

Order No. SAY588 Mfg. No. 14352



SAY588

SPEEDSPLINT™ FEMORAL TRACTION KIT

- Fast and easy-to-apply splint for emergency use when temporary immobilization of the femur (upper leg/hip area) is required
- Effective for sea and heavy rain rescues - buoyant and features drain holes
- Permits complete padding procedures for effective immobilization
- Can be worn during x-ray procedures
- Universal fit fits patients up to 1.9 m (6' 4") and any thigh size
- Constructed from lightweight, high-visibility yellow plastic
- Dimensions (unassembled): 14 3/4" x 19 7/8" x 2 3/8"

Order No. SAY589 Mfg. No. 14713

SPLINT PADDING

 Soft padding used in conjunction with a splint to provide comfort for the injured body part
 Dimensional 4" x 8"

Dimensions: 4" x 8"

Order No. SAY585 Mfg. No. 02028



SAFE CROSS

FIRST AID un.

ALUMINUM WIRE SPLINTS

- Easily shaped to fit the required contour
- Can be cut with scissors
- One 3 7/8" x 12" unit per box

Order No. SAY584 Mfg. No. 02027



SAM® SPLINTS

- Foam-padded aluminum splints for immediate use in emergency situations
- Waterproof, flexible, malleable and reusable
- Easily secures to the body with the use of gauze or tape
- Radiolucent does not have to be removed for x-rays
- Can be rolled or folded to fit in emergency kits
- Dimensions: 4 1/4" x 36" x 3/16"

Order No. SAY586 Mfg. No. 14515



EMERGENCY RESUSCITATOR KITS

- Emergency resuscitator kit for fast response to emergency breathing situations
- Includes items to help reduce the risk of cross contamination and transference of viruses and bacteria between the victim and rescuer

 Packaged in a water-resistant plastic container, complete with carrying handle and wall-mounting apparatus

Order No. SAY572 Mfg. No. 01435

PERUSCHATOR NOT TROUSSE DE REANIMATION

SAFECROSS® CPR POCKET FACE MASK

- Reusable physical protection barrier to prevent the victim's breath and bodily fluids from reaching the rescuer
- Innovative construction includes a specially designed viral and bacterial filter for extra protection
- Features a soft inflated cuff for a leak-proof seal
- Includes an oxygen inlet for optional supplemental oxygen
- SAY571 reusable CPR face mask kit includes:
- Reusable CPR face mask
- One pair of vinyl gloves
- One antimicrobial hand towelette



SAFE CROSS

Order No.	Mfg. No.	Description
SAY569	17746	Reusable CPR Face Mask in Hard Case
SAY570	17747	Replacement One Way Valve
SAY571	17744	Reusable CPR Face Mask Kit

CPR PROTECTIVE DEVICES

- Single-use physical protection barrier to prevent the victim's breath and bodily fluids from reaching the rescuer
- Semi-transparent medical-grade PVC
- Innovative construction includes a specially designed viral and bacterial filter for extra protection

Order No. SAY567 Mfg. No. 17738

SAFE CROSS




SAFECROSS® CPR FACE SHIELDS

- Single-use physical protection barrier
- Helps reduce the risk of cross contamination and transference of viruses and bacteria between the victim and rescuer in situations where mouth-to-mouth assistance is required
- Includes a specially designed viral and bacterial filter for extra protection
- Also used as a CPR training aid to protect against cross contamination

Order No. SAY563 *Mfg. No.* 17745

SAFE CROSS



ROLLAWAY COTS WITH MATTRESS

- Heavy-duty rollaway cot constructed of a steel-frame. polypropylene deck and 2" swivel casters
- · Mattress is made of a high-quality, foam core with a cotton cover
- · Cots and mattresses are available in two widths
- Dimensions: length of cot and mattress: 74": height of cot (including casters and mattress): 16"

Order No.	Mfg. No.	Width"	Wt. lbs.
SAY617	26279	30	42.9
SAY618	26638	39	44.4

DISPOSABLE BEDDING

- Minimizes the risk of cross contamination and eliminates laundering expenses
- For use in patient/treatment rooms, health care facilities, and ambulances
- Embossed texture for softness and comfort

Examination Drape Sheets

- Soft, 2-ply drape sheets made of opaque tissue; provides strength and privacy for complete draping procedures
- · Embossed texture for softness and comfort

Pillow Cases

- Durable high-quality pillow cases feature plastic backing and sealed sides
- Water-resistant

Order No.	Mfg. No.	Description	Dim"	Qty/Pack
SAY620	22800	Drape Sheet	72 x 40	25
SAY622	26397	Pillow Case	29 x 21	25



PILLOWS

- Standard size pillow with a cotton covering and polyester fibre filling
- Non-allergenic

Order No. SAY621 Mfg. No. 26712

MATTRESS PROTECTORS

- · Contoured-fit vinyl mattress cover protects against fluids
- Waterproof and hypoallergenic
- · For use with rollaway cots and standard hospital mattresses

Order No. SDL040 Mfg. No. 26274

MULTIPURPOSE BLANKETS

• 30% wool/70% multi-blend fibre content (60" x 84")

Order No. SAY611 Mfg. No. 26156

PRIVACY SCREENS

- Features a lightweight aluminum frame, three hinged panels, white vinyl curtains and 5.1 cm (2") wheel casters
- · Curtains are flame-retardant and bacteriostatic
- Can be used folded or fully extended
- · Dimensions: extends from 68.6 cm (27") to 2 m (79"); overall height: 175.3 cm (69")
- Weight: 11.1 kg (24.4 lbs.)

Order No. SAY627 Mfg. No. 26160



BECTON-DICKINSON™ SHARPS CONTAINERS

- · For protection and proper disposal of syringes, scalpels and blades
- Strong and durable polypropylene construction
- · Point-first disposal with one way tamper-resistant entry and secure cap closure
- Protective recessed flanges to protect against tampering, touch contamination and needle "bounce back"
- Recommended for first aid rooms, hospitals, medical and dental offices and laboratories



SAY559



Order	Mfg.	安徽 4 1
No.	No.	Description
SAY558	14545	1.4 L capacity
SAY559	14547	5.1 L capacity
SAY560	14552	Wall Mountable Bracket for SAY559

WHEELCHAIRS

- Chrome-plated steel frame
- Fire-retardant leatherette upholstery
- · Sealed rear wheel bearings and mag-style rear and front wheels for durability and a smoother ride
- Carry-pouch
 Fixed arm rests
- Adjustable, fold-up foot-plates
- Overall width (open): 62.2 cm (24 1/2"); Width (folded): 27.9 cm (11"); Seat width: 45.7 cm (18")
- Weight: 19.4 kg (42.7 lbs.)

Order No. SAY628 Mfg. No. 26111

LITTMANN® CLASSIC II SE **STETHOSCOPES**

- Superior stethoscope with highly sensitive acoustics
- Compact and durable assembly
- Non-chill rims for patient comfort
- Includes an extra pair of soft-sealing ear tips

Order No. SAY615 Mfg. No. 27200





DIAGNOSTIC PENLIGHTS

- · Pocket-sized penlight with a focused beam and metal pocket clip
- Uses 2 AAA-cell batteries (included)

Order No. SAY632 Mfg. No. 14790

DISPOSABLE DIAGNOSTIC PENLIGHTS

- Pocket-sized penlight features a high-intensity focused beam
- Operated by applying pressure to the metal pocket clip

Order No. SAY631 Mfg. No. 14394

EMERGENCY BLANKETS

- Multipurpose emergency blanket with a waterresistant shell and soft inner tissue lining
- Compact, lightweight and portable
- High-visibility yellow
- Dimensions: 152.4 x 182.9 cm (60" x 72")

• Weight: 340 g (12 oz.)

Order No. SAY609 *Mfg. No.* 26710



RESCUE FOIL BLANKETS

- Multipurpose, emergency first aid blanket made of aluminized, non-stretch polyester
- Reflects body heat back to the user
- Stays flexible in freezing temperatures
- Lightweight and compact
- Windproof and waterproof
- Dimensions: 142.2 x 203.2 cm (56" x 80")
- Weight: 42.5 g (1.5 oz.)

Order No. SAY608 Mfg. No. 26297



ACCIDENT RECORD BOOKS

- For proper safety maintenance and regulatory compliance
- Records full details pertaining to accidents and workplace injuries
- Bilingual (English/French)



Order	Mfg.		
No.	No.	Description	
SAY530	14237	Kit Size, 30 Entries	
SAY531	14958	Large Size, 180 Entries	

MULTIPURPOSE BLANKETS

- 100% multi-blend fibre content (60" x 84")
- Soft, non-woven multipurpose blanket provides excellent insulation for injured patients or victims in shock
- Ideal for stretchers, first aid rooms, automobiles, cottages, camping and cold weather care

Order No. SAY610 Mfg. No. 26154

FIRST AID TREATMENT CHAIRS

- Provides maximum patient comfort and facilitates patient treatment
- Heavy-duty, 24.5-oz. Naugahyde® cover is easy to clean, antibacterial, mildew-resistant, oil-resistant, non-static and fire retardant
- Complete with an adjustable independent headrest, padded armrests and an adjustable basin ring
- For use with wash basin SAY547 (sold separately)
- Weight: 11.6 kg (25.5 lbs.)

Order No. SAY624 *Mfg. No.* 26666

BASINS

 Multipurpose basins for oral hygiene, patient sickness, patient treatment, and soaking
 SAY545



Order No.	Mfg. No.	Description
SAY545	12129	Emesis Basin, Plastic, 500 ml Capacity
SAY546	12428	Emesis Basin, Stainless Steel, 380 ml Capacity
SAY547	12483	Wash Basin, Stainless Steel, 3 L Capacity

RECOVERY COUCHES/MEDICAL BEDS WITH HEAD REST

• Includes a covered wedge bolster for added comfort

Heavy-duty, 24.5 oz Naugahyde® cover is easy to clean, antibacterial, mildew-resistant, oil-resistant, non-static and fire retardant
 Dimensions: 61 x 182.9 x 45.7 cm

• Dimensions: 61 x 182.9 x 49 (24" x 72" x 18")

 Weight: 32.7 kg (72 lbs.)

Order No. SAY619 Mfg. No. 26155



ST. JOHN AMBULANCE FIRST AID GUIDES

- Easy-to-use pocket guide and reference manual for first aid diagnosis and treatment
- Reference manual topics include: emergency scene
 management, choking and breathing emergencies, CPR,
 wounds and bleeding, common injuries, poisons/bites/stings,
 burns, medical conditions, emergency childbirth and miscarriage,
 psychological emergencies, lifting techniques and basic physiology

Mfg.		
No.	Description	Language
02457	Pocket Guide	Bilingual
02458	Reference Manual	English
02054	Reference Manual	French
	No. 02457 02458	No. Description 02457 Pocket Guide 02458 Reference Manual







PURELL® HAND SANITIZER

- America's #1 brand of instant hand sanitizer
- Kills 99.99% of most common germs that may cause illness
- Works in as little as 15 seconds
- No water or towels needed
- Contains a unique moisturising system that leaves hands feeling soft (gentler to the hands than most soaps)

• Dermatologist tested, dye free





Order No.	Mfg. No.	Description Dispense	Qty er /Case
PURELL	HAND SANITIZ	<u> </u>	
JA357	2156-08-CAN00	1000 ml Refill for JA355 NXT® Dispenser	8
SAQ140	5456-04-CAN00	1200 ml Refill SAQ139	9 4
PURELL'	HAND SANITIZ	ER WITH ALOE	
JA360	9674-12-CAN00	8-oz (237 ml) Pump Bottle with Aloe	12
DISPEN	SERS		
Order	Mfg.		
No.	No.	Description	Refill
SAQ139	2720-06-CAN00	Purell® 1200 ml	SAQ140
		TFX® Touch Free Dispenser	
JA355	2120-06-CAN00	Purell [®] 1000 ml NXT [®] SpaceSaver [™]	JA357

PURELL® ADVANCED HAND RUB

- Purell® in a 70% ethyl alcohol, fragrance-free antiseptic cleanser
- Effective in destroying certain bacteria
- Contains Vitamin E and glycerine

SAR854



Order	Mfg.	Description I):	Qty (Case
No.	No.	Description I	Dispenser	/Case
SAR854	2770-08-CAN00	1000 ml NXT® Refill	JA355	8
SAR855	5770-04-CAN00	1200 ml	SAQ139	4
		Touchfree TFX™ Refill	-	
JA912	9650-24-CAN00	2-oz (59 ml) Squeeze Bottl	e -	24
JA722	9651-24-CAN00	4-oz (118 ml) Bottle	-	24
JA358	9652-12-CAN00	8-oz (237 ml) Pump Bottle	-	12
SAR856	3770-12-CAN00	12 oz. (354 ml) Pump Bottl	e -	12
SBA838	5395-02-CAN00	1200 ml Touchfree TFX™ Foam	Refil	-
SBA839	5795-04-CAN00	535 ml Foam Pump Bottle	-	-

DISPENSERS FOR PURELL® & MICRELL®

NXT® MAXIMUM CAPACITY™ & SPACE SAVER™

- Provides twice the capacity of traditional 800 ml dispensers in the same amount of space
- Portion control helps reduce waste
- ADA compliant, one-hand push operation reinforces mounting with each use
- 1000 or 2000 ml capacity
- · Colour: Dove grey





TFX™TOUCH FREE DISPENSER

- 1200-ml high-capacity refill
- · Skylight makes it easy to see when it's time to reload
- Dispenser turns off automatically when opened
- LED light shows when battery charge is low
- Fully ADA compliant, UL/CE registered
- 3-year performance guaranteed





Order No.	Mfg. No.	Description	Refill
JA355	2120-06-CAN00	Purell [®] 1000 ml Space Saver™	JA357
JA363	2125-06-CAN00	Micrell® 1000 ml Space Saver™	JA366
SAQ139	2720-12-CAN00	Purell [®] 1200 mlTFX™	SAQ140

PURELL® SANITIZING WIPES

- All the germ-killing benefits of PURELL® instant hand sanitizer, in a non-linting, durable wipe
- Sanitizes hands while wiping away light soils and dirt
- Kills 99.99% of most common germs that may cause illness
- Tested for surface compatibility; will not harm vinyl, plastic, metal or rubber
- Comes in a self-disposing plastic canister



Order No.	Mfg. No.	Qty /Canister
JC670	9030-12-CAN00	80
JC671	9031-06-CAN00	175
JD602	9113-06-CAN00	270



Purell

PINK LIQUID HAND SOAP

- Leaves hands smelling baby fresh, soft and clean
- Biodegradable, phosphate free



Order		Qty
No.	Size	/Case
NI343	4 L	4



WHITE PEARL HAND SOAP

- Rich blend of emollients leaves hands soft, fresh and clean
- Pleasant almond scent
- · Luxurious high quality concentrated lotion
- Biodegradable, phosphate free



Order		Qty
No.	Size	/Case
NI347	4 L	4



GREEN GEL LOTION HAND SOAP

- Smooth gel with gentle cleaning for hair, hands and body
- · Removes dirt and tough stains with ease
- Fresh green apple scent
- Biodegradable, phosphate free



Order		Qty
No.	Size	/Case
NI349	4 L	4



BIO-LUX ANTIMICROBIAL LOTION SOAP

- Premium antimicrobial soap
- Effective in reducing the risk of cross-contamination
- Biodegradable, phosphate-free, with glycerine
- Orange fresh scent clear gel
- Contains: 0.1% triclosan, helps comply with HACCP
- Accepted for use in Canadian food processing facilities

Order No. JA420 Mfg. No. CCCBIORG04





SOAP DISPENSERS

TANK TYPE SOAP DISPENSERS

Surface mounted liquid soap dispenser with 40 oz. capacity. Constructed with 20-gauge stainless steel. Vandal-resistant filler hole opens with a special key (included).

Bradley

Order Mfg.		Dimensions			Wt.			
No.	No.	Description	W"	X	D"	X	H"	lbs.
JC566	6542	Horizontal	8 3/16	х	5 3/8	Х	4 7/8	2 1/4
JC567	6562	Vertical	4 13/16	х	5 3/8	Х	8 3/16	2 1/4

SURFACE MOUNTED SOAP DISPENSERS

Soap dispenser with push-in valve directs operating toward wall. Corrosion-resistant, self-cleaning valve dispenses wide range of liquid soaps, lotions and synthetic detergents. Vandal resistant lid has unique keyless locking device. Lid pivots up after lock is disengaged for easy top filling. Large capacity, translucent container provides visible soap level. Capacity: 40 fl. oz. Concealed

wall fastening. Unit is removable from wall for cleaning.

5 13/16" W x 6 7/8" H.



Order No.	Mfg. No.	Colour
NG435 NG436	B-40 B-42	Black and Grey Black

LOTION SOAP DISPENSERS

- All purpose push type dispensing valve for easy flowing soaps
- Removable 1 litre inner soap reservoir for easy cleaning and maintenance
- Overall height: 9"
- Colour: Blue and White

Order No. NC895 Mfg. No. 707





MICRELL® ANTIBACTERIAL LOTION SOAP

- Kills germs, yet is gentle on hands even after repeated daily washings
- Contains quick-acting antimicrobial agent chloroxylenol (PCMX) and an effective degreaser
- Lightly scented, non-irritating formula encourages frequent use





Micrell	
Wiicrell	į

JA365

Order No.	Mfg. No.	Description	Dispenser*	Qty /Case
JA367	9759-12-CAN00	12 oz. (354 ml) Pump Bottle		12
JA368	9755-04-CAN00	1 Gallon	-	4
JA366	2157-08-CAN00	1000 ml Refill	JA363	8
JA365	2257-04-CAN00	2000 ml Refill	-	4

^{*}See page 94 for dispensers

GOJO® MULTI GREEN® HAND CLEANSER

- A popular multi-purpose hand cleaner for removing light to medium industrial soils and dirt
- Contains a natural, citrus solvent cleaner with non-abrading scrubbing particles



Order No.	Mfg. No.	Description	Dispenser*	Qty /Case
JA375	7265-04	2000 ml Refill	JA370	4
JA383	7565-02	5000 ml Refill	JA379	2

^{*}See page 98 for PRO™ TDX™ dispensers

GOJO® SUPRO MAX™ HAND CLEANER

- · Fast and effective lotion hand cleaner removes tough, sticky soils and adhesives
- Unique blend of cleaners and gentle scrubbers
- Ideal for plant-wide use

Mfg.

7272-04

7572-02

No.

• Non-drying formula

Order

JA377

JA385

No.





JA379

GOJO® LUXURY FOAM HAND WASH

- Rich and gentle
- Pre-lathered
- · For general, light duty cleaning
- Cranberry fragrance



				-
Order No.	Mfg. No.	Description	Dispenser*	Qty /Case
JA412	5161-03	1250 ml Refill	JA407, JA408	3
JA409	5261-02	2000 ml Refill	JA405, JA406	2

^{*}See page 98 for FMX™ Series dispensers

GOJO® RICH PINK™ ANTIBACTERIAL **LOTION SOAP**

- A high performance, gentle antibacterial lotion soap
- For cleaning light soils



2

Order No.	Mfg. No.	Description	Dispenser*	Qty /Case
		2000p	2.00000.	,
IA271	7220-04	2000 ml Refill	14370	1

5000 ml Refill

GOJO® ALL-PURPOSE SKIN CLEANSER

- Economical lotion soap
- Ideal for general restroom use
- · Pink formula with a light floral fragrance



GOĴ	0

Order	Mfg.	Size	Qty
No.	No.		/Case
JA398	1807-04	1 Gallon	4

See page 95 for bulk soap dispensers

GOJO® SKIN LOTION

- A non-greasy moisturizing lotion containing allantoin, aloe and vitamin E
- Helps relieve and protect skin
- Silicone-free



JD467

Order No.	Mfg. No.	Description	Dispenser*	Qty /Case
JA395	8240-06	800 ml Refill	JA388, JA389	6

JA391

GOJO® HAND MEDIC® PROFESSIONAL SKIN CONDITIONER

at night to restore and maintain the skin's natural protective barrier

• Use before work, after handwashing and JD466

• Silicone and fragrance-free

GOJO® HAND MEDIC® ADX-7™ DISPENSERS

- Traditional bag-in-box dispenser
- Portion control helps reduce waste
- ADA compliant, one hand-push operation reinforces mounting with each use
- Capacity: 500 ml
- Colour: Black





Order No.	Mfg. No.	Description	Dispenser	Qty /Case
JA391	8150-12	5 oz. Tube	-	12
JD467	8745-04	500 ml Refill	JD466	6
JD466	8782-06	Dispenser for JD467	-	6



^{*}See page 98 for PRO™ TDX™ dispensers

^{*}See page 98 for PRO™ TDX™ dispensers

^{*}See page 98 for 800 series dispensers

GOJO® NATURAL ORANGE™ HAND CLEANER

 Quick-acting lotion formula for cleaning a broad range of industrial soils, medium dirt and grease

Orange citrus scent







JA329

JA330

Order No.	Mfg. No.	Description	Dispenser*	Qty /Case
JA330	0947-12	14 oz. Bottle	-	12
JA329	0948-04	1/2 gallon w/Pump	-	4
JA152	0945-04	1 gallon w/Pump	-	4
JA373	7250-04	2000 ml Refill for PRO™TDX™ 2000	JA370	4

^{*}See page 98 for PRO™ TDX™ dispensers

GOJO® POWER GOLD® HAND CLEANER

 A highly effective, fast-acting hand cleaner for removing the heaviest grease, tar and oil

No harsh solvents

 Contains natural, non-irritating scrubbing particles





GOĴO

JA335

Order No.	Mfg. No.	Description	Dispenser*	Qty /Case
JA334	0987-12	14 oz. Bottle	-	12
JA335	0988-04	1/2 gallon w/Pump	-	4
JA378	7295-04	2000 ml Refill for PROTM TDX™ 2000	0 JA370	4
JA386	7596-02	5000 ml Refill for PROTMTDX™ 5000	0 JA379	2

^{*}See page 98 for PRO™ TDX™ dispensers

ORANGE PUMICE HAND CLEANER

- Fresh, natural orange citrus scent
- Pumice scrubbing particles for extra deep cleaning
- Quick and easy removal of dirt, grease, paint, ink, epoxy, tar, rust and most industrial soils
- High quality pump included with every bottle for controlled dispensing
- Can conveniently be used with or without water
- No harsh solvents, leaving hands soft and clean
- 3.6-L bottle
- Accepted for use in Canadian food processing facilities

Order No. JG223



GOJO® NATURAL ORANGE™ PUMICE HAND CLEANER

 Quick-acting lotion formula with scrubbing particles for cleaning a broad range of industrial soils, medium dirt and grease





Order No.	Mfg. No.	Description	Dispenser*	Qty /Case
JA327	0957-12	14 oz. Bottle	-	12
JA328	0958-04	1/2 gallon w/Pump	-	4
NI254	0955-04	1 gallon w/Pump	-	4
JA374	7255-04	2000 ml Refill for PRO™TDX™ 2000	JA370	4
JA382	7556-02	5000 ml Refill for PRO™TDX™ 5000	JA379	2

^{*}See page 98 for PRO™ TDX™ dispensers

GOJO® CHERRY GEL® PUMICE HAND CLEANER

- Gel-style heavy duty hand cleaner with pumice scrubbers quickly cleans heavy dirt, grease and oil
- Contains skin conditioners and is pH
- balanced to promote skin comfort
 Provides a quick, easy and complete rinse and leaves skin feeling refreshed
- Pleasant cherry fragrance eliminates soil odours and leaves hands smelling clean
- Starter kit SEA256 includes one dispenser and one refill



Order No.	Mfg. No.	Description	Dispenser*	Qty /Case
SEA254	7590-02	5000-ml Refill	JA379	2
SEA255	7290-04	2000-ml Refill	JA370	4
SEA256	7290-D2	2000-ml Starter Kit	-	1
SEA257	2350-02	50 x 0.5-fl. oz. in Display Cartor	ı -	2
SEA258	2352-15	6-oz. Bottle	-	15
SEA259	2354-08	10-oz. Bottle	-	8
SEA260	2356-04	1/2-Gallon Bottle	-	4
SEA261	2358-02	1-Gallon Bottle	-	2

^{*}See page 98 for dispensers

GOJO® PRO™ TDX™ SYSTEM

GOJO® PRO™TDX™ 2000 DISPENSERS

- Heavy-duty bag-in-box dispenser with large display window shows the product inside and makes it easy to see when it's time to refill
- Portion control helps reduce waste
- For Gojo® brand refills
- ADA compliant, one-hand push operation reinforces mounting with each use
- Capacity: 2000 ml
- Available in grey

Order No. JA370 Mfg. No. 7200-01





GOJO[®] PRO[™]TDX[™] 5000 DISPENSERS

- Large capacity, heavy-duty bag-in-box dispenser with large display window shows the product inside and makes it easy to see when it's time to refill
- Portion control helps reduce waste
- For Gojo® brand refills
- ADA compliant, one-hand push operation reinforces mounting with each use
- Capacity: 5000 ml
- Available in grey

Order No. JA379 Mfg. No. 7500-01





GOJO® 800 SERIES DISPENSERS

- Traditional bag-in-box dispenser
- Portion control helps reduce waste
- For Gojo® brand refills
- ADA compliant, one-hand push operation reinforces mounting with each use
- Capacity: 800 ml

Order No. JA388 Black Mfg. No. 9033-12 Order No. JA389 White Mfg. No. 9034-12







GOJO® NXT® DISPENSERS

GOJO® NXT® SPACE SAVER™ DISPENSERS

- Half the size of traditional 800 ml bag-in-box dispensers
- One-hand push operation reinforces mounting with each use
- Portion control helps reduce waste
- For Gojo® brand refills
- ADA compliant for placement anywhere
- Capacity: 1000 ml

Order No. JA554 Dove Grey Mfg. No. 2130-06

Order No. JA555 Black Mfg. No. 2135-06





GOJO® NXT® MAXIMUM CAPACITY™ DISPENSERS

- Provides twice the capacity of traditional bag-in-box systems in the same amount of space
- Portion control helps reduce waste
- For Gojo® brand refills
- ADA compliant, one-hand push operation reinforces mounting with each use
- · Capacity: 2000 ml

Order No. JA417 Dove Grey Mfg. No. 2230-08

Order No. JA418 Black Mfg. No. 2235-08





GOJO® FMX™ DISPENSERS

FMX-20™

- Great for high traffic areas
- Features skylight with an extra large window
- Holds a large, sealed 2000 ml refill
- Delivers more than 2800 hand washes
- ADA compliant, one-push operation
- Optional key lock included

Order No. JA405 Grey Mfg. No. 5250-06

Order No. JA406 Black Mfg. No. 5255-06





FMX-12[™]

- Great for locations where a smaller, more traditional dispenser is preferred
- · Features skylight with an extra large window
- Holds 1250 ml sealed refill
- Delivers more than 1700 hand washes
- ADA compliant, one-push operation
- Optional key lock included

Order No. JA407 Grey Mfg. No. 5150-06 Order No. JA408 Black Mfg. No. 5155-06



GOJO® LEMON PUMICE HAND CLEANER

- · Creme formula with fresh lemon fragrance and pumice scrubbers
- For removing grease, tar and oil
- No harsh solvents



Order No.	Mfg. No.	Size	Dispenser*	Qty /Case
JA287	0915-06	4.5 lbs.	JA171	6

^{*}See below for cartridge dispenser

GOJO® ORIGINAL FORMULA™ HAND CLEANER

- Original Gojo® creme formula contains lanolin and soothing emollients
- For removing heavy grease, tar and oil
- Use with or without water, rub then wipe clean with a towel or rinse off
- No harsh solvents



Order No.	Mfg. No.	Size	Dispenser*	Qty /Case
JA338	1109-12	14 oz.	-	12
JA169	1115-06	4.5 lbs.	JA171	6

JB626

GOJO® SCRUBBING WIPES

- · Clean the dirtiest hands without water.
- Clean oils, grease, lubricants, asphalt, dirt, inks, paints polyurethane, urethanes, sealants, epoxies, adhesives and caulks
- Dual textured wipes
- Scrubbing side removes stubborn soils while the smooth side provides quick dirt absorption tough on grime
- Contain skin conditioners



	y ♥ ®		02020
Order	Mfg.		Qty
No.	No.	Description	/Case
JB623	6398-02	Bucket 170 Pieces	2
JB624	6396-06	Canister 72 Pieces	6
JB625	6383-06	Canister 25 Pieces	6
IR626	6380-04	Display Carton 80 Pieces	4

GOJO® CARTRIDGE DISPENSERS

- Creme formula cartridge dispenser
- For Gojo® brand 4-lb and 4.5-lb plastic cartridge refills
- Works with smooth and pumice formulas


Order No. JA171 Mfg. No. 1204-01



GOJO® FINE ITALIAN PUMICE HAND CLEANER

- · Creme formula with fine Italian pumice scrubbing particles for extra cleaning action
- · For removing heavy grease, tar and oil
- No harsh solvents





^{*}See below for cartridge dispenser

GOJO® PROFESSIONAL PAINT & BODY SHOP HAND CLEANER

- Uniquely formulated hand cleaner for quickly removing a variety of paints and stains
- Contains no petroleum distillates
- 22 fl. oz. tube

Order No. JA337 Mfg. No. 1018-06





FAST WIPES® MULTI-PURPOSE

- Heavy-duty hand cleaning towels
- For quick clean-up of light greases and oils
- For use at the job site or wherever water is not available
- Convenient fastening brackets for JA342







.IR625

Order No.	Mfg. No.	Description	Qty /Case
JA341	6285-06	Tool Box Package of 60	6
JA342	6298-04	Bucket of 130	4
JA343	6299-02	Bucket of 225	2
JA344	6201-01	Bracket for JA342	1

ULTRA SWIPES

- · Disposable cloths clean, disinfect and deodorize hard surfaces and instruments
- Ethanol formulation provides hospital-level disinfection to destroy a wide range of pathogens, including HIV-1 (AIDS) and TB in just 1 minute
- 160 sheets per canister

Order No. JA984



^{*}See below for cartridge dispenser

SPF 30 SUNSCREEN

- Broad spectrum protection against UVA/UVB rays
- Water resistant and sweat resistant
- Dermatologist tested
- · Provides high sunburn protection
- PABA-free
- Three year shelf life









Order	Mfg.	
No.	No.	Description
JD319	18200	10-ml (0.3 oz.) Individual Use Pouches, 50/box
JD320	18220	120-ml (4 oz.) Lotion Bottle
JD321	18225	220-ml (7.5 oz.) Spray Bottle
JD322*	18230	1 L (34 oz.) Lotion Bottle

^{*} Optional dispenser JD406

ALL SEASON LIPBALM

- · Moisturizes and protects against sun, wind and cold exposure
- Waterproof
- 4.25 g (0.15 oz.) Order No. JD407

Mfg. No. 18205



SKEETSAFE® LIQUID SPRAY INSECT REPELLENT

- Non greasy prevents slipping of items held in hand such as: tools, steering wheel, etc. and will not collect dirt
- Small 100 ml bottle size ideal for storage and portability • Pump spray reduces waste from overspray and
- allows you to apply the product where you need

• 10% DEET will provides 3 hours of continuous protection

• 30% DEET will provides 6 hours of continuous protection

Order	Mfg.			
No.	No.	Description		
JD316	18115	10% DEET		
JD317	18120	30% DEET		

SKEETSAFE® INSECT REPELLENT AEROSOL CANS

- 25% DEET formula provides up to 6 hours of protection
- Convenient sized 110 gram aerosol can, may be stored in a tool box, glove compartment, first aid kits, nap-sacks, etc.
- Ozone friendly

Order No. JD315 Mfg. No. 18110





REPEXTM INSECT REPELLENT

- Contains 30% DEET
- Repels mosquitoes, black flies, gnats, stable flies and fleas



Order	Mfg.		
No.	No.	Description	Size
SAL789	I/1525R	Bottle	50 ml
SAL790	I/1525L	Pump Spray	114 ml
SAL791	I/1525ASOL	Aerosol	140 g

AFTER BITE® STING **RELIEF SWABS**

- Topical medicated solution provides instant temporary relief from the pain and itching associated with insect bites and stings
- Individually packaged in compact, single-use foil sachets
- 25 sachets per box

Order No. SAY504 Mfa. No. 02894



WASP & HORNET SPRAY

- · Controls wasps, bees, hornets and yellow jackets
- Solvent based using carbon dioxide
- Dielectric strength of 35 kV/min
- · Can be used around electrical wires and transformers with a higher safety margin than a water-based product
- Shoots a continuous stream up to 2.5 meters

Order No. JD318 Mfg. No. 18140



SKEETSAFE® INSECT REPELLENT TOWELETTES

- Large 4" x 8" single use disposable insect repellent towelettes provide a full 32 square inches of material
- 1 oz. per sq/yd material with excellent dispensing properties and tear strength
- Ultimate in portability: purse, pocket, glove box or fanny sack
- 20 towelettes per box

JD313

• 10% DEET will provide up to 3 hours of continuous protection

JD314

• 25% DEET will provide up to 6 hours of continuous protection

Order No.	Mfg. No.	Description
JD313	18100	10% DEET
JD314	18105	25% DEET



