

GHS INFORMATION WALL CHARTS

- The GHS wall chart provides a comprehensive overview of new GHS labeling requirements for WHMIS
- The chart details the 3 main hazard groups; Physical, Health & Environmental
- Lists requirements for supplier labels when decanting or transferring hazardous chemicals
- Visual representations of the precautionary statement pictograms
- Lists the information required on the new regulation Safety Data Sheet
- Made of durable, pliable plastic
- Mount chart in a prominent place to help refresh your employee's knowledge of the GHS requirements
- Indoor or outdoor applications




INCOM

Order No.	Mfg. No.	Size"	Language
SEJ597	GHS1004C	18 x 24	English
SEJ598	GHS1003C	24 x 36	English
SEJ599	GHS1018	24 x 36	English/French

WHMIS INFORMATION CHARTS

- Provides detailed information on proper WHMIS labeling, descriptions of class symbols, personal protective equipment symbols, MSDS
- Outlines the responsibilities of suppliers, employers and employees
- Made of 1/8" thick rigid plastic board



Proper way to label W.H.M.I.S. for compliance

Personal Protective Equipment Symbols and meanings

Supplier, Employer & Employee responsibilities outlined

INCOM

Order No.	Mfg. No.	Size"	Language
SB611	W9095	12 x 18	Bilingual
SB612	W9094	24 x 36	Bilingual

GHS INFORMATION STATIONS

- Provides a central location to easily access all newly regulated SDS sheets as well as the basic information required for the GHS system for WHMIS
- The board is printed with the 3 main hazard groups; Physical, Health & Environmental
- Provides requirements for supplier labels when decanting or transferring hazardous chemicals
- Visual representations of the precautionary statement pictograms
- Lists the information required on a Safety Data Sheet
- Printed in full colour on a mounting board and comes with a sturdy metal pocket
- Stations include either one (Single) or two (Double) standard 3-ring SDS binders with A - Z alphabetical dividers to sort all of your Safety Data Sheets
- The mounting board is constructed of 1/4" rigid plastic with 4 mounting holes to provide easy mounting and years of durability



SEJ587



SEJ586

INCOM

Order No.	Mfg. No.	Size"	Language
SEJ586	GHS1002C	Single Station, 18 x 24	English
SEJ587	GHS1001C	Double Station, 24 x 36	English
SEJ588	GHS1072	Single Station, 18 x 24	English/French
SEJ589	GHS1019	Double Station, 24 x 36	English/French

COMPLETE WHMIS INFORMATION CENTRES

GET STARTED WITH A COMPLETE WHMIS INFORMATION CENTRE

- Manufactured in a strong, durable 1/4" flextop plastic to ensure long lasting quality
- Brightly coloured to stand out in the workplace
- Centres come with sturdy metal pockets to hold MSDS binders up to 4" thick



2" MSDS binder(s) included

INCOM

Order No.	Mfg. No.	Description	Language	Size"
SI989	W9097	Complete WHMIS Information Centre - Single Centre	Bilingual	18 x 24
SI990	W9096	Complete WHMIS Information Centre - Double Centre	Bilingual	24 x 36

GHS & WHMIS Requirements & Labels

GHS HAZARD PICTOGRAM LABEL VARIETY PACKS

- Assortment of all the GHS hazard class pictograms labels in one convenient pack
- Labels are manufactured on high gloss paper stock with removable adhesive
- Easy to peel cleanly from most surfaces including glass, metal and plastic
- A great choice for use in laboratory settings



INCOM

Order No.	Mfg. No.	Label Size"	Quantity
SEJ584	GHS1300	1/2	1820 Labels/Pad
SEJ585	GHS1299	1	1120 Labels/Pad

SAFETY DATA SHEET INFORMATION STATIONS

- Provides a central place to easily access all the new regulation SDS sheets for your plant or office
- Sturdy metal pocket design to hold the included binder
- The mounting board is constructed of 1/4" rigid plastic with four mounting holes to provide easy mounting and years of durability
- Stations include either one (Single) or two (Double) standard 3-ring SDS binders with A - Z alphabetical dividers to sort all of your Safety Data Sheets



SEJ590



SEJ593

INCOM

Order No.	Mfg. No.	Size"	Description
SEJ590	GHS1012	Single Station, 18 x 24	English
SEJ591	GHS1011	Double Station, 24 x 36	English
SEJ592	GHS1021	Single Station, 18 x 24	English/French
SEJ593	GHS1020	Double Station, 24 x 36	English/French

DURABLE MSDS BINDERS

- Keeps your Material Safety Data Sheets organized
- English/French MSDS Binder (3-rings with triggers)
- Printed in bright red
- Each binder holds standard 8 1/2" x 11" paper
- MSDS sheets not included
- Large 4" binders have 3 1/2" slant D-rings for extra capacity
- Comes with A - Z dividers



INCOM

Order No.	Mfg. No.	Size"
SI985	W8746R	2
SI987	W9100R	4

SAFETY DATA SHEET BINDERS

- The regular size binders come with a standard 1 1/2" D-slant format ring
- The large binder comes with a 3" D-slant ring for easy storage of large numbers of SDS sheets
- All binders come with sturdy A-Z alphabetical reinforced dividers to sort and organize your Safety Data Sheets
- Printed with bright graphics on a white background, these binders will be highly visible in the workplace



SEJ594

INCOM

Order No.	Mfg. No.	Size"	Description
SEJ594	GHS1008	1 1/2	English
SEJ595	GHS1049	3	English
SEJ596	GHS1009	1 1/2	English/French

DANGEROUS GOODS SHIPPING LABELS 4" X 4" (100 MM X 100 MM)

- Shipping labels are essential for packages that contain dangerous goods
- Labels are available in two materials, paper for indoor applications and vinyl for extended outdoor usage
- Manufactured to Transport Canada specifications with fade resistant inks
- 500 labels per roll

CLASS 2



CLASS 3



INCOM

Material	Flammable Gas Order No.	Mfg. No.	Compressed Gas Order No.	Mfg. No.	Poison Gas Order No.	Mfg. No.	Oxidizer Order No.	Mfg. No.	Flammable Liquids Order No.	Mfg. No.
Paper	SAG852	TT21P	SAG854	TT22P	SAG856	TT23P	SAG858	TT50P	SAG860	TT30P
Vinyl	SAG853	TT21V	SAG855	TT22V	SAG857	TT23V	SAG859	TT50V	SAG861	TT30V

CLASS 4



CLASS 5



INCOM

Material	Flammable Solid Order No.	Mfg. No.	Spontaneously Comb. Order No.	Mfg. No.	Dangerous When Wet Order No.	Mfg. No.	Oxidizers Order No.	Mfg. No.	Organic Peroxides Order No.	Mfg. No.
Paper	SAG862	TT41P	SAG864	TT42P	SAG866	TT43P	SAG868	TT51P	SED444	TT53P
Vinyl	SAG863	TT41V	SAG865	TT42V	SAG867	TT43V	SAG869	TT51V	SED445	TT53V

CLASS 6



CLASS 7



INCOM

Material	Poison, Poisonous Sub. Order No.	Mfg. No.	Infectious Substances Order No.	Mfg. No.	Radioactive I Order No.	Mfg. No.	Radioactive II Order No.	Mfg. No.	Radioactive III Order No.	Mfg. No.
Paper	SAG872	TT60P	SAG874	TT63P	SAG876	TT71P	SAG878	TT72P	SAG880	TT73P
Vinyl	SAG873	TT60V	SAG875	TT63V	SAG877	TT71V	SAG879	TT72V	SAG881	TT73V

CLASS 8



CLASS 9



INCOM

Material	Corrosive Order No.	Mfg. No.	Misc. Dangerous Goods Order No.	Mfg. No.	Environmental Pollutant Order No.	Mfg. No.	Limited Quantity Order No.	Mfg. No.
Paper	SAG882	TT80P	SAG884	TT91P	SAK383	TT74P	SEI898	TT98P
Vinyl	SAG883	TT80V	SAG885	TT91V	SAK384	TT74V	SEI898	TT98V



T.D.G. Identification

PLACARDS

CLASS 1


INCOM



Material	A. Explosive 1.1A Order No. Mfg. No.	B. Explosive 1.1D Order No. Mfg. No.	C. Explosive 1.4G Order No. Mfg. No.	D Explosive 1.5D Order No. Mfg. No.
Rigid Plastic	SJ334 TT110ASS	SAH452 TT110DSS	SJ347 TT140GSS	SJ350 TT150DSS
Tagboard	SJ335 TT110ATB	SAH453 TT110DTB	SJ348 TT140GTB	SJ351 TT150DTB
Adhesive Vinyl	SD299 TT110ATB	SAH454 TT110DPS	SD301 TT140GTB	SD303 TT150DTB
Aluminum	SD300 TT110AAL	SAH455 TT110DAL	SD302 TT140GAL	SD304 TT150DAL

CLASS 2

INCOM



Material	A. Flammable Gas Order No. Mfg. No.	B. Compressed Gas Order No. Mfg. No.	C. Poison Gas Order No. Mfg. No.	D. Oxidizer Order No. Mfg. No.
Rigid Plastic	SJ356 TT210SS	SJ358 TT220SS	SJ360 TT230SS	SJ364 TT232SS
Tagboard	SJ357 TT210TB	SJ359 TT220TB	SJ361 TT230TB	SJ365 TT232TB
Adhesive Vinyl	SD307 TT210PS	SD311 TT220PS	SD315 TT230PS	SD309 TT232PS
Aluminum	SD308 TT210AL	SD312 TT220AL	SD316 TT230AL	SD310 TT232AL

CLASS 3

INCOM



CLASS 4



Material	Flammable Liquids Order No. Mfg. No.	Material	A. Flammable Solid Order No. Mfg. No.	B. Spontaneously Comb. Order No. Mfg. No.	C. Dangerous When Wet Order No. Mfg. No.
Rigid Plastic	SJ368 TT300SS	Rigid Plastic	SJ370 TT410SS	SJ372 TT420SS	SJ374 TT430SS
Tagboard	SJ369 TT300TB	Tagboard	SJ371 TT410TB	SJ373 TT420TB	SJ375 TT430TB
Adhesive Vinyl	SD319 TT300PS	Adhesive Vinyl	SD321 TT410PS	SD323 TT420PS	SD325 TT430PS
Aluminum	SD320 TT300AL	Aluminum	SD322 TT410AL	SD324 TT420AL	SD326 TT430AL

CLASS 5

INCOM



CLASS 6



Material	A. Oxidizers Order No. Mfg. No.	B. Organic Peroxides Order No. Mfg. No.	Material	A. Poison, Poisonous Sub. Order No. Mfg. No.	B. Infectious Substances Order No. Mfg. No.
Rigid Plastic	SJ376 TT510SS	SEC884 TT521SS	Rigid Plastic	SJ380 TT600SS	SAG840 TT620SS
Tagboard	SJ377 TT510TB	SEC885 TT521TB	Tagboard	SJ381 TT600TB	SAG841 TT620TB
Adhesive Vinyl	SD327 TT510PS	SEC886 TT521PS	Adhesive Vinyl	SD331 TT600PS	SAG842 TT620PS
Aluminum	SD328 TT510AL	SEC887 TT521AL	Aluminum	SD332 TT600AL	SAG843 TT620AL

CLASS 7


INCOM



CLASS 8



CLASS 9



Material	Radioactive Material Order No. Mfg. No.	Corrosive Order No. Mfg. No.	A. Misc Dangerous Goods Order No. Mfg. No.	B. Danger, Mixed Loads Order No. Mfg. No.
Rigid Plastic	SJ384 TT700SS	SJ386 TT800SS	SJ419 TT960SS	SJ390 TT950SS
Tagboard	SJ385 TT700TB	SJ387 TT800TB	SJ420 TT960TB	SJ391 TT950TB
Adhesive Vinyl	SD335 TT700PS	SD337 TT800PS	SD339 TT960TB	SD345 TT950PS
Aluminum	SD336 TT700AL	SD338 TT800AL	SD340 TT960AL	SD346 TT950AL

CANADIAN 5 LEGEND FLIP CHART PLACARDS

- Can use this flip chart for almost any load
- Exclusive design is built for durability
- Heavy 0.031" white aluminum back plate for wind protection with baked-on polyester finish to resist fading
- Pages are made from a durable powder coated aluminum



LEGENDS



INCOM

Order No.	Mfg. No.	Description
SAK381	FC5010WH	5-Legend Flip Chart

CANADIAN 14 LEGEND FLIP CHART PLACARDS

- 13 Canadian T.D.G. legends plus a blank white page
- Exclusive design built for durability
- Heavy 0.031" aluminum back plate for wind protection with baked-on polyester finish to resist fading
- Pages are made from a durable powder coated aluminum

LEGENDS



INCOM



Order No.	Mfg. No.	Description
SAK382	FC5000WH	14-Legend Flip Chart

FUEL FLIP CHART PLACARDS

- Comply with the new "Clear Language" Transport Canada Regulations for bulk shipments
- Both pages are Class 3 Flammable Liquid
- One page has the UN number 1202, and the other page has the UN number 1203
- Units are constructed of all aluminum and stainless steel parts



LEGENDS




INCOM

Order No.	Mfg. No.	Description	Material
SAG845	FC4020AL	Flammable Class 3 (UN 1202)	Aluminum Base
		Flammable Class 3 (UN 1203)	
SD357	FC4020WH	Same as above	White Base

PLACARD HOLDERS

- Manufactured of natural aluminum with stainless steel clips
- Holders come with 10 pre-drilled mounting holes for easy application
- The back plate has several dimples to ease the placards out of the holder and up and over the clip assembly



INCOM

Order No.	Mfg. No.	Description
SAQ008	PH223	Placard Holder
SAQ009	PH227	Easy Access Design
SAG844	PH225	Split Frame Design

SIGNS



18" x 18"



18" x 18"



18" x 18"



18" x 18"



10" x 14"

Material	Order No.	Mfg. No.	Order No.	Mfg. No.	Order No.	Mfg. No.	Order No.	Mfg. No.	Order No.	Mfg. No.
Adhesive Vinyl	SEI459	LVHR90AXVE	SEI461	FRLVHR904XVE	SEI463	LVHR907XVE	SEI465	FRLVHR907XVE	SEI457	LVHR903XVE
Aluminum	SEI460	MVTR620VA	SEI462	FRMVTR620VA	SEI464	MVTR001VA	SEI466	FRMVTR001VA	SEI458	MVTR500VA

Safety Signs

CUSTOM SIGNS MADE EASY!

- No set-up fees
- Unlimited colours with no additional charges
- No minimum order requirements
- High-definition, full-colour graphics at no additional charge
- Comprehensive, free design support



Full-Colour Photographic Quality Images

Unique Eye-Catching Design Layout

Impactful Motivational Message

Personalized with Corporate Identity

DEVELOP YOUR MESSAGE

The message on your custom sign is critical. Whether conveying instructions, policies, directions, or motivational themes, your sign should be quickly and easily understood. Graphics or pictorials can help communicate your message effectively. Add more value and pride by adding a full-colour custom logo. Write a detailed description or draw a sketch to send in with your order.

SELECT YOUR MATERIAL

ADHESIVE VINYL (VS)

For light-duty applications. The ideal choice for indoor and sheltered outdoor marking needs. Mounts to all curved areas such as pipes, poles and secondary containers.

- 4-mil thick surface printed matte surface
- Permanent acrylic adhesive
- Moisture-resistant
- Service temperature range: -20°F to 140°F
- Square corners and scored backing for quick peel-off and application
- Durability: 2 years outdoors

PLASTIC (VP)

Semi-flexible, economical and appropriate for medium-duty use — ideal for indoor and sheltered outdoor environments.

- Ideal for flat surfaces with enough flex to mount on slightly curved areas
- 0.055" thick with good impact resistance and surface image with non-glare finish
- Contains UV inhibitors
- Service temperature range: -90°F to 168°F
- Rounded corners and 3/16" mounting holes
- Durability: 2 years outdoors

ALUMINUM (VA)



Get the strength of metal, without the rust. Superior abrasion and chemical resistance for indoor and outdoor environments.

- Printed image on rigid 0.040" aluminum backing
- Protected by 2-mil high-gloss UV polyester over-laminate film
- Service temperature range: -20°F to 140°F
- Withstands splashes and washdowns
- Endures outdoor environmental conditions
- Rounded corners and 3/16" mounting holes

DETERMINE YOUR SIZE & ORIENTATION

A sign not seen is an opportunity lost. Determining the size of your custom sign, and where it will be placed, is a key factor to ensuring that your message is communicated effectively. Consider the reading distance in relation to the letter height. The length of your message will then determine your size. Remember, we are available to assist you in determining the ideal size for your custom sign. Provide us with your message and we will do the work for you!

SEND US YOUR ORDER

Call, email or fax your order. Be sure to email any high resolution graphics (images, logos, etc.) along with your sketch or description. Our artists will go right to work creating your custom sign for approval.



**CALL US FOR
CUSTOM
SIGNS**



ULTRA-GLOW™ RUNNING MAN EXIT SIGNS

- Ultra-Glow™ Exit Signs store light energy from virtually any light source
- Low-profile, non-radioactive signs are durable, impact-resistant plastic with mounting holes
- No maintenance - no bulbs, no batteries to replace
- Non-toxic, non-radioactive
- No disposal related-cost
- Illumination: Green illuminating
- Background: Photoluminescent
- Size: 16 1/4" L x 9.25" W
- Running Man Height: 8"



SEN123



SEN124



SDL515

SDL516



Order No.	Mfg. No.	Description
SEN123	PLW617	Left Man w/Arrow
SEN124	PLW619	Right Man w/Arrow
SDL515	PLW622	Left Man w/o Arrow
SDL516	PLW624	Right Man w/o Arrow

EVACUATION MAP HOLDERS

- Printed with clear bold letters in the border to readily identify evacuation map, and is designed to easily accommodate 8.5" x 11" or 11" x 17" clear transparency film inserts (sold separately)
- Map can be printed from any computer and slides easily into the holder
- Made from 0.040" clear durable polycarbonate face with a plastic back
- Includes adhesive foam strips for mounting



SEC863

STANDARD HOLDERS

Order No.	Mfg. No.	Fits Insert Sizes"	Overall Size"
ENGLISH			
SEC863	DTA235	8 1/2 x 11	11 1/2 x 12
SEC864	DTA237	11 x 17	15 x 17 1/2
FRENCH			
SEE336	DTA235	8 1/2 x 11	11 1/2 x 12
SEE337	DTA237	11 x 17	15 x 17 1/2
CLEAR INSERTS			Sold in packages of 2
Order No.	Mfg. No.	Size"	
SEC866	DTA213	8 1/2 x 11	
SEC867	DTA215	11 x 17	

ACCIDENT PREVENTION SIGNS

The Occupational Safety and Health Administration (OSHA 29 CFR§ 1910.145) provides specifications, design, application and use of header signs. These signs are intended to indicate potential, type and degree of the hazard that may lead to accidental injury or property damage. They define specific hazards by conveying a clear and rapidly understood message.

ENGLISH SAFETY SIGNS

FIRE & EMERGENCY EXITS



Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SK992	SK993	SL569	SL570	SAT892	SAP765	SAT895	SAT898	SAU105	SAU108	SL037	SL038
VP	SK990	SK991	SAT846	SAT848	SAT893	SL597	SAT896	SAT899	SAU106	SAU109	SL035	SL036
VA	SK988	SK989	SAT847	SAT849	SAT894	SL596	SAT897	SAT900	SAU107	SAU110	SL033	SL034

RESTRICTED ADMITTANCE



Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SL022	SL023	SJ512	SJ513	SJ519	SJ520	SJ625	SJ626	SJ760	SJ767	SS401	SAU031
VP	SL021	SAS786	SJ510	SJ511	SJ517	SJ518	SJ623	SJ624	SJ758	SJ759	SAU029	SAU032
VA	SL020	SAS787	SJ508	SJ509	SJ515	SJ516	SJ621	SJ622	SJ756	SJ757	SAU030	SAU033

CHEMICALS & HAZ-MAT



Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAU080	SAU083	SAU086	SAU089	SK174	SK175	SK216	SK217	SK368	SK369	SAT369	SAT370
VP	SAU081	SAU084	SAU087	SAU090	SK172	SK173	SK214	SK215	SK366	SK367	SAT367	SAT368
VA	SAU082	SAU085	SAU088	SAU091	SK170	SK171	SK212	SK213	SK364	SK365	SAT365	SAT366

IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

Safety Signs

CONFINED SPACE



ELECTRICAL



FIRST AID



Mat'l	7" x 10"	14" x 10"	10" x 7"	14" x 10"	10" x 7"	14" x 10"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAT511	SAT512	SJ555	SJ556	SL115	SL116	SAU145	SAU148	SL809	SL810	SAU201	SAU204
VP	SAT509	SAT510	SJ553	SJ554	SL113	SL114	SAU146	SAU149	SL808	SAU199	SAU202	SAU205
VA	SAT507	SAT508	SJ551	SJ552	SL111	SL112	SAU147	SAU150	SL807	SAU200	SAU203	SAU206

HOUSEKEEPING



PERSONAL PROTECTION



Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAU284	SAU287	SAU326	SAU329	SM068	SM069	SK764	SK765	SAU494	SAU497	SK776	SK777
VP	SAU285	SAU288	SAU327	SAU330	SM066	SM067	SK762	SK763	SAU495	SAU498	SK774	SK775
VA	SAU286	SAU289	SAU328	SAU331	SM064	SM065	SK760	SK761	SAU496	SAU499	SK772	SK773

SAFETY INCENTIVE



SMOKING CONTROL



TRAFFIC INDUSTRIAL



Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SQ174	SQ175	SL892	SL893	SL969	SL970	SAT044	SAT047	SAT062	SAT065	SAT074	SAT077
VP	SQ172	SQ173	SL890	SL891	SL967	SL968	SL973	SAT048	SAT063	SAT066	SAT075	SAT078
VA	SQ170	SQ171	SL888	SL889	SL965	SL966	SL972	SAT049	SAT064	SAT067	SAT076	SAT079

FRENCH SAFETY SIGNS

RESTRICTED ADMITTANCE



Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAZ545	SAZ546	SO124	SO125	SO139	SO140	SO188	SO189	SO222	SO223	SO161	SO162
VP	SO179	SO180	SO122	SAZ541	SO137	SO138	SO186	SO187	SO220	SO221	SO159	SO160
VA	SO177	SO178	SO120	SO121	SAZ543	SAZ544	SO184	SO185	SO218	SO219	SO157	SO158

CHEMICAL & HAZ-MAT



Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SO196	SO197	SEF856	SEG350	SO535	SO536	SQ066	SQ067	SO493	SO494	SO430	SO431
VP	SO194	SO195	SEF855	SEG349	SO533	SO534	SQ064	SQ065	SO491	SO492	SO428	SO429
VA	SO192	SO193	SEF854	SEG348	SAZ565	SO532	SQ062	SQ063	SO489	SO490	SO426	SO427

CONFINED SPACE



Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SP066	SP067	SO621	SO622	SO244	SO245	SO258	SO259
VP	SP064	SP065	SO619	SO620	SO242	SO243	SO256	SO257
VA	SAZ607	SP063	SO617	SO618	SO240	SO241	SO254	SO255



IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

ELECTRICAL



EQUIPMENT



Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SO117	SO118	SO790	SO791	SP526	SP527	SP259	SP260	SP596	SP597	SP575	SP576
VP	SO115	SO116	SO788	SO789	SP524	SP525	SP257	SP258	SP594	SP595	SP573	SP574
VA	SO113	SO114	SO786	SO787	SP522	SP523	SP255	SP256	SP592	SP593	SP571	SP572

FIRE & EMERGENCY EXITS



Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAZ627	SAZ628	SAZ633	SAZ634	SAZ605	SAZ606	SAZ623	SAZ624	SO984	SO985	SAZ600	SAZ601
VP	SP081	SAZ626	SAZ631	SAZ632	SO998	SAZ604	SAZ622	SP084	SO983	SAZ583	SAZ598	SAZ599
VA	SP080	SAZ625	SAZ629	SAZ630	SAZ602	SAZ603	SAZ621	SP083	SO982	SAZ582	SAZ596	SAZ597



FIRST AID



HOUSEKEEPING & HYGIENE



Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SP103	SP104	SEA333	SEA330	SP603	SP604	SAZ649	SAZ650	SP744	SP745	SP730	SP731
VP	SP100	SP101	SEA332	SEA329	SP601	SP602	SP637	SAZ648	SP742	SP743	SP728	SP729
VA	SP098	SP099	SEA331	SEA328	SP599	SP600	SP636	SAZ647	SP740	SP741	SP726	SP727

PERSONAL PROTECTION



Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SP764	SP765	SO277	SO278	SO153	SO154	SO270	SO271	SO740	SO741	SO285	SO286
VP	SP762	SP763	SO275	SO276	SO151	SO152	SO268	SO269	SO738	SO739	SO283	SO284
VA	SAZ670	SP761	SO273	SO274	SO149	SO150	SAZ552	SAZ553	SO736	SO737	SO281	SO282

SAFETY INCENTIVE



SMOKING CONTROL



Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SO662	SO663	SEG468	SEG955	SP837	SP838	SP859	SP860	SP150	SP151
VP	SO660	SO661	SEG467	SEG956	SP835	SP836	SAZ678	SP858	SP148	SP149
VA	SO658	SO659	SEG466	SEG957	SP833	SP834	SP855	SP856	SP146	SP147

Material Code

Material

VS

Adhesive Vinyl

VP

Plastic

VA

Aluminum



ACCUFORM
SIGNS®

CSA PICTOGRAM SIGNS

Pictogram signs are easily recognisable and understood symbols for communicating safety without words. Using the CSA Z321 colour symbol scheme, the signs are specific in shapes and colours to distinguish the type of message. Pictograms are ideal for conveying a message across any language barrier.

DESIGN YOUR OWN CUSTOM CSA PICTOGRAM SIGN!


FOR OTHER CSA PICTOGRAM SIGNS,
PLEASE CONTACT US AND SPECIFY
SYMBOL, SHAPE, SIZE AND LET US
DO THE WORK.



Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD124	SD125	SD116	SD117	SD114	SD115	SD112	SD113	SD120	SD121	SD122	SD123
VP	SAW837	SAW838	SAW839	SAW840	SAW841	SAW842	SAW843	SAW844	SAW845	SAW846	SAW847	SAW848
VA	SEA362	SEA363	SEA364	SEA365	SEA366	SEA367	SEA368	SEA369	SEA370	SEA371	SEA372	SEA373



Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD101	SD103	SD107	SD108	SD118	SD119	SD105	SD106	SD126	SD127	SD109	SD111
VP	SAW849	SAW850	SAW851	SAW852	SAW853	SAW854	SAW855	SAW856	SAW857	SAW858	SAW859	SAW860
VA	SEA374	SEA375	SEA376	SEA377	SEA378	SEA379	SEA380	SEA381	SEA382	SEA383	SEA384	SEA385



Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD140	SD141	SD144	SD145	SD136	SD138	SD152	SD153	SD148	SD149	SD150	SD151
VP	SAW861	SAW862	SAW863	SAW864	SAW865	SAW866	SAW867	SAW868	SAW869	SAW870	SAW871	SAW872
VA	SEA386	SEA387	SEA388	SEA389	SEA390	SEA391	SEA392	SEA393	SEA394	SEA395	SEA396	SEA397



Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD142	SD143	SD146	SD147	SD132	SD134	SD154	SD155	SD156	SD157	SD128	SD130
VP	SAW873	SAW874	SAW875	SAW876	SAW877	SAW878	SAW879	SAW880	SAW881	SAW882	SAW883	SAW884
VA	SEA398	SEA399	SEA400	SEA401	SEA402	SEA403	SEA404	SEA405	SEA406	SEA407	SEA408	SEA409



Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD091	SD092	SD087	SD088	SD083	SD084	SD077	SD078	SD089	SD090	SD085	SD086
VP	SAW776	SAW777	SAW778	SAW779	SAW780	SAW781	SAW782	SAW783	SAW784	SAW785	SAW774	SAW775
VA	SEA410	SEA411	SEA412	SEA413	SEA414	SEA415	SEA416	SEA417	SEA418	SEA419	SEA420	SEA421

Material Code	Material
VS	Adhesive Vinyl
VP	Plastic
VA	Aluminum



**ACCUFORM
SIGNS®**



Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD064	SD065	SD053	SD055	SD058	SD059	SD068	SD070	SD079	SD081	SD066	SD067
VP	SAW885	SAW886	SAW887	SAW888	SAW889	SAW890	SAW891	SAW892	SAW893	SAW894	SAW895	SAW896
VA	SEA422	SEA423	SEA424	SEA425	SEA426	SEA427	SEA428	SEA429	SEA430	SEA431	SEA432	SEA433



Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD060	SD061	SD075	SD076	SD056	SD057	SD062	SD063	SD072	SD074	SEA523	SEA524
VP	SAW897	SAW898	SAW899	SAW900	SAW901	SAW902	SAW770	SAW771	SAW772	SAW773	SAW786	SAW787
VA	SEA434	SEA435	SEA436	SEA437	SEA438	SEA439	SEA440	SEA441	SEA442	SEA443	SEA444	SEA445



Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD207	SBA798	SD243	SD244	SD203	SD205	SD195	SD197	SD235	SD236	SD199	SD201
VP	SAW812	SAW813	SAW790	SAW791	SAW828	SAW829	SAW794	SAW795	SAW796	SAW797	SAW798	SAW799
VA	SEA446	SEA447	SEA448	SEA449	SEA450	SEA451	SEA452	SEA453	SEA454	SEA455	SEA456	SEA457



Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD238	SD240	SD211	SD213	SD231	SD233	SD215	SD217	SD227	SD229	SD219	SD221
VP	SAW800	SAW801	SAW802	SAW803	SAW804	SAW805	SAW806	SAW807	SAW808	SAW809	SAW810	SAW811
VA	SEA458	SEA459	SEA460	SEA461	SEA462	SEA463	SEA464	SEA465	SEA466	SEA467	SEA468	SEA469



Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD191	SD193	SD188	SD189	SD168	SD170	SD175	SD176	SD165	SD166	SD178	SD180
VP	SAW788	SAW789	SAW814	SAW815	SAW816	SAW817	SAW818	SAW819	SAW820	SAW821	SAW822	SAW823
VA	SEA470	SEA471	SEA472	SEA473	SEA474	SEA475	SEA476	SEA477	SEA478	SEA479	SEA480	SEA481



Mat'l	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")	15 cm (6")	30 cm (12")
VS	SD158	SD159	SD182	SD183	SD185	SD186	SD223	SD225	SD161	SD163	SD172	SD173
VP	SAW824	SAW825	SAW826	SAW827	SAW792	SAW793	SAW830	SAW831	SAW832	SAW833	SAW834	SAW835
VA	SEA482	SEA483	SEA484	SEA485	SEA486	SEA487	SEA488	SEA489	SEA490	SEA491	SEA492	SEA493

Material Code	Material
VS	Adhesive Vinyl
VP	Plastic
VA	Aluminum



**ACCUFORM
SIGNS®**

Safety Signs

DIGI-DAY & DIGI-DAY PLUS ELECTRONIC SCOREBOARDS

Count up safe work days with attention-getting, lighted display scoreboard. Proudly show safe work days that counts up electronically and automatically. If a lost time accident occurs, it's easy to set the display back to zero.

- Innovatively designed frameless construction in durable lightweight aluminum
- Image goes to the edge, then wraps 2" deep for visual edge, unmistakable impact
- Incorporates Digi-Day® or Digi-Day® Plus+ display technology
- Built-in hidden mounting system
- Easy-to-use remote included

DIGI-DAY®



- For indoor use
- 28" x 20" x 2" frameless aluminum
- Four-digit, bright red LED display with 2 1/2" H numbers
- Operates on 110 VAC with 6' power cord

DIGI-DAY® PLUS+

- For wet, damp, harsh locations*
 - 36" x 24" x 2" frameless aluminum
 - Four-digit, bright red LED display with 4" H numbers
 - Operates on 110 VAC with 12' power cord
 - Meets IP65 for dust and water resistance
- * For wet environment exposure, plug into GFI electrical outlet with weatherproof protective receptacle cover.

Digi-Day® digital numbers for Safe Work Days:

- Advance by one, every 24 hours, automatically
- Stand out in brightly lit, red LED numbers
- Is settable for the actual time to change by small, easy use handheld remote control
- Saves last number in event of power failure



Digi-Day®
Digi-Day® Plus

English
SED513
Digi-Day® Plus
SEJ372

French
SED518
SEF820

English
SAR081
SEJ368

French
SED519
SEF819

English
SAV226
SEJ373

French
SED520
SEJ370

English
SAV227
SEJ369

French
SED521
SEF814

English
SAV228
SEJ374

French
SED522
SEF371

PROJECTION™ SIGNS

- 0.10" thick high-impact plastic
- 3D signs, projecting 45° from the wall, provide optimum viewing from front and sides
- 90D signs, projecting 90° from the wall, are viewed from either side
- Includes: mounting holes and hardware

ENGLISH



3D
SAW419

90D
SAW420



3D
SAW431

90D
SAW432



3D
SAW437

90D
SAW438



3D
SAW439

90D
SAW440



3D
SAW443

90D
SAW444



3D
SAW445

90D
SAW446



3D
SAW449

90D
SAW450



3D
SAW453

90D
SAW454



3D
SAW463

90D
SAW464

FRENCH



3D
SED960

90D
SED961



3D
SED962

90D
SED963



3D
SED964

90D
SED965



3D
SED966

90D
SED967



3D
SED968

90D
SED969



3D
SED970

90D
SED971



3D
SED972

90D
SED973



3D
SEE292

90D
SEE293



3D
SEE294

90D
SEE295



	Panel Dimensions	Overall Dimensions
3D	6" x 5"	6" x 8 1/2" x 4"
90D	8" x 8"	8" x 8" x 1 1/2"

TRAFFIC SIGNS



Mat'l	30" x 30"	30" x 30"	30" x 30"	30" x 30"	30" x 30"	30" x 30"
HP	SEJ255	SAX544	SAX558	SAX552	SEJ257	SEJ259



Mat'l	24" x 24"	24" x 24"	24" x 24"	24" x 24"	36" x 12"	36" x 12"
AL	SAX545	SE255	SD268	SD271*	SAX578	SAX574
HP						

*Please specify height when ordering



Mat'l	24" x 24"	24" x 24"	24" x 24"	24" x 24"	24" x 24"	24" x 30"
AL	SD267**	SAX451	SEC331	SEA940	SEA956	SEA958**

**Please specify speed when ordering



Mat'l	24" x 30"	24" x 24"	24" x 24"	24" x 24"	24" x 24"	24" x 24"
AL	SEB008	SEA988	SEA984	SEA992	SD292	SEA998



Mat'l	12" x 18"	12" x 18"	12" x 18"	12" x 36"
AL	SD295	SEB004	SD297	SAX478

High Intensity (HP): High intensity prismatic sheeting is over three times brighter than standard engineer-grade sheeting.

Aluminum (AL): Lightweight 0.032" aluminum with enamel non-reflective finish

U-CHANNEL POSTS

- Galvanised steel posts are ideal for mounting and installing traffic signs
- Available in different heights



POST

Order No.	Length'	Width"
SAO195	8	2 1/2
SAO196	10	2 1/2
SAO197	12	2 1/2



BASE

SAO725	4	3
--------	---	---

HARDWARE

Order No.	Description
SAO201*	1 (bolt, locknut, washer, Galvanised "U")
SAP508*	1 (bolt, locknut)

*Hardware sold separately. Requires two sets per post.



Stamps & Stencils

STEEL HAND STAMPS

- For hand held, hammer struck applications
- Manufactured from high quality steel
- Induction hardened for added durability and extended life
- Bevelled striking edge prevents breakage and accidents during use
- Stamping end is hardened at 58-62 HRC and the striking end is hardened to 38-43 HRC to prevent splintering
- Letter sets contain 27 pieces, "A" through "Z" and "&"-ampersand
- Number sets contain 9 pieces, "0" through "9", numbers "6" and "9" are interchangeable



aurora tools®

Order No.	Stamp Size"	Type
TLZ389	1/8	Number
TLZ392	1/8	Letter
TLZ390	3/16	Number
TLZ393	3/16	Letter
TLZ391	1/4	Number
TLZ394	1/4	Letter

STEEL HAND STAMP SETS

FOR HAND-HELD HAMMER STRUCK APPLICATIONS

STANDARD STEEL STAMPS

- Standard high quality stamps for general purpose uses at low cost
- Crowned striking surface
- Textured shank



HEAVY-DUTY STAMPS

- Heavy duty marking performance
- Tempered shanks for extra durability and safety
- Crowned striking surface
- Larger shanks than standard



PREMIER TEMPERED STAMPS

- Large shanks are tempered designed to hold up under continuous hard hammering
- Top quality tempered shanks



ROUND FACE LOW STRESS STAMPS

- Made on Premier size shanks
- Rounded characters produce minimum stress on the marked surface
- Meets government specifications for minimum stress marking
- Crowned striking surface
- Larger shanks than heavy-duty



LOW STRESS DOT DESIGN

- Made on Premier size shanks
- Interrupted dot design has a radius on the character end
- Make a permanent mark with minimum stress on the marked metal
- Meets U.S. Atomic Energy specifications
- Applications where metal strength and/or risk of fracture is critical
- Ideal for use in aircraft, missile, oil supply and nuclear power



Call us for more information.



Order No.	Mfg. No.	Size"	Type	Dimensions Sq." x L"	Wt. lbs.
-----------	----------	-------	------	----------------------	----------

STANDARD GENERAL PURPOSE

SF090	20150	3/32	Letters	1/4 x 2 3/8	1.50
SF091	20521	3/32	Numbers	1/4 x 2 3/8	0.50
SE234	20200	1/8	Letters	1/4 x 2 3/8	1.50
SE235	20541	1/8	Numbers	1/4 x 2 3/8	0.50
SE236	20250	3/16	Letters	5/16 x 2 3/8	2.13
SE237	20561	3/16	Numbers	5/16 x 2 3/8	0.75
SE238	20300	1/4	Letters	3/8 x 2 5/8	3.00
SE239	20581	1/4	Numbers	3/8 x 2 5/8	1.13
SAK459	20350	3/8	Letters	1/2 x 2 3/4	6.00
SAK460	20601	3/8	Numbers	1/2 x 2 3/4	2.00
SF092	20400	1/2	Letters	5/8 x 3	10.00
SF093	20621	1/2	Numbers	5/8 x 3	3.25

HEAVY-DUTY GRADE

SF082	20801	3/32	Letters	5/16 x 2 1/2	2.25
SF083	21340	3/32	Numbers	5/16 x 2 1/2	0.88
SA932	20851	1/8	Letters	5/16 x 2 1/2	2.30
SA935	21360	1/8	Numbers	5/16 x 2 1/2	0.88
SA933	20951	3/16	Letters	3/8 x 2 3/4	3.30
SA936	21400	3/16	Numbers	3/8 x 2 3/4	1.10
SA934	21051	1/4	Letters	7/16 x 3	5.00
SA937	21440	1/4	Numbers	7/16 x 3	1.80
SF084	21201	1/2	Letters	3/4 x 3 3/4	17.00
SF085	21500	1/2	Numbers	3/4 x 3 3/4	2.63

PREMIER INDUSTRIAL GRADE

SF086	22100	3/32	Letters	5/16 x 2 3/4	2.38
SF087	22841	3/32	Numbers	5/16 x 2 3/4	0.88
SA938	22150	1/8	Letters	3/8 x 2 3/4	3.30
SA941	22861	1/8	Numbers	3/8 x 2 3/4	1.30
SA939	22250	3/16	Letters	7/16 x 2 3/4	3.50
SA942	22901	3/16	Numbers	7/16 x 2 3/4	1.40
SA940	22350	1/4	Letters	1/2 x 3	6.00
SA943	22941	1/4	Numbers	1/2 x 3	2.30
SF088	22550	1/2	Letters	3/4 x 4	17.00
SF089	23021	1/2	Numbers	3/4 x 4	6.25

ROUND FACE LOW STRESS

SF094	25750	3/32	Letters	5/16 x 2 3/4	2.38
SF095	26081	3/32	Numbers	5/16 x 2 3/4	0.88
SF096	25800	1/8	Letters	3/8 x 2 3/4	3.25
SF097	26101	1/8	Numbers	3/8 x 2 3/4	1.25
SF098	25850	3/16	Letters	7/16 x 2 3/4	3.50
SF099	26121	3/16	Numbers	7/16 x 2 3/4	1.38
SF100	25900	1/4	Letters	1/2 x 3	6.00
SF101	26141	1/4	Numbers	1/2 x 3	2.25
SF102	26000	1/2	Letters	3/4 x 4	18.25
SF103	26181	1/2	Numbers	3/4 x 4	6.00
SAS103	25950	3/8	Letters	3/8 x 3 1/8	10.50
SAS104	26161	3/8	Numbers	5/8 x 3 1/8	3.50

DOTTED LOW STRESS

SAS093	26200	1/8	Letters	3/8 x 2 3/4	3.25
SAS094	26601	1/8	Numbers	3/8 x 2 3/4	1.25
SAS095	26250	3/16	Letters	7/16 x 2 3/4	3.50
SAS096	26621	3/16	Numbers	7/16 x 2 3/4	1.38
SAS097	26300	1/4	Letters	1/2 x 3	6.00
SAS098	26641	1/4	Numbers	1/2 x 3	2.25
SAS099	26350	3/8	Letters	5/8 x 3 1/8	10.50
SAS100	26661	3/8	Numbers	5/8 x 3 1/8	3.50
SAS101	26400	1/2	Letters	3/4 x 4	18.25
SAS102	26681	1/2	Numbers	3/4 x 4	6.00

GOTHIC BRASS INTERLOCKING STENCILS



C.H. HANSON®
Since 1866 • Tools for Generations™

- Durable brass for long lasting service
- Stencils slide together and come apart easily
 - Quick, legible signs on all surfaces
- Use with brush or spray ink, paint or markers
 - Clean up easily with paint solvent
 - Horizontal composition

SINGLE LETTERS & NUMBERS SETS

LETTERS ONLY

Contains **33 pieces** as follows: 1 each of A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z, &, beginner, period ender, apostrophe, comma, dash, period, and ampersand.

Order No.	Mfg. No.	Characters Height"	Pcs /Kit	Wt. lbs.
SAK464	10028	1	33	0.24
SAK465	10031	2	33	0.52
SAK466	10033	3	33	0.84
SAK467	10034	4	33	1.20
SAK468	10036	6	33	2.60

NUMBERS ONLY

Contains **15 pieces** as follows: 1 each of 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, beginner, plain ender, dash and period.

Order No.	Mfg. No.	Characters Height"	Pcs /Kit	Wt. lbs.
SAK469	10008	1	15	0.14
SAK470	10011	2	15	0.28
SAK471	10013	3	15	0.42
SAK472	10014	4	15	0.58
SAK473	10016	6	15	1.06

SINGLE LETTERS & NUMBERS SETS LARGE SIZES

LETTERS ONLY

Contains **33 pieces** as follows: 1 each of A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z, &, beginner, period ender, apostrophe, comma, dash, period, and ampersand.

NUMBERS ONLY

Contains **13 pieces** as follows 1 each of: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, beginner, plain ender, and period.

Order No.	Mfg. No.	Characters Height"	Pcs /Kit	Wt. lbs.
LETTER KITS				
SF076	10165	8	33	8.40
SF077	10166	10	33	10.70
SF078	10167	12	33	12.50
NUMBER KITS				
SC672	10160	8	13	3.00
SC673	10161	10	13	4.86
SC674	10162	12	13	5.10

Other sizes and separate letter and number sets available.
Vertical composition also available. Please inquire.

LETTER & NUMBER SETS

Contains **92 pieces** as follows: 4 E's; 3 each of A, I, N, O, S, and Spacers; 1 Q; 2 each of the remaining letters and Periods; and 1 each of beginner, plain ender, period ender, comma, dash, 2 ampersands and 1 apostrophe. Numbers include 3 each of 0 and 1; 2 each of 2, 3, 4, 5, 6, 7, 8 and 9.

Order No.	Mfg. No.	Characters Height"	Pcs /Kit	Wt. lbs.
SA926	10148	1	92	0.80
SA927	10151	2	92	1.30
SA928	10153	3	92	2.10
SA929	10154	4	92	3.70
SA930	10155	5	92	4.90
SA931	10156	6	92	6.80

STENCIL INKS

Spray stencil ink works on almost any surface.

Available in a 12-oz. can, this spray stencil ink does not contain fluorocarbons.

12 cans per case.



Order No.	Mfg. No.	Colour
SC668	803108	Black
SC670	803105	White
SC671	803127	Yellow

Stamps & Stencils

IDENTIFY LOCATIONS, SUPPLIES & TOOLS

Mark on equipment, products, machinery, and shelves for unique identification.
Self-adhesive vinyl labels have peel-off back liner and mount to any clean, dry surface.



INDIVIDUAL LETTER & NUMBER MARKERS

Identically printed characters are ideal for multiple marking and identification.

- Markers are printed on adhesive vinyl to be self-aligning so that the characters are spaced evenly
- Printed in high-contrast black on yellow
- Choose and use only the characters you require without having to order letter and number sets
- Available per sheet

LETTERS

	1" 10/Sheet	1 15/16" 10/Sheet	2 15/16" 6/Sheet	3 7/8" 5/Sheet
A	SC743	SC769	SR590	SC795
B	SC744	SC770	SR591	SC796
C	SC745	SC771	SR592	SC797
D	SC746	SC772	SR593	SC798
E	SC747	SC773	SR594	SC799
F	SC748	SC774	SR595	SC800
G	SC749	SC775	SR596	SC801
H	SC750	SC776	SR597	SC802
I	SC751	SC777	SR598	SC803
J	SC752	SC778	SR599	SC804
K	SC753	SC779	SR600	SC805
L	SC754	SC780	SR601	SC806
M	SC755	SC781	SR602	SC807
N	SC756	SC782	SR603	SC808
O	SC757	SC783	SR604	SC809
P	SC758	SC784	SR605	SC810
Q	SC759	SC785	SR606	SC811
R	SC760	SC786	SR607	SC812
S	SC761	SC787	SR608	SC813
T	SC762	SC788	SR609	SC814
U	SC763	SC789	SR610	SC815
V	SC764	SC790	SR611	SC816
W	SC765	SC791	SR612	SC817
X	SC766	SC792	SR613	SC818
Y	SC767	SC793	SR614	SC819
Z	SC768	SC794	SR615	SC820

Character height: 1"

10 characters per sheet

Marker size: 1 1/2" H x 7/8" W



Character height: 1 15/16"

10 characters per sheet

Marker size: 2 1/4" H x 7/8" W



Character height: 2 15/16"

6 characters per sheet

Marker size: 3 1/2" H x 1 1/2" W



Character height: 3 7/8"

5 characters per sheet

Marker size: 5" H x 1 3/4" W



Character Height	Character Per Sheet
1"	10
1 15/16"	10
2 15/16"	6
3 7/8"	5

NUMBERS

	1" 10/Sheet	1 15/16" 10/Sheet	2 15/16" 6/Sheet	3 7/8" 5/Sheet
0	SC821	SC831	SE822	SC841
1	SC822	SC832	SE823	SC842
2	SC823	SC833	SE824	SC843
3	SC824	SC834	SE825	SC844
4	SC825	SC835	SE826	SC845
5	SC826	SC836	SE827	SC846
6	SC827	SC837	SE828	SC847
7	SC828	SC838	SE829	SC848
8	SC829	SC839	SE830	SC849
9	SC830	SC840	SE831	SC850

Also available in other sizes and Reflective Vinyl (black on yellow only), which adds visibility, especially in low light and dark areas when directing light on it. Please call for quote.

PRESSURE SENSITIVE NUMBERING KITS

- Pressure sensitive pre-spaced numbers are easy to align and affix to vehicle placards or for numbering ratings and specific information
- Numbers are 3 1/2" high printed black on clear Mylar™ or black on white vinyl, with permanent adhesive
- Available in a kit containing 500 numbers; 50 of each number 0 to 9
- Single numbers sold 50 per package



INCOM

KIT

Black on Clear Order No.	Mfg. No.	Black on White Order No.	Mfg. No.	Qty /Kit
SAO097	UNCLKIT	SAO098	UNWHKIT	500

SINGLE NUMBERS (50/PKG.)

Black on Clear Order No.	Mfg. No.	Black on White Order No.	Mfg. No.	Numbers
SAO099	UNCL0	SAO108	UNWH0	0
SAO100	UNCL1	SAO091	UNWH1	1
SAO101	UNCL2	SAO110	UNWH2	2
SAO102	UNCL3	SAO103	UNWH3	3
SAO111	UNCL4	SAO092	UNWH4	4
SAO104	UNCL5	SAO095	UNWH5	5
SAO096	UNCL6	SAO094	UNWH6	6
SAO105	UNCL7	SAO112	UNWH7	7
SAO106	UNCL8	SAO093	UNWH8	8
SAO107	UNCL9	SAO109	UNWH9	9

SAFETY HORNS

MIGHTY SONIC™ SIGNAL HORNS

- Lightweight, portable, long lasting safety horn
- Independent of any other power source
- 100% ozone safe and non-flammable
- Delivers a piercing 120 dB blast at 10'
- Easy and convenient push-button operation
- Unbreakable high-impact trumpet
- 8-oz. canister

Order No. SAK518

Mfg. No. MSN



SAK518

REFILLS

Order No. SAK519

Mfg. No. MSNR

911 PERSONAL SAFETY HORNS

- Lightweight, portable, long lasting safety horn
- Attaches easily to your belt or wrist and fits easily in a briefcase, purse, or backpack
- Independent of any other power source
- 100% ozone safe
- Delivers a piercing 120 dB blast that can be heard up to 1/2 mile away
- 1.5-oz. canisters

Order No. SEI678

Mfg. No. 911PSH



SEI678

REFILLS

- Pack of two

Order No. SEI679

Mfg. No. 9112R



MEGAPHONES

- Features pistol grip and trigger for 1-hand operation
- Includes piercing siren sound for emergency situations
- 25-W peak, 15 W RMS power output
- Up to one mile carry sound range
- Dimensions: 15" L x 9" H (cone diameter)
- Requires eight "C" batteries (XB874, sold separately)

Order No. SEE894



MOTOROLA RECREATIONAL TALKABOUT RADIOS

These radios are designed to provide affordable and dependable communication, ideal for outdoor light-usage or included in an emergency preparedness kit. Our radios work in remote areas, are rugged and convenient to use and provide instant access without using up your cell phone minutes.

MD320R TWO-WAY RADIOS

- Offers a communication range up to 32 kilometers
- 22 channels
- Dual power: 24 hours alkaline (AA) or 11 hours NiMH
- Offers features such as: keypad lock, 10 call tones and audible low battery alert

Includes: Two radios, one wall charger with Y-cable and two connectors, one charging adapter and two NiMH battery packs

Order No. SEF079

Mfg. No. MD320CR



MOTOROLA SOLUTIONS

Business Radio Reseller

SEF079



MS560CR TWO-WAY TALKABOUT RADIOS

- Offers a communication range up to 56 kilometers
- 22 channels, each with 121 privacy codes for 2662 combinations
- Dual Power: 27 hour alkaline or 9 hour NiMH estimated talk time
- iVOX hands-free communication without the need of an audio accessory
- Offers many features such as: Headphone connector, Flashlight LED, 10 call tones, Audible low battery alert, QT (Quiet Talk) interruption filter, PTT Power Boost

Includes: Two radios, two NiMH batteries and a plug-in charger

Order No. SED125

Mfg. No. MS560CR



MOTOROLA SOLUTIONS

Business Radio Reseller

SED125



MOTOROLA BUSINESS TWO-WAY RADIOS

These radios are designed for heavy-duty, everyday industrial use. Environments such as construction, manufacturing and retail environments, along with many others, require this type of radio in order to function efficiently and productively.



CLS SERIES™ - 4 CHANNEL 1-WATT

- Up to 8 km range, 200 000 sq. ft. or 15 floors
- 1 watt UHF transmit power
- 2 frequencies
- Up to 4-channel operation
- 121 interference eliminator with 83 digital and 38 analog codes
- LCD display with battery meter, signal strength indicator
- VibraCall® alert feature
- Call Alert button with 3 call tones and Off
- Double pin accessory jack
- Compatible with XTN Series audio accessories
- VOX – Voice activated with select audio accessories

INCLUDED ACCESSORIES:

- Lithium ion battery, up to 12 hours battery life
- 3 hour drop-in charger
- Swivel holster
- Industry Canada Licence Required

Order No. HX166
Mfg. No. CLS1413



ACCESSORIES

Order No.	Mfg. No.	Description	Compatible With Series
CHARGER			
HX069	53875	2-Hour Drop-In Charging Tray	XTN
HX070	53879	Multi-Unit Cloning Station and Charger	XTN
HX180	56553	3-Hour Drop-In Charger	CLS
SED302	RLN6309A	Charging Station, Holds 6 Radios	RDX
SEI690	PMLN638A	Charging station, Holds 6 Radios	RMU
HX181	56531	CCS Multi-Charging Station	CLS

AUDIO ACCESSORIES

SED303	RKN4155A	CPS Programming Cable	RDX
SEI691	HKKN4027A	Programming Cable Kit	RMU
SED304	RLN6423A	Ear Hook Swivel Earpiece	CLS/XTN/RDX/DTR
SED305	HKLN4477A	Surveillance Earpiece With Microphone	CLS/XTN/RDX/DTR
HM015	53862	Remote Speaker/Microphone	XTN/CLS/RDX
HM017	53866	Earbud w/In-Line Push-to-Talk Button	XTN/CLS/RDX
HM005	53863	Earpiece w/Microphone	XTN/CLS/RDX
HM004	53865	Headset w/Swivel Boom Microphone	XTN/CLS/RDX

CARRY CASE & HOLSTERS

SED306	RLN6302A	Leather Carrying Case With 3" Swivel	RDX
SED307	RLN6307A	Spring Action Belt Clip	RDX

BATTERIES

HX066	53871	NiMH Rechargeable Battery	XTN
HX186	56557	Lithium Ion Rechargeable Battery	CLS
SED308	RLN6351A	Standard Capacity lithium Ion Battery	RDX
SED310	RLN6308A	Ultra Capacity Lithium Ion Battery	RDX

RDX SERIES™ MULTI-CHANNEL 4 W



- 39 analog and 83 digital interference eliminator codes
- Designed to IP-55 and MIL-SPEC specifications
- 3 voice-inversion scramble settings to minimize eavesdropping
- Channel scan with selectable scan list
- 3 audible call tones
- 2-pin accessory plug (compatible with XTN/CLS Series)
- VOX (hands-free use with accessories) with 3 sensitivity levels
- Tri-colour LED with Transmit, Receive and Low Battery indication
- Up to 4-watt power (2 W low power setting)
- 18.5 hrs. battery life (4 W, 5/5/90, battery save enabled)
- Pre-programmed channels/code combinations
- Programmable direct input frequency
- Bandwidth: 438-470 MHz

INCLUDED ACCESSORIES:

- 2400 mAh Li-ion rechargeable battery
- 12-hour drop-in charging tray with wall adaptor
- Spring belt clip
- User's guide, safety leaflet and Canadian license application form

SAR570 ADDITIONAL FEATURES:

- Up to 10 channels
- Two programmable buttons
- Auto-scan

SAR571 ADDITIONAL FEATURES:

- Up to 16 channels with aliasing (up to 8 characters)
- Repeater capable
- Battery gauge
- Signal strength indicator
- Keypad lock
- Five programmable buttons
- iVOX

Order No.	Mfg. No.	Description
SAR570	RDU4103	4 W, 10 Channels
SAR571	RDU4163D	4 W, 16 Channels



RMU SERIES™ 4-CHANNEL 2 W

- 2 watt UHF provides coverage up to 250 000 sq.ft./20 floors
- Up to 4 channels operation
- Operates on two UHF frequencies (IC license required)
- 219 PL/DPL codes, including six customizable codes
- Channel announcement with voice alias
- Meets military 810 C, D, E, F, G and IP54/55 specifications
- Antimicrobial protection
- Two programmable buttons give quick 1-touch access to features; Advanced features via Customer Programming Software (CPS)
- Single unit drop in charger provides charging and battery level status via tri-colour LED
- Easy cloning with single unit charger cloning cable or multi-unit charger (sold separately)
- Weighing 8.6 oz. with battery
- 2-pin accessory plug

INCLUDED ACCESSORIES:

- 2100 mAh 3.7 V lithium ion rechargeable battery
- Standard drop in charging tray w/ wall adaptor
- Swivel belt holster with 3.5" spring clip
- Quick reference leaflet and RF safety booklet

Order No. SEI689
Mfg. No. RMU2043

