

SALT/SAND CONTAINERS GP1000

Designed for the safe, convenient, year-round storage of salt and sand. This versatile container can be used for maintenance free service in a variety of applications.

FEATURES:

- Rugged, double walled one-piece construction
- Molded from industrial strength polyethylene
- Molded-in lid stops
- Fully sealed 1/2" Delrin rod
- Weather resistant, corrosion free
- Capacity: 1000 lbs. or 11 cu. ft.
- 42" L x 29" W
- Heights w/o casters:
 - Front: 27" H
 - Middle: 30" H
 - Back: 34" H



STORALL 500 CONTAINERS

The StorAll 500 is a versatile container designed for year-round storage of salt/grit. Its unique nesting design reduces storage space requirements and lowers the cost of transportation.

FEATURES:

- Made of tough, durable polyethylene construction
- Double-walled reinforced lid
- Molded forklift and hand recess holes
- Knuckle and rod reinforced hinge design
- Weather resistant, corrosion free
- Stacks up to seven high
- Capacity: 500 lbs. or 5.5 cu. ft.



urban
IMAGES

Order No.	Dimensions			Colour
	L"	W"	H"	
ND202	30	24	24	Grey
ND337	30	24	24	Yellow

STORALL 1000 GENERAL PURPOSE CONTAINERS

Molded from durable UV stabilised polyethylene, the StorAll is designed to provide year round maintenance free protection for your items.

- Double-walled lid and convex base
- Knuckle and rod reinforced hinge design
- Molded forklift feet
- Molded-in lifting handles
- Lightweight and easy to handle
- Keeps contents safe and dry
- Stacking design saves space and costs of shipping
- Stacks 10 high in a trailer un-skidded and 9 high skidded
- Capacity: 1000 lbs. or 13 cu. ft.



urban
IMAGES

Order No.	Dimensions			Colour
	L"	W"	H"	
CC389	48	30	29	Yellow
CC390	48	30	29	Grey
CC391	48	30	29	Yellow w/Hasp
CC392	48	30	29	Grey w/Hasp

urban
IMAGES

Order No.	Description	Dimensions			Colour
		L"	W"	H"	
ND203	Body Only	42	29	30	Yellow
ND204	w/Casters and Hasp	42	29	36	Yellow
ND338	w/Casters Only	42	29	36	Yellow
ND339	w/Hasp Only	42	29	30	Yellow
ND335	Body Only	42	29	30	Grey
ND336	w/Casters and Hasp	42	29	36	Grey
ND340	w/Casters Only	42	29	36	Grey
ND341	w/Hasp Only	42	29	30	Grey

BROADCAST SPREADER

- Steel tube frame construction with chrome plated hardware
- Heavy-duty nylon gear box increases product life span
- Setting control on handle for precise adjustments
- 12" x 4" pneumatic tires
- Blade size: 11" x 8 1/2"
- Capacity: 100 lbs.
- Coverage: 16 000 sq. ft.
- Includes: rain cover and screen

Order No. NJ142

aurora tools



1 GALLON POLYETHYLENE SCOOPS

- Rotationally molded with 1/4" thickness for industrial strength
- Ideal for farm/feed, restaurant, salt and sand, compost/garden, industry

Order No. PE095 Yellow

Order No. PE096 White



urban
IMAGES

NATURAL CHOICE™ ICE MELTER

- Eco-friendly ice melter
- Natural Choice™ is an all-natural ice melter with an organic additive that improves its performance
- The Natural Choice™ green marker assists in proper application to reduce environmental impact
- Natural Choice™ performance with ecology in mind
- This additive also acts as a corrosion inhibitor to reduce metal fatigue
- Melts down to -11°F/-24°C
- 20 kg (44 lbs.)

Order No. NJ140

HLE
DIVERSIFIED INC.



FIRESTORM™ INTENSE ICE MELTER

- Starts melting instantly - faster than most other ice melting products
- Prevents refreezing even under the most challenging conditions
- Safe for children and pets, will not burn skin, and gentle on vegetation
- Distinctive orange colour is easy to see, allowing you to use less while ensuring safety for pedestrians
- Magnesium chloride is less toxic than baking soda
- Melts to -25°F/-32°C
- 20 kg (44 lbs.)

Order No. JB597

HLE
DIVERSIFIED INC.



HEAVY-DUTY BUTT CANS

- Rugged heavy-duty fire safe galvanised steel base and neck tube finished in a tough powder-coated red paint
- Polyethylene topper with molded-in graphics for cigarette butt disposal
- Self-extinguishing design offers maximum convenience and reduces the risk of fire



Order No.	Dimensions			Capacity US Gallons	Wt. lbs.
	Dia."	x	H"		
JB906	11 1/2	x	34	2.5	9.6
JB907	11 1/2	x	38 1/2	5	10.5

ELITE™ SMOKERS CEASE FIRE®

- Polyethylene receptacle that will not rust and features a patented oxygen-restricting, self-extinguishing design to safely collect burning butts
- Stainless steel perforated snuffer and restricted entry design reduces unwanted trash
- Quick and easy assembly with snap-lock closures – no tools required, easy maintenance
- Packaged in a small 18" cube carton, sized to average a 30% cost savings on shipping, and reduces inventory space
- Fire tested and approved by FM Global
- 12" Dia. x 38" H
- Capacity: 4 US gal/15 litres
- Weight: 12 lbs/5 kg



Order No.	Colour
JC064	Cool Grey
JC065	Sierra Tan
JC066	Jet Black

ACCESSORIES

Order No.	Description
JC069	Padlock
JC070	Replacement Pail

SMOKERS CEASE-FIRE®

- Innovative design limits the flow of oxygen to safely and quickly extinguish cigarettes and reduce the risk of fire
- Low-maintenance, high-density polyethylene construction with a flame-retardant additive
- UV protection, will not rust, dent, crack or peel - no more unsightly rust rings
- Molded-in graphics clearly identify unit for cigarette butt disposal
- Complete with large 16 qt. (15 L) capacity galvanised steel liner pail for easy cleaning excluding Personal Smokers Cease-Fire®
- FM approved



Pewter Grey	Adobe Beige	Deco Black	Terra Cotta	Forest Green	Description	Dimensions			Capacity US Gal.	Wt. lbs.
Order No.	Order No.	Order No.	Order No.	Order No.		Dia."	x	H"		
NH832	NI378	NI694	NI587	NI695	Original Smokers Cease-Fire®	16 1/2	x	38 1/2	4	12
NI701	NI702	NI703	NI705	NI704	Personal Smokers Cease-Fire®	11	x	30	1	6



CEASE-FIRE® ASHTRAYS

- Specially designed contoured head directs smoke and gas from any fire inside the container back into the combustion area
- Air supply is limited and flames are extinguished in seconds
- Drum bodies made of heavy gauge steel with a grey enamel exterior and a rust preventive interior coating
- FM approved, corrosion-free aluminum heads provide easy clean-up and can be used with standard steel drums
- Aluminum heads can be easily replaced and are available separately



Order No.	Capacity US Gal.	Dimensions			Opening Dia."	Wt. lbs.
		Dia."	x	H"		
NC444	4.5	11 7/8	x	14 1/4	5	6
NC445	6	11 3/4	x	17 3/4	5	6
NC446	12	14 1/2	x	23	5 1/4	10
NC447	15	14 1/2	x	27 3/4	5 1/4	12
NC448	30	19 1/4	x	31 3/4	7	28
NC449*	55	23 3/4	x	38 1/2	7 7/8	35

*Drum should be filled 3/4 full only.

REPLACEMENT ALUMINUM HEADS

Order No.	Fits Capacity
NI416	4.5 & 6 gallons
NI417	12 & 15 gallons
NI418	30 gallons
NI419	55 gallons

Fire Protection

INFINITY™ SMOKING MANAGEMENT SOLUTIONS

- Sophisticated styling and all-metal construction for attractive and efficient smoking litter management
- High-capacity receptacles for heavy traffic areas
- Stainless steel snuff plate minimizes smoldering
- Integrated padlock tabs provide security against tampering and theft
- Weighted bases and bolt-down options for added stability outdoors
- 360° disposal area with domed tops for weather resistance
- Unobstructed funnels to reduce jamming during cigarette disposal



JB477



JB478



JB479



JB476



Order No.	Mfg. No.	Description	Capacity Gal.	Diameter"	Height"	Colour
JB476	9W31	Base Mount	1.33	15.5	39	Black
JB477	9W32	Wall-Mount	0.60	11.6	18	Black
JB478	9W33	Traditional	4.13	13	39.1	Black
JB480	9W33	Traditional	4.13	13	39.1	Pewter
JB481	9W33	Traditional	4.13	13	39.1	Bronze
JB479	9W34	High Capacity	6.7	15.4	39.8	Black
JB482	9W34	High Capacity	6.7	15.4	39.8	Pewter
JB483	9W34	High Capacity	6.7	15.4	39.8	Bronze

GROUNDSKEEPER™ CIGARETTE WASTE COLLECTORS

- Restricted opening shields cigarette butts from view, weather and reduces oxygen flow, quickly extinguishing cigarettes
- Galvanised steel canister securely holds large quantities of cigarette waste
- Two-piece design makes cleaning quick and easy
- Flame-retardant injection-molded plastic will not rust or fade
- Factory Mutual and CSFM (California State Fire Marshall) approved for fire safety
- Can be bolted or tied to concrete for security
- 12 1/4" L x 12 1/4" W x 39 3/4" H

Order No. NI553
Mfg. No. 2570-88



GROUNDSKEEPER TUSCAN™ CIGARETTE WASTE COLLECTORS

- Column-style design
- Slide-out canister ash collection system, is a "no stoop" ergonomic emptying design
- Molded-in-colour polymer body with UV inhibitors, will not fade, chip, or rust
- Contrasting colour silk-screened cigarette symbol, draws attention to units function
- Powder-coated aluminum cap will not burn or melt
- Galvanised steel ash canister
- Heavy steel base plate, will not fall over under windy conditions or if bumped
- Fastener and cable security kit available, NI688
- 13" L x 13" W x 38 1/2" H
- Weight: 12.6 lbs.

Order No. NI686 Black
Mfg No. 9W3000

Order No. NI687 Sand Stone
Mfg No. 9W3000

SECURITY KIT

Order No. NI688
Mfg. No. 9W2900



METROPOLITAN SMOKERS' STATIONS

- Metal receptacles with slim, contemporary design for upscale environments
- Galvanised steel units with stainless steel hinge and UV-stabilised Uni-Koat™ powder finish for increased weather resistance
- Receptacles are easy to empty with removable, galvanised liner
- Stable, weighted, locking units with bolt down option prevent theft, pilferage, and tip-overs
- 16.8" D x 42.8" H
- Capacity: 1.6 US gal. (Approx. 1800 cigarettes)
- Weight: 43.34 lbs.
- FM approved



Order No.	Mfg. No.	Colour
JB956	R93400BK	Black
JB957	R93400SM	Silver Metallic

BRUTE® VENTED CONTAINERS, TOPS & DOLLIES

- Extra strong polyethylene construction withstands bumps and kicks; will not rust, chip or peel
- Nest for easy storage and cleans easily due to seamless construction
- New venting channels on 20, 32, and 44 gallon containers allow for easy removal of garbage bags
- Pro-Touch™ handle grips allow for comfortable gripping and lifting
- Four cinches on container enable users to secure bags to container
- Choice of snap-on flat lid or dome top
- Dome top turns container into a rugged outdoor receptacle
- Door swings shut to keep out water and trap odours
- Dome top also fits 45-gallon steel drums
- Twist-on round 5-wheel dolly fits 20-55 US gallon containers
- Universal 5-wheel dolly fits any size round Brute® container and supports up to 500 lbs.

Note: Items shown in rim caddy NI596 are not included.

Order No.	Mfg. No.	Description	Capacity US Gal.	Dimensions			Colour	Wt. lbs.
				Dia."	x	H"		
NA685*	2610	Brute® Container	10	15 5/8	x	17 1/8	Grey	3
NA686*	2610	Brute® Container	10	15 5/8	x	17 1/8	White	3
NA683*	2609	Flat Lid	-	16	x	1	Grey	1
NA684*	2609	Flat Lid	-	16	x	1	White	1
NA691*	2620	Brute® Vented Container	20	19 1/2	x	22 7/8	Grey	7
NA692*	2620	Brute® Vented Container	20	19 1/2	x	22 7/8	White	7
NA693*	2620	Brute® Vented Container	20	19 1/2	x	22 7/8	Yellow	7
NG250	2620	Brute® Vented Container	20	19 1/2	x	22 7/8	Blue	7
NA687*	2619	Flat Lid	-	19 7/8	x	1 1/4	Grey	2
NA688*	2619	Flat Lid	-	19 7/8	x	1 1/4	White	2
NA689*	2619	Flat Lid	-	19 7/8	x	1 1/4	Yellow	2
NA698*	2632	Brute® Vented Container	32	22	x	27 1/4	Grey	11
NA699*	2632	Brute® Vented Container	32	22	x	27 1/4	White	11
NA700*	2632	Brute® Vented Container	32	22	x	27 1/4	Yellow	11
NG251	2632	Brute® Vented Container	32	22	x	27 1/4	Blue	11
NG551	2632	Brute® Vented Container	32	22	x	27 1/4	Red	11
NA694*	2631	Flat Lid	-	22 1/4	x	1 3/8	Grey	3
NA695*	2631	Flat Lid	-	22 1/4	x	1 3/8	White	3
NA696*	2631	Flat Lid	-	22 1/4	x	1 3/8	Yellow	3
NA701	2637	Dome Top	-	22 11/16	x	12 1/4	Grey	15
NA703*	2637	Dome Top	-	22 11/16	x	12 1/4	Red	15
JB463*	2643	Brute® Vented Container	44	24	x	31 1/2	Grey	14
JB465*	2643	Brute® Vented Container	44	24	x	31 1/2	Yellow	14
JB466	2643	Brute® Vented Container	44	24	x	31 1/2	Blue	14
JB467*	2645	Flat Lid	-	24 1/2	x	1 1/2	Black	4
JB616*	2645	Flat Lid	-	24 1/2	x	1 1/2	White	4
JB618*	2645	Flat Lid	-	24 1/2	x	1 1/2	Yellow	4
NA712	2647	Dome Top	-	24 13/16	x	12 19/32	Grey	16
NA713	2647	Dome Top	-	24 13/16	x	12 19/32	Red	16
NA716*	2655	Brute® Container	55	26 1/2	x	33	Grey	16
NA715*	2654	Flat Lid	-	26 3/4	x	2	Grey	4
NA717	2657	Dome Top	-	27 1/4	x	14 1/2	Grey	17
NA718	2657	Dome Top	-	27 1/4	x	14 1/2	Red	17
NA704	2640	Twist-On Dolly	20 - 55	18	x	5 1/4	Black	8
NA714	2650	Universal Dolly	10 - 55	24 3/8	x	7 1/8	Black	17
NI596	9W87	Rim Caddy for 44-Gallon Container (32 1/2 L" x 26 1/2 W" x 6 3/4 H")					Yellow	5

* Accepted for use in Canadian food processing facilities



JB463



See page 371 for garbage bags

NA704



NI596 Rim Caddy for 44-Gallon Container (Sold Separately)



NA714



SQUARE BRUTE® CONTAINERS, TOPS & DOLLIES

- Extra strong polyethylene construction withstands bumps and kicks; will not rust, chip or peel
 - Built-in handles, double-ribbed base for increased stability and dragging capacity and seamless construction with rounded corners for easy cleaning
 - Twist-on dolly for easy mobility
 - Strong, snap-on lid keeps odours in
 - Grey and white are USDA Meat and Poultry Equipment Group listed
- Note:** Items shown in caddy bag NC428 are not included.

Order No.	Mfg. No.	Description	Capacity US Gal.	Dimensions			Colour	Wt. lbs.		
				L"	x	W"	x	H"		
NC425†	3526	Brute® Container	28	21 1/2	x	21 1/2	x	22 1/2	Grey	10
NC426†	3526	Brute® Container	28	21 1/2	x	21 1/2	x	22 1/2	White	10
NA754	3527	Flat Lid	-	22	x	22	x	2	Grey	3
NA755†	3527	Flat Lid	-	22	x	22	x	2	White	3
NA758	3536	Brute® Container	40	23 1/2	x	23 1/2	x	28 3/4	Grey	15
NA759	3536	Brute® Container	40	23 1/2	x	23 1/2	x	28 3/4	White	15
NA762	3539	Flat Lid	-	24	x	24	x	2	Grey	4
NA763	3539	Flat Lid	-	24	x	24	x	2	White	4
NA757***	3530	Twist-On Dolly	-	17 1/4	x	17 1/4	x	6 1/4	Black	7
NC428*	2642	Brute® Caddy Bag	-	20	x	20	x	20 1/2	Yellow	2

* Fits 40 US gallon containers only. ** Weight Capacity: 250 lbs.

† Accepted for use in Canadian food processing facilities



NC425

NC428 Caddy Bag for 40-Gallon Container (Sold Separately)

BRUTE® ROLL OUT CONTAINERS

50 US GALLON

- Perfect for mobile collection applications
- Attached hinged lid fits tightly; swings back and locks
- Molded-in axle retainer adds strength
- In-mold catch bar is compatible with semi-automated lift systems
- Heavy-duty, 8" wheels allow for easy mobility, even over steps and curbs



NI825



65 & 95 US GALLON

- Containers are made of durable polyethylene that will not chip, crack or peel
- Hinged lids remain attached and locked for efficient handling
- One-piece body construction provides superior durability and strength
- Steel catch bar is compatible with semi-automated lift systems
- Molded-in foot tilters help manoeuvre heavy loads



NI486

Order No.	Mfg. No.	Capacity US Gal.	Dimensions L" x W" x H"	Colour	Wt. lbs.
NI824	9W27	50	29 x 23.5 x 36.75	Blue	27.13
NI825	9W27	50	29 x 23.5 x 36.75	Grey	27.13
NI485	9W21	65	25 x 32.3 x 41.8	Grey	25.6
NI486	9W22	95	36 x 27.3 x 45.6	Grey	36
NI487	9W22	95	36 x 27.3 x 45.6	Blue	36

HAZARDOUS WASTE BAGS

- Designed for the safe containment of all hazardous waste removal
- Printed with HAZARDOUS MATERIAL
- Colour: Yellow with black lettering
- Bag dimensions: 36" x 60"
- Thickness: 6 mils
- 50 bags per roll

Order No. SEK328



SURE-GUARD™ ASBESTOS REMOVAL LINERS

- Constructed in three cross linked layers of film
- Specifically designed for the rigours of asbestos abatement
- Noticeably more tough and puncture resistant than normal liners due to Sure-Guard™ liners being made with high grade virgin resins
- Ideal for the toughest abatement, restoration, environmental, and industrial applications



JD070



Order No.	Size"	Colour	Qty /Roll
JD069	26 x 40	Clear	100
JD070	26 x 40	Yellow	100
JD071	35 x 50	Clear	100
JD072	35 x 50	Yellow	100
JD073	48 x 60	Yellow	50

UNTOUCHABLE® CONTAINERS

- Durable tough polyethylene construction, crack resistant and ideal for indoors or outdoors use
- Ideal for hotel lobbies, restrooms, shopping malls, restaurants and snack areas
- Optional swing top or flat top swings open freely
- ADA compliant



Order No.	Mfg. No.	Description	Capacity US Gal.	Dimensions L" x W" x H"	Colour	Wt. lbs.
JB619	3569	Unouchable™ Container	23	16 1/2 x 15 1/2 x 31	Beige	7
JB620	3569	Unouchable™ Container	23	16 1/2 x 15 1/2 x 31	Grey	7
JB608	2689	Swing Top	-	16 x 16 x 4	Beige	3
JB607	2689	Swing Top	-	16 x 16 x 4	Black	3
NC432	3958	Unouchable™ Container	35	19 5/8 x 19 5/8 x 27 1/4	Beige	9
NC433	3958	Unouchable™ Container	35	19 5/8 x 19 5/8 x 27 1/4	Grey	9
NC434	3959	Unouchable™ Container	50	19 3/4 x 19 3/4 x 34	Beige	13
NC435	3959	Unouchable™ Container	50	19 3/4 x 19 3/4 x 34	Grey	13
NC436	2664	Swing Top	-	20 1/8 x 20 1/8 x 6 1/4	Beige	4
NC437	2664	Swing Top	-	20 1/8 x 20 1/8 x 6 1/4	Grey	4
NA751	3520	Unouchable™ Half Round Container	-	21 x 11 x 28	Beige	8
NA752	3520	Unouchable™ Half Round Container	-	21 x 11 x 28	Grey	8
NI551	3620	Half Round Lid	-	21 5/16 x 21 1/3 x 9 1/6	Black	3

SURE-GUARD™ MEDICAL INFECTIOUS WASTE LINERS

- Premium bio-hazard waste removal
- Printed with bold BIO-HAZARD WASTE
- Constructed specifically for the safe containment and transport of infectious waste
- Noticeably more tough and puncture resistant than normal liners due to Sure-Guard™ liners being made with high grade virgin resins
- Can handle the toughest abatement, restoration, environmental and industrial applications
- Sure-Tie® drawstring closure available for ultimate personal protection and waste containment
- Ideal for industrial/commercial facilities, hospitals, ambulances, nursing homes, schools, transportation vehicles, correctional facilities, laboratories, medical and dental offices



JD098



Order No.	Size"	Colour	Qty /Case
JD098	55 x 74	Red	100
JD104	55 x 74	Yellow	50
JD099	21.5 x 29	Yellow	200
JD100	30 x 38	Red	100
JD101	30 x 38	Yellow	100
JD102	37 x 50	Red	100
JD103	39 x 46	Yellow	100

RMP® GARBAGE BAGS

- Bags are "Best in Class" on attributes such as energy use, amount of recycled material, post consumer waste retrieved and re-used
- Quality of these "green bags" is as good as "non-green bags"
- Excellent strength and puncture resistance, eliminate the need for double bagging
- Excellent performance when compared to standard in the category
- Certified Eco Logo™, by a well recognized Canadian third party certification body
- Eco Logo™ bags are less harmful for the environment



Order No. Black	Order No. Clear	Description	Dimensions"	Qty /Case
JD130	JD146	Utility	20 x 22	500
JD131	JD147	Utility	22 x 22	500
JD132	JD148	Utility	24 x 22	500
JD133	JC835	Utility	22 x 24	500
JD134	JD150	Regular	26 x 36	250
JD135	JD151	Strong	26 x 36	200
JD136	JD152	X-Strong	26 x 36	150
JD137	JD153	Regular	30 x 38	250
JD138	JD154	Strong	30 x 38	200
JD139	JD155	X-Strong	30 x 38	150
JD140	JD156	Regular	35 x 50	250
JD141	JD157	Strong	35 x 50	200
JD142	JD158	X-Strong	35 x 50	150
JD143	JD159	Regular	42 x 48	250
JD144	JD160	Strong	42 x 48	200
JD145	JD161	X-Strong	42 x 48	150

RANGER® CONTAINERS

- FM approved containers specifically designed for outdoor use
- New styling provides a professional look and is in line with modern design and architectural trends
- Seamless structural web construction will not rust, corrode and is easy to clean
- Metal bag straps provide a secure method of liner retention
- Optional pedestal base design provide stability even in outdoor environments
- Units can be bolted in place, or an upgrade to a weighted base accessory is available for containers 45 gallons and up
- UL classified and FM approved on models with doors
- ADA compliant



Order No.			Mfg. No.	Description	Capacity US Gal.	Dimensions			Wt. lbs.
Beige	Brown	Black				L"	x W"	x H"	
JB531	JB532	JB533	8430-88	1 Door Top	35	21.5	x 21.5	x 41	30
JB534	-	JB535	9171-88	2 Door Top	45	24.8	x 24.8	x 41.5	41
JB536	-	JB537	9173-88	4 Openings	45	24.8	x 24.8	x 41.5	37
JB538	-	JB539	9175-00	2 Door Top	65	24.8	x 24.8	x 49.25	50
JB540	-	JB541	9176-00	4 Openings	65	24.8	x 24.8	x 49.25	46.5
JB542	-	JB543	9177-00	Weighted Base	-	24.5	x 24.5	x 6	8.5

STREET BASKETS

- Ruggedly constructed of heavy gauge expanded steel
- Curled top edging and rolled bottom permit safe and easy handling
- Six equally spaced vertical ribs welded to the top rim
- Drain holes provided in the bottom
- Entire unit is hot dipped galvanized after fabrication for maximum corrosion resistance
- Dimensions: 24" Dia. x 32" H
- Capacity: 52 US gallons
- Weight: 33 lbs.
- ADA compliant



Order No.	Colour
JC167	Black
JC168	Blue
JC169	Green
JC170	Red
NA908	Galvanised

SELF-CLOSING DRUM TOPS

- Convert metal or plastic drums into safe waste containers
- Self-closing push door controls odours
- Thumb screws for fastening
- FM approved, when used with steel drums



Drums Not Included

Order No.	Colour	Diameter"	Wt. lbs.
NA669	Green	24 1/2	12
NA670	Red	24 1/2	12
NH720	Black	24 1/2	12
NA672	Green	20	9

GLUTTON® RECYCLING STATIONS

- Fully integrated station gives credibility to building recycling program and drives recycling compliance
- All plastic construction resistant to corrosion and withstands impacts
- Smooth, rounded surfaces and coated labels allow for easy cleaning
- Meets or exceeds EPA guidelines for post consumer recycled content



JB612

Provides sortation & containment for up to 4 separate materials such as paper, trash, cans & bottles



JC092

Order No.	Mfg. No.	Includes	Capacity Gal.	Dimensions L" x W" x H"	Colour	Wt. lbs.
GLUTTON® STATIONS						
JB612	1792372	2 Glutton® Containers, 4 Slim Jim® Containers, 1 Station Lid Frame, 8 Restrictive-Opening Tops (4 Circles, 2 Slots, 1 Square, 1 Triangle), and 1 Label Pack Containing Both Iconic Labels and Word Labels in 3 Languages (English, French, Spanish)	92	53 x 24 x 35.3	Dark Blue	82
JB613	1792374	2 Glutton® Containers, 4 Slim Jim® Containers, 1 Station Lid Frame, 8 Restrictive-Opening Tops (4 Circles, 2 Slots, 1 Square, 1 Triangle), and 1 Label Pack Containing Both Iconic Labels and Word Labels in 3 Languages (English, French, Spanish)	92	53 x 24 x 35.3	Beige	82
1/2 GLUTTON® STATION						
JC092	1792339	1 Glutton® Container, 2 Slim Jim® Containers, 1 Lid, 3 Restrictive Openings and Label Pack	46	26.8 x 24 x 35.3	Dark Blue	40

SLIM JIM® WITH VENTING CHANNELS

- Durable, all plastic construction
- Efficient size and shape fits tight spaces
- Venting channels reduces lifting force by 68% on average, which enhances workplace ergonomics
- Integrated handles allow easier lifting, dumping, and dragging of container
- Four molded-in pull through holes with can liner "cinch" hold liner in place
- Available with universal recycling symbol imprint
- Tops fit all Slim Jim®'s containers
- Stainless steel dolly resists rusting, provides easy mobility and fits all Slim Jim®'s containers
- Bases and tops sold separately



JB521



JB524



JB530



Order No.	Mfg. No.	Description	Capacity US Gal.	Dimensions L" x W" x H"	Colour
JB519	3540-60	Slim Jim® Container	23	22 x 11 x 30	Black
JB520	3540-60	Slim Jim® Container	23	22 x 11 x 30	Beige
JB521	3540-60	Slim Jim® Container	23	22 x 11 x 30	Grey
JB523	3540-07	Slim Jim® Container w/Recycling Symbol	23	22 x 11 x 30	Green
JB524	3540-07	Slim Jim® Container w/Recycling Symbol	23	22 x 11 x 30	Blue
JB525	2673-60	Swing Top	-	20.6 x 11.6 x 5	Black
JB529	2674	Hinge Top	-	21.9 x 13.45 x 1.24	Black
JB530	3553	Slim Jim® Dolly	-	20.3 x 9.3 x 9.5	Stainless Steel

SLIM JIM® CONTAINERS & TROLLEY SYSTEM

- Durable, all plastic construction
- Efficient size and shape fits tight spaces
- Linking trolley moves multiple units, or can be used individually as a dolly
- Trolley accepts both size containers
- Bases and tops sold separately



NG261

NG269

NG267

NG263



See page 371 for garbage bags

Order No.	Mfg. No.	Description	Capacity US Gal.	Dimensions L" x W" x H"	Colour	Wt. lbs.
NA765	3540	Container	23	20 x 11 x 30	Beige	8
NG262	3540	Container	23	20 x 11 x 30	Blue	8
NG261	3540	Container	23	20 x 11 x 30	Brown	8
NA766	3540	Container	23	20 x 11 x 30	Grey	8
NG263	3541	Container	15.9	23 1/8 x 11 x 24 7/8	Beige	6
NG264	3541	Container	15.9	23 1/8 x 11 x 24 7/8	Blue	6
NG265	3541	Container	15.9	23 1/8 x 11 x 24 7/8	Grey	6
NG266	2703	Paper Recycling Top	-	20 3/8 x 11 5/16 x 2 3/4	Blue	2
NG267	2692	Bottle & Can Recycling Top	-	20 3/8 x 11 5/16 x 2 3/4	Green	2
NG269	2688	Handle Top	-	20 3/8 x 11 5/16 x 2 3/4	Grey	2
NG271	3551	Trolley	-	23 7/16 x 15 x 10 13/16	Black	9

RECYCLING CONTAINERS, TOPS & BOXES

For use in areas of high paper generation, such as near copiers, printers and in mailrooms.

- Serves as a convenient central collection site for multiple workstations
- Recycling boxes are perfect for curbside recycling programs
- Contains post consumer recycled resin (PCR) exceeding EPA Guidelines



See page 371 for garbage bags

JC060




NH780



NH763



NH764



Order No.	Mfg. No.	Description	Capacity US Gal.	Dimensions	Colour	Wt. lbs.
STATION CONTAINERS						
NH779	3958-73	Square Recycling Container with Recycle Symbol	35	19 1/2" sq x 27 5/8" H	Dark Blue	9.86
NH780	3959-73	Square Recycling Container with Recycle Symbol	50	19 1/2" sq x 34 1/4" H	Dark Blue	13.47
STATION CONTAINER TOPS						
NH763	2791	Untouchable® Bottle and Can, Recycling Top, Fits NH779, NH780 Containers	-	-	Dark Blue	7.05
NH764	2794	Untouchable® Paper Recycling Top, Fits NH779, NH780 Containers	-	-	Dark Blue	7.05
RECYCLING BOXES						
JC060	5714-73	Recycling Box	14	20 3/4" L x 16" W x 14 3/4" H	Blue	4.5
JC061	5714-73	Recycling Box	14	20 3/4" L x 16" W x 14 3/4" H	Green	4.5
JC062	5718-73	Recycling Box	18	25 3/4" L x 16" W x 14 3/4" H	Blue	5
JC063	5718-73	Recycling Box	18	25 3/4" L x 16" W x 14 3/4" H	Green	5

RECYCLING CONTAINERS

- Promote fast, easy and efficient recycling collection
- All plastic construction will not rust, chip or peel
- Blue colour in a variety of shapes and capacities to suit your workspace
- Recycling symbol imprinted on the containers
- Contains post consumer recycled resin (PCR) exceeding EPA Guidelines

A. DESKSIDE CONTAINERS

- Designed to be used with existing office containers and accessories
- Easy and effective way to collect waste paper
- **JC134** fits inside or outside of desktop containers – allows for easy separation of trash and recycling

Order No.	Mfg. No.	Capacity US Qt.	Dimensions L" x W" x H"	Wt. lbs.
NG274	2955-73	13 5/8	11 3/8 x 8 1/4 x 12 1/8	2
NA737	2956-73	28 1/8	14 3/8 x 10 1/4 x 15	2
NG277	2957-73	41 1/4	15 1/4 x 11 x 19 7/8	3
JC134	2950-73	4 3/4	10.6 x 7 1/4 x 11 1/2	0.75

B. STATION CONTAINERS

- Serves as a convenient central collection site for multiple workstations
- For use in areas of high paper generation, such as near copiers, printers and in mailrooms
- Available in Untouchable® containers, half, round and square and Slim Jims®



A. NG274



A. JC134



C. NG292



B. JB525



C. NA757



B. NG283



A. JB606



C. COLLECTION CONTAINERS

- Serves as a central collection container or shipping container, reducing the amount of handling
- Transport recyclable waste with ease and efficiency
- 8" rubber casters on dolly (sold separately)
- Colour of dollies: Black

C. NG290

Order No.	Mfg. No.	Description	Capacity US Gal.	Dimensions L" x W" x H"	Wt. lbs.
UNTOUCHABLE® CONTAINERS					
NG279	3520-73	Half Round	21	21 x 11 x 28	8
JB606	3569-73	Square	23	16 x 15 x 31	7
JB607	2689-88	Swing Top - Black	-	16 x 16 x 4	3
SLIM JIM® CONTAINERS					
NG283	3540-75	Slim Jim®	23	20 x 11 x 30	8
NG266	2703-88	Slim Jim® Paper Top w/no Imprint	-	20 1/2 x 11 5/16 x 2 3/4	3
JB525	2673-60	Slim Jim® Untouchable® Top w/no Imprint	-	20 1/2 x 11 3/8 x 5	3

Order No.	Mfg. No.	Description	Capacity US Gal.	Dimensions"	Wt. lbs.
BRUTE® CONTAINERS					
NG288	2620-73	Round	20	19 1/2 Dia. x 22 7/8 H	7
NA697	2632-73	Round	32	22 Dia. x 27 1/4 H	11
NG290	2643-73	Round	44	24 Dia. x 31 1/2 H	14
NA704	2640	Round Dolly for 20, 32 and 44 US gallon Containers	-	18 Dia. x 5 1/4 H	8
NG292	3536-73	Square	40	23 1/2 sq. x 28 3/4 H	15
NA757	3530	Square Dolly for 28 and 40 US gallon Containers	-	17 1/4 sq. x 6 1/4 H	7

Maintenance

CUT END WET MOPS

COTTON

- High grade cotton yarn is durable and absorbent with excellent floor drying qualities, increasing worker productivity and safety
- Good quality, fast drying poly head band
- Cotton industrial narrow band wet mops are economical and great for general purpose cleaning
- Fan-Foot construction allows for maximum floor coverage
- Use with any narrow band mop handle



atlas
graham

Order No.	Mfg. No.	Description	Material	Wt. oz/grams
JB668	1616	Narrow Band	Cotton	16/450
JB669	1620	Narrow Band	Cotton	20/550
JB670	1624	Narrow Band	Cotton	24/650

RAYON

- High grade rayon yarn is the most absorbent fibre and it releases moisture quickly from the mop making this a good economical finish mop for applying waxes or finishers
- Use with any narrow band mop handle



atlas
graham

Order No.	Mfg. No.	Description	Material	Wt. oz/grams
JB752	4016	Narrow Band, Cut End	Rayon	16/450
JB753	4020	Narrow Band, Cut End	Rayon	20/550
JB754	4024	Narrow Band, Cut End	Rayon	24/650

EZ CHANGE™ FIBREGLASS MOP NARROW BAND HANDLES

- Opens wide for quick mop changes
- Touch-free mop release, allows you to change a dirty mop head without touching it
- Blue fibreglass handle

Order No. JB721 54" Mfg. No. 16574

Order No. JC509 60" Mfg. No. 16575

atlas
graham



CORN BROOMS

Multi-purpose indoor broom that is lightweight and used as a commercial corn broom for office buildings.

atlas
graham



Order No.	Mfg. No.	Service Duty	Description
JB977	763	Medium	Janitorial, Corn and Grass

LOBBY BROOMS

- Polypropylene bristles that will not shed or absorb water
- Painted wood handle



Rubbermaid
Commercial Products

Order No.	Mfg. No.	Overall Length"
NG002	6374	35

MOP BUCKET & WRINGER COMBO PACKS

- Choose any of these conveniently combined buckets and wringers
- NC493 shown with dirty water bucket (NI869)



Rubbermaid
Commercial Products

Order No.	Mfg. No.	Combo Pack		Colour	Wt. lbs.
		Bucket	Wringer		
NC493	7580-88-YEL	NI863 Brute®	NI871 Sideward	Yellow	17.5
NC492	7580-88-BR	NI864 Brute®	NI870 Sideward	Brown	17.5
NI828	7577-88	NI863 Brute®	NI908 Downward	Yellow	22
JA958	7577-88	NI864 Brute®	NI907 Downward	Brown	22

SAFETY ORANGE PUSH BROOMS

- Ideal for sweeping indoors and outdoors
- Medium fibres allow for easy sweeping on less than smooth surfaces
- Fibre colour is orange for high visibility in warehouses or road crews doing road construction
- Bolt-on handle (JB655) and brace (JB783) sold separately
- Brooms are pre-drilled for easy installation of brace and bolt-on handle



Hole for bolt-on handle



atlas
graham

Order No.	Mfg. No.	Description	Length"
JB647	77124	Firefly™ Medium	24

STEEL BRACES

Turn any 18" broom or larger into a super broom. Strong flat-bar steel keeps the handle firmly in place and reduces handle breakage. Fits all sizes of brooms to add further strength to the handle and broom block connection.



BOLT-ON CONNECTORS WITH HANDLE

This bolt-on handle, when used with a brace, turns most brooms into a more durable product by eliminating worn threads.



Order No.	Mfg. No.	Description	Length"
JB783	2533	Steel Brace, Accessory	-
JB655	2532	Bolt-On Handle, Accessory	60

LOBBY-PRO™ UPRIGHT DUST PAN SYSTEMS

- Durable all-plastic pair and yoke, reduces noise, resists corrosion
- Wear pads and wheels featured on all models



Rubbermaid
Commercial Products

Order No.	Mfg. No.	Description	Dimensions		
			L"	W"	H"
NH386	2531	Standard	12 3/4	x 11 1/4	x 5
NH504	2532	With Cover	12 3/4	x 11 1/4	x 5
NH505	2533	Deluxe	12 3/4	x 11 1/4	x 5

SAFETY FLOOR SIGNS

- Highly visible yellow polypropylene floor signs are durable and will not corrode
- Hot stamped lettering will not peel or fade
- Messages for Caution and Closed signs are printed in English, French, German and Spanish
- Message Wet Floor printed in English only
- Weight: 2 lbs.
- ANSI and OSHA compliant colour and graphics




Order No.	Mfg No.	Message	Height"
NB790	6112	2 Sided Multilingual Caution	25
NC527	6114	4 Sided Multilingual Caution	37
NC528	6112-77	2 Sided Caution Wet Floor	25
NC529	6114-77	4 Sided Caution Wet Floor	37
NC530	6112-78	2 Sided Multilingual Closed	25
NC531	6114-78	4 Sided Multilingual Closed	37

PORTABLE MOBILE BARRIERS

Close off an area for maintenance or to isolate a potential safety hazard. Mobile, easy to transport, set up, take down and efficient to store.

- For indoor use
- 13' long with 16 articulating panels
- Two 5" non-marking wheels
- Four locking straps to secure barrier in closed position
- Flexible, can be set straight, curved or in a circle
- Easy to store
- Open: 13' L x 1" W x 40" H;
- Closed: 2' L x 13" W x 40" H
- Weight: 32 lbs.
- ANSI approved colour and graphics
- Colour: Yellow

Order No. SAJ714
Mfg. No. 9S11



BILINGUAL SAFETY FLOOR SIGNS

- Durable polypropylene construction
- Bright yellow for maximum visibility
- Message in both English and French
- Stamped black lettering will not fade or peel
- 12" W x 24" H
- Weight: 2 lbs.

Order No. JD391



BILINGUAL SAFETY FLOOR SIGNS

- All signs come in English and French
- JB774 is multilingual English, French and Spanish
- 12" W x 24" H
- Weight: 2 lbs.
- Colour: Yellow

JB774



Order No.	Message
NC546	Cleaning in Progress - <i>Nettoyage en cours</i>
NC547	No Entry - <i>Entrée interdite</i>
NC548	Out of Service - <i>Hors d'usage</i>
NC549	Work Area - <i>Travaux en cours</i>

POP-UP SAFETY CONES

- Automatically opens for proper deployment
- Bold colors ANSI graphics and multilingual warning message
- Label space on top for location assignment
- Folds compactly for easy storage
- Colour: Yellow



Order No.	Mfg. No.	Message	Height"
JA131	9S00	Multilingual Caution w/Wet Floor Symbol	20
JA473	9S01	Multilingual Caution w/Wet Floor Symbol	30

JANITOR CARTS

- Sturdy Duramold construction
- Molded-in hooks and shelves are strategically placed to keep cleaning tools organized
- Swivel front casters and 8" rear wheels roll easily on floor surfaces and thresholds
- Includes: 25 US gallon yellow vinyl bag to store wet or dry refuse
- Dimensions: 46" L x 21 3/4" W x 38 3/8" H
- Cleaning tools not included
- Weight: 38 lbs

Order No. JB599 Blue
Order No. JB600 Black



CASCADES ELITE™ HAND TOWELS FOR TANDEM®

- Offers a soft feel, superior strength and absorbency
- Large rolls mean fewer service checks and reduced maintenance costs
- Texture emboss for maximum absorbency



Order No.	Mfg. No.	Colour	Ply	Roll Width"	Linear Ft /Roll	Rolls /Case	Dispenser Options
JD408	1382	White	1	7.5	775	6	JC042, JC928

CASCADES® INDIVIDUAL TOWELS

- Double-ply sheets offer strength and absorbency
- Made from 100% recycled fibres
- Contains up to 60% post-consumer material
- North River® products are certified Processed Chlorine-Free® and EcoLogo™



Order No.	Mfg. No.	Colour	Ply	Dimensions L" x W"	Sheets /Roll	Rolls /Case
JC010	4073	White	2	10.7 x 8.6	85	30

NORTH-RIVER® CENTRE-PULL TOWELS

- Embossing enhances hand feel and maximizes absorbency; fewer towels are used per hand dry
- North River® products are made from 100% recycled fibres, with a minimum of 65% post-consumer material and are EcoLogo™ certified, Green Seal Certified®, and Chlorine Free®



Order No.	Mfg. No.	Colour	Brand	Ply	Dimensions L' x W"	Rolls /Case
JC033	2650	White	North River®	2	550 x 7.3	6
JC034	20009	Grey	Towel Dispenser		10.5 x 10.3 x 13	

CASCADES® MOKA™ BATHROOM TISSUES

- Made from 100% unbleached recycled fibre of which 80% is from post-consumer material
- The most environmentally responsible choice on the market, by adding 20% corrugated box fibre into its pulp mix and eliminating bleaching chemicals
- Reduces the environmental impact of its raw material by 25%
- A revolutionary bathroom tissue, without compromising softness
- Contains 0% bleaching chemicals
- Available in standard, high capacity and jumbo rolls
- Third party certifications include Processed Chlorine Free®, Green Seal™, EcoLogo™, and offset with 100% green-e® certified wind electricity



Order No.	Mfg. No.	Type	Ply	Sheet Size L x W	Sheets /Roll	Rolls /Case	Dispenser Option
JD484	4134	Standard	2	4.3"x3.75"	400	80	JC095
JD405	4004	High-Capacity	2	3.9"x 4"	865	24	JC552, JC553, JD393
JD411	4197	Jumbo Roll	2	3.5"x1000'		12	JC096, JC097

FOLDED TOWELS

- These towels are fan folded in thirds and are interleaved so the next towel pulls down into position as each towel is dispensed
- Portion control delivers one towel every time for less towel consumption
- No-touch towel service offers sanitary conditions
- Embossed surface enhance hand feel and offers maximum absorbency
- North River® products are made from 100% recycled fibres, and are EcoLogo™ certified
- Decor® products provide a level of quality that meets everyday needs
- A perfect combination of quality and value



Order No.	Mfg. No.	Colour	Brand	Ply	Dimensions L" x W"	Qty /Pack	Packs /Case
SINGLEFOLD TOWELS							
JC025	1750	Natural	Decor®	1	10.25 x 9.1	250	16
JC032	1317	Ivory	North River®	1	10.25 x 9.1	250	16
MULTIFOLD TOWELS							
JC024	1751	Natural	Decor®	1	9.5 x 9.1	250	16
JC026	1320	Ivory	North River®	1	9.5 x 9.1	250	16
JC099	10139	Grey	Folded Towel Dispenser		11.75 x 6.1 x 17.5		

CASCADES® BATH TISSUE FOR TANDEM™

- For use in high traffic areas
- Made from 100% recycled fibres and 85% post consumer material
- Combines softness, strength and sparkling whiteness at a competitive price
- Jumbo roll size requires fewer refills and reduces maintenance costs
- Large rolls are hard to conceal, making them pilfer-proof
- Certified Processed Chlorine Free®
- EcoLogo™ and Green Seal Certified®



Order No.	Mfg. No.	Colour	Ply	Roll Width"	Linear Ft /Roll	Rolls /Case	
JC020	4016	White	2	3.5	1400	6	
JC009	4217	Grey	Dispenser, 1 Roll				

UNIVERSAL ROLL TOWELS

- Long-lasting rolls minimize maintenance costs while maximizing service
- Embossing enhances hand feel and maximizes absorbency; fewer towels are used per hand dry
- Made from 100% recycled fibres, with a minimum of 65% post-consumer material and are EcoLogo™ certified, Green Seal Certified®, and processed Chlorine Free®
- Decor® products provide a level of quality that meets everyday needs
- A perfect combination of quality and value
- Fits on most universal dispensers and Cascade dispensers: JC101, JC102, JC929



Order No.	Mfg. No.	Colour	Brand	Ply	Dimensions L' x W"	Rolls /Case
JC027	1756	Natural	Decor®	1	205 x 8	24
JC028	1340	Ivory	North River®	1	700 x 8	6
JC030	1769	White	Decor®	1	425 x 8	12
JC029	1767	Natural	Decor®	1	425 x 8	12
JC031	1870	Mocha	North River®	1	700 x 8	6
JC055	1760	Kraft	Decor®	1	800 x 8	6
JC056	1762	White	Decor®	1	800 x 8	6

WYPALL® X70 WIPERS

- Ideal for tools and surface cleaning in a heavy-maintenance area
- Tackle those heavy-duty industrial jobs usually handled by cloth rags
- With a single wipe remove oil, grime, and solvents
- Pound for pound absorbs more oil and water than rags
- Long-lasting performance extends usage and reduces waste



Order No.	Mfg. No.	Description	Colour	Dim. L" x W"	Units /Case	Sheets /Case	Dispenser
JC110	41412	Pop-Up® Box	Blue	16.8 x 9.1	10	1000	NG233
JC111	41455	Pop-Up® Box	White	16.8 x 9.1	10	1000	NG233
NI340	41300	Brag® Box	White	16.8 x 12.5	1	152	NG233
NH012	41100	Flat Sheet	White	16.6 x 14.9	1	300	N/A
NC613	41600	Jumbo Roll	White	13.4 x 12.5	1	870	JC247, JC108
NI335	41611	Jumbo Roll	Blue	13.4 x 12.5	1	870	JC247, JC108

LIKE-RAGS® WIPERS

- Ideal replacements for rental shop towels or rags
- Excellent durability, strength, absorbency, and solvent resistance
- Perfect for heavy-duty machine and part wiping, applying solvents or thinners, adhesive cleaning, cable lubricant removal, tool clean-ups, and applying stains
- Like-Rags® are the ideal choice for applications that require resistance to solvents and virtually lint free wiping – applying aircraft solvents, wiping down print presses or plates and solvents for furniture stains
- Allow you to control costs through reusability, consistent case count, size, and quality
- The next wiper pops up into position as each wiper is dispensed, offering easy dispensing and quality performance
- Accepted for use in Canadian food processing facilities



Order No.	Mfg. No.	Colour	Ply	Dim. L" x W"	Sheets /Box
JC036	37246	White	1	16.75 x 9.75	150
JC037	37640	Blue	1	16.75 x 9.75	125

TUFF-JOB® SCRIM REINFORCED WIPERS

- Ideal wiper for all-purpose wiping jobs where extra durability is needed and cost effective
- Low lint and good absorbency
- Perfect for general purpose wiping, surface and parts cleaning, wiping off solvents or chemicals, or the final wipe down of a product before packaging
- Multiple plies for more absorbency
- Superior wipe dry
- Polyester scrim webbing for extra strength and durability
- 100% recycled



Order No.	Mfg. No.	Colour	Ply	Dim. L" x W"	Sheets /Box
JC035	34200	White	4	16.75 x 9.75	150

JUMBO ROLLS - BATH TISSUE

- For use in high traffic areas
- Made from 100% recycled fibres and 85% post-consumer recycled materials
- Combines softness, strength and sparkling whiteness at a competitive price
- Jumbo roll size requires fewer refills and reduces maintenance costs
- Universal 3" core is designed to fit virtually all size jumbo tissue dispensers
- Large rolls are hard to conceal, making them pilfer-proof
- JC021 Certified Processed Chlorine Free®
- JC022 EcoLogo™ and Green Seal Certified®



Order No.	Mfg. No.	Colour	Ply	Roll Width"	Linear Ft /Roll	Rolls /Case	Dispenser Option
JC021	4096	White	1	3.54	2000	12	JC096, JC097
JC022	4097	White	2	3.54	1000	12	JC096, JC097
JC023	4017	White	2	3.58	760	8	JC096, JC097
JD411	4197	Moka	2	3.5	1000	12	JC096, JC097

BATH TISSUE DISPENSERS

- Robust construction for added durability
- Attractive streamlined exteriors fit well with any décor
- A see-through cover that means you will always know when it is time to refill
- Enormous capacity to lessen service costs



Order No.	Mfg. No.	Colour	Capacity	Paper Options
JC096	10109	Smoke/Black	1 roll	JC021, JC022, JC023, JD411
JC097	4212	Smoke/Black	2 rolls	JC021, JC022, JC023, JD411

BATH TISSUE

- Made entirely from 100% recycled fibres
- Combines softness and strength
- Each roll is individually wrapped, ensuring sanitary protection
- Can be used where septic tanks are installed
- A great combination of strength, absorption, and value
- Certified Processed Chlorine Free®, EcoLogo™ and Green Seal Certified®



Order No.	Mfg. No.	Colour	Brand	Ply	Sheet Dim. L" x W"	Sheets /Roll	Rolls /Case
JC017	4043	White	Decor®	2	4.2 x 3.8	420	48
JC018	4058	White	North River®	2	4.2 x 4.1	500	48
JC095	4118	Grey	Dispenser		6.75 x 3.75 x 13.65		

NORTH RIVER® FACIAL TISSUE

- Absorbent 2-ply facial tissues
- Made from 100% recycled fibres and contains up to 40% of post-consumer material
- Soft shield protects tissues and provides easy, one-at-a-time dispensing
- Flat box style is ideal for vanity or in-wall dispensers
- Colour: White
- Certified Processed Chlorine Free®, EcoLogo™ and Green Seal Certified®



Order No.	Mfg. No.	Ply	Sheet Dim. L" x W"	Sheet /Box	Boxes /Case
JC016	4082	2	8 x 8	100	30

SUPER CONCENTRATED SANITIZERS & DEODORIZERS

- Specially formulated to sanitize and deodorize pre-cleaned hard surfaces
- Excellent for use in restaurants, dairies, food processing plants and bars
- Effective sanitizer against *Escherichia coli*, *Yersinia enterocolitica*, *Staphylococcus aureus* and *E. coli* 0157:H7
- No rinse
- Accepted for use in Canadian food processing facilities D.I.N. #02248470
- 4 litres

Order No. JD028



OXY-CLEANER & STAIN REMOVER

- Concentrated hydrogen peroxide power, safe for all washable surfaces
- Cleans, brightens and deodorises floors, glass, bathroom and kitchens
- Biodegradable, non-toxic, non corrosive, fragrance free
- With tangerine essential oil
- Accepted for use in Canadian food processing facilities
- Certified EcoLogo[™] CCD-146
- 4 litres

Order No. JC003



MULTI-PURPOSE CLEANER & DEGREASER

- Formulated to safely clean and deodorise all washable surfaces
- Biodegradable, non-toxic, non corrosive, fragrance free
- Concentrated
- With tangerine essential oil
- Accepted for use in Canadian food processing facilities
- Certified EcoLogo[™] CCD-146-E
- 4 litres

Order No. JC001



MULTI-PURPOSE BATHROOM CLEANER

- Formulated to clean, shine and deodorise with a fresh scent
- Safely cleans soap scum and urine from floor, counters, sinks, showers and toilets
- Concentrated
- Biodegradable, non-toxic, non corrosive, fragrance free
- No acids or bleach
- Certified EcoLogo[™] CCD-146-J
- 4 litres

Order No. JC004



HEAVY-DUTY CLEANER & DEGREASER

- Super concentrated cleaning power for a variety of heavy duty applications
- Biodegradable, non-toxic, non corrosive, fragrance free
- With tangerine essential oil
- Dissolves grease, oil, inks, grime and tough stains on contact
- Accepted for use in Canadian food processing facilities
- Certified EcoLogo[™] CCD-146-E
- 4 litres

Order No. JC002



NEUTRAL CLEANER TANGERINE OIL

- Safely cleans all washable surfaces using a neutral pH concentrated formulation
- Biodegradable, non-toxic, non corrosive, fragrance free
- Concentrated
- No rinse formulation
- Accepted for use in Canadian food processing facilities
- Certified EcoLogo[™] CCD-146
- 4 litres

Order No. JC006



GLASS & MULTI-SURFACE CLEANER

- Ready to use
- Perfect for use on windows, glass, mirrors, counters
- Biodegradable, non-toxic, non corrosive, fragrance free
- Dries quickly and leaves no streaks, film or residue
- Accepted for use in Canadian food processing facilities
- Certified EcoLogo[™] CCD-146-A
- 4 litres

Order No. JC008



FRAGRANCE-FREE GLASS & MULTI-SURFACE CLEANER

- Ready to use for windows, glass, mirrors and all washable hard surfaces
- Fast drying formula, leaves a crystal clear, streak-free shine
- Accepted for use in Canadian food processing facilities
- Ready to use
- Certified Eco-Logo[™] CCD-146
- 950 ml

Order No. JC053



BATHROOM CLEANER - TILE, TUB & BOWL

- Ready to use
- Cleans and deodorizes with fresh scent
- Eliminates soap scum, hard water stains, rust scale and lime deposits
- No acids or bleach
- Works well on tough stains
- Biodegradable, non-toxic, non corrosive
- Certified EcoLogo[™] CCD-146
- 4 litres

Order No. JC005



NEUTRAL DETERGENT FLOOR CLEANER

- Concentrated neutral detergent specially formulated to clean any floor
- Cleans, brightens and deodorises
- Low foaming
- Pleasant citrus-orange scent
- 4 litres

Order No. JA464



HYDRAULIC SCISSOR LIFT TABLES



Kleton tables are available in various capacities and travels to satisfy a wide variety of applications. All orders have an integrated hydraulic pump/cylinder assembly. The Kleton scissor lift tables add the value of mobility to the hydraulic lift table concept. Exceptional functionality and manoeuvrability is apparent, whether loaded or empty. In addition, rugged construction and premium-quality hydraulics complement their ease of use with low maintenance.

APPLICATIONS

Kleton tables are used in a wide variety of applications, from stocking shelves in retail stores to lifting and moving materials in warehouses, machine shops and manufacturing operations.

OPERATION

The Kleton design allows workers to easily move and position loads to a convenient working height. By minimizing undesirable lifting, reaching and stretching, Kleton tables increase productivity and decrease workplace injuries.

STANDARD FEATURES

- Heavy-duty construction with captured scissor rollers for maximum stability
- Superior hydraulic systems feature an integrated pump-cylinder for maximum reliability
- High quality casters and wheels for exceptional roll ability (two fixed, two swivel)
- Ergonomic push handle with convenient lowering control
- Lowering control automatically stops when released for added safety
- Convenient maintenance pins secure the scissor legs for inspection and maintenance on larger orders
- Quality powder coated finish provides exceptional durability and corrosion resistance
- Kleton blue



MJ518, MJ519 and MJ521
Collapsible Handle

Order No.	Load Cap lbs.	Platform Height		Platform Dimensions		Handle Height"	Pedal Strokes To Max	Wt. lbs.
		Lowered"	Raised"	Width"	Length"			
MJ518	330	8 5/8	29	17 3/4	27 1/2	37 3/8	28	99
MJ519	660	11 1/4	34 5/8	19 3/4	32	39	27	170
MJ520*	770	14	51 1/4	19 3/4	35 3/4	38 3/8	53	230
MJ521	1100	11 1/4	34 5/8	19 3/4	32	39	27	179
MJ522	1100	11 1/4	36	31 7/8	63	39	55	340
MJ523	1650	16 1/2	35 3/8	20 1/8	39 3/8	39 3/8	45	275
MJ524	2200	15	39	20 1/8	40	38 5/8	82	269
MJ525	2200	15	53 1/2	29 1/2	80 1/8	39 3/8	200	770
MJ526*	1760	17 1/2	59 1/8	24	48	40	97	430

Platform height dimensions include the casters.

* Double scissors

HIGH WORK MAINTENANCE PLATFORMS

- Convert forklift truck into safe, efficient work platform
- Take care of overhead maintenance problems without setting up ladders or scaffolds
- Non-skid platform
- 72" safety mesh backscreen keeps operator and equipment away from lift mechanism
- Forks slip easily into pockets and are secured with safety chains
- Load capacity: 1000 lbs.
- No assembly required



NOTE:

Kleton maintenance platforms meet or exceed ASME B56.1 safety standard when a safety harness and lanyard are worn.

Order No.	Description	Wt. lbs.
MD444	High Work Platform - 36" x 36" Platform	230
MH800	High Work Platform - 48" x 48" Platform	300
MD338	Optional 6" Caster Kit two rigid, two swivel	10
MD948*	Light Bulb Caddy 15" W x 15" D x 43" H	25

OPTIONAL TOOL TRAYS

MI787	36" L x 4" W x 3" D, Fits on MD444	-
MI788	48" L x 4" W x 3" D, Fits on MH800	-

* Mounts on MD444 and MH800.

SEE PAGES 223-256 FOR OUR SELECTION OF HARNESSSES, LANYARDS & SELF-RETRACTING LIFELINES



Material Handling

STEP STOOLS

HEAVY-DUTY STEEL STEP STOOLS

- Comes with a double platform and a non-slip rubber tread
- Spring-loaded casters retract under slight pressure, forcing base to the floor
- 11" diameter upper platform and 13 1/2" diameter lower platform
- 17 1/4" diameter base has an all-around protective bumper
- Overall height: 16 1/2"
- Capacity: 500 lbs.
- Wt. 10 lbs.

Order No. **ON528**



STEP STOOLS

- Tough 1-piece poly construction with anti-skid bottom
- Threaded top and expanded step
- 16" diameter base provides added stability
- Glides easily on retractable rubber casters
- Overall height: 13"
- Capacity: 350 lbs.
- Weight: 7 lbs.



OA300



Order No.	Mfg. No.	Colour
OA299	2523BL	Black
OA300	2523BE	Beige

INDUSTRIAL HEAVY-DUTY STEP STOOL/LADDERS

CSA grade 1A, , ANSI type 1A
300-lb. Load Rating

- Super tough copolymer top for strength and durability
- Both front and rear legs are braced
- Solid aluminum rivets in front prevent steps from loosening
- Slip resistant vinyl feet



VC239

FEATHERLITE
INDUSTRIAL LADDERS

Order No.	Height'	Base Width"	Spread"	Wt. lbs.
VC239	2	15 1/2	17 1/2	5
VC240	3	17	24	6

STEP STOOLS

- Durable, non-corrosive, 500-lb. capacity polyethylene construction
- Two, three and four step stools have rear opening to access storage compartments
- Four-step stool comes standard with handrails and casters
- Hand holes and light weight combine for easy manoeuvrability
- All stools include rubber feet and non skid tape surface
- Safety yellow for visibility
- Also available in other colours

MN601



Order No.	Description	Overall Dimensions				Wt. lbs.	
		L"	x	W"	x		H"
MN599	Single Step	18	x	12	x	12	10
MN600	Double Step	22	x	21	x	20	22
MN601	Triple Step	32	x	22	x	30	33
MN644	Quad Step w/Casters	43	x	22 1/2	x	66	53

PORTABLE FOLDING LADDERS

- Foldable locking design saves on storage space when not in use
- Welded construction
- Easy to maneuver
- 58° slope, 7" deep steps for easy climbing
- Non-clogging slip-resistant steel steps
- Locks in the folded or climbing positions
- Approximately 10" deep when folded for easy storage
- Capacity: 350 lbs.



Order No.	No. of Steps	Top Step Height"	Open W" x L"	Folded Dimensions W" x D" x H"	Wt. lbs.
VC436	2	20	24 x 17	24 x 10 x 41	30
VC437	3	30	24 x 23	24 x 10 x 52	35
VC438	4	40	24 x 30	24 x 10 x 65	42

REPLACEMENT PARTS

VC439	4" Polyurethane Wheel
VC440	Rubber Foot Tip

STEP STANDS

- Rugged all-welded construction
- Rolling stands come with spring-loaded casters
- Dimensions: 16" D x 12" H
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish



MH225



Order No.	Base Width"	Top Step Width"	Wt lbs.
MH225	20	18	17
MH226	24	22	19
MH227	32	30	22

PLATFORM STANDS

MH228	20	18	11
MH229	24	22	13
MH230	32	30	16

TILT-N-ROLL STEP STANDS

- Frame is welded 1" round steel tubing
- Non-clogging slip resistant steel steps
- Handle allows step stand to move easily on two 4" casters
- Step dimensions: 22" x 8"
- Top step dimensions: 22" x 16"
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish



VC336



Order No.	No. of Steps	Top Step Height"	Base Dim. W" x D"	Wt. lbs.
VC335	1	16	29 x 16	24
VC336	2	19	29 x 24	33

4' ALUMINUM LIGHT-DUTY PLATFORM LADDERS

- 1" tubular construction
- Handrail with comfort foam grip
- Fold-down utility tray
- Non-marring, slip resistant feet
- Overall height: Closed: 55" Open: 51"
- Overall platform height: 22 1/2"
- Weight: 8 lbs.

Order No. **TJ2869**
Mfg. No. 1304

FEATHERLITE
INDUSTRIAL LADDERS



Customise it to your specifications.

MECHANICS/MAINTENANCE ROLLING LADDERS



- Double-straddle base puts worker in close proximity for hard-to-reach jobs
- Tilt and roll wheelbarrow mobility allows easy movement over rough surfaces
- Oversize 22" W x 24" D top step for easier worker movement
- Removable 24" W x 10" D tool tray fits on front or side railing
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish



Tool Tray Included

Order No.	Mfg. No.	No. of Steps	Top Step Height"	Dimensions W" x D" x H"	Wt. lbs.
MH212	BML3	3	28	24 x 44 x 58	85
MH213	BML4	4	38	24 x 50 x 68	98
MH214	BML5	5	47	24 x 56 x 77	112
MH215	BML6	6	57	24 x 68 x 87	125

TILT-N-ROLL LADDERS



- Balanced design allows ladder to tilt into the rolling position
- One piece all-welded steel construction
- Legs have reinforced rubber tips that hold ladder secure during use
- Oversize 22" W x 24" D top step allows worker more freedom/movement and comfort
- 30" high rails with 24" wide expanded metal steps
- Ladder moves easily on two 4" casters
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish



MD603



Order No.	Mfg. No.	No. of Steps	Top Step Height"	Overall Height"	Base W" x D"	Wt. lbs.	
MD603	TRL3	3	27	57	25 x 44	70	
MD604	TRL4	4	38	68	25 x 50	81	
MD605	TRL5	5	47	77	25 x 56	93	
MD606	TRL6	6	56	86	25 x 62	105	
MH242	BSHELF	Optional Tool Tray					9

ROLLING STEP STANDS

- Ideal wherever there is a need to reach materials
- Rolls easily into position and locks firmly to the floor for maximum safety
- All the ladders operate on spring-loaded casters
- Casters retract under operator's weight and rubber feet drop down
- Non-clogging slip-resistant steel steps
- Frame is welded 1" round steel tubing
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish



VC134



Order No.	No. of Steps	Step W" x D"	Top Step W" x D" x H"	Base W" x D"	Wt. lbs.
VC131	2	18 x 8	18 x 16 x 19	20 x 26	28
VC132	3	18 x 8	18 x 16 x 28	20 x 30	38
VC133	4	18 x 8	18 x 16 x 37	20 x 37	48
VC134	5	18 x 8	18 x 16 x 46	20 x 41	57

ROLLING SAFETY LADDERS

- All-welded rugged 1" round steel tubing frame
- Ideal wherever there is a need to reach bulky materials
- Rolls easily into position and lock firmly to the floor for maximum safety
- Two to six-step ladders operate on spring-loaded casters
- Casters retract under operator's weight, rubber feet drop down
- First step on all 8 to 16-step ladders activates the floor locking mechanism (step off and kick release to make the ladder mobile)
- Non-clogging slip-resistant steel steps
- 8 to 16-step ladders shipped knocked down, easily assembled
- Durable Kleton blue enamel finish
- CSA certified to the ANSI standard A14.7



MA617

Note:
Ladders are not to be used as work platforms.



MA613



MA622



MA624



Order No.	Mfg. No.	No. of Steps	Top Step Height"	Overall Height"	Top Step W" x D"	Base W" x D"	Wt. lbs.
WITHOUT HANDRAILS							
MA612	2402	2	19	19	22 x 16	24 x 26	32
MA613	2403	3	28	28	22 x 16	24 x 30	42
MH279	2404	4	37	37	22 x 16	24 x 37	52
MA615	2405	5	46	46	22 x 16	24 x 41	61

WITH HANDRAILS							
Spring Loaded Front Casters							
Order No.	Mfg. No.	No. of Steps	Top Step Height"	Overall Height"	Top Step W" x D"	Base W" x D"	Wt. lbs.
MA614	2404H	4	37	78	22 x 16	30 x 36	78
MA616	2405H	5	46	87	22 x 16	30 x 46	89
MA617	2406H	6	55	95	22 x 16	30 x 51	100

Locking Step							
Order No.	Mfg. No.	No. of Steps	Top Step Height"	Overall Height"	Top Step W" x D"	Base W" x D"	Wt. lbs.
MA622	3208H	8	72	113	30 x 16	38 x 60	180
MA623	3210H	10	89	130	30 x 16	38 x 72	230
MA624	3212H	12	109	149	30 x 16	38 x 80	250
MA625	3214H	14	128	167	30 x 16	38 x 93	275
MA626	3216H	16	144	185	30 x 16	38 x 104	305

Material Handling

KNOCKED-DOWN SHELF CARTS


- Quick and easy assembly
- 900-lb. capacity evenly distributed



Seamed fold for smooth edges
Durable Kleton blue enamel finish

Top and middle shelves can be installed lip up or down

Slotted caster holes to allow virtually any caster to be installed



1 1/4" diameter tubular steel, one piece handle for added comfort

16-gauge steel shelves with 2 1/2" high lip

1 1/2" x 1 1/2" 12-gauge steel posts with pre-punched holes for added strength

Two rigid and two swivel bolted-on casters



MB489



ML146

2-SHELF UTILITY CARTS

Order No.	Shelf Dim. W" x D"	Shelf Clearance"	Post Height"	Overall Dim. W" x D" x H"	Wt. lbs.
-----------	--------------------	------------------	--------------	---------------------------	----------

5" POLYOLEFIN CASTERS

MB482	18 x 30	25	30	18 x 33 x 36	42
MB483	24 x 36	25	30	24 x 39 x 36	53
MB484	24 x 48	25	30	24 x 51 x 36	68

5" BLUE ELASTIC RUBBER CASTERS

MB492	18 x 30	25	30	18 x 33 x 36	43
MB493	24 x 36	25	30	24 x 39 x 36	54
MB494	24 x 48	25	30	24 x 51 x 36	69

8" PNEUMATIC CASTERS

MB488	24 x 36	25	30	24 x 39 x 40	60
MB489	24 x 48	25	30	24 x 51 x 40	75

3-SHELF UTILITY CARTS

Order No.	Shelf Dim. W" x D"	Shelf Clearance"	Post Height"	Overall Dim. W" x D" x H"	Wt. lbs.
-----------	--------------------	------------------	--------------	---------------------------	----------

5" POLYOLEFIN CASTERS

MB485	18 x 30	11	30	18 x 33 x 36	53
MB486	24 x 36	11	30	24 x 39 x 36	69
MB487	24 x 48	11	30	24 x 51 x 36	92

MN143	18 x 30	17	42	18 x 33 x 48	55
MN144	24 x 36	17	42	24 x 39 x 48	71
MN145	24 x 48	17	42	24 x 51 x 48	94

5" BLUE ELASTIC RUBBER CASTERS

MB495	18 x 30	11	30	18 x 33 x 36	54
MB496	24 x 36	11	30	24 x 39 x 36	70
MB497	24 x 48	11	30	24 x 51 x 36	93

ML142	18 x 30	17	42	18 x 33 x 48	56
ML143	24 x 36	17	42	24 x 39 x 48	72
ML144	24 x 48	17	42	24 x 51 x 48	95

8" PNEUMATIC CASTERS

MB490	24 x 36	11	30	24 x 39 x 40	77
MB491	24 x 48	11	30	24 x 51 x 40	100
MN146	24 x 36	17	42	24 x 39 x 52	79
MN147	24 x 48	17	42	24 x 51 x 52	102

4-SHELF UTILITY CARTS

Order No.	Shelf Dim. W" x D"	Shelf Clearance"	Post Height"	Overall Dim. W" x D" x H"	Wt. lbs.
-----------	--------------------	------------------	--------------	---------------------------	----------

5" POLYOLEFIN CASTERS

MN148	18 x 30	10	42	18 x 33 x 48	65
MN149	24 x 36	10	42	24 x 39 x 48	84
MN150	24 x 48	10	42	24 x 51 x 48	114

MN151	18 x 30	15	55	18 x 33 x 61	67
MN152	24 x 36	15	55	24 x 39 x 61	86
MN153	24 x 48	15	55	24 x 51 x 61	116

5" BLUE ELASTIC RUBBER CASTERS

ML145	18 x 30	10	42	18 x 33 x 48	66
ML146	24 x 36	10	42	24 x 39 x 48	85
ML147	24 x 48	10	42	24 x 51 x 48	115

ML148	18 x 30	15	55	18 x 33 x 61	68
ML149	24 x 36	15	55	24 x 39 x 61	87
ML150	24 x 48	15	55	24 x 51 x 61	117

8" PNEUMATIC CASTERS

MN154	24 x 36	10	42	24 x 39 x 52	90
MN155	24 x 48	10	42	24 x 51 x 52	120

MN156	24 x 36	15	55	24 x 39 x 65	92
MN157	24 x 48	15	55	24 x 51 x 65	122

5-SHELF UTILITY CARTS

Order No.	Shelf Dim. W" x D"	Shelf Clearance"	Post Height"	Overall Dim. W" x D" x H"	Wt. lbs.
-----------	--------------------	------------------	--------------	---------------------------	----------

5" POLYOLEFIN CASTERS

MN158	18 x 30	10	55	18 x 33 x 61	79
MN159	24 x 36	10	55	24 x 39 x 61	99
MN160	24 x 48	10	55	24 x 51 x 61	134

5" BLUE ELASTIC RUBBER CASTERS

ML151	18 x 30	10	55	18 x 33 x 61	80
ML152	24 x 36	10	55	24 x 39 x 61	100
ML153	24 x 48	10	55	24 x 51 x 61	135

8" PNEUMATIC CASTERS

MN161	24 x 36	10	55	24 x 39 x 65	105
MN162	24 x 48	10	55	24 x 51 x 65	140

REPLACEMENT CASTERS/PARTS

Order No.	Description
ML337	5" Swivel Non-Marking Rubber Caster
ML338	5" Rigid Non-Marking Rubber Caster
MN222	8" Swivel Pneumatic Caster
MN221	8" Rigid Pneumatic Caster
ML395	5" Swivel Polyolefin Caster
ML396	5" Rigid Polyolefin Caster
MC043	Corner Bumper



ML337



MC043



Customise it to your specifications.

HEAVY-DUTY SHELF CARTS

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Shelves is available with a 1 1/2" lip configured up or down
- Two rigid and two swivel bolted-on 5" non-marking casters
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish

MB444



MB445



Lip Up Order No.	Lip Down Order No.	Shelf Dimensions			No. of Shelves	Clearance Between Shelves"	Handle Height"	Overall Dimensions					Wt. lbs.
		W"	x	D"				W"	x	D"	x	H"	
36" OVERALL HEIGHT - 14-GAUGE STEEL													
MB445	MB444	18	x	30	2	27	36	18	x	33	x	36	60
MB447	MB446	24	x	36	2	27	36	24	x	39	x	36	65
MB449	MB448	24	x	48	2	27	36	24	x	51	x	36	100
MB456	MB455	18	x	30	3	12	36	18	x	33	x	36	75
MB459	MB458	24	x	36	3	12	36	24	x	39	x	36	85
MB461	MB460	24	x	48	3	12	36	24	x	51	x	36	110
48" OVERALL HEIGHT - 14-GAUGE STEEL													
ML084	ML083	18	x	30	3	18	42	18	x	33	x	48	80
ML086	ML085	24	x	36	3	18	42	24	x	39	x	48	90
ML088	ML087	24	x	48	3	18	42	24	x	51	x	48	115
ML090	ML089	18	x	30	4	12	42	18	x	33	x	48	110
ML092	ML091	24	x	36	4	12	42	24	x	39	x	48	135
ML094	ML093	24	x	48	4	12	42	24	x	51	x	48	160
61" OVERALL HEIGHT - 14-GAUGE STEEL													
MB468	MB467	18	x	30	4	16	42	18	x	33	x	61	115
MB470	MB469	24	x	36	4	16	42	24	x	39	x	61	140
MB472	MB471	24	x	48	4	16	42	24	x	51	x	61	165
MB474	MB473	18	x	30	5	11	42	18	x	33	x	61	125
MB476	MB475	24	x	36	5	11	42	24	x	39	x	61	155
MB478	MB477	24	x	48	5	11	42	24	x	51	x	61	184

ERGONOMIC SHELF TRUCKS

- All-welded 16-gauge construction
- All-welded ergonomic handle placed at a comfortable working height
- Two rigid and two swivel 5" casters
- Capacity: 800 lbs. evenly distributed
- Durable Kleton blue enamel finish



ML561



Order No.	No. of Shelves	Caster Type	Overall Dimensions				
			W"	x	D"	x	H"
ML561	2	Blue Rubber	20	x	32	x	37
MN056	2	Blue Rubber	26	x	38	x	37
ML562	3	Blue Rubber	20	x	32	x	37
MN055	3	Blue Rubber	26	x	38	x	37
ML563	2	Polyolefin	20	x	32	x	37
ML883	2	Polyolefin	26	x	38	x	37
ML564	3	Polyolefin	20	x	32	x	37
ML884	3	Polyolefin	26	x	38	x	37

MOBILE SERVICE TRUCKS

- All-welded design, ready-to-use
- Louvered panel for small parts bins and lockable drawer for supplies
- Two 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel posts
- Shelf dimension: 24" x 36"
- 27" clearance between shelves (18" drawer to shelf)
- 1" diameter tubular handle
- Handle height: 36"
- Overall dimension: 24" W x 40" D x 37" H
- Two rigid and two swivel with brake bolted-on 5" non-marking rubber casters
- Capacity: 1200 lbs. evenly distributed
- Weight: 88 lbs.
- Durable Kleton blue enamel finish



MN396

Order No. MN396



SHELF & PLATFORM TRUCKS

- An efficient 2-in-1 shelf and platform truck design
- Features two front corner bumpers and a removable 11-gauge top shelf to convert to a platform truck
- Two rigid and two swivel bolted-on 5" non-marking rubber casters
- Top shelf capacity: 500 lbs. evenly distributed
- Bottom shelf capacity: 800 lbs. evenly distributed
- Durable Kleton blue enamel finish



MB391

Order No.	Shelf Dim. W" x D"	Top Shelf Height"	Shelf Clearance"	Handle Height"	Overall Dimensions			Wt. lbs.		
					W"	x	D"		x	H"
MB391	24 x 36	32	24	40	26	x	38	x	40	105

Material Handling

ORDER PICKING CARTS

- All-welded design, ready to use
- Picking list holder eliminates the need to handle loose papers
- 14-gauge steel shelves with 1 1/2" lip, configured up
- Two rigid and two swivel bolted-on 5" non-marking rubber casters
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish

KLETON



Order No.	Shelf Dim. W" x D"	No. of Shelves	Shelves Clearance"	Handle Height"	Overall Dimensions			Wt. lbs.
					W"	D"	H"	
MB440	18 x 30	2	27	36	18	46	36	70
MB441	24 x 36	2	27	36	24	52	36	80
ML095	24 x 48	2	27	36	24	64	36	110
MB442	18 x 30	3	12	36	18	46	36	85
MB443	24 x 36	3	12	36	24	52	36	100
ML096	24 x 48	3	12	36	24	64	36	120



MB442

HEAVY-DUTY LOW PROFILE SHOP CARTS

- All-welded cart with low shelf means less distance to lift heavy objects
- Two 14-gauge steel shelves with a 1/2" lip down
- 1 1/4" diameter tubular steel handle
- Two rigid and two swivel bolted-on 5" non-marking rubber casters
- Casters are resistant to wet and corrosive chemical conditions
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish



KLETON

Order No.	Shelf Dim. W" x D"	Shelves Clearance"	Handle Height"	Top Shelf Height"	Overall Dimensions			Wt. lbs.
					W"	D"	H"	
MB421	18 x 30	16	40	26	18	34	40	90
MB425	24 x 36	16	40	26	24	40	40	110
MB429	24 x 48	16	40	26	24	52	40	125
ML097	24 x 60	16	40	26	24	64	40	155
ML098	30 x 48	16	40	26	30	52	40	155
MB434	30 x 60	16	40	26	30	64	40	165
ML099	30 x 72	16	40	26	30	76	40	175



MB425

Note: Other casters and capacities available upon request

STOCK PICKING CARTS

- All-welded design for durability and long life
- Pick and transport stock without the need for a separate ladder
- Slip-resistant steps and positive locking engagement for safety
- 14-gauge steel shelves with 1 1/2" lip, configured up
- Two rigid and two swivel bolted-on non-marking rubber casters
- Three shelves with 12" clearance • Step dimensions: 22" W x 4" D
- Step rise: 9 1/2"
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish



KLETON

Order No.	Shelf Dim. W" x D"	No. of Steps	Overall Dimensions			Wt. lbs.
			W"	D"	H"	
MD441	24 x 36	3	24	52	61	135
MB507	24 x 48	3	24	64	61	140
MD442	24 x 36	5	24	52	78	145
MB508	24 x 48	5	24	64	78	150



MB507

PLASTIC PLATFORM TRUCKS

- HDPE-molded structural plastic for strength and long-term durability
- Lightweight, easy to clean, chemical resistant, and resists damage from weather conditions
- Non-skid deck surface • Removable steel handle
- Other caster options and capacities available upon request

Order No.	Caster Type	Platform Dim. W" x D"	Deck Height"	Handle Height"	Capacity lbs.	Wt. lbs.
MN439	8" Flat-Free	30 x 60	11	39	900	107
MN436	8" Pneumatic	24 x 48	11	39	1000	79
MN437	8" Pneumatic	30 x 60	11	39	1000	106
MN434	10" Flat-Free	24 x 48	13	41	1000	85
MN435	10" Flat-Free	30 x 60	13	41	1000	117
MN432	10" Pneumatic	24 x 48	13	41	1200	84
MN433	10" Pneumatic	30 x 60	13	41	1200	111
MN428	8" Mold-on Rubber	24 x 48	11	39	2000	90
MN429	8" Mold-on Rubber	30 x 60	11	39	2000	117
MN430	8" Polyurethane	24 x 48	11	39	2500	79
MN431	8" Polyurethane	30 x 60	11	39	2500	106



MN428



STEEL DECK PLATFORM TRUCKS

Choose from a large selection of deck sizes and casters to suit any institutional and/or industrial application.

- Made of strong 14-gauge steel deck with a 2" folded bottom lip for extra strength
- 1 1/4" tubular chrome handle can be inserted at either end of platform
- Two swivel and two rigid casters (assembly required, hardware is included)



CASTER WHEEL TYPES

High-Temp Nylon: Solid black hi-temp nylon caster will not crush under heavy loads. It is good for use on all sorts of surfaces from wood to concrete. Will tolerate temperatures from -28°C to 230°C and is not affected by most corrosive chemicals.

Full Pneumatic: Air filled black rubber tire offers excellent shock absorbing properties. Smooth, quiet rolling over rough, uneven surfaces and outdoor terrain. Not recommended on floors with metal shavings or corrosive chemicals.

Mold-on Rubber: Molded rubber wheel bonded to a spoked cast iron core. The iron core gives it strength while the molded rubber provides easy, smooth and quiet rolling over rough terrain.

Non-Marking Rubber: Used for uneven surfaces and carpet areas. Its quiet rolling feature make it ideal for both institutional and industrial applications. Will resist wet conditions and corrosive chemicals.

Polyolefin: Plastic wheel with high impact strength and non-chipping properties. Oil, grease and chemical resistant.



CASTER SELECTION:

To select the correct caster that is required for a specific application determine:

- 1) Platform size needed
- 2) Maximum load capacity it will carry
- 3) Type of floor surface it will roll on i.e., concrete, wood, tile, etc...
- 4) Floor condition i.e., smooth, uneven, wet, chemicals, metal shavings, temperature, etc.

Order No.	Wheel Dia."	Wheel Type	Load Capacity lbs.	Wt. lbs.
24" x 36" PLATFORM TRUCKS				
MB232	6	High-Temp Nylon	1300	77
MB233	8	High-Temp Nylon	1400	87
MB234	8	Pneumatic	1000	79
MB235	6	Mold-On Rubber	900	88
MB236	8	Mold-On Rubber	1400	96
MB237	5	Non-Marking Rubber	1200	63
MB238	5	Polyolefin	900	61
24" x 48" PLATFORM TRUCKS				
MB240	6	High-Temp Nylon	1300	90
MB241	8	High-Temp Nylon	1400	100
MB242	8	Pneumatic	1000	92
MB243	6	Mold-On Rubber	900	101
MB244	8	Mold-On Rubber	1400	109
MB245	5	Non-Marking Rubber	1200	76
MB246	5	Polyolefin	900	74
30" x 48" PLATFORM TRUCKS				
MD421	6	High-Temp Nylon	1300	96
MD422	8	High-Temp Nylon	1400	106
MD423	8	Pneumatic	1000	98
MD424	6	Mold-On Rubber	900	107
MD425	8	Mold-On Rubber	1400	115
MD426	5	Non-Marking Rubber	1200	82
MD427	5	Polyolefin	900	80
30" x 60" PLATFORM TRUCKS				
MB248	6	High-Temp Nylon	1300	110
MB249	8	High-Temp Nylon	1400	120
MB250	8	Pneumatic	1000	112
MB251	6	Mold-On Rubber	900	121
MB252	8	Mold-On Rubber	1400	129
MB253	5	Non-Marking Rubber	1200	96
MB254	5	Polyolefin	900	94

HEAVY-DUTY PLATFORM TRUCKS

WOOD DECK PLATFORM

- Sturdy 2" x 2" angle iron frame, with hardwood maple decking
- Ideal for carrying objects that scuff by metal to metal contact
- Steel frame absorbs shocks and handles uneven/heavy loads



Wood Deck



ALL-STEEL PLATFORM

- Heavy 11-gauge, reinforced channel formed deck arc welded for maximum strength and long-lasting rigidity
- Ideal for loads up to 2500 lbs.



CASTER PLACEMENT

- Available in standard-corner or diamond-tilt pattern
- Diamond tilt pattern allows the truck to tilt-balance slightly on the center side casters, allowing the truck to turn on its own length



All Steel

10" Pneumatic Wheels 1200-lb. Cap. Order No.	8" Rubber Wheels 2000-lb. Cap. Order No.	8" High-Temp Nylon Wheels 2500-lb. Cap. Order No.	Platform* Dimensions"	Wt. lbs.
MB256	MB296	MB130	24 x 48-C	115
MB258	MB298	MB133	24 x 48-T	120
MB264	MB304	MB138	30 x 48-C	135
MB266	MB306	MB141	30 x 48-T	140
MB267	MB308	MB142	30 x 60-C	145
MB270	MD332	MB145	30 x 60-T	150
MB279	MB320	MB155	36 x 72-C	180
MB282	MB322	MB157	36 x 72-T	190
MB284	MB324	MB166	48 x 96-C	280
MB286	MB326	MB169	48 x 96-T	300
STEEL DECK				
MB255	MB295	MB131	24 x 48-C	110
MB257	MB297	MB132	24 x 48-T	115
MB263	MB303	MB139	30 x 48-C	130
MB265	MD331	MB140	30 x 48-T	135
MB268	MB307	MB143	30 x 60-C	140
MB269	MB309	MB144	30 x 60-T	145
MB280	MB319	MB154	36 x 72-C	175
MB281	MB321	MB156	36 x 72-T	185
MB283	MB323	MB167	48 x 96-C	240
MB285	MB325	MB168	48 x 96-T	265

* Suffix C after platform size signifies corner caster placement. T is diamond tilt.

INSTITUTIONAL PLATFORM TRUCKS

- Ideal truck for institutional applications - hospitals, restaurants, shopping centres, offices, industry and anywhere else a quiet ride and professional appearance is required
- 14-gauge steel deck with 2" lip underneath
- Non-skid rubber surface means product will not shift during use
- Rubber corner bumpers protect walls and furniture

- 1 1/4" tubular chrome handle with end panel contains small packages
- 5" non-marking rubber casters for a smooth, quiet ride; 2 rigid/2 swivel
- Capacity: 1200 lbs.
- Shipped knocked down

Order No.	Dimensions"	Wt. lbs.
MB190	24 x 36	64
MB208	24 x 48	70
MB207	30 x 48	88
MB209	30 x 60	100



Customise it to your specifications.

Material Handling

GEMINI® CONVERTIBLE ALUMINUM HAND TRUCKS

- Converts in seconds from a two-wheel hand truck to a four-wheel platform truck
- Lightweight, high strength aluminum construction
- Balanced to assure easier wheeling and positive load control
- 18" wide x 7 1/2" deep rugged cast aluminum noseplate
- 5" swivel casters; 10" x 3 1/2" full pneumatic wheels
- 16 5/8" frame width, 20 1/2" O.A. width
- Shipped knocked-down



MAGLINER®

MA319 Jr.

MA320 Sr.



Order No.	Gemini	Hand Truck		Platform Truck			Wt. lbs.
		Cap. lbs.	H"	Cap. lbs.	H"	L"	
MA319	Jr.	500 lbs.	51	1000	40	38	44
MA320	Sr.	500 lbs.	61	1000	45 1/8	51	45

OPTIONAL SNAP-ON DECK	Description	Wt. lbs.
MB198	43 1/4" For Gemini Jr.	5
MB197	56" For Gemini Sr.	6

CONVERTIBLE HAND TRUCKS

- Lightweight aluminum construction
- Converts easily from a 2-wheel hand truck to a 4-wheel platform truck
- 5" polyurethane casters and 10" flat free wheels
- Shipped assembled




KLETON

Order No.	Hand Truck		Platform Truck		Nose Plate W x D"	Wt. lbs
	Ht. "	Cap. lbs.	L" x W"	Cap. lbs.		
ML621	52	600	12 x 43	1250	18 x 10	441

HAND TRUCKS

- Constructed of 1" 16-gauge steel tubing
- Powder coated



Order No.	Overall Height"	Overall Width"	Nose Plate W" x D"	Wheel Dim."	Cap. lbs.	Wt. lbs.
PNEUMATIC WHEEL						
MH300	46	21 1/2	14 x 10	10 x 3	600	25
MH301	48	21 1/2	14 x 10	10 x 3	600	25
MH302	51 1/2	21 1/2	14 x 9	10 x 3	600	23
RUBBER WHEEL						
MK730	46	20	14 x 8	8 x 2	1000	40

FOLDING HANDLE PLATFORM TRUCKS

KLETON

- Move supplies, forms and light equipment around the shop or office
- Quick-release handle folds flat for easy storage
- Heavy gauge steel construction; non-skid vinyl coated deck
- 33 1/2" handle height
- Vinyl wrap around bumper protects walls and furniture
- Rubber casters.
- Capacity: 400-660 lbs. evenly distributed



Order No.	Platform Dim. W" x D"	Caster"	Cap. lbs.	Wt. lbs.
MK988	19 x 29	5	400	28
MK989	23 x 35	5	660	42

FOLDABLE PLATFORM TRUCKS

- Ideal when a solid, portable platform truck is required
- Interlocking aluminum frame has a dual length platform: 20" x 16" or 28" x 16"
- Handle height is 32"
- Comes standard with vinyl corner bumpers
- Folds down to a compact 20" L x 16" W x 9 1/2" H
- Rolls easily on 5" rubber casters
- Capacity: 300 lbs.
- Weight: 18 lbs.
- Capacity: 300 lbs. evenly distributed



KLETON

Order No. MK990

FOLDING HAND TRUCKS

- Lightweight and durable aluminum construction
- Convenient folding design permits storage in small spaces
- Comfortable ergonomic handle
- Elastic straps help to secure load
- Non-marking and shock-absorbing 5" x 1 1/4" rubber wheels
- 15 1/4" W x 11" D nose plate
- Capacity: 175 lbs. evenly distributed
- Weight: 8.75 lbs.



KLETON


Order No.	Extended Dim.			Folded Dim.		
	W" x D" x H"	W" x D" x H"	W" x D" x H"			
ML447	39 5/8 x 15 1/2 x 16 1/2	25 x 15	2 3/8			

HYDRAULIC SHOP LIFTERS

- Allow workers to manoeuver and lift heavy loads safely to comfortable needed height
- Foot pedal folds safely out of the way
- Front 5" polyurethane casters and rear 3" polyurethane wheels allow loads to move easily
- Overall dimensions: 22 1/2" W x 39" D x 67 3/4" H
- Platform dimensions: 25 3/4" L x 22 3/4" W
- Lowered platform height: 4"
- Raised platform height: 60"
- Capacity: 880 lbs.
- Weight: 174 lbs.

Order No. MN397

KLETON



DRUM TRUCKS

- All-welded 1 1/4" tubular steel frame
- Designed to handle containers from as small as 18" in diameter to large 45 imp. gal/ 55 US gal. steel drums
- Ideal for loading drums onto pallets, or for going over curbs or uneven docks
- Rolls on 10" front and 6" rear rubber-tired wheels
- Free standing when loaded
- Capacity: 1000 lbs.
- Weight: 50 lbs.
- Durable Kleton blue enamel finish

Order No. DA594

- Same as above but with 10" rubber-tired wheels
- Weight: 44 lbs.

Order No. DA593



KNOCKED DOWN DRUM ROCKERS

- Safe method for moving, draining and storing 45 imp. gal/55 US gal. drums
- Two 3" non-sparking wheels and two 3" non-sparking swivel casters
- Handle is removable
- Capacity: 700 lbs.
- Blue powder coat finish
- Shipped knocked down

Order No. DC443



DRUM TRUCK FOR PLASTIC & FIBRE DRUMS

- All-welded, 1 1/4" tubular steel construction
- Handles plastic and fibre drums from 18" to 25" in diameter and 24" to 41" in height
- 2" ratchet strap secures drum in place
- 10" front and 6" rear rubber-tired wheels
- Capacity: 1000 lbs.
- Weight: 56 lbs.
- Durable Kleton blue enamel finish

Order No. DA595

For use with plastic or fibre drums



ALL-WELDED DRUM ROCKERS

- Constructed of all-welded heavy gauge steel tubing
- Safe method of upending up to 45 imp. gal/55 US gal. drums for moving, draining or storing
- No lifting, straining, or danger of drum tipping backwards
- Load drum into the draining position in seconds
- Handle is removable
- 2 1/2" polyolefin swivel casters and 3" wheels
- Capacity: 1000 lbs.
- Durable Kleton blue enamel finish



Order No.	Description	Wt. lbs.
DC442	Two 3" Swivel Casters, Two 3" Wheels	38

ALL-IN-ONE DRUM TRUCKS

- All-welded design with 1 1/4" round tube
- Drum trucks can be used to transport and dispense drums
- Easy-to-use belt-system and hook keeps drums securely on the truck
- Easy to load and unload on skids
- Handles plastic, steel or fibre drums
- Loop handle provides added leverage while dual handle models provide side body comfort.
- Four wheel design for added support and easy manoeuvrability
- Capacity: 1200 lbs.
- Durable Kleton blue enamel finish

Order No.	Handle Type	Wheel Type	Wt. lbs.
DC266	Loop	10" Mold Rubber	64
DC267	Loop	10" Pneumatic	58
DC256	Dual	10" Mold Rubber	62
DC257	Dual	10" Pneumatic	56



Customise it to your specifications.

Material Handling

SINGLE BAR DRUM TRUCKS

- Handles 45 imp. gal./55 US gal. steel drums
- Heavy duty 1" structural pipe frame with double welded joints
- Machined steel load wheels behind nose prongs help ease lifting of drum
- Classic single bar frame design
- Kickstand and vinyl handle grips included
- Available with cast iron centre mold-on rubber wheels with 1" (ID) roller bearings or polyolefin wheels
- 24" wide at handle, 16 1/4" wide at nose
- Capacity: 1000 lbs.

Order No.	Mfg No.	Wheel Type	Wt. lbs.
DA883	240014	Polyolefin	50
DA882	240013	Mold-on Rubber	64



WESCO

LOW PROFILE DRUM TRUCKS

- All-welded steel construction with 8" x 2" rubber wheels and 4" non-marking rubber swivel caster for smooth movement and easy manoeuvrability
- Ideal for moving full, open top 45 imp. gal./55 US gal. drums without spilling contents
- With a low-level frame, only 1" from the ground, this truck allows for easy loading of drums up to 1000 lbs.
- Hinged handle moves forward and backward for easy pushing or pulling
- Overall handle length: 37"
- O.A. Dimensions: 30" W x 24"D x 46" H
- Capacity: 1000 lbs.
- Weight: 44 lbs.
- Durable Kleton blue enamel finish

Order No. DC500



ERGONOMIC DRUM TRUCKS

- Floating axle reduces effort required to break over and balance load
- Chime hook can be stored at the top of the frame for easy use
- Replaceable hard faced double beveled nose prongs
- Handles steel drums only
- 10" mold-on rubber wheels
- Overall dimensions: 17 1/2" L x 23 3/4" W x 61" H
- Capacity: 1000 lbs.
- Weight: 74 lbs.

Model No. DC417

Mfg. No. 240003

WESCO



DRUM STACKING RACKS

- Rack holds two or three 45 imp. gal./55 US gal. drums
- Can be stacked up to three high
- Conveniently stacks drums horizontally increasing space efficiency
- Forklift access from all four sides
- Shipped knocked down



KLETON

Order No.	Drum Cap.	O.A. Dimensions W" x D" x H"	Load Cap. lbs.	Wt. lbs.
DC262	2	45 1/2 x 30 x 12 1/2	1600	48
DC263	3	71 1/2 x 30 x 12 1/2	2400	75

DRUM STACKING RACK DOLLIES

- All-welded steel construction
- Dolly allows single stacking racks to be mobile
- Two rigid and two swivel 6" casters
- Caster assembly required
- Durable Kleton blue enamel finish



DC392 with DC262



DC392

KLETON

Order No.	Overall Dim. W" x D" x H"	Caster Type	Drum Cap.	Load lbs.	Wt. lbs.
DC392	30 x 46 x 9	Hi-Temp	2	1600	70
DC393	30 x 46 x 9	Polyurethane	2	1600	70

STEEL DRUM GRABBERS

- Lift and transport one 45 imp. gal./55 US gal. steel drum without the fork truck driver leaving his seat
- No risk of drum slipping since handler grips under rim of drum or rolling hoops
- Heavy gauge grabber slides onto truck forks and is locked with two turn down screws



KLETON

Order No.	Fork Pocket Inner Dim."	Capacity lbs. /Drum
DC424	5 1/2 x 2	1000

POLY DRUM LIFTERS

- Patented fork truck attachment for handling most 55 and 30 gallon US poly drums
- Fork truck driver does not have to leave cab to engage or disengage drum
- Suited for poly drums that have at least a 3/16" top lip (chime)
- Fork pocket size: inside 1 1/2" x 5 3/8"
- Capacity: 1000 lbs.
- Shipped knocked down

Order No. DA932
Mfg. No. 240148

WESCO



Customise it to your specifications.

STAINLESS STEEL DRUM DOLLIES

- Handles 45 imp. gal/ 55 US gal. drums
- 6" hard rubber casters
- Capacity: 800 lbs.
- Weight: 22 lbs.

Order No. DC416



DRIP CATCHER DOLLIES

- Handles drums that are 22" to 28" in diameter
- 2" lip contains drips
- Absorbent sock included
- 3 3/4" x 1/4" rubber casters
- Overall dimensions: 31 1/2" dia. x 5 3/4" H
- Capacity: 1000 lbs.
- Weight: 26 lbs.

Order No. DA600



LIL'DOLLY™ PAIL DOLLIES

- Designed for use in hospitals, food processing plants, manufacturing locations, hotels, restaurants - anywhere 5, 6 and 15 gallon pails are used
- 5 dual wheel swivel stem casters
- Inside diameter: 11"
- Capacity: 75 lbs.
- Weight: 2 lbs.
- Colour: Beige

Order No. MD527



TILTING DRUM DOLLIES

- Designed exclusively for 45 imp. gal/55 US gal. drums
- Unique feature to tilt drums 10° for better liquid extraction
- Tilting feature is foot-operated and locks into place when activated
- Includes four swivel casters



Order No.	Wheel Type	Capacity lbs.	Weight lbs.
DC022	Steel	1200	24
DC023	Hard Rubber	900	23

POLYETHYLENE DOLLIES

- Structural foam polyethylene dolly will not dent, corrode or rust
- Solid bottom construction with 2" lip contains small spills
- Handles 10-55 US gallon drums
- Overall dimensions: 24 3/8" Dia. x 7 1/8" H
- Rolls on five 3" hard rubber casters
- Capacity: 500 lbs.
- Weight: 17 lbs.


Order No. NA714



CLAMP & GO DOLLY HANDLES

- Safely and easily maneuver drum within confined areas
- Perfect for high volume applications
- Low center of gravity provides superior stability
- Quickly clamps onto dollies with various sidewalls of 2", 2 1/2" or 3"
- Foot operated disengage
- Magnet holds handle up to drum for compact storage
- Weight: 11 lbs.

Order No. DC414



STEEL DRUM DOLLIES

- Welded 3/16" thick x 4", frames are built to withstand constant use
- 24" inside diameter handles 45 imp. gal./55 US gal. drums
- Comes with four swivel casters
- Quality powder-coat finish
- Shipped knocked down



Order No.	Caster Type	Caster"	Height"	Capacity lbs.	Wt. lbs.
ROUND FRAME					
DC202	Polyolefin	3	4 1/2	750	21
DC199	Polyurethane	3	4 1/2	1000	24
DC200	Polyurethane	4	5 1/2	1500	27
X-FRAME					
DC206	Polyolefin	3	4 1/2	750	13
DC203	Polyurethane	3	4 1/2	1000	16
DC204	Polyurethane	4	5 1/2	1500	19

MULTI-TIER DRUM DOLLIES

- Accommodates a variety of container sizes
- Transport a 5-gallon pail, 30 or 55 US gallon drums
- A standard 4' long nylon pull strap helps in transporting
- Hard rubber casters
- High polished zinc finish for corrosion resistance
- Capacity: 900 lbs.



DC043



Order No.	No. of Tiers	Accommodates Drum Sizes (gal.)	Wt. lbs.
DC043	3	5, 30 and LP Gas Cylinders	28
DC042	4	5, 30, 55 and LP Gas Cylinders	20
DC415*	4	5, 30, 55, and LP Gas Cylinders	24

* Stainless Steel

Material Handling

DRUM/OVERPACK LIFTERS

- A safe method of moving steel drums
- Design allows for quick, gentle loading; drum stays upright during lift
- **DA224:** Low-profile clamp design on lowers open (lid must be on) or closed head steel drums all the way to bottom of overpack
- **DA225:** Picks up both 85 US gallon steel overpack drums and 55 US gallon steel drums
- **DA876:** Handles many lever-lock closure fibre drums, typical steel drums and 55 US gallon rimmed plastic drums
- Capacity: 1000 lbs.



Order No.	Mfg. No.	Description	Wt. lbs.
DA224	90S	55 US Gallon Lifter	21
DA225	90S-A	85 US Gallon Overpack/55 US Gallon Lifter	22
DA876	92	Universal Lifter	25

POLYESTER DRUM SLING

- Securely and economically lifts steel, plastic and fibre drums from 12" to 24" in diameter
- Ideal for use with a forklift truck
- Compact size of slings allows it to be stored in truck until it's needed
- Reduces drum damage which occurs when using steel handlers
- 2" x 10' endless ratchet strap tightens the reinforced polyester lifting belt around the body of the drum
- 4" x 6' double ply tie down web slips easily over the truck forks
- Capacity: 1000 lbs.
- Wt.: 5 lbs.



Order No. DC470

Note: Open ratchet fully when installing sling

MULTI-PURPOSE OVERHEAD DRUM LIFTER W/WRENCHES

- Simple three-arm design allows for safe lifting of closed head 30 to 55 US gallon steel, plastic, and fibre drums with top lips
- Each removable arm also functions as a wrench for use on different drum plugs, faucets, and rim ring bolts
- Capacity: 800 lbs.
- Powder coat finish for durability
- Weight: 20 lbs.


Order No. DC095
Mfg. No. PDL-800-M



HORIZONTAL DRUM LIFTING HOOKS

- Horizontally lifts 45 imp. gal./55 US gal. steel drums, 34"-36" long
- Alloy steel lifting ring, steel rods, malleable iron hooks
- Capacity: 1000 lbs.
- Weight: 5 lbs.

Order No. DC449



- Spark-resistant lifting hook is made of bronze and copper for safe handling
- Capacity: 1000 lbs.
- Weight: 5 lbs.

Order No. DA163



AUTO-GRIP DRUM LIFTERS

- Easy, no-tilt lifting of rimmed steel drums
- Self-energizing: the heavier the load, the tighter the grip
- Attaches to any hoist, crane or forklift using single fork hook attachment
- Heavy-duty, annealed, ductile iron construction
- Large curved foot at bottom of stabilizing arm prevents drum damage
- Capacity: 3000 lbs.
- Weight: 31 lbs.

Order No. DA226
Mfg. No. 440001

WESCO®



OPEN HEAD DRUM LIFTERS

- Quick and easy attachment and removal
- Suitable for use with standard steel or poly drums with at least a 3/16" chime
- Lifting arms are adjustable to work with most 55 or 30 US gallon drums
- Attaches to any hoist, crane or forklift using single fork hook attachment
- 3-point contact of the lifting arms minimizes deformation
- Also works on closed head drums
- Capacity: 1000 lbs.
- Weight: 15.5 lbs.

Order No. DC420
Mfg. No. 240038

WESCO®



FORK MOUNTED DRUM LIFTERS

- Allows operator to raise, transport, tip and drain loaded drums without leaving their seat
- Geared design with pull chain for controlled dispensing of open and closed head steel drums up to 2000 lbs.
- Manipulation of pull chain for 360° rotation
- Attaches easily to truck by sliding onto forks and tightening screw locks
- No electrical or hydraulic connections to truck are needed
- 6 1/2" W x 30" D x 2 1/2" H fork pockets; inside width between truck forks must be at least 24 1/2"
- Options are available to handle plastic, fibre, and steel drums 22 1/2" in diameter



Order No.	Drum Size US Gallons	Tilt Type	Full Drum Cap. lbs.	Half Drum Cap. lbs.	Wt. lbs.
DA133	55	Geared	800	500	169
DA135	55	Geared	1500	800	178
DA134*	55	Geared	2000	1000	361

* Can only be used with diameter adaptor DC281



Controlled pouring up to 2000 lbs.

DRUM LIFTERS

Safely transport, position and drain open and closed head steel drums. Simply attach the lifter on hook of chain block, monorail or crane, cinch saddle around drum, and then raise to the required height and position. Ratchet mechanism securely tightens saddle to drum. Choice of manual or geared models.

A. MANUAL TILT

- Ideal for low level pouring and dumping operations
- 800-lb. full drum capacity, 500-lb. half drum capacity
- Tilt lock on each side of hanger frame is used to secure drum in a vertical or horizontal position



Order No.	Drum Size	Wt. lbs.
DA199	55 US Gallon Steel; 22 1/2" Dia.	46
DA200	30 and 55 US Gallon Steel; 18 1/2" - 19" and 22 1/2" Dia.	46
DA201	21" - 23" Dia. Fibre or Steel	46
DA202	30 and 55 US Gallon Fibre and Steel; 18 1/2" - 19" and 22 1/2" Dia.	46

Options and accessories are not available for manual tilt models

B. GEARED TILT

- Accurate pouring from any height
- Handles drums up to 2000 lbs. full drum capacity
- Rotation of drum is controlled by 6' chain loop
- Optional MORStop™ tilt brake holds drum tilt position constant even when tension from the pull chain is removed



Order No.	Drum Size	Full Drum Cap. lbs.	Half Full Cap. lbs.	Wt. lbs.
DA121*	55 US Gallon Steel; 22" - 23 1/2" Dia.	800	500	71
DA124*	55 US Gallon Steel; 22 1/2" Dia.	1500	800	85
DA123**†	55 US Gallon Steel; 22 1/2" Dia.	2000	1000	170
DA126	30 US Gallon Steel; 18 1/2" - 19" Dia. or 55 US gallon steel; 22" - 23 1/2" Dia.	1500	800	122

OPTION

DC077 MORStop™ Tilt Brake Option



Gear Tilt



- * Chains can be guided into locking slots to hold the drum's position, allowing the operator to let go
- ** Worm gear speed reducer tends to let drum stay where it is stopped
- † Can only be used with diameter adapter DC281

CAN TIPPERS

- Handles 5-gallon round pails
- Safety lever holds container in place
- Dispensing height of 11 1/2"
- Capacity: 75 lbs.
- Weight: 10 lbs.

Order No. DC472



SEE PAGES 22 TO 61 FOR SPILL CONTROL PRODUCTS



Material Handling

STEEL DRUMS

- Open head 55 US gallon design complies with stringent UN regulations for packing non-dangerous and dangerous goods in packing groups II and III; salvage drum is good for packaging groups I, II and III in solids only
- Closed head 55 US gallon design meets UN regulations for packing of dangerous and non-dangerous goods in the packaging groups II and III and also complies with ISO 15750 standard and other major international standards for steel drums (ANSI, EN) and feature 2" x 3/4" Tri-Sure® fittings
- Drums are available in lined or unlined, except 85 US gallon salvage drums which have a plain cover and no lining
- Standard black



UN Regulations:

- A) UN1A1Y1.4140
- B) UN1A1Y275S
- C) UN1A1X1.8300

Unlined Order No.	UN Compliance	Lined Order No.	UN Compliance	Head Type	Wt. lbs.
DC145	A	DC146	B	Open	37
DC147	C	DC461*	C	Closed	35

* Unit is white

ACCESSORIES

Order No.	Description
DC450	2" Steel Plug with Buna Gasket
DC460	Lid for Open Head Steel Drum, No Fittings
DC455	Bolt Ring for Open Head Steel Drum

15-GALLON TIGHT HEAD DRUMS

- Tight head drums are designed to hold up to 15 US gallons of various liquids
- Due to high density polyethylene construction, these drums can be stacked with pallets up to four high; top load on bottom drums should not exceed 1000 lbs. each
- Maximum filling temperature of 65°C; drums should be allowed to cool to ambient temperatures before stacking
- Features 2" and 3/4" NPS fittings and manipulating handle
- Weight: 7 lbs.
- Available in three standard colours: Blue, black and natural

- UN Regulations: A) 1H1/Y1.9/150
B) 1H1/Y1.B/150

Order No.	Colour	UN Compliance
DC132	Blue	A
DC133	Black	A
DC134	Natural	B



RECTANGULAR POLY TIGHT HEAD CONTAINERS

- Suitable for storing and shipping liquid, granular and semi-solid chemicals, detergents, petroleum products, food products, pharmaceuticals and acids
- Recessed handle and anchoring system ensure safe multiple stacking
- Protruding stabilizers prevent tipping
- Ventcaps are included but leakproof screw caps are extra
- Container capacity: 20 litres
- Dimensions: 11 1/2" L x 9 1/2" D x 9 3/4" H



Order No.	Mfg. No.	Description	Opening mm
DC163	158	Yellow Container Only*	63
DA684	240	Natural Container Only*	60
DA685	284	Security Cap	60

*Security cap not included.

POLYETHYLENE DRUMS

UN-approved plastic drums are manufactured using state-of-the-art technologies to meet the stringent demands of chemical compatibility with hazardous and non-hazardous products as well as reliability and safety requirements. Drums are made from a high molecular weight, high-density polyethylene resin which makes them extremely strong and rigid, allowing for easy handling and low shipping cost. Plastic drums save warehouse space because they are stackable and can be stored outside without rusting. In addition, total packaging costs are decreased when they are reused.



Drums are manufactured in accordance with one of the following UN regulations:

- A) 1H1/Y1.9/150
- C) 1H2/X65.0/S
- E) 1H2/Y150/S
- B) 1H2/Y250/S
- D) 1H2/Y45.5/S

Order No. Blue	Order No. Black	Order No. Natural	Head Type	Cap US Gallons	Fittings	UN Regulation	Wt. lbs.
DC139	DC140	DC141	Closed	30	2" BTR & 2" NPS	A	14
DC142	DC143	DC144	Closed	55	2" BTR & 2" NPS	A	21
DC137	DC138	-	Open*	55	-	B	22
SEI488	-	-	Open*	10	-	D	6
SEI489	-	-	Open*	15 1/2	-	C	8
SEI490	-	-	Open*	30	-	E	14

ACCESSORIES

Order No.	Description
DC149	2" Buttress Coarse Thread
DC150	2" NPS Fine Thread

* All open head drums come standard with cover and steel lever-locking ring

LOK-RIM® FIBRE DRUMS

- Provides thermal insulation and protects sensitive products
- The full-open top assures quick filling and dispensing, while the fibre covers and steel chimes reinforce top and bottom
- The unique Lok-Rim® closure allows easy opening and closing and has a tamper evident sealing feature
- Will not corrode and contaminate product
- Compatible with a variety of non-hazardous dry and solid products*
- Economical and stackable
- Made of FDA compliant materials

Order No.	Capacity US Gal.	Capacity lbs.	Wt. lbs.
DC427	30	225	9.4
DC425	55	300	17
DC426	55	550	19



* Compatible with semi-liquids when a polyethylene insert/bag is applied

LIQUIPAK® FIBRE DRUMS

- Interior is lined with heavy-duty polyethylene, making it the perfect solution for non-hazardous liquids
- The full-open top assures quick filling and dispensing, while the plastic covers and steel chimes reinforce top and bottom
- Will not corrode and contaminate product
- Economical and stackable
- Complete with bung and vent poly cover fully assembled with locking ring
- Made of FDA compliant materials



Order No.	Capacity US Gal.	Capacity lbs.	lbs.
DC428	30	400	12
DC429	55	600	17.5
DC430	55	600	17.5

ACCORDION INSERTS FOR 55 US GALLON DRUMS

- Made of FDA compliant materials
- Accordion pleat design adjusts to varying heights of reconditioned drums
- Formed lip grips chime of drum and stays in place during follower plate pumping



Order No.	Wall Thickness	Qty /Case
DC338	15 mil	20
DC340	18 mil	15
DC339*	15 mil	20

* Anti-static



ULTRALINER DRUM INSERTS FOR 55 US GALLON STEEL & FIBRE DRUMS

- Heavy-duty 18-mil insert with ultra thin lip for easy lid closure
- Can be used with fibre and steel drums



Order No.	Inside Dia."	Wall Thickness	Qty /Case
DC345	22.5	18 mil LDPE	15
DC346	22.5	18 mil LDPE	15
DC493	22.5	24 mil LDPE	15



STRAIGHT-SIDED INSERTS FOR 16, 30 & 55 US GALLON OPEN HEAD STEEL DRUMS

- Made of FDA compliant materials
- Smooth wall inserts withstand mixing and pumping applications
- Available in anti-static
- Available in polypropylene for hot-fill applications to 440°F
- Order DC344 used for hot-fill applications



Order No.	Wall Thickness	Drum Gal.	Qty /Case
DC336	15 mil	30	25
DC337	15 mil	55	20
DC344	15 mil	55	10
DC342*	18 mil	55	15
DC343	24 mil	55	15

* Anti-static



FORMFIT LINERS FOR 55 US GALLON DRUMS

- Cylindrical film liners are heat-sealed and made of FDA compliant materials
- Available in 40" height to fold over drum or 53" height to tie off
- Available in mil thickness of 4, 8 or 10
- Available in anti-static for solvent-based applications



Order No.	Height"	Wall Thickness	Qty /Case
DC353	40	4 mil	100
DC354	40	8 mil	50
DC355	40	10 mil	50
DC494	40	6 mil	100
DC356	53	4 mil	100
DC495	53	6 mil	100
DC357	53	8 mil	50
DC358	53	10 mil	50
DC359*	53	8 mil	50

* Anti-static



INSERTS FOR 5-GALLON STEEL PAIS

- Made of FDA compliant materials
- Straight-sided inserts for steel pails are ideal for small batch mixing
- Choose from pliable LDPE or solvent-resistant HDPE
- Available in anti-static
- Available in polypropylene for hot-fill applications to 300°F



Order No.	Wall Thickness	Material	Qty /Case
DC347	15 mil	LDPE	100
DC348	15 mil	HDPE	100
DC349	15 mil	Polypropylene	100
DC492*	15 mil	LDPE	100

* Anti-static



CHEMLINERS

- Formfit liner constructed from LDPE/NYLON/LDPE
- Resists chemical permeation and degradation
- Superior flex-crack and pinhole resistance for liquid applications

Order No.	Height"	Wall Thickness	Qty /Case
DA926	40	5 mil	100



PAIL INSERTS & STRAINERS

INSERT

- Seamless 14" tall tapered insert provides custom fit for plastic pail
- Average 15-mil thick
- FDA compliant materials

STRAINER

- Heavy-duty strainer ideal for filtering liquids or holding parts for washing
- Featuring 600-micron mesh, finer mesh strainers are available



Order No.	Material	Gallons	Qty/Case
INSERTS			
DC350	HDPE	5	100
DC351	LDPE	5	100
STRAINER			
DC049		5	48
DB021		55	8



HOT-FILL LINERS FOR 55 US GALLON DRUMS

- Round bottom liner constructed from polypropylene will withstand fill temperature to 290°F
- Available in heights of 40" to fold over drum or 53" to tie off



Order No.	Height"	Wall Thickness	Qty /Case
DA927	40	4 mil	100
DC047	53	4 mil	100

Material Handling

BUNG NUT WRENCHES

- Fits almost any metal or plastic, male or female bung nuts or plugs
- 13" overall length
- Offset handle
- Weight: 4 lbs.

Order No. DA638

Annealed ductile iron

Order No. DA637 Non-sparking manganese bronze alloy



UNIVERSAL PLUG WRENCHES

- Fits virtually all steel, plastic and fibre drum plugs
- 15 1/2" long for extra leverage and hand clearance
- Weight: 4 lbs.

Order No. DA635

Solid ductile iron

Order No. DA636 Non-sparking, zinc aluminum alloy



DRUM WRENCHES

- Socket head which fits over 3/4" and 2" steel and plastic hex-head plugs
- Also fits other types of closures

Order No. DA643

Socket head - 2.0 lbs.

Order No. DA647

Non sparking - 2.5 lbs.



DELUXE PLUG WRENCHES

- Non-sparking brass alloy wrench fits virtually all industrial drums including those with square or hex plugs, male or female bung nuts or plugs and fittings with lugs and crossbars
- Built-in 1 1/4" wrench for tightening faucets into drums; eliminates the need for extra tools
- Weight: 2 lbs.

Order No. PE359



DRUM UPENDERS

- 40" long upender provides the necessary leverage for moving horizontal drums to a standing position
- 2 1/2" wide toe plate prevents denting of drum
- 1 1/2" hook fits over most drum heads
- Weight: 12 lbs.

Order No. DA653



VALUE HEATERS

- Sturdy aluminized steel construction outlasts and outperforms all silicone rubber heaters
- 0-550°F adjustable thermostat offers wide flexibility when heating contents of 55 US gallon, 22 1/2" diameter steel drums
- Heavy duty, 5' grounded cordset plugs into standard 120 V outlets, 1250 W
- Weight: 8 lbs.

Order No. DA070



DRUM DEHEADERS

- Opens any standard size and gauge drum in minutes
- Contoured to drum radius; fast, one-hand operation
- Leaves edge smooth
- Constructed of fine forged steel with a precision quality steel blade
- Weight: 6 lbs.

Order No. DA312 Drum deheader

Order No. DA299 Replacement blade



PAIL PALS

- Designed to open and close virtually any type of steel or plastic pail
- Cast steel construction for durability
- Yellow zinc-plated finish with molded blue plastic hand grip
- Includes a special cutting tool to open sealed lids on plastic pails

Order No. DC041



PLASTIC PAIL OPENERS

- Ideal for opening non-un plastic buckets and pails
- Unique leverage point ends cover distortion and cutting
- Holds pail down while it lifts lid evenly; lid lifts off in seconds
- Aluminum construction
- 16" long
- Weight: 0.5 lbs.

Order No. DA639



5-GALLON PAIL HEATERS

- Economy 5-gallon heater is suitable for use with plastic and metal pails
- For light duty applications like increasing flow of viscous fluids or heating water
- Aluminized construction
- Adjustable strap clamp allows heater to fit pails with straight or tapered sides from 9 1/2" to 12" in diameter
- 120 V, 100 W
- 6' power cord with standard three pin grounded plug
- Weight: 5 lbs.

Order No. DA074



PLASTIC DRUM HEATERS

- Specifically designed to heat materials contained in polyethylene drums or pails
- Pre-set bimetal thermostat is mounted directly on heating band; activated with on-off switch
- Heat delivered to drum does not exceed 165°F
- 9" wide heating band on 55 US gallon is double the width of standard heaters; increases heater surface area for a shorter heat-up time
- On-off indicator light
- 6' power cord



Order No.	Drum Cap. Gal.	Drum Dia. "	Plug Type NEMA no.	Volts	Watts	Wt. lbs.
DA080	5	11 1/4	5-15	120	100	7
DA081	55	22 1/2	5-15	120	800	15

SELF-CLOSING FAUCETS

- For non-flammable liquids only
- No flame arrestor
- 3/4" pipe thread
- Can be padlocked closed
- Natural die cast finish

Order No. PE365



SELF-CLOSING FAUCETS W/SCREEN

- For use with flammable and non-flammable liquids
- Flame arrestor safety faucet
- Standard 3/4" tapered pipe thread
- Can be padlocked closed
- Natural die cast finish

Order No. PE364



SAFETY FUNNELS WITH FILL VENT


- 9" diameter polyethylene funnel comes with brass safety vent and 6" flame arrestor
- Cap comes with safety chain to prevent loss
- 2" NPS
- Weight: 4 lbs.
- FM approved

Order No. DA103



MANUAL-CLOSING POLY FAUCETS

- Ideal for use with non-flammable, often corrosive liquids
- Half turn on/off; stays open until shut-off
- Use 2" size for thick, viscous liquids or larger volume flow of thin liquid



Order No.	Bung"	Wt. lbs.
DA048	2	0.50
DA049	3/4	0.08

SELF CLOSING GATE VALVES

- For use with viscous non-corrosive fluids heavier than SAE30 motor oil
- Heavy-duty brass construction
- Self-closing PTFE blade has fast, positive shut off when handle is released
- 4 1/2" wide handle
- Wide opening permits maximum flow
- Fits 2" bung in steel or plastic drums
- Weight: 7 lbs.

Order No. PE363



SAFETY DRUM FUNNELS

Suitable for handling flammables. Large 10 3/4" mouth provides quick dumping. Steel construction with 6" flame arrestor for the DA102 and 32" flame arrestor for the DA101. Hinged cover with fusible link reduces spread of vapours. 2" NPS. FM approved.



Order No.	Description	Wt. lbs.
DA102	6" Flame Arrestor	12
DA101	32" Flame Arrestor	12



HORIZONTAL BRASS VENTS

- Horizontal vents are for use with drums in the horizontal pouring position
- Automatically relieves pressure at 5 PSI
- Flame arrestor prevents sparks and flame from igniting contents
- Manual vacuum relief by lifting and rotating the valve stem
- Maximum flow of 220 CFM at 20 PSI
- Fits 2" NPS bung in steel or plastic drums

Order No. PE362



VERTICAL VENTS

FM approved vents are for use with drums in the upright position. Valve automatically opens to relieve internal pressure at 5 PSI. Automatic vacuum relief permits 4 GPM flow through 3/4" faucet. Fits 2" NPT bung opening



Order No.	Description	Application	Wt. lbs.
DA607	Brass Vent	Petroleum-Based	0.5
DA605	Non-Metallic Vent, Cad-Plated Flame Arrestor	Petroleum-Based	0.5
DA606	Non-Metallic Vent, Stainless Steel Flame Arrestor	Chlorinated Solvents	1.0

COILED GROUNDING CLAMPS

- Vinyl coated 1/8" cable resists corrosive environments to give years of service
- Unit is self-coiling to retract when not in use
- Includes one heavy duty pliers-type clamp and one 1/4" terminal end

Order No.	Mfg No.	Description
DA632	RAC5	5' Coil
DA628	RAC10	10' Coil
DA777	RAC15	15' Coil
DB029	RAC10+10	20' Coil
DA778	RAC30	30' Coil



PLIER CLAMPS

- Grounding clamp for flammable drum loading
- Die cast aluminum body, stainless steel points and 55-lbs. spring enable REB clamp to consistently make positive metal to metal ground connection
- Accommodates all cable up to 5/32"; connection is made in clamp's handle held by dual Allen screw contacts

Order No. DA633
Mfg. No. REB

