

## ERGODECK® ERGONOMIC FLOORING SYSTEMS NO. 560 & NO. 562

- Professional grade 18" x 18" super-sized ergonomic tiles quickly assemble to cover large and custom-sized areas
- The patented LockSafe® system securely connects the tiles for a neat, clean, installation that will withstand heavy use and cart traffic
- The incredibly substantial design creates a floor above the facility floor, covering up imperfections and safety hazards
- ErgoDeck® tiles can be unlocked and repositioned to create a different configuration when work flow changes
- Optional 6" wide safety ramps and corners accommodate carts and have countersunk holes so ErgoDeck® can be attached to the floor
- 7/8" thick
- Designed specifically for heavy cart traffic with load capacity of 64 PSI
- Available in open grid and solid tile designs

### ERGODECK® HEAVY-DUTY OPEN GRID NO. 560

- For use in wet (non-greasy) or dry areas where small debris or fluids are present

### ERGODECK® HEAVY-DUTY SOLID NO. 562


- For use in dry areas where small parts fall to the floor, or where ease of maintenance is a priority



Order No.	Description	Dim. W" x L" x D"	Qty /Case
<b>SAL215</b>	Open Grid No. 560, Single Tile	18 x 18 -	10
<b>SAL224</b>	Solid No. 562, Single Tile	18 x 18 -	10
<b>RAMP &amp; CORNER ACCESSORIES</b>			
<b>SAL219</b>	Ramp - Yellow, Single	6 x 18 -	10
<b>SAL217</b>	Outside Corner - Yellow, Single	6 x 15 x 15	4

## ERGODECK® GENERAL PURPOSE NO. 564 & NO. 566

- General purpose version of the original ErgoDeck® specifically designed to increase worker productivity
- Combination of 68 durometer compound and Flex-points on the underside provides flexibility underfoot
- Professional grade 18" x 18" super-sized ergonomic tiles quickly assemble to cover large and custom-sized areas
- Patented LockSafe® system securely connects the tiles for a neat installation to withstand heavy use and cart traffic
- Tiles can be unlocked and repositioned to create different configurations
- Optional 6" wide safety ramps and corners
- 7/8" thick
- Colour: Charcoal



**3-YEAR WARRANTY**



Order No.	Description	Dim. W" x L"	Qty /Case
<b>SAQ312</b>	Open Grid No. 564, Case	18 x 18	10
<b>SAQ313</b>	Solid No. 566, Case	18 x 18	10
<b>RAMP &amp; CORNER ACCESSORIES</b>			
<b>SAQ314</b>	Ramp - Charcoal, Case	6 x 18	10
<b>SAQ315</b>	Outside Corner - Charcoal, Case	15 x 15	10
<b>SAL219</b>	Ramp - Yellow, Case	6 x 18	10
<b>SAL217</b>	Outside Corner - Yellow, Case	15 x 15	4

**3-YEAR WARRANTY**

### FREQUENTLY ASKED QUESTIONS:


**What if one of my tiles gets damaged?**  
Simply remove it and replace with a new tile.

**How do you connect a ramp to the side of the tile that has interlocks?**

Simply cut off the interlocks on the ramp.


**What do I need to install ErgoDeck®?**

A rubber mallet. Each box of tiles contains installation instructions.



## ERGODECK® W/INTEGRATED NO-SLIP CLEATS NO. 552 & NO. 553

- This non-slip flooring is engineered to deliver exceptional traction in even the most extreme environments
- The patented LockSafe® positive interlocking system delivers secure connections but can be unlocked as needed for replacement or repositioning
- The optional 6" side safety ramps and corners have countersunk holes for semi-permanent installation
- Unmatched slip prevention
- Customize in 3" increments to fit any area or configuration
- Can withstand power-washing and aggressive maintenance
- 100% silicone-free PVC tiles provide maximum durability
- 18" x 18" tiles
- **Open grid:** Recommend usage in wet or dry areas where small debris or fluids are present
- **Solid:** Recommend usage in dry areas




Order No.	Description	Dim. W" x L"	Qty /Case
<b>SEI922</b>	Open Grid No. 553, Single Tile	18 x 18	-
<b>SEI923</b>	Open Grid No. 553, Case	18 x 18	10
<b>SEI924</b>	Solid No. 552, Single Tile	18 x 18	-
<b>SEI925</b>	Solid No. 552, Case	18 x 18	10

**3-YEAR WARRANTY**

# Ergonomic Matting

## REJUVENATOR® CONNECT NO. 502

- Customizable urethane mat, a perfect combination of extremely high performance and exceptional comfort
- Connects on all four sides to accommodate any custom sized area - even an entire floor
- No need for seaming or gluing; mats snap together and stay together
- Robust, abrasion resistant exterior skin totally encapsulates the resilient, crush-resistant urethane sponge interior making mat virtually indestructible
- An elevated square-grid surface creates an appealing symmetrical look for industrial, laboratory, pharmaceutical or commercial environments
- Ideal for dry and heavy use areas and exposure to a wide range of temperatures
- Optional 2" wide urethane bevel for safe access
- Molded in safety bevels reduce installation time and cost
- Available in 3' x 5' ends and centers to create long runs of ergonomic matting



End Mat  
Male Connectors



Center Mat




End Mat  
Female Connectors

### REJUVENATOR® CONNECT NO. 502 MATS FOR SINGLE WORKSTATION

- With molded-in ramps for easy access
- 5/8" thick
- Colour: Black

Order No.	Dim. W' x L'
SED585	2 x 3
SED587	3 x 5



Order No.	Description	Dim.		
		W	x	L
SAR340	Mat	3'	x	3'
SAR341	Edge, Female	2"	x	39"
SAR342	Edge, Male	2"	x	39"
SED588	Center Mat	3'	x	5'
SED589	End Mat w/ Female connectors	3'	x	5'
SED590	End Mat w/ Male connectors	3'	x	5'

## 24/SEVEN® COMFORTABLE, MODULAR, SIMPLE TO USE

- The 3' x 3' mats also interlock on all four sides to cover large areas, or can be used as single stations
- Optional yellow and black borders provide safe access

### WHAT IS YOUR APPLICATION? CHOOSE FROM 5 FORMULATIONS

**General purpose rubber** - Natural rubber formulation designed for general application, such as areas with water or debris

**CFR rubber** - Designed for areas with mineral oil based cutting fluids and solvents


**CFR rubber with GritWorks!®** - For wet areas that need extra traction

**NBR 100% nitrile** - Designed for areas with petrochemicals such as hydrocarbons, naphthenes, paraffins and petroleum distillates


**NBR 100% nitrile with GritWorks!®** - For wet areas that need extra traction

**1-YEAR WARRANTY**

WITH DRAINAGE



SOLID



### REASONS TO CHOOSE 24/SEVEN®

- Modular design
- Quick installation and replacement
- Comfort
- Five formulations
- Can customize on site



Order No.	Description	Dim.		
		W'	x	L'
<b>SOLID</b>				
NH589	General Purpose No. 570 Solid Mat	3	x	3
SAQ100	CFR No. 570 Solid Mat	3	x	3
SAL233	CFR w/Gritworks!® No. 574 Solid Mat	3	x	3
SAQ101	Nitrile No. 570 Solid Mat	3	x	3
SAQ103	Nitrile w/Gritworks!® No. 574 Solid Mat	3	x	3
<b>OPEN</b>				
NH587	General Purpose No. 572 Open Mat	3	x	3
SAL228	CFR No. 572 Open Mat	3	x	3
SAL234	CFR w/Gritworks!® No. 576 Open Mat	3	x	3
SAQ102	Nitrile No. 572 Open Mat	3	x	3
SAQ104	Nitrile w/Gritworks!® No. 576 Open Mat	3	x	3

Order No.	Description	Dim.		
		W"	x	L"
<b>BLACK RAMPS</b>				
NH591	General Purpose Female	3	x	39
NH594	General Purpose Male	3	x	39
SAQ128	CFR Female	3	x	39
SAQ125	CFR Male	3	x	39
SAQ129	Nitrile Female	3	x	39
SAQ126	Nitrile Male	3	x	39
<b>YELLOW RAMPS</b>				
NH593	General Purpose Female	3	x	39
NH596	General Purpose Male	3	x	39
SAL230	CFR Female	3	x	39
SAL232	CFR Male	3	x	39
SAQ130	Nitrile Female	3	x	39
SAQ127	Nitrile Male	3	x	39

## DIAMOND-PLATE SPONGECOTE® NO. 414 & NO. 415

- Our Diamond-Plate products define the market for dry area anti-fatigue matting
- These mats have a Nitricell® sponge base, a unique and resilient nitrile rubber composite that provides unparalleled comfort, resilience and long-term performance
- Designed for optimised worker productivity in heavy-use production and lab areas, the PVC diamond-plate surface resists abrasion and most chemical spills
- Edges safety bevelled
- Available in two distinct versions:

### ULTRASOFT DIAMOND-PLATE NO. 414

Ultimate Performance has a double-thick Nitricell® sponge base for a little extra comfort

### DIAMOND-PLATE SPONGECOTE NO. 415

Best Performance is a standard 9/16" thick and has been a best seller for over 20 years!

**WEARWELL**

**4-YEAR WARRANTY**

Black w/Yellow Borders



Double thick Nitricell® sponge base



Nitricell® sponge base

#### NO. 414

Order No.	Dim. W' x L'	Wt. lbs.
<b>15/16" BLACK/YELLOW</b>		
SAJ810	2 x 3	9
NG924	3 x 5	21
NG925	2 x 75	225
NG926	3 x 75	338
NG927	4 x 75	450

#### 15/16" BLACK

SAJ809	2 x 3	9
NG917	3 x 5	21
NG918	2 x 75	225
NG919	3 x 75	338
NG920	4 x 75	450

#### NO. 415

Order No.	Dim. W' x L'	Wt. lbs.
<b>9/16" BLACK/YELLOW</b>		
NB416	2 x 3	8
NB430	3 x 5	18
NB425	2 x 75	166
NB439	3 x 75	244
SAL165	4 x 75	340

#### 9/16" BLACK

NB420	2 x 3	8
NB431	3 x 5	18
NB426	2 x 75	166
NB440	3 x 75	244
SAL164	4 x 75	340

Available in cuts up to 75' in length

## DIAMOND-PLATE SELECT NO. 495

- An excellent anti-fatigue mat designed to increase comfort and relieve stress; it's popular in dry industrial, lab and commercial applications
- The specially formulated, PVC Flex-Link™ sponge base is compounded for enhanced functionality
- Available in two thicknesses:  
**Standard:** Overall thickness 9/16"  
**Ultra thick:** Overall thickness 15/16"
- Green rating > 50% post consumer material
- Colours: Black with yellow borders



**1-YEAR WARRANTY**

**WEARWELL**


Order No.	Dim. W' x L'	Wt. lbs.
<b>9/16" BLACK</b>		
SAL349	2 x 3	8
SAL358	3 x 5	18
SAL361	3 x 75	244
<b>15/16" BLACK/YELLOW</b>		
SAL201	2 x 3	9
SAL207	3 x 5	21
SAL209	3 x 75	338

Available in cuts up to 75' in length

## SMART DIAMOND-PLATE NO. 497

- An economical and green solution for preventing worker fatigue
- Diamond plate surface with a 100% recycled urethane composite sponge base
- Comfortable and functional in dry industrial applications
- Black and black with yellow border
- Green rating > 80% recycled

An economical and **GREEN** solution for preventing worker fatigue.



**1-YEAR WARRANTY**

**WEARWELL**

Order No.	Dim. W' x L'	Order No.	Dim. W' x L'
<b>1" BLACK</b>		<b>5/8" BLACK</b>	
SBA878	2 x 3	SBA894	2 x 3
SBA879	3 x 5	SBA895	3 x 5
SBA880	2 x 75	SBA896	2 x 75
SBA881	3 x 75	SBA897	3 x 75
SBA882	4 x 75	SBA898	4 x 75
SBA883	2 x lin.ft.*	SBA899	2 x lin.ft.*
SBA884	3 x lin.ft.*	SBA900	3 x lin.ft.*
<b>1" BLACK W/YELLOW</b>		<b>5/8" BLACK W/YELLOW</b>	
SBA886	2 x 3	SBA902	2 x 3
SBA887	3 x 5	SBA903	3 x 5
SBA888	2 x 75	SBA904	2 x 75
SBA889	3 x 75	SBA905	3 x 75
SBA890	4 x 75	SBA906	4 x 75
SBA891	2 x lin.ft.*	SBA907	2 x lin.ft.*
SBA892	3 x lin.ft.*	SBA908	3 x lin.ft.*


\*Cuts up to 75' in length

# Ergonomic Matting


## TILE-TOP AM NO. 420

- 100% anti-microbial (AM)
- Non-porous vinyl surface is constructed with an **extra** wear layer for exceptional abrasion and chemical resistance
- Micropure sponge base made with nitrile rubber composite offers exceptional comfort, resilience and anti-microbial properties
- 1/2" thick
- For use in laboratories, pharmacies, healthcare facilities, pharmaceutical manufacturing and even packaging and postal areas

100% antimicrobial!



**4-YEAR WARRANTY**




**WEARWELL**

Order No.				Dim.		
Black	Blue	Grey	Charcoal	W'	x	L'
SAQ654	SAQ655	SAQ658	SAQ657	2	x	3
SAQ670	SAQ671	SAQ674	SAQ673	3	x	5
SAQ661	SAQ662	SAQ664	SAQ663	2	x	60
SAQ677	SAQ678	SAQ680	SAQ679	3	x	60

## ENDURABLE NO. 459

- Longer-wearing two-in-one construction
- PVC sponge has a remarkably durable and abrasion resistant surface
- Created during the manufacturing process, its heat bonded to a comfortable sponge base
- As a dual density anti-fatigue mat, Endurable lasts much longer than similar products, but is very economical
- All edges are safety bevelled
- 1/2" thick
- Colour: Black



Longer wearing, two-in-one construction!

**WEARWELL**

**1-YEAR WARRANTY**

Order No.	Dim.		
	W'	x	L'
NG593	2	x	3
NG596	2	x	60
NG594	3	x	5
NG595	3	x	12
NG597	3	x	60
NG598	4	x	60
<b>CUTS UP TO 60' IN LENGTH</b>			
NG599	2	x	lin.ft.
NG600	3	x	lin.ft.
NG601	4	x	lin.ft.


Other lengths available, call for a quote

## SMART TILE-TOP NO. 496

**1-YEAR WARRANTY**

- A SMART solution to standing worker fatigue
- Priced like a premium sponge mat, yet wears five times longer
- Economically priced and "Green"
- 100% recycled urethane composite
- Green rating > 80 % recycled
- Comfortable and functional in dry industrial, lab or commercial applications

A smart solution to standing worker fatigue, this mat is economically priced and **GREEN**.




**WEARWELL**

Order No.				Dim.		
Black	Grey	Blue	Charcoal	W'	x	L'
<b>1/2" THICK</b>						
SBA910	SBA926	SBA942	SBA958	2	x	3
SBA911	SBA927	SBA943	SBA959	3	x	5
SBA912	SBA928	SBA944	SBA960	2	x	60
SBA913	SBA929	SBA945	SBA961	3	x	60
SBA915	SBA931	SBA947	SBA963	2	x	lin.ft.*
SBA916	SBA932	SBA948	SBA964	3	x	lin.ft.*
<b>7/8" THICK</b>						
SBA918	SBA934	SBA950	SBA966	2	x	3
SBA919	SBA935	SBA951	SBA967	3	x	5
SBA920	SBA936	SBA952	SBA968	2	x	60
SBA921	SBA937	SBA953	SBA969	3	x	60
SBA923	SBA939	SBA955	SBA971	2	x	lin.ft.*
SBA924	SBA940	SBA956	SBA972	3	x	lin.ft.*

\*Cuts up to 60' in length

## COMFORT-KING™ & COMFORT-KING™ SUPREME

- Comfort-King™ offers optimal cushion and resilience for proper fatigue relief and increased productivity!
- Highly energized Zedlan™ sponge combines softness, resilience and durability for exceptional relief
- Extra bounce property stimulates muscles and blood flow to reduce fatigue
- Outwears other sponge products by nearly three to one
- Maintains flexibility even in low temperatures
- Supreme 1/2" provides 33% more comfort than standard 3/8"



## WEAR-BOND™ TUFF-SPUN®

- Medium-duty anti-fatigue Deck-Top surface for improved abrasion and puncture resistance
- High-density vinyl top with vinyl sponge base
- Impact-absorbing base foam
- 50% greater puncture resistance and five times the abrasion resistance than traditional sponge products
- Lower cost than deck plate sponge products
- 9/16" thick


**Applications:** Finishing/assembly stations, factories, work stations, cashier's station, pick modules, pharmacies and service counters

**1-YEAR WARRANTY**



*Ideal for use in all dry work areas!*

**TOTAL CONFIDENCE WARRANTY**



Order No.		Dim.		
Black	Steel Grey	W'	x	L'
<b>COMFORT-KING™ 3/8"</b>				
NG878	NG884	3	x	5
NG880	NG886	3	x	60
<b>COMFORT-KING™ SUPREME 1/2"</b>				
NH790	NH789	3	x	5
NH796	NH795	3	x	60

Order No.	Dim.		
	W'	x	L'
<b>BLACK</b>			
SAX700	2	x	3
SAX701	3	x	5
SAX702	3	x	12
<b>BLACK W/YELLOW BORDERS</b>			
SAX707	2	x	3
SAX708	3	x	5
SAX709	3	x	12

Available in cuts of up to 75' in length

## ERGO-EASE™

- Premium anti-fatigue mat
- Dual-layer foam hermetically sealed in a rubber shell for extreme wear resistance
- High-quality foam provide softness and comfort for leg and back relief
- Vulcanized commercial grade SBR rubber surface
- Ribbed surface for extra traction and slip resistance
- Can be used in dry and moderately wet (no submersion) environments
- Excellent chemical resistance
- Colour: Black



**TOTAL CONFIDENCE WARRANTY**

Order No.	Dim.		
	W'	x	L'
SAQ116	2	x	3
SAQ121	3	x	5
SAQ122	3	x	10
SAQ123	2	x	lin.ft.
SAQ124	3	x	lin.ft.



# Ergonomic Matting

## TUF SPONGE NO. 451

- For use in all dry work areas
- An excellent choice for practical and economical comfort
- Blown PVC sponge reduces floor hardness up to 50%
- Can easily be custom cut to fit your work areas
- 3/8" overall thickness with safety rounded edges

Order No.			Dim.	
Black	Grey	Black/Yellow	W'	L'
NB550	NB551	SEA533	2	3
NB565	NB566	SEA534	3	5
SAL427	SEA535	SEA536	2	60
NB568	NB569	SAQ936	3	60
NB574	NB575	SEA537	4	60
<b>CUTS UP TO 60' IN LENGTH</b>				
JA083	JA084	SEA538	2	lin.ft.
NG415	NG418	SEA539	3	lin.ft.
NG416	JA087	SEA540	4	lin.ft.
JA085	-	-	6	lin.ft.

WEARWELL®



## ULTRA-TRED ARMORCOTE NO. 440

A URETHANE COATED, PVC SPONGE ANTI-FATIGUE MAT

- Urethane coating gives this anti-fatigue mat extra durability
- PVC sponge with a urethane wear-layer for longer performance
- The double-thick urethane coating offers more abrasion and chemical resistance than comparable sponge products
- A tremendously versatile, yet affordable mat, Ultra Tred is ideal for use in mostly dry applications such as labs and other medium traffic areas
- 3/8" thick with eye-catching yellow safety borders
- Colour: Black with yellow borders

Order No.	Dim.		Order No.	Dim.	
	W'	L'		W'	L'
NB533	2	3	JA080	2	lin.ft.
NB537	3	5	JA081	3	lin.ft.
NB534	3	12	JA082	4	lin.ft.
SAJ811	2	60			
NB538	3	60			
NB540	4	60			

WEARWELL®




**1-YEAR WARRANTY**

## ORTHO STAND NO. 454

- Hollow-domed surface slightly compresses underfoot to encourage subtle changes in posture
- These shifts increase circulation resulting in less fatigue and much more overall comfort
- An economical, dry area, single work area mat, with a resilient natural rubber compound
- Perfect for use at checkout stands, manifest stations, mailing areas and even punch presses
- 1/2" thick
- Green rating > 33% post industrial material
- Colours: Black, black with yellow borders

Order No.	Dim.		Order No.	Dim.	
	W'	L'		W'	L'
<b>BLACK</b>					
NB582	2	3	SAL192	2	3
NB583	3	4	SAL193	3	4
<b>BLACK/YELLOW</b>					


WEARWELL®



**1-YEAR WARRANTY**

## CLEAN ROOM MATS NO. 095

- Traps impurities in areas that require dirt and dust control
- Perfect for outside controlled manufacturing areas, clean rooms, or labs, also keeps dirt from tracking into office areas
- The tacky surface efficiently pulls dirt and dust off shoe soles before it can contaminate a clean or sterile room
- Effective and easy to use, each mat has 30 or 60 layers of tough film once the top layer is contaminated, simply pull it off and discard
- Use on tile, low-profile carpet or concrete surfaces
- Colours: Blue or white
- Sold per case of 4




### WEARWELL

30 Layers		60 Layers	Dim.		
White	Blue	White	W"	x	L"
SEB153	SEB152	SEB162	18	x	36
SEB155	SEB154	SEB163	18	x	45
SEB159	SEB158	-	24	x	36
SEB157	SEB156	SEB164	24	x	45
SEB161	SEB160	-	36	x	45

## SANITIZING FOOTBATH MATS NO. 222

- Designed to decontaminate and disinfect footwear, this mat keeps hygienic areas free of debris and germs
- Especially effective in food processing facilities, the mat is simply filled with a diluted chlorine or quaternary solution
- As employees step on the mat, their shoe treads are immersed in the disinfectant solution while the pliable rubber scrapers dislodge contaminants
- For complete decontamination, shoe soles must be immersed for one minute
- Standard mat holds up to 1 gallon
- Tall wall (2 1/2" walls) holds up to 5.5 gallons, the liquid is at least 2" high and can disinfect well past the sole of the shoe or boot



**1-YEAR WARRANTY**


### WEARWELL

Order No.	Dim.			Colour	Absorption Capacity
	W"	x	L"		
SAL651	24	x	32	Black	1 gallon
SAQ090	32	x	39	Black	5.5 gallons
SEA554	32	x	39	Black w/Yellow Borders	5.5 gallons

SBR Rubber



Sanitizing Footbath Highwall



## COMFORT KING™ ANTI-MICROBIAL

- Offers optimal cushion and resilience while inhibiting bacteria and germ growth
- Anti-microbial additive inhibits the growth of harmful micro-organisms
- Highly energized Zedlan™ sponge combines softness, resilience and durability for exceptional relief
- Outwears other sponge products by nearly three to one
- Maintains flexibility even in low temperatures
- Ideal for dry environments such as hospitals, nursing homes, daycare facilities, laboratories etc.

Order No.	Dim.			Order No.	Dim.		
	W'	x	L'		W'	x	L'
SAM328	2	x	3	SAM336	6	x	60
SAM330	3	x	5	SAM337	2	x	lin.ft.*
SAM333	2	x	60	SAM338	3	x	lin.ft.*
SAM334	3	x	60	SAM339	4	x	lin.ft.*
SAM335	4	x	60	SAM340	6	x	lin.ft.*

\*Cuts up to 60' in length

**TOTAL CONFIDENCE WARRANTY**



# Ergonomic Matting

## WORKRITE NO. 474

- Perfect for wet commercial or industrial areas
- General purpose, natural rubber compound for use around water and non-caustic agents
- Lightweight design eases the strain of cleaning, yet keeps employees comfortable
- Functional drainage design
- Molded bevelled edges for easy access
- 1/2" thick
- Colour: Black

*Economical anti-fatigue mat provides both safety & comfort!*

### WEARWELL®

Order No.	W'	Dim.		Wt. lbs.
		x	L'	
NB607	3	x	5	25
NG013	3	x	10	50
NG014	3	x	20	100

**1-YEAR WARRANTY**



## MODULAR WORKSAFE® LIGHT NO. 472

LIGHTWEIGHT, MODULAR ANTI-FATIGUE MATTING

- Creates an ergonomic "Floor above a Floor"
- 3' x 3' single workstation sections use a hidden interlocking system that requires no additional bevels or attachment devices
- Perfect for high maintenance areas, it's lightweight and easy to clean
- Overall thickness of 1/2" with safety rounded edges and excellent drainage
- Available in two compounds: **General purpose** – natural rubber (green rating > 20% post industrial material, and a **Grease Proof** – 50% nitrile rubber (for use around greases, chemicals and caustic agents)
- Colour: Black

### WEARWELL®

Order No.	Description	W'	Dim.		Wt. lbs.
			x	L'	
NC823	General Purpose	3	x	3	11
NC824	Grease-Proof	3	x	3	11

**1-YEAR WARRANTY**

*Exceptionally comfortable modular design allows you to dimension the mat to your exact requirements!*



## GRADE A® NO. 482

- Anti-fatigue mat specifically for food production plants
- 100% anti-microbial nitrile rubber withstands animal fats, fish and vegetable oils
- Passes the NSF anti-microbial test ASTM G21-96 (2002)
- Built-in handles
- No areas where food particles can collect
- Substantial underside knobs increase comfort
- Increases traction when greasy and wet
- 1/2" thick
- Colour: Terra Cotta

Built-in Handle


*Accepted for use in Canadian food processing facilities*

**2-YEAR WARRANTY**

Solid underside design

Substantial underside knobs are 1/4" high

Hygienic porthole design




### WEARWELL®

Order No.	W"	Dim.		L"
		x		
SAN571	30	x	36	
SAN572	30	x	60	

## WELDSAFE® NO. 447

Anti-fatigue mat specifically designed for welding!

### 3-YEAR WARRANTY



- Dramatically reduces fatigue while withstanding the challenges of welding environments
- Specially formulated to repel sparks and hot metal shards, the thick rubber surface has a melt point of over 500°F
- The super resilient Nitricell® sponge base is a nitrile rubber composite that offers unparalleled comfort
- All edges are safety bevelled
- 3/8" thick
- Green rating > 33% post industrial material
- Colour: Black

**WEARWELL®**

Order No.	Dim.		
	W'	x	L'
NG181	2	x	3
NG182	3	x	5

## WORKSAFE® NO. 477

7/8" THICK, HIGH PERFORMANCE DRAINAGE MAT

A high performance drainage mat designed for safety, cleanliness & worker comfort!

### 1-YEAR WARRANTY

- Extra-thick, drainage mat designed for worker comfort
- Premium natural rubber compound; use around water, mild chemicals and detergent solutions
- Angled drainage holes and underside knobs allow debris and fluids to flow through
- Connect mats side by side with connector strips
- Optional edging also available
- Colour: Black

**WEARWELL®**

Order No.	Description	Dim.		
		W'	x	L'
NB468	Single	2	x	3
NB469	Single	3	x	4
NB621	Single	3	x	5
NB472	Connector	-	-	-

## WORKSAFE® LIGHT NO. 478 CFR

A NEW compound resistant to mineral oil based cutting fluids.

### 2-YEAR WARRANTY

- This best-selling, lightweight, high performance drainage mat is now resistant to mineral oil based cutting fluids
- The new CFR (Cutting Fluid Resistant) formulation is perfect for wet industrial areas
- Its lightweight design eases the strain of clean-up, yet keeps employees quite comfortable
- WorkSafe® Light is 1/2" thick with molded beveled edges for easy access
- A well-engineered drainage system that keeps debris from becoming trapped

**WEARWELL®**

Order No.	Description	Dim.		
		W'	x	L'
NB632	-	3	x	5
NB630	-	3	x	10
NB631	-	3	x	20
SAL221	Connector	-	-	-

## NON-CONDUCTIVE CORRUGATED SWITCHBOARD NO. 702 & DIAMOND PLATE SWITCHBOARD NO. 701

- High-performance non-conductive matting conforms to ANSI/ASTM D-178-01 Type II, Class 2
- Designed to protect personnel in areas with dangerous high-voltage equipment, these mats can insulate against as much as 30000 volts of electricity
- Available in two surface designs: **Diamond-plate** is easily cleaned **Corrugated** for extra traction
- 1/4" thick

Passes U.S. Department of Labour Mine Safety and Health Administration— Title 30, Code of Regulations 18.65 Flammability Rating for products taken into mines.

Type II— Refers to the material compound—a virgin PVC resistant to chemical and other spills, ozone and UV.

### 1-YEAR WARRANTY

**WEARWELL®**

NO. 702			
Order No.	Dim.		
	W'	x	L'
<b>CORRUGATED</b>			
SAL242	2	x	75
NB657	3	x	75
NB659	4	x	75
<b>CUTS UP TO 75' IN LENGTH</b>			
SAL241	2	x	lin.ft.
NB658	3	x	lin.ft.
NB660	4	x	lin.ft.

NO. 701			
Order No.	Dim.		
	W'	x	L'
<b>DIAMOND-PLATE</b>			
SAL236	2	x	75
SAL238	3	x	75
SAL240	4	x	75
<b>CUTS UP TO 75' IN LENGTH</b>			
SAL235	2	x	lin.ft.
SAL237	3	x	lin.ft.
SAL239	4	x	lin.ft.

## ELECTRICALLY CONDUCTIVE ANTI-FATIGUE NO. 786DP

Protects workers from fatigue & electronic equipment from damage!



### 3-YEAR WARRANTY

- A very popular static control solution in manufacturing facilities
- Dramatically reduces the percentage of defective product and employee complaints
- Quickly drains static electricity from workers and effectively protects sensitive equipment and products from damage
- Effectively prevents the incidence of sparks caused by static discharge
- Designed to dramatically reduce fatigue, the Nitricell® sponge base is a nitrile rubber composite designed for comfort and long-term performance
- Available in a diamond-plate surface (RTG = 5 x 10<sup>5</sup> to 1 x 10<sup>7</sup> ohms)
- 9/16" thick
- This mat must be grounded and employees must either wear heel grounders or conductive shoes

**WEARWELL®**

Order No.	Description	Dim.			Wt. lbs.
		W'	x	L'	
SAL243	Smooth Surface	2	x	3	8.1
NB692	Diamond-Plate Surface	3	x	5	23
<b>CUTS UP TO 75' IN LENGTH</b>					
NB693	Diamond-Plate Surface	3	x	lin.ft.	5
SAJ574	15' L Ground Wire (Sold Separately)	-	-	-	1

# Entrance Matting

## CHOOSING THE RIGHT MAT

THERE ARE THREE TYPES OF MATTING TO CONSIDER. TO SELECT THE RIGHT TYPE FOR YOU, WE RECOMMEND THE FOLLOWING STEPS:

1. Identify the type of area where you wish to install the carpet, taking into account the amount of traffic it will experience. (ex: heavy traffic vs. light traffic)
2. Refer to the collection of products in the following pages and locate the right fit for you. We've categorized each mat to correspond to one of the four traffic categories, colour coded for your convenience
3. Choose a scraper, a wiper/scraper and a wiper mat.  
**Note:** For best results, use three types of mats in the following combination (ex: Upfront Scraper, Super Soaker and Proluxe)

### 1-SCRAPER

- Exterior usage or between two doors
- Aggressive scraper surface, which will capture the majority of dirt from the soles of shoes
- Does not absorb moisture, which facilitates maintenance

### 2-WIPER/SCRAPER

- Interior usage or between two doors
- Irregular surface which enables trapping moderate dirt that was not captured at the scraper level
- Moderately retains water and moisture that may later evaporate or be extracted at a later time

### 3-WIPER

- Interior usage
- Plays a major role in the retention of water and fine dust
- Minimizes the risk of slipping and falling

**JA187**  
UpFront Scraper



**SAX726**  
Eco Plus™



**SAX714**  
Eco Step™

Light Traffic	Light-Medium Traffic	Medium-Heavy Traffic	Heavy Traffic
			
Less than 125 foot traffic per day	Between 125 & 500 foot traffic per day	Up to 1500 foot traffic per day	Over 1500 foot traffic per day
Small business Boutiques Side Entrance Etc.	Office building Small retail store Bank/Postal Service Car Dealership Motel & Inn Etc.	Convenience Store Restaurant Hotel Theatre Museum Convention Centre Etc.	University Airport Hospital Large retail store Shopping Mall School Etc.

## DID YOU KNOW?

The proper use of entrance mats is recognized by the Green Building Council of Canada, under LEED® certification system (Leadership in Energy and Environmental Design), visioning a transformed built environment leading to a sustainable future. Some MatTech products can contribute to obtaining two credits:

1 Credit\*: "Permanently use the entrance matting system to capture dirt, particles etc. from entering the building at all high volume entrances"

1 Credit\*\*: Use material with recycled content in order that the sum [...] constitutes at least 7.5% of the total value of the material in the project.

For more information, visit the website: [www.cagbc.org](http://www.cagbc.org)

\*EQ Credit 5 requirements, Green Building Rating System v1.0

\*\*MR Credit 4.1 requirement, Green Building Rating System v1.0

## HEAVY-DUTY MULTI-GUARD NO. 220

- High performance outdoor entrance mat
- Thousands of scraping fingers effectively remove pounds of dirt from sight and hold it between cleanings
- Works even during the worst weather conditions
- 1/2" overall thickness with safety bevelled edges
- Colour: Black

Uses: Heavily trafficked outdoor entrances

**1-YEAR WARRANTY**

*Exceptional dirt trapping qualities solve the problem of damaging grime & moisture tracking!*



WEARWELL



Order No.	W"	Dim.		Wt. lbs.
		x	L"	
NB206	24	x	32	8
NB207	28	x	46	15
NB208	32	x	39	15
NG588	36	x	60	31
NB209	36	x	72	35

## WIPER/SCRAPERS - CROSS-OVER™

- Enhance the appearance of your entrance with the rich look of a loop-pile tufted mat
- Now 30% heavier than before for better performance
- Attractive two tone colours and resilient construction resist fading and crushing
- Non-absorbent, abrasive surface scrapes debris and moisture from footwear while sturdy olefin fibres start the drying process
- Other sizes and colours available



Order No.	Charcoal	Dimensions		
		W'	x	L'
Brown	Charcoal	3	x	5
NG735	NG743	4	x	6
NG738	NG746	3'	x	lin.ft.
NG741	NG749			

## UPFRONT SCRAPER MAT NO. 224

- Popular and classic design effectively scrapes dirt, snow and rain off shoes, containing it outside
- Pliable and durable rubber compound is highly resistant to harsh outside elements
- Low profile accommodates tight doorways
- Easy to clean, simply hose it down or shake it off and it's ready to go
- 5/16" thick
- Also available in a quick-dry, vented version that features an open slot design to facilitate drainage
- Colour: Black

**1-YEAR WARRANTY**

JA187



WEARWELL

JA911

Order No.	Description	W'	Dim.	
			x	L'
JA187	Solid	3	x	5
JA911	w/Slots	3	x	5

## SUPER-SOAKER™ WAFFLE PATTERN

- Well respected, Super-Soaker™ is the most reliable wiper/scraper for demanding environments
- Non-skid nib backing will effectively grip mat to the floor
- Crush-proof waffle pattern will maintain appearance and performance, extending mat's life
- Elevated construction will scrape shoes and hold dirt beneath shoe level, while wiping moisture
- Thickness: 3/8"
- Other colours and sizes available

**TOTAL CONFIDENCE WARRANTY**



Charcoal	Order No.		Dim.
	Walnut	Grey	
NG869	SEB895	NG872	35 x 58
SEB896	SEB897	SEB898	35 x 116
NG870	SEB899	NG873	45 x 68
SEB900	SEB901	SEB902	45 x 119

# Entrance Matting


## WIPER/SCRAPER - CHEVRON™

- The decorative Chevron V pattern enables this mat to perform well in multi-directional traffic areas
- The premium vinyl backing guarantees against water penetration
- The 100% polypropylene fibres are resistant to ice melts, salts, chlorine, petroleum products, caustic soda as well as mould and mildew
- Recommended for low to moderate traffic areas
- 5/16" thick



Order No.		Dim.		
Walnut	Charcoal	W'	x	L'
SAY894	NH544	2	x	3
SAY896	NH548	3	x	5
SAY897	NH552	4	x	6
SAY898	NH550	3	x	10
SAY899	NH554	4	x	10

*Attractive & durable multi-directional wiper/scraper needle punch mat!*



## WIPER - WALK-A-WAY™

- Enhance the appearance of your entrance with the rich look of a loop-pile tufted mat
- Now 35% heavier than before for better performance
- Attractive two tone colours and resilient construction resist fading and crushing
- Dense, fast drying fibres absorb heavy moisture and trap fine dirt particles
- Other sizes and colours available



Order No.		Dim.		
Brown	Charcoal	W'	x	L'
NG759	NG767	3	x	5
NG761	NG769	3	x	60
NG762	NG770	4	x	6
NG764	NG772	4	x	60
NG765	NG773	3	x	lin.ft.



## WIPER/SCRAPER - NEEDLE-RIB™

- 100% polypropylene needle punch, surface-bonded to a vinyl backing
- Ribbed polypropylene fibre pattern that traps moisture
- Gently brushes debris from shoes
- 5/16" thick



Order No.		Dim.		
Brown	Charcoal	W'	x	L'
NG822	NG832	3	x	4
NG823	NG833	3	x	5
NG827	NG837	4	x	6
NG830	NG840	3	x	lin.ft.
NG831	NG841	4	x	lin.ft.

*The traditional and reliable wiper/scraper needle punch mat for low traffic areas!*



## WIPER - PROLUXE™

- Removes excess water and dirt particles from footwear
- Moisture and dust is absorbed into the bottom of the mat, leaving the top mat surface relatively dry
- Water and dirt particles stay on the mat not on expensive floors and carpets
- 5/16" thick



*100% olefin super drying mat!*

Order No.		Dim.		
Charcoal	Pebble Brown	W'	x	L'
NG783	NG801	3	x	5
NG786	NG804	4	x	8
NG787	NG805	3	x	60
NG789	NG807	3	x	lin.ft.
NG790	NG808	4	x	lin.ft.



## WIPER/SCRAPER - ECOPLUS™

- 100% recycled surface, 20% recycled backing
- Non-skid nib backing will effectively grip mat to the floor
- Crush-proof "V" pattern will maintain appearance and performance
- Elevated construction will scrape shoes and hold dirt beneath shoe level, while wiping moisture
- For best results and similar colours, use in combination with our ECO-STEP™ wiper mat



**TOTAL CONFIDENCE WARRANTY**



*Our new green generation recycled wiper/scraper mat that delivers excellent performance in heavy traffic areas!*



**ECOPLUS™**

Order No.		Dim.			
Charcoal	Walnut	W'	x	L'	
SAX726	SAX731	3	x	5	
SAX727	SAX732	3	x	10	
SAX728	SAX733	4	x	6	
SAX729	SAX734	4	x	10	

## WIPER - ECO-STEP™

- Retains liquid and fine dirt
- Quality plush surface dries quickly
- Premium vinyl backing with natural organic resin blend prevents water from damaging floors
- For best results and similar colours, use in combination with our ECOPLUS™ wiper/scraper mat



*New green generation wiper mat made of 100% PE.T. fibre recycled surface!*



**ECO-STEP™**

Order No.		Dim.			
Charcoal	Walnut	W'	x	L'	
SAX714	SAX720	3	x	5	
SAX715	SAX721	3	x	10	
SAX717	SAX723	4	x	6	
SAX718	SAX724	4	x	10	

## STANDARD CORRUGATED VINYL NO. 381 RUNNER MAT


- Protects floors from foot traffic or special events
- Adds traction where needed
- Reduces cleaning costs
- Flexible, yet durable vinyl compound easily rolls up after use
- 1/8" thick
- Colour: Black

*The all-purpose runner that makes floors safer to walk on!*

**1-YEAR WARRANTY**

**WEARWELL™**

Order No.	W'	Dim.	
		x	L'
NB374	3	x	105
NB376	4	x	105
NB375	3	x	lin.ft.
NB377	4	x	lin.ft.




# Entrance Matting

## 1/8" RUBBER RUNNER

- Flexibility in cold weather
- Long wearing, superior abrasion resistance and comfort
- Does not curl up on the edges
- Absorbs noise from hard floor
- 1/8" thick
- Colour: Black

**Applications:** All entrances.



*High resilience for outstanding slip resistance. More effective than vinyl!*

Order No.	W'	Dim. x L'
<b>FINE RIBBED</b>		
JA121	2	x 75
JA122	3	x 75
JA123	4	x 75
JA124	2	x lin.ft.
JA125	3	x lin.ft..
JA126	4	x lin.ft.

Order No.	W'	Dim. x L'
<b>WIDE RIBBED</b>		
NI363	2	x 75
NI304	3	x 75
NI305	4	x 75
NI364	2	x lin.ft.
NI306	3	x lin.ft.
NI307	4	x lin.ft.

## 1/4" RUBBER RUNNER

- Flexibility in cold weather
- Long wearing, superior abrasion resistance and comfort
- Does not curl up on the edges
- Absorbs noise from hard floor
- 1/4" thick
- Colour: Black




Order No.	W'	Dim. x L'
JA684	3	x 75
JA686	3	x lin.ft.

## TRAXION GRIP NO. TIP1

- Modular interlocking 12" x 12" tile mat
- Wraparound edging prevents tripping
- 529 holes per tile assures excellent drainage of fluids
- Raised grippers on tiles guard against slippage
- 1/2" PVC is resistant to chemicals, oils, grease and animal fat
- Resistant to mould and mildew
- Fire resistant

**Applications:** Wet or dry work areas.

*Modular design allows you to size the mat to your exact specifications!*




Order No.	Colour
<b>TILES</b>	
NB726	Black
NB727	Blue
<b>WRAPAROUND EDGES</b>	
NB734	Black
NB735	Blue

## COMFORT TRED NO. TIL2

- Molded from durable PVC
- Raised ridges scrape off dirt
- Drainage holes allow dirt to fall through tiles
- Resistant to mould and mildew
- 12" x 12" tiles with optional beveled wraparound edges

**Applications:** Indoor entrances and shower areas.



*Modular design allows you to dimension the mat to your exact specifications!*

TILES	WRAPAROUND EDGES	Colour
Order No.	Order No.	
NB378	NB386	Black
NB380	NB388	Grey
NB383	NB391	Tan
NC822	NG055	Navy

## OUTFRONT REVERSIBLE SCRAPER NO. 227

- OutFront Reversible Scraper redefines what an outdoor mat can do
- Totally reversible, it's easily flipped over to accommodate all weather conditions
- One side features rows of flexible scrapers alternating with quick-dry drainage ports for a "brush and release" effect
- The other side features clusters of stiff ridges designed to scrape heavier debris and packed snow off outsoles
- 7/16" thick with an evenly tapered border on all four sides
- Accommodate a single, or double entryway
- Colour: Black




**1-YEAR WARRANTY**

Totally reversible!

**WEARWELL**

Order No.	Dim.		
	W'	x	L'
<b>SAQ318</b>	3	x	6



## BOOT TRAYS

- Durable and flexible plastic construction
- boot tray traps water, mud and dirt
- High ribbed surface protects shoes



Order No.	Dimensions			Colour
	W"	x	L"	
<b>SAS411</b>	14	x	24	Grey

## MUD CHUCKER NO. 229

15/16" THICK MOBILE SHOE SCRAPER MAT

- A portable shoe scraper that effectively removes dirt, snow, grass clippings or any other muck off the sides and bottoms of boots or shoes
- The pliable rubber fingertips scrape both the sides and bottom of footwear
- Small enough to use in tight spaces or as a mobile entrance mat for workers who toil in muddy areas and then travel to the next location
- Recessed holes allow the Mud Chucker to be bolted in place
- Easy to clean, simply shake to remove the dirt or spray off with a hose
- 1" thick at front edge; 2 3/8" on sides
- Colour: Black

Order No.	Dimensions			Wt. lbs.
	W"	x	L"	
<b>SAL652</b>	12 3/8	x	15 1/4	4.5

**WEARWELL**



**1-YEAR WARRANTY**

## BOOT-BOY® INDUSTRIAL FOOTWEAR CLEANERS

- Constructed of 14-gauge hot rolled steel
- Nylon brush is long lasting and easily replaceable
- Brush can be used wet with water, degreasers in pan or dry
- Plugs into any standard outlet
- 1/3 HP ball bearing motor
- Powder coated finished in red
- CSA approved

Order No. NI593



## BOOT 'N SHOE BRUSHES

- Brushes thoroughly clean all boot and shoe surfaces
- Flip the brushes up to reveal a heavy duty sole scraper
- Anchor it in concrete or secure the solid metal frame with a single foot while cleaning the other
- Shipped completely assembled
- Polypropylene stiff bristle



NH576



NH577

Order No.	Description	Block Dimensions			
		L"	x	W"	x H"
<b>NH576</b>	Boot 'N Shoe Brush, Blue	14 3/4	x	16 1/2	x 7
<b>NH577</b>	Replacement Brush, Blue	10	x	4 1/2	x 3 1/2