### **DELUXE SWIVEL STOOLS**

- 360° swivel motion is ideal for workers who have repetitive side to side movement
- Seat easily adjusts to your selected height, just raise or lower the steel rod and lock securely in place
- 2" foam over a 1/2" plywood base and 1/2" foamed backrest
- All-welded frame constructed of 1" diameter 16-gauge steel
- 3/4" circular tube footrest
- Four leg cluster design has a 22" spread giving them optimum stability
- Black vinyl upholstery with a royal grey frame
- · Optional casters available

**OJ905** has an ergonomic self-skinned molded polyurethane foam seat and back, features lumber support, waterfall seat and 4-leg frame for superior comfort and durability.



Model No.	Adjustable Height"	Seat Dimensions"	Wt.lbs.
0J905	25 - 31	19 x 17	33
FC670	25 - 31	19 x 17	33
FC675	Set of 4 Casters	-	2


### STATIONARY & ADJUSTABLE HEIGHT STOOLS

### Stationary



- Ruggedly built for long lasting service in a warehouse factory or office
- All-welded frame is a 7/8" diameter steel tube
- Legs are braced with a 3/4" 18-gauge circular footrest for increased strength and stability
- 14" diameter embossed steel seat has a 1/8" tempered hardboard inlay
- FC656 has a 14 1/2" x 15" sq. seat and is reinforced by steel bars
- All stools have four chrome floor glides that will not damage floors
- On the adjustable models the telescopic legs have screw locks that adjust on 1" increments
- · Contoured back rest constructed of 19-gauge steel
- Royal grey
- **OK067** is a chrome-painted premium shop stool

	Model No.	Height"	Seat Dimensions"	Wt. Ibs.
ST	ATIONA	ARY HEIG	HT	
Α.	FC649	24	14	20
В.	FC647	24	14	12
В.	FC648	30	14	14
c.	OK067	25 1/2	13 1/2	12



MUR-VAN MANUFACTURING

### SPECIALTY STOOLS

- · Designed specifically for laboratories and medical offices
- 14" diameter, 3" high, vinyl-covered seat
- · Pneumatic mechanism to adjust the height
- Footring is standard on stools with a 20" - 33" adjustable height, optional on the other stools
- Optional casters or glides available



### MUR-VAN MANUFACTURING

Model No.	Adjustable Height"	Wt. Ibs.
WITH CASTERS		<u></u>
OC785	16 - 22	14
OC786	20 - 28	18
OC787	23 - 33	20
WITH GLIDES		
OC788	16 - 22	14
OC789	20 - 28	18
OC790	23 - 33	20

Optional footring OC819 for heights 16"-22" and 21"-28" only

### **SWIVEL STOOLS**

- Seats made of 19-gauge embossed steel with 1/8" tempered hardboard inlay
- 1" diameter, 16-gauge steel frame all-welded tubing
- Circular 18-gauge footrest guarantees comfort and stability
- Heavy-duty rubber cushioned steel glides protect floors
- 1" x 14 1/2" long steel adjustment stem for easy height selection on all units
- 9 1/2" x 15 3/4" backrest is 4-way adjustable
- Optional casters available: FC675



Model No.	Adjustable Height"	Seat Dimensions"	Wt. lbs.
FC658	22 - 28	14	19
FC661	22 - 28	14	28
FC665	17 - 23	14 1/2 x 15	27
FC675	Set of 4 Casters	-	2

### SIT/STAND STOOLS

- Sit/stand stools dramatically reduce fatigue for workers unable to sit down on the job
- Can be positioned for up close work
- FC683 heavy gauge triangular glides provide safety, features a built-in footrest, a 15" wide x 13 7/8" high self skinning polyurethane seat mounted to an adjustable spring suspension frame that automatically tilts forward up to 15° while in use
- Removable seat attaches to frame with a double pin locking system which easily adjusts to 12 positions from 21" to 35"
- FC685 features a sturdy, tip proof
   5-leg base with a padded comfortable
   "Bicycle style" seat
- Pneumatic height adjustment from 23 1/2" to 33 1/2"

Model No. FC683 Manual Adjustment
Model No. FC685 Pneumatic Adjustment



### INDUSTRIAL SEATING

- Features a full 8" of pneumatic lift while seated
- Exclusive extension tube provides an adjustable height range of 17" to 35"
- Seats and backs are microcellular self skinning polyurethane foam which inhibits punctures, tears and moisture absorption
- · Large 26" diameter 5-leg steel base with 2 1/2" diameter glides ensure stability and safety even at the highest levels
- · Large wide angle footrests make it easy to step up into seat







١	Features 3" back rest height and 3"
	back rest depth
	adjustment.
	Assembly required

Model		Dimen	sions"			No. of
No.	Sea	it	Backro	est		Footrests
FC680	18 1/2 x	17	15 3/4	Х	9	3
FC681	16 1/4 x	16 1/4	14 1/2	Х	9	1

### PNEUMATIC SWIVEL STOOLS

- 5" gas lift
- Height adjusts from 15" to 20 1/2"
- Black select fabric
- · Weight: 10 lbs

### Model No. OD846



- · Height adjusts from 22" to 32"
- · Weight: 12 lbs

Model No. OD847



### STEEL BASE SWIVEL STOOLS

- 5" pneumatic lift of 25" to 30", for easy height adjustment
- Five legs and an all-welded steel base, gives optimum stability
- 16-gauge, 1" diameter steel legs Full 360° rotation
- · Powder-coated black Santex
- · Optional casters are available





Model No.	Upholstery Seat	Seat Dimensions"	Wt lbs.
OJ973	Vinyl & Foam-Padded Seat & Back	19 x 17	33
0J974	Polyurethane Seat & Back	18 x 17	33
0J975	Premium Self Skinned	19 x 18	35
	Polyurethane Seat & Back		
0J976	Optional Set of 5 Tile Casters (Includes L	eg Insert Socket)	

### SHOPTECH ERGONOMIC INDUSTRIAL STOOLS

- Industrial seating that brings ergonomic comfort and productivity to the shop floor, the laboratory or the shipping office
- Durable, easy to clean, molded polyurethane seating is the perfect solution for clean rooms or wipe down applications
- OE088 has an overall height
- of 16 to 21 1/2" with a 19" W x 14" D seat
- OE089 sit/stand stool has an overall height of 19 to 26 3/4", seat is 19" W x 14" D with a 6" W x 5" H back

Model No.	Description	Wt. Ibs.
0E088	Stool	20
0E089	Sit/Stand	19



(HORIZON SEATING

### **ERGONOMIC INDUSTRIAL SHOP SEATING**

- · Industrial chairs featuring comfortable and supportive seating that is easy to clean
- Seats made of a soft molded polyurethane material, backs formed to support the body for greater comfort and less fatigue
- Pneumatic height adjustment of 15" to 20 1/2"
- 5-prong poly on steel base with dual wheel carpet casters
- Optional chrome footring adds 10" to height
- Glides recommended with footring
- OC816 and OC821 task chairs have adjustable backrest height, depth and angle
- Optional stool kit OC822

lodel lo.	Description	Wt. Ibs.
W/CAST	•	155.
OC815	Operator's Chair	25
OC816	Task Chair	26.5
NH450	Operator's Chair w/Stool Kit	30
NH451	Task Chair w/Stool Kit	31.5
W/GLIDE	ES .	
OC820	Operator's Chair	25
OC821	Task Chair	26.5
NH452	Operator's Chair w/Stool Kit	30
NH453	Task Chair w/Stool Kit	31.5





### **DRAFTING STOOLS**

- · Designed with a contoured seat and back
- 3-way back adjustment provides user comfort
- Seat and back are made with a solid 3/4"
- plywood frame and fastened together with T-nuts
- Standard 100% polypropylene black fabric upholstery
- One piece durable plastic base with chrome footrest
- Two pneumatic gas levers simplify height adjustment from 23" to 33" and ergonomic tilt
- With casters

Model No. OA286



**MUR-VAN MANUFACTURING** 



### 1405 & 1410 PREMIUM SERIES CHAIRS

- Task and operator chair
- Molded foam cushions
- "One-touch" ergonomic chair controls
- · Gas lift height adjustment
- · Back height and depth adjustment
- · Seat and back angle adjustment on 1410 Series
- Optional arms and stool kit available
  - Dual wheel carpet casters







Mode	el No.		Sea	it D	imen	sio	ns	Back Din	ien:	ions
Black Onyx	Charcoal	Description	W"	X	D"	X	H"	W"	X	H"
0E744	0E745	1405 Series Chair	17 1/2	Х	18	Х	17-22 1/2	16 1/4	Х	14
0E746	0E747	1405 Series w/Stool Kit	17 1/2	Х	18	Х	22-27	16 1/4	Х	14
0E748	0E749	1410 Series Multi Functional	17 1/2	Х	18 1/2	2 x	18-23 1/2	17 1/2	Х	15

### **TASK CHAIRS & ECONOMICAL STENO CHAIRS**

- · Pneumatic height adjustments
- Backrest height adjustments
- · Five prong poly on steel base
- Dual wheel carpet casters
- · Stool kit available
- · Optional arms
- · Optional glides (recommended with stool kit)



Black Onyx





Mo Black Onyx	del No Charcoal	Description	Seat Dimensions W" x D" x H"	Back Dimensions W" x H"	Wt. Ibs.	
ECONOM	ICAL STENO	CHAIRS				
OC310	OC309	w/o Arms	18 x 17 x 17-22	16 1/2 x 11 1/2	30	
OC312	OC311	w/T-Arm Kit	18 x 17 x 17-22	16 1/2 x 11 1/2	32	
0E093	0E092	w/Stool Kit	18 x 17 x 22-27	16 1/2 x 11 1/2	35	
TASK CHA	TASK CHAIRS					
0E095	0E094	w/Stool Kit	18 x 17 x 24-30	16 1/2 x 13 1/2	35	

### **OPTIONS FOR CHAIRS**

Model No. OA271 Loop Arm Kit (width adjustable)







Model No. OA269 Stool Kit





**OE744** 

**OE748** 

OE095

### **ACTIV® A-43 MID-BACK MESH-CHAIRS**

- · Tilt mechanism with lockout feature and tension adjustment
- Height and depth adjustable lumbar support between 18 1/4" to 21 1/2"
- Optional height and tilt adjustable headrest
- Back is 22" height and 19 1/2" width
- Seat is 20" width and 19 1/2" depth Height and width
- adjustable armrests Fabric options on seat
- and optional headrest Soft touch mesh on seat
- as standard fabric Black base and gas cylinder

### HORIZON

Model	
No.	Description
0K208	Mid Back Mesh-Chair
ON573	Head Rest

### **ACTIV® SERIES** A-96 MESH CHAIRS

- · Flexibly adjusts to support your back as you move in your seat while working
- Allows airflow to your back to keep you cool and comfortable
- Feels soft and comfortable, not rigid, against your back
- Mesh contoured shaped back
- Black fabric on seat
- Pneumatic seat height adjustment between 18 1/2" and 21 1/2"
- Back is 19 1/2" high and 18" wide Seat is 19 1/4" wide and 20" deep
- Fixed armrests
- Tilt feature with lockout
- Tension adjustment
- Chrome base and gas cylinder
- Carpet caster

Model No. OK210 HORIZON SEATING



### **ACTIV® A-618 LEATHER** MANAGER'S CHAIRS

- · Thick padded and contoured seat and back for superior comfort
- Seat is 21 3/4" width and 21" depth Back is 24" height and 21 1/2" width
- Back features built-in lumbar support which allows increased relaxation of the back
- Contoured armrests for increased support
- Pneumatic seat height adjustment from 18" to 22"
- A tilt mechanism with lockout and tension adjustment control knob
- Contoured backrest shaped to fit the contours of the body
- Soft-touch leather like fabric Fixed armrests
- Model No. OK390

**∐(HORIZON** Seating





### **ACTIV® A-41S GUEST CHAIRS**

- · Breathable mesh fabric backrest
- · Contoured backrest shaped to fit the contours of the body
- · Lumbar support allows increased relaxation of the back
- · High density foam seat cushion with plastic shell seat pan
- · Fixed loop style armrests
- · Black 4-legged base
- Seat: 18 1/2" H x 18 1/2" W x 19 1/2" D
- Back: 16 1/2" H x 17 1/2" W
- · Stacks five high

Model No. ON707





### **POLYPROPYLENE FOLDING CHAIRS**

- · Durable contoured back and seat for all day comfort
- Steel framing and folding legs for extra strength
- Easy to clean
- Dimensions: 15 1/2" L x 16 1/2" W x 33 1/2" H
- · Capacity: 350 lbs.

Model No. ON602





### **ECONOMY** DRAFTING CHAIRS

- Pneumatic seat height control adjusts from 23" to 33"
- · Manual back height and depth adjustment
- Chrome-plated adjustable footring
- · Five-star nylon-reinforced base for strength and durability
- Back dimensions: 16" W x 9 1/2" H
- Seat dimensions: 18 3/4" W x 16 5/8" D



Model No.	Colour	Wt. Ibs.	
0E096	Black	25	_



### STAG4 ERGONOMIC SEATING

- Ergonomic seat allows user to work in a kneeling position with comfort
- Reduced pressure sensations felt in the knees, ankles and lumbar region
- 1-lever mechanism for seat height adjustment and 20° adjustable slope for kneeling position
- Padding: Dual-density cushions, closed-cell foam
- Upholstery for standard unit: Easy to maintain black/grey moburg and naugahyde, antibacterial, antistatic material
- For welding unit: Flame retardant natural cow suede
- Seat height adjustment:
- Standard pneumatic lift: 16" to 21"
- Dimensions: Knees: 9.5" W x 16" D Seat: 12.5" W x 12" D Steel base: 21" x 27"
- Five 3" caster wheels with three brakes, adaptable to all surfaces
- Includes small tool tray







### **TF180 ERGONOMIC** INDUSTRIAL STOOLS

- An ergonomic stool with a larger seat improving workers comfort
- Seat height adjustment: Pneumatic lift: 23" to 33"
- Dimensions: Seat: 17.5" W x 14" D
- Backrest: 12" W x 14" H Mechanism: three levers seat height adjustment,
- tilting seat, and tilting backrest
- Padding: Dual-density cushions, closed-cell foam
- Base: 28" diameter, steel
- Five 3" caster wheels adaptable to all surfaces





Model No	Description
NU	vescription
0P241	Ergonomic Industrial Stool
0P242	Francomic Stool w/Welding Fahric



### **HEAVY-DUTY STEP STOOLS**

- Comes with a double platform with non-slip rubber tread
- Spring-loaded casters retract under slight pressure, forcing base to the floor
- 11" diameter upper platform and 13 1/2" diameter lower platform
- 17 1/4" diameter base has an all-around protective bumper
- 16 1/2" overall height
- Capacity: 500 lbs.
- Wr · 10 lbs







### STEP STOOLS

- Tough 1-piece poly construction with anti-skid bottom
- Threaded top and expanded step
- 16" diameter base provides added stability
- · Glides easily on retractable rubber casters
- 13" overall height
- · Capacity: 350 lbs.
- Wt.: 7 lbs.



Model No.	Mfg. No.	Colour
0A299	2523BL	Black
0A300	2523BE	Beige



### **COMPUTER CABINETS**

### ALL-WELDED DESK TOP CABINETS

- Locking slide-in pocket doors with inner compartments for storage of files or manuals
- Pull out keyboard shelf Sliding tray may be used for mouse pad or as a writing surface
- · Vented back for air circulation · Finish baked enamel blue and grey
- · Ships fully assembled

Model No. OC533

### **OPEN PEDESTAL STANDS**

- 32" high, designed to support the desk top unit for stand-up operation
- Blue-baked enamel finish
- · Includes: Convenient storage shelf and adjustable leg levellers for uneven work surfaces
- Shipped knocked down

Model No. OC534

### **ENCLOSED PEDESTAL** STANDS/PRINTER STANDS

- Roll in/roll out hideaway printer stand which locks inside the enclosure when not in use
- · Printer stand has two adjustable shelves as well as one bottom 28" W x 25" D shelf for printers or paper
- · 30" high enclosure may be oriented for left or right hand access
- Blue and grey baked enamel finish
- Shipped knocked down

Model No. OC535





Model	odel		Dimensions						
No.	Description	W"	Х	D"	х	H"	lbs.		
OC533	Desktop Upper Computer Cabinet Only	30	Х	27 3/4	Х	30	122		
OC534	Computer Cabinet Open Pedestal Stand Only	30	Х	27 3/4	Х	32	66		
OC535	Computer Cabinet Enclosed Stand w/Printer Stand	30	Х	27 3/4	Х	33	142		

ed/al)

### MOBILE COMPUTER CABINETS

- All-steel welded construction
- Top monitor compartment is 22 1/2" W x 23" D x 18 3/4" H with a slide-out keyboard shelf
- · Locks independently of bottom section which includes two adjustable shelves
- 5" polyolefin casters (two rigid, two swivel w/brake)
- · Includes: Vented back for air circulation and a 6-outlet power strip with built-in surge suppression
- Overall dimensions: 26" W x 24" D x 64" H
- Weight: 149 lbs.
- Durable baked enamel blue and light grey finish
- Shipped fully assembled

Model No. OC532

### MOBILE COMPUTER CABINETS

- All-steel construction
- Slide-out keyboard tray
- Lower lockable cabinet is 24 5/8" W x 22 7/8" D x 22 5/8" H
- 2-position shelf can be located for desk top style or up to 18" H tower style CPU's
- Fixed shelf is 24 5/8" W x 22 7/8" D x 11 1/2" H and provides ample room
- for any sheet fed style or continuous form style printer
- · Rear cabinet access holes for paper feed, cables and ventilation fan (not included)
- 5" polyolefin casters (two rigid, two swivel w/brake)
- Overall dimensions: 27" W x 24" D x 49 1/4" H
- Blue
- Weight: 125 lbs.
- Shipped knocked down, assembly required with simple hand tools

Model No. OC839





### **MOBILE SECURITY** COMPUTER CABINETS

- Secure locking cabinet with resistant acrylic see-thru window for LCD monitor
- Slide-out locking keyboard is 19 3/4" W x 17 1/2" D x 4" H
- Lower compartment is 20 1/2" W x 21" D x 23 1/2" H and has a locking front and rear access doors
- Two convenient side wing shelves for additional work space, fold down when not required
- 5" heavy-duty casters (two rigid, two swivel w/brake)
- Overall dimensions: 24 1/2" W x 22 1/2" D x 62 1/4" H
- Powder coat finish provides a durable finish

Model No.	Colour
0G880	Blue
0G881	Putty
0G882	Light Grey
0G883	Black

## OG880



### **COMPUTER CABINETS**

- · A unique 2-piece heavy-duty all-welded steel construction that provides space efficient security for your valuable electronic equipment
- Locking upper compartment with plexiglass window provides viewable access for most 20" monitors
- Lower compartment features one fixed bottom and one adjustable shelf
- Top level can be bolted onto a desk (bolts not included)
- Louvers in the rear provide equipment ventilation
- Heavy-duty all-welded steel top and bottom sections bolt together for easy assembly
- Includes: 5" casters (two rigid, two swivel w/brake)





Model							
No.	Description	W"	X	D"	X	H"	Colour
0E824	Complete Computer Enclosure w/Casters	24 1/2	Х	22 1/2	Х	59 1/2	Light Grey
0E825	Complete Computer Enclosure w/Casters	24 1/2	Х	22 1/2	Х	59 1/2	Putty
0E826	Top Level (Internal)	20 3/4	Х	21 3/4	Х	19 1/4	Light Grey
0E827	Top Level (Internal)	20 3/4	Х	21 3/4	Х	19 1/4	Putty



### **COMPUTER CABINETS & LITERATURE RACKS**

### **EXTRA WIDE COMPUTER CABINETS**

- · Heavy-duty all-welded construction with vented back for air circulation
- Separate locking upper and lower compartments allow access only to the equipment needed
- Slide out keyboard shelf facilitates ergonomic operation
- · Two adjustable shelves in lower section can be located for any style equipment
- Top compartment: 46 1/2' W x 23" D x 18 1/2" H
- Lower cabinet section: 46 1/2' W x 23" D x 30" H
- Overall dimensions: 50" W x 24" D x 64" H
- · Tough powder coat finish
- Complete with five polypropylene casters
- · Includes 6-outlet UL listed and CSA approved power strip with built-in surge protection

Model No. ON576 Mfg. No. CSC6718



edral

### **HOOK & LOOP FASTENERS**

- · Used as an alternative to zippers, screws, snaps, and bolts
- · One nylon strip consists of tiny hooks and another consists of soft pliable loops
- · Simply press together to
- fasten and pull apart to open
- Applications include the apparel, furniture, packaging and printing industries



OC507

### **COMPUTER CABINETS FOR** HARSH ENVIRONMENTS

- Heavy-duty all-welded construction with forklift channels for easy movement
- Built-in fan with guard and filter keeps equipment cool and provides positive air pressure in the enclosure to keep out dust
- Locking upper compartments with plexi-glass window provides viewable access to most 20" monitors
- Locking pull-out drawer facilitates ergonomic operation of
- keyboard and mouse while top and bottom compartments are locked Roll-out printer shelf in lower section provide full access and is height adjustable for
- any style equipment Adjustable bottom shelf provides space for desktop or tower style CPUs
- Rear access panel for easy cable management
- Caster base includes 5" polypropylene casters (two rigid, two swivel with brake)
- Tough powder coat finish
- Includes 6-outlet UL listed and CSA approved power strip with built in surge protection
- Optional caster base available for even greater mobility





Model	l Mfg. Dimensions \						Wt.		
No.	No.	Description	W"	X	D"	X	H"	Colour	lbs.
ON574	CSC6850	Computer Cabinet	28 1/2	Х	28 1/2	Х	60	Blue	255
ON575	CSC6852	Optional Caster Base	-		-		38	Blue	11

### LITERATURE STORAGE RACKS

OC506

· Construction is of sturdy heavy gauge steel

OC505

OC504

00549

OC547

0Δ134

0A145

0Δ158

0A128

00548

OC546


- Provide a convenient and compact way to store literature
- · Most models accommodate 150 standard 8 1/2" x 11" sheets, while others are wider to hold magazines and special forms

NEW

keeps lae







14 1/8

14 1/8

14 1/8



OA163

25







ROTATING LITERATURE RACKS



8 5/8

8 5/8

3/4

8 1/2

8 1/2

8 1/2





OC553

44

20

	Mod	del No.			0ver	all Dimer	isions			(	)pening	penings		Paper	No. of	Wt.
Putty	Grey	Tan	Black	W"	X	D"	x	H"	W"	X	D"	X	H"	Width"	Pockets	lbs.
OC540	0A152	0A130	OC536	9 3/4	χ	4 1/8	Х	65 1/2	8 5/8	Х	3/4	Х	8 1/2	8 1/2	23	32
OC559	0A166	0A156	0A607	13 1/8	Х	4 1/8	Х	58 1/2	12 1/8	Х	1	Χ	8 3/4	12	20	38
OC541	0A161	0A155	OC537	9 3/4	Х	4 1/8	Х	36	8 5/8	Х	3/4	Χ	8 1/2	8 1/2	11	18
OC558	0A148	0A162	0A125	13 1/4	Х	4 1/8	Х	36	12 1/8	Х	1	Х	8 3/4	12	11	24
OC543	0A169	0A165	OC539	9 3/4	Х	4 1/8	Х	21	8 5/8	Х	3/4	Х	8 1/2	8 1/2	5	9
OC557	0A163	0A144	0A609	13 1/8	χ	2	Х	26 1/4	12 1/8	Х	5/16	Χ	5 5/8	12	10	13
OC545	0A171	0A624	0C544			Optional I	Legs fo	or 9 3/4" Wide M	odels (Sold Individu	ıally)						
OC556	0A164	0A167	OC555			Optional l	Legs fo	or 13 1/8" Wide I	Models (Sold Individ	lually						
ROTATI	NG LITERA	TURE RAC	KS													
OC553	0A149	0A179	OC552	14 1/8	х	14 1/8	Х	66	8 5/8	х	3/4	Х	8 1/2	8 1/2	92	136

48 1/2

21 1/4

92

47

### VERTICAL FILING SYSTEMS

Ideal for filing blueprints, charts, artwork and other oversized documents. Cuts filing and retrieving time; saves on floor space. Exclusive suspension system allows clamps to slip easily in and out of storage racks. Clamps open to 1" to hold up to 100 individual sheets (20 lbs. maximum weight per clamp).

### **MOBILE VERTICAL FILES**

- · All-steel construction with four ball bearing swivel casters (two lock)
- Fits 24" to 36" clamps (order separately)
- Holds up to 12 clamps that simply drop in and lift out
- Maximum capacity is 1200 sheets or 240 lbs.
- · Compact economy
- Width adjusts from 27 1/2" to 39 1/4"
- · Depth is 16" overall
- · Height adjusts from 40" to 52"
- · Assembly required Weight: 25 lbs.

### Model No. OE130



### **HEAVY-DUTY MOBILE STANDS**

- · Steel construction with four 3" ball bearing swivel casters (two lock)
- Holds 12 hanging clamps in pivot brackets that swing open for easy access to contents
- · Height adjusts from 43 5/8" to 61 5/8" for sheets up to 54" long
- Adjusts from width 27 1/2" to 37 1/2"
- Tropic sand finish
- Assembly required





Model No.	Description	Wt. lbs.
0E129	Mobile Stand Only	47
0A195	Mobile Stand with 12-24" Clamps	61
0A196	Mobile Stand with 12-30" Clamps	63
0A213	Mobile Stand with 12-36" Clamps	65
0A197	Mobile Stand with 12-42" Clamps	67

### PRINT-LOCK® HANGING CLAMPS



- · Clamps hold up to 100 sheets or 20 lbs.
- Green plastic label holders included
- Available in natural aluminum with polished chrome plated cast alloy wing knobs and black end caps



Model No.	Description	Clamp/Pkg.	Wt. lbs.
0E135	18" Long Hanging	6	6
0E136	24" Long Hanging	6	7
0E137	30" Long Hanging	6	8
0E138	36" Long Hanging	6	9
0E139	42" Long Hanging	6	10

### **VERTICAL FILES W/RECESSED** DRAWER HANDLES

- High side walls accommodate hanging files and eliminate the need for hanging file frames
- Removable cam lock included
- Full cradle suspension
- Easy-to-grab recessed pull
- Fully adjustable and removable follower block is standard in every drawer
- Legal size: 18" W x 26 9/18" D



Black	Model No. Grey	Putty	Description	Height"	Wt. Ibs	
OTE611	OTE612	OTE613	2-Drawer	29	70	
OTE618	OTE619	OTE620	3-Drawer	40	104	
OTE624	OTE625	OTE626	4-Drawer	52	128	

### DATA ORGANIZERS

- Horizontal literature rack
- All racks easily bolt together with fasteners provided
- Steel modular, horizontal racks that can be grouped for floor or table mounted storage
- Capacity for literature or directories up to three inches thick
- 8" legs (model CA159) available to raise unit off the floor
- Tan enamel finish
- Includes: Mounting clips



Specifications	Model 0A157	Model 0A168	Model CA159
Height"	10 3/4	14 1/4	33 7/8
Width "	33 3/4	33 3/4	3 1/8
Depth "	11 5/8	11 5/8	12 1/8
Opening Width "	11	11	-
Opening Depth "	11 1/2	11 1/2	-
Opening Height"	3	3	-
No. of Openings	9	12	-
Paper Width "	8 1/2	8 1/2	-

### OFFICE PRODUCTS

### WIDE SPAN RECORD STORAGE SHELVING

- · Efficiently organize and store all records in a single information retrieval center
- Record management is facilitated with easy to identify printed storage boxes
- 12-gauge steel posts and beams and warp free particle board decks provides maximum strength
- · Easy to install with snap together shelf beams, no nuts and bolts
- · Storage boxes constructed of white corrugated fibreboard, with handles, making it a durable and easily maneuverable box, a perfect choice for economical storage
- · Order complete units, including shelving, deck and boxes, or shelving with deck only



M≣	TΑ	LW	Α	RΕ	м
STE	EL.	SHE	LVI	NG	44

Shelving & Deck Only Model No.	Complete Unit w/Boxes Model No.	No. of Shelves	Dimensions L" x D" x H"	No. of Boxes
RL997	RN006	3	72 x 18 x 60	30
RL998	RN007	3	72 x 32 x 60	60
RL999	RN008	4	72 x 18 x 84	40
RN001	RN009	4	72 x 32 x 84	80
RN002	RN010	3	42 x 18 x 60	18
RN003	RN011	3	42 x 32 x 60	36
RN004	RN012	4	42 x 18 x 84	24
RN005	RN013	4	42 x 32 x 84	48

### POLYPROPYLENE FOLDING TABLES

- Blow molded polypropylene top
- Lightweight with folding legs for easy storage
- 29" fixed table height with locking steel legs
- · Easy to clean

· Folding legs automatically lock by use of gravity activated mechanism when opened

· Capacity: 500 lbs. for solid table 350 lbs. for fold-in-half table



Chairs (ON602)

not included



Model		Dimensions						
No.	Description	L"	X	W"	X	H"	lbs.	
ON598	Rectangular	48	Х	24	Х	29	22	
ON599	Rectangular	72	Х	30	Х	29	35	
ON600	Rectangular	96	Х	30	Х	29	50	
ON601	Rectangular Fold-in-Half	72	Х	30	Х	29	36	
OK137	Round	48	Х	48	Х	29	31	
OK138	Round	60	Х	60	Х	29	47	

### **ECONO/STOR® BOXES**

- · The perfect choice for economical storage of semi-active or dead records
- Recycled material
- OA081 can be adapted to hold up to one cubic foot of legal or letter size



Model Record			Din	Stackable			
No.	Size	W"	X	D"	X	H"	Up To
0A082	Letter	12	Х	24	Х	10	650 lbs.
0A079	Legal	15	Х	24	Х	10	700 lbs.
0A081	Letter or Legal	12	Х	15	Х	10	350 lbs.

### **CORKBOARDS**

- Ideal for office or warehouse environments
- · Sturdy aluminum frame
- Plastic-molded corners protect the boards and wall from damage
- Double-sided cork for added durability





Model No.	Dimensions"	Wt. Ibs.
ON593	18 x 24	3.5
ON594	24 x 36	6
ON595	36 x 48	10.5
ON596	48 x 72	18
ON597	48 x 96	30

### CORKBOARD ACCESSORIES

### **PUSH PINS**

Plastic head, assorted colours. 100 per pkg.


Price per package

Model No. OI472



### WHITE BOARDS

- · White writing surface provides clean, colourful display
- Effortless erasing, wipes clean with cloth or felt brush
- Aluminum frame
- · Plastic corners for board and wall protection



ON531

### MAGNETIC

Model		Wt.
No.	Dimensions"	lbs.
ON535	24 x 36	6
ON536	36 x 48	10.5
ON537	48 x 72	18

Wt. **Dimensions** lbs. ON530 18 x 24 3.25 ON531 24 x 36 6 ON532 10.5 36 x 48 ON533 48 x 72 18 ON534 48 x 96 30

**NON-MAGNETIC** 

### **DURA-INK® DRY ERASE INK MARKERS**



Mark can be removed quickly and easily with dry rag, towel, or eraser



### **CLOCKS, DESK LAMPS & KEY CABINETS**

### TIME CLOCKS

- · Large, easy-to-read analog clock face
- LED display of year, month and date
- Automatic or manual printing
- Print window with light
- Automatically adjusts for Daylight Savings Time, short months, leap year and power outages
- · Selectable for 4-digit imprint
- · Built-in battery backup

### SPECIFICATIONS:

**Power Supply:** Power Consumption: **Ambient Temperature: Humidity: Dimensions:** 

110/120 AC ±10% (50/60 Hz) Normal 3 W, Max. 12 W 14°F - 113°F (-10°C - 45°C) 10% - 90% (no condensation) 6 3/4" W x 6 1/4" D x 8" H 150 x 172 x 165 (mm) 6 lbs. (2.7 kg)

Weight:

Model	
No.	Description
HN140	English

### TIME CLOCK **ACCESSORIES**

- Card rack is adjusted for standard 8 1/4" long cards
- Fits 25 standard time cards
- Rack is adjustable to accommodate cards of different widths

Model No.	Description
HA004	Card Rack
HA001	1000 Time Cards, English
HN141	Replacement Ribbon for HN140 & HN164 Time Clock

**MATRIX** 

# HA004

### TIME CLOCKS

- Manual or automatic print
- Selectable imprints: year (4-digit), month, date and time or notation
- Selectable print format: year, month and date or Julian date; day or date; AM/PM or 0-23 hours; regular minutes or 100th of an hour
- Right or left side printing
- Desk or wall mount
- Fast, easy set-up of date, time, print format, etc.
- Easy-to-replace ribbon cartridge
- Easy-to-read LCD display
- Automatic adjustment for Daylight Saving Time
- Quartz clock accuracy
- Built-in lithium battery backup protects clock and program data in the event of power failure
- Fast, quiet dot matrix printing
- Selectable notations: RCV'D, SENT, FAX'D, VOID, PAID, CFM'D APR'D, CMPL'D, ORIGN, FILE



### SPECIFICATIONS:

**Power Supply:** Power Consumption: **Ambient Temperature:** Humidity: **Dimensions:** 

120 AC ±10%, 60 Hz Normal 3W, Max. 6W 14°F - 113°F (-10°C - 45°C) 10% - 90% (no condensation) 5 1/2" W x 6 1/2" D x 6" H 150 x 140 x 165 (mm) 4.2 lbs. (1.8 kg)

Weight: Description

### Model HN164 English

### KEY STORAGE CABINETS

- Organize and control your office or warehouse with wall-mounted key cabinets
- Heavy gauge steel construction with piano hinged doors and key panels -
- provide a secure location for key storage Industrial 19-gauge body with 18-gauge door on all except OJ922, it has a 20-gauge body and 19-gauge door
- Durable beige powder coat epoxy finish
- All models come with numbered slots and key tags



### Master

Model		Dimensions					
No.	Description	W"	X	D"	X	H"	
0J922	30-Key Cabinet	8	χ	2 1/2	χ	12	
OJ923	60-Key Cabinet	10 3/4	Х	3	Х	12 1/4	
0J924	120-Key Cabinet	13	Х	3 1/4	Х	17	
0J925	240-Key Cabinet	16 1/2	Х	5	Х	20	
0J927	500-Key Cabinet	18	Х	5 1/2	Х	25	
0J928	Key Tags — 20/Pack			-			

### WALL CLOCKS

### BATTERY-OPERATED

- 12" diameter round office wall clock
- 12/24 hour Glass face
- Black chrome frame

Model No. HT072



### **ELECTRIC**

- 12" diameter round office wall clock
- 12/24 hour
- Plastic face
- · Black frame



Model No. HX019

### HX019

HT071

### SWING ARM CLAMP-ON DESK LAMPS

- Spring arm adjusts to many positions
- 36" reach
- Clamp to any surface
- Durable baked enamel finish
- Uses standard 100-watt bulb (not included)
- Certified for sale in Canada by an accredited certification body





Model	Frame				
No.	Colour		Light		Type
XA982	Black		100 W		Incandescent
REPLACE	MENT BULBS				
Model					
No.		Colour		Light	
XC557		Frosted		100 W	

### **BATTERY OPERATED**

- · 14" diameter quartz clock
- · Silent quartz movement with second hand
- Use 1 AA battery
- · Plastic face





### **OASIS WATER COOLERS**

Oasis® water coolers are manufactured with a heavy gauge steel frame which provides durable and quiet operation. They feature a 5-year limited warranty on the sealed refrigeration system and most component parts. All waterways are constructed of lead-free materials and HFC 134A is used as a refrigerant. No CFCs are used. All units are standard tan sandstone finish. Drinking water temperature is 50°F/10°C. Certified for sale in Canada by an accredited certification body.



### WALL-MOUNTED COOLERS

Units come in standard or compact models. All units are shipped with complete instructions and wall mounting bracket. Units should be installed with the nozzle 36" from the floor.

Model	Mfg.		GPH Dimensions						
No.	No.	Description	Capacity	W"	X	D"	x	H"	lbs.
0J952	PLF4CM	Compact	4	17	Х	13 3/16	Х	16	51
0A061	P8M	Standard	8	17	Х	29 7/8	Х	14	73
0A536	P14M	Standard	14	17	Х	29 7/8	Х	14	76



### **COMPACT FREE-STANDING COOLERS**

Attractive economical line suitable for applications in offices, shops or factories where space saving is critical.

Model	Mfg.		GPH		D	imensio	ns		Wt.
No.	No.	Description	Capacity	W"	X	D"	X	H"	lbs.
0A063	P3CP	Compact	3	12	Х	12	Х	43 3/4	66
0A064	P5CP	Compact	5	12	Х	12	Х	43 3/4	69
0A548	P10CP	Compact	10	12	Х	12	Х	43 3/4	73



### AGAINST-A-WALL OR FREE-STANDING COOLERS

All plumbing connections are completely sealed within the cabinet, permitting flush-to-wall installation.

Model	Mfg.		GPH		D	imensio	ns		Wt.
No.	No.	Description	Capacity	W"	X	D"	x	H"	lbs.
OC709	P8FA	Standard	8	17	Х	14	Х	43 3/4	94
0A550	P14FA	Standard	14	17	Х	14	Х	43 3/4	96





- · Designed specifically for easy access
- Wheelchairs fit under edge of water basin for comfort and convenience
- Instructions and wall mounting brackets included
- · Drinking water temperature 50°F









OA063

Model	Mfg.	Bubbler Valve	GPH	Dimensions					Wt.
No.	No.	Туре	Capacity	W"	X	D"	X	H"	lbs.
0A059	P8AC	3 Electric Push Bars	7.8	17 1/2	Х	18 1/2	Х	22 11/32	54



- · Removes dirt, cloudiness, particles, unpleasant odours and taste
- · Reduces chlorine by 97%, lead between 95.9% and 99% and cryptosporidium and giardia cysts by 99.99%
- Works with all the Oasis® water coolers listed on this page
- Fast and easy-to-change refill cartridges with automatic shut-off valve inside the filter
- · Designed to last 1500 gallons or approximately six months
- · Includes: Brackets, complete filter and colour-coded waterline connections

Model No. OG445 Filter Mfg. No. 033926-002

Model No. OG446 Refill cartridge Mfg. No. 033879-001



### **INSULATED BEVERAGE COOLERS**

- · Heavy-duty blow-molded resin resists chips and dents in the toughest work area or job site
- Injection grade insulated liner material keeps your water or beverage cold
- Leak-resistant screw on lid
- Drip-resistant spigot
- Sturdy molded-in handles on the 10-gallon
- Universal cup dispenser is available for 3 gallons and up, holds 200 cups





Model	Mfg.		Wt.			
No.	No.	Description	lbs.			
NI653	FG16830111	3 Gallons	5.4			
ON611	1840999	5 Gallons	7.5			
ON607	1841106	5 Gallons with Dispenser	7.5			
N1656	FG16100111	10 Gallons	10.9			
NI657	FG825706	Universal Cup Dispenser	0.82			