

## Z100

- Traditional design with integral sideshields
- Scratch-resistant polycarbonate lens with UV protection
- Adjustable temples provide a superior comfort and fit
- Molded-in nose bridge
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SEH642	Clear

## Z600

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Flexible temple design for added durability
- Near total seal of the eye provides superior protection
- Distortion-free
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SAW920	Clear

## Z200

- Superior protection at an economical price
- Ideal visitor spectacle
- Polycarbonate lens with UV protection
- Molded-in nose bridge
- Distortion-free
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SEF024	Clear

## Z700

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra-soft non-slip nosepiece
- Flexible temple provides added durability
- Distortion-free
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SAX442	Clear

## Z400

- Sporty design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Adjustable temples provide a superior comfort and fit
- Ultra-soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SAK850	Clear
SAK851	Smoke

## Z800

- Sporty design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Extendable temple provides superior comfort and fit
- Molded nose bridge
- Distortion-free
- Blue frame
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SAX443	Clear

## Z500

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Anti-fog lenses for **SEB183** are ideal for high humidity applications
- Non-slip rubber head grips
- Distortion-free
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SAP877	Clear
SEB183	Clear - Anti-Fog
SAS362	Smoke
SAS363	Amber
SAS364	Blue
SEA551	I/O Blue Mirror
SEE955	Orange



## Z900

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber head grips
- Ultra-soft non-slip nosepiece
- Distortion-free
- Beige frame
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SAX444	Clear

# Eye Protection

## Z1000

- Frameless design with extended wraparound coverage
- Non-slip rubber head grips
- Ultra-soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SAX445	Clear

## Z1500

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- White frame
- Compliant with CSA standard Z94.3



SEC955



SEI527

Order No.	Lens Tint
SEC955	Clear
SEI524	Smoke
SEI525	Amber
SEI526	Blue
SEI527	Mirror
SEI528	Antifog

## Z1200

- Sporty design frame with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip, extremely flexible, rubber temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SEC952	Clear

## Z1600

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Extendable and ratchet temple provides superior comfort and fit
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SEE817	Clear

## Z1300

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SEC953	Clear

## Z1700

- Frameless design with extended wraparound coverage
- Non-slip rubber head grips
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SEG788	Clear

## Z1400

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Order No.	Lens Tint
SEC954	Clear

## Z1800

- Readers Lens
- Sporty design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- Ultra-soft non slip nosepiece
- Adjustable temples provide a superior comfort and fit
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Order No.	Dioptr
SEH013	1.0
SEH014	1.5
SEH015	2.0
SEH016	2.5

## Z1900

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- Meets or exceeds CSA Z94.3 standard

ZENITH<sup>®</sup>  
Safety Products



SEH632



SEK287

Order No.	Lens Tint
SEH632	Clear
SEK286	Smoke
SEK287	Amber
SEK288	Blue
SEK289	I/O Full Mirror
SEK290	Clear Anti-Fog

## Z2000

- Sporty design with extended wraparound coverage
- Non-slip, extremely flexible temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- Green frame
- Compliant with CSA standard Z94.3

ZENITH<sup>®</sup>  
Safety Products



Order No.	Lens Tint
SEK291	Clear

## Z2100

- Modern design with extended wraparound coverage
- Ratchet temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- Clear frame
- Compliant with CSA standard Z94.3

ZENITH<sup>®</sup>  
Safety Products



Order No.	Lens Tint
SEK292	Clear

## Z2200

- Modern design with extended wraparound coverage
- Flexible temples provide superior comfort and fit
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Clear frame
- Compliant with CSA standard Z94.3

ZENITH<sup>®</sup>  
Safety Products



Order No.	Lens Tint
SEK293	Clear

## GOGGLES W/ SAFETY SHIELD

- Indirect ventilation and a polycarbonate shield for full face protection
- Face shield detaches from the goggles
- Curved face shield conforms to the shape of the users face for added protection
- Can be used over most prescription eyewear
- Compliant with CSA standard Z94.3

Order No. SEL095

ZENITH<sup>®</sup>  
Safety Products



## Z1100

- Indirect ventilation
- Can be used over most prescription eyewear
- Compliant with CSA standard Z94.3

Order No. SEK294

ZENITH<sup>®</sup>  
Safety Products



## ACCESSORIZE YOUR EYEWEAR!

### SEE PAGE 116 FOR LANYARDS, RETAINERS & CASES



# Eye Protection

## ROBSON

- Patented highly flexible nylon frame
- Soft Megol® pads on temples for improved comfort
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Frame Colour	Lens Tint
SEG805	XR411	Black	Clear
SEG806	XR412	Black	Yellow
SEG807	XR415	Black	Copper
SEG808	XR416	Black	Smoke
SEG809	XR418	Black	Blue Mirror
SEG810	XRAP419	Black	Aqua Precision Red Mirror
SEG811	XR426	Silver	Smoke

### ROBSON XL

SEG819*	XR-XL411	Black	Clear
SEG820*	XR-XL418	Black	Blue Mirror
SEJ545*	XR-XL416	Black	Smoke

\* Extra-wide nylon frame for larger heads

## ROBSON MULTI FIT

- Patented highly flexible black nylon frame
- Soft Megol® pads on temples for improved comfort
- Adjustable Megol® nosepiece for improved comfort and grip
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SEG812	XR411-AFT	Clear
SEG813	XR415-AFT	Copper
SEG814	XR416-AFT	Smoke

## KHOR POLARIZED

- Patented black half-frame
- Soft Megol® pads on temples for improved comfort
- Metal pieces screwed into frame for style
- Fog and scratch-resistant
- Blocks 99.9% of UVA/UVB/UVC rays
- Interchangeable lenses available
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SEG823	TSDK415	Copper
SEG824	TSDK41-G15-7	G-15 Silver Mirror

## ROBSON POLARIZED

- Patented highly flexible black nylon frame
- Soft Megol® pads on temples for improved comfort
- Polarized lens
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SEG800	TXR415	Copper
SEG801	TXR416	Smoke
SEG802	TXR41-G15-7	G-15 Silver Mirror
SEG803	TXRAP418	Aqua Precision Blue Mirror
SEG804	TXRG416	Gradient

## ROBSON MILITARY GRADE

- Patented highly flexible black nylon frame
- Soft Megol® pads on temples for improved comfort
- Scratch-resistant
- True fog-resistant vapor shield lenses
- Blocks 99.9% of UVA/UVB/UVC rays
- Pre-applied foam gasket option also available
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Type	Lens Tint
SEG815	XR411VS	W/O Gasket	Clear
SEG816	XR416VS	W/O Gasket	Smoke
SEG817	XR411VSG	W/Gasket	Clear
SEG818	XR416VSG	W/Gasket	Smoke

## STEELE

- Patented highly flexible black nylon frame
- Soft Megol® pads on temples for improved comfort
- Interchangeable temples and strap
- Removable gasket and adjustable nosepiece
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SEJ539	HT411ARG	Clear - Anti-Reflective
SEJ540	HT411VSG	Clear - Vapor Shield Lens
SEJ541	HT412VSG	Yellow - Vapor Shield Lens
SEJ543	HT416VSG	Smoke - Vapor Shield Lens



## DAKURA POLARIZED

- Highly flexible black soft touch nylon frame
- Soft Megol® temple tips for improved comfort
- Polarized lens
- Fog and scratch-resistant
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SEG826	TSM415	Copper
SEG827	TSM41-G15-7	G-15 Silver Mirror

## BRAZEAU POLARIZED

- Patented highly flexible black nylon frame
- Soft Megol® pads on temples for improved comfort
- Polarized gradient lens
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SEG799	TXBG416	Gradient

## DAKURA MILITARY GRADE ANTI-FOG (VAPOR SHIELD)

- Highly flexible black nylon frame
- Soft Megol® temple tips for improved comfort
- Scratch-resistant
- True fog-resistant vapor shield lenses
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SEG831	SW411VS	Clear
SEG832	SW416VS	Smoke

## BRAZEAU DESIGNER

- Patented nylon frame
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Frame Colour	Lens Tint
SEG791	XB446	White	Smoke
SEG792	XB416-S	Black Skull	Smoke
SEG793	XB436	Black	Smoke

### POLARIZED

Order No.	Mfg. No.	Frame Colour	Lens Tint
SEJ548	TXB436	Black	Smoke

## ZORGE

- Universal blade-style black frame
- Soft Megol® temple tips for improved comfort
- Fog and scratch-resistant
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SEG833	DZ411	Clear
SEG834	DZ416	Smoke
SEG835	DZ417	Silver Mirror

## ZORGE MAGNIFIER

- Universal blade-style black frame
- Soft Megol® temple tips for improved comfort
- Fog and scratch-resistant
- Blocks 99.9% of UVA/UVB/UVC rays
- MCEPS GL-PD 10-12 compliant
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Magnifier	Lens Tint
SEG836	DZ411-1.5	1.5	Clear
SEG837	DZ411-2.0	2	Clear

# Eye Protection

## LIVEWIRE™

- Foam-lined subframe has gap-free seal around the eyes to keep debris out
- Flexible design can be worn with a headband or with temples
- Simple temple-to-headband exchange
- Not for chemical splash applications



**UVEX**  
by Honeywell

Order No.	MFG No.	Lens Tint	Lens Coating
SDK969	S2600XP	Clear	Anti-Fog
SDK970	S2600D	Clear	Hard Coat/Anti-Fog
SDK971	S2601XP	Espresso	Anti-Fog
SDK972	S2602XP	Amber	Anti-Fog

## SEISMIC®

- Protection against impact, sun, wind, dust and debris
- Available with Dura-streme® dual anti-fog/anti-scratch, Uvextra® anti-fog coatings and a scratch-resistant hardcoat
- Soft and flexible nasal pads conform to a variety of facial profiles and minimize slippage
- Soft, high quality face cushioning and padded temple tips offer all-day comfort
- Adjustable flame-resistant headband provides excellent fit
- Replaceable flame-resistant, cushion-lined subframe extends the life of the eyewear
- Headband and cushion-lined subframe are latex-free
- Frame colour: Black
- Certified to the requirements of the CSA Z94.3 standard only with subframe in place



**UVEX**  
by Honeywell

Order No.	Mfg. No.	Frame colour	Lens Tint
SBA822	S0600	Black	Clear/Hardcoat
SBA823	S0600X	Black	Clear/Uvextra® AF
SBA824	S0600D	Black	Clear/Dura-streme® AF
SBA825	S0601X	Black	Espresso/Uvextra® AF
SBA826	S0602X	Black	Amber/Uvextra® AF
SBA827	S0604X	Black	Mirror/Uvextra® AF
SBA828	S0620	Blue	Clear/Hardcoat
SBA829	S0620X	Blue	Clear/Uvextra® AF
SBA830	S0622X	Blue	Amber/Uvextra® AF
SBA831	S0624X	Blue	Mirror/Uvextra® AF

## SKYPER®

- Simple lens replacement system
- Adjustable temple length and lens inclination
- Lifetime frame guarantee
- Certified to CSA standard Z94.3



**UVEX**  
by Honeywell

Order No.	Mfg. No.	Lens Tint
<b>UVEXTREME® AF</b>		
SH014	S1900X	Clear
<b>ULTRA-DURA® HARDCOAT</b>		
SH015	S1900	Clear
SH016	S1902	Amber
SH017	S1903	Mirror
SH018	S1906	Infra-Dura® 2.0
SH019	S1907	Infra-Dura® 3.0
SH020	S1908	Infra-Dura® 5.0
<b>REPLACEMENT LENSES</b>		
SH021	S6500X	Clear/Uvextreme® AF

## TIRADE™

- Indirect ventilation channels on the foam and subframe provide superior dust filtration keeping debris out of the eyes
- Frameless, unilens design allows for wide-field peripheral vision
- Quick-release hinge system converts easily from temples to headband
- Removable temples and standard adjustable headband included
- Hypoallergenic latex-free option available
- 100% non-conductive dielectric design
- Uvextra® anti-fog coated lens reduces fogging, keeping lenses clear
- Ideal for use in oil, gas & chemical, utility, construction and manufacturing operations
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards (with and without foam subframe in place)



SDL046



SDL047



SDL048

**UVEX**  
by Honeywell

Order No.	Mfg. No.	Lens Tint
SDL044	S4040	Clear
SDL045	S4041	Grey
SDL046	S4042	Amber
SDL047	S4043	Silver Mirror
SDL048	S4044	SCT-Reflect 50

## IGNITE™

- Sleek, sporty, unisex lightweight frameless design appeals to a broad range of workers
- Offers 180° of distortion-free, unobstructed vision
- A 9-base, wraparound lens design provides close-to-the-face protection and superior coverage
- Adjustable nose piece reduces slippage and provides a personalized, comfortable fit
- Soft temple tip pads ensure a fit that is both comfortable and secure
- Meets military V<sub>0</sub> ballistic test for impact
- Available with Uvextra® AF anti-fog coating
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Frame Colour	Lens Tint
SAQ725	S4400	Black & Silver	Clear/Hardcoat
SAQ726	S4400X	Black & Silver	Clear/Uvextra™ AF
SAQ727	S4401	Black & Silver	Grey/Hardcoat
SAQ728	S4401X	Black & Silver	Grey/Uvextra™ AF
SAQ729	S4402	Black & Silver	SCT®-Reflect 50/Hardcoat
SAQ730	S4403	Black & Silver	Silver Mirror/Hardcoat

## SPECIFIX™ PRECISION PRO™

- Frameless design and precise optics: ideal for quality control, inspection, technical applications, lab work, aerospace, fine maintenance and mechanics
- Specialized task-specific SCT (spectrum control technology) lens tints optimize lighting and enhance visual perception
- Ratcheting temples make it easy to adjust the lens angle for a close fit
- FlexFit™ bendable temples and nosepiece for a more comfortable, customized fit
- Ultra-lightweight at only 28 g
- Available with Uvextreme® AF anti-fog coating or Supra-Dura™ advanced anti-scratch coating
- Certified to CSA standard Z94.3



SEB665

SEB663



Order No.	Mfg. No.	Lens Tint
SEB663	SX0200	Clear/Supra-Dura™
SEB664	SX0200X	Clear/Uvextreme® AF
SEB665	SX0202	Amber/Supra-Dura™

Other lens tint available

## PROTÉGÉ™

- Proprietary Floating Lens™ design offers increased flexibility for better fit
- Secure wraparound brow expands to fit a wide range of users
- Ultra lightweight design
- Soft temple tip pads provide a secure, comfortable fit
- Soft, clear nose pads prevent slipping
- Available with high-performance Uvextreme® AF anti-fog and Ultra-dura® anti-scratch coatings
- Compliant with ANSI standard Z87+
- Lifetime frame guarantee



Order No.	Mfg. No.	Frame Colour	Lens Tint
<b>UVEXTREME® AF</b>			
SAO666	S4201X	Black	Grey
SAO667	S4210X	Sandstone	Clear

<b>ULTRA-DURA® HARDCOAT</b>			
SAO659	S4200	Black	Clear
SAO660	S4201	Black	Grey
SAO661	S4202	Black	SCT®-Reflect® 50
SAO662	S4210	Sandstone	Clear
SAO663	S4211	Sandstone	Grey

### REPLACEMENT LENSES

Order No.	Mfg. No.	Lens Tint
SDL054	S4201HS	Grey/Hydroshield™ Anti-Fog Lens Coating
SDL053	S4200HS	Clear/Hydroshield™ Anti-Fog Lens Coating

## FALCON®

- Impact-resistant polycarbonate lens absorb > 99.9% of harmful UVA and UVB radiation
- Frameless design with patented dual 9-base unilens
- Weightless comfort and superior coverage providing complete and unobstructed vision
- Available with high-performance Uvextreme® AF anti-fog and Ultra-dura® anti-scratch coatings
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
<b>ULTRA-DURA® HARDCOAT</b>		
SAJ061	S4500	Clear

<b>UVEXTREME® AF</b>		
SAJ062	S4500X	Clear

<b>REPLACEMENT LENSES</b>		
SAJ079	S6700	Clear/Ultra-Dura® Hardcoat
SAJ080	S6700X	Clear/Uvextreme® AF

# Eye Protection

## GENESIS XC™

- Extended wraparound lens for extra cheek and extra side coverage (up to 20% more)
- Soft, flexible nose fingers conform to fit a variety of nasal profiles
- Adjustable two shot temple for custom fit
- Available with cushioned temples for all-day comfort
- Optional Rx lens insert holds Rx lenses firmly in place
- Available with high-performance Uvextreme® AF anti-fog, Ultra-dura® anti-scratch and Durastreme® dual anti-fog/anti-scratch coatings
- Certified to CSA standard Z94.3



### ULTRA-DURA® HARDCOAT

Order No.	Mfg. No.	Lens Tint
SAK138	S3300	Clear
SAK139	S3301	Grey
SAK403	S3308	Mirror
SAK405	S3306	Infra-Dura® 3.0
SAK406	S3307	Infra-Dura® 5.0

### REPLACEMENT LENSES

SAK411	S6950	Clear
SAK412	S6951	Grey
SAK413	S6958	Mirror
SAK415	S6956	Infra-Dura® 3.0
SAK416	S6957	Infra-Dura® 5.0
SDL052	S3301HS	Grey/Hydroshield™ Anti-Fog Lens Coating
SDL051	S3300HS	Clear/Hydroshield™ Anti-Fog Lens Coating

### UVEXTREME® AF

Order No.	Mfg. No.	Lens Tint
SAK093	S3300X	Clear
SAK407	S3301X	Grey
SAK408	S3303X	SCT®-Grey
SAK409	S3304X	SCT®-Low IR

### REPLACEMENT LENSES

SAK417	S6950X	Clear
SAK418	S6951X	Grey
SAK419	S6953X	SCT®-Grey
SAK420	S6954X	SCT®-Low IR

## RX INSERT

- Optional Rx insert for Genesis XC™ eyewear
- Holds prescription lenses securely
- Accommodates a variety of Rx needs including bifocals, trifocal and progressive lenses
- Classic screw closure easily fits, with prescription ranging from +3.0 to -3.0D

Order No. SAK410  
Mfg. No. S3350



## GENESIS®

- Lightweight, extremely resilient external polycarbonate frame
- Soft elastomer internal frame
- Interchangeable dual 9 base wraparound lens
- Vents the eye socket area
- Soft brow bumper provides comfortable fingers that adjust and wraparound almost any nasal profile
- Ratchet lens inclination adjustment
- Passed military V<sub>0</sub> ballistic (standard MIL-STD-662) test regiment
- Available with high-performance Uvextreme® AF anti-fog, Ultra-dura® anti-scratch and Durastreme® dual anti-fog/anti-scratch coatings
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
-----------	----------	-----------

### BLACK FRAME

SN209	S3200	Clear/Ultra-Dura®
SN210	S3200X	Clear/Uvextreme® AF
SAQ907	S3200D	Clear/Dura-Streme™
SN211	S3201	Espresso/Ultra-Dura®
SN212	S3201X	Espresso/Uvextreme® AF
SN213	S3202	Amber/Ultra-Dura®
SAK427	S3207	Infra-Dura® 3.0
SAK428	S3208	Infra-Dura® 5.0

### VAPOUR BLUE FRAME

SN219	S3240	Clear/Ultra-Dura®
SN220	S3240X	Clear/Uvextreme® AF
SN221	S3241	Espresso/Ultra-Dura®
SN222	S3241X	Espresso/Uvextreme® AF
SN223	S3242	Amber/Ultra-Dura®

### REPLACEMENT LENSES

SN243	S6900	Clear/Ultra-Dura®
SN244	S6900X	Clear/Uvextreme® AF
SAQ908	S6900D	Clear/Dura-Streme™
SN245	S6901	Espresso/Ultra-Dura®
SN246	S6901X	Espresso/Uvextreme® AF
SN247	S6902	Amber/Ultra-Dura®
SDL050	S3201HS	Espresso/Hydroshield™ Anti-Fog Lens Coating
SDL049	S3200HS	Clear/Hydroshield™ Anti-Fog Lens Coating

## MILLENNIA®

### HIGH STYLE FULL COVERAGE

- Lightweight frame with superior side and brow protection
- High impact dual 9-base wraparound unilens
- Comfortable universal nose bridge
- Includes: Adjustable breakaway FlexiCord™ for added security and convenience
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Frame Colour	Lens Tint
SG990	11150350CSA	Black	Clear



## ASTROSPEC 3000®

- Lightweight unilens offers panoramic vision
- Easy and economical lens replacement system
- Adjustable lens inclination and temple length
- Molded side shields
- Black frame
- Lifetime frame guarantee
- Available with high-performance Uvextreme® AF anti-fog and Ultra-dura® anti-scratch coatings
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
<b>UVEXTREME® AF</b>		
SE622	S1359C	Clear
SE623*	S136C	Grey
SE624*	S1362C	SCT® - Vermilion
<b>ULTRA-DURA® HARDCOAT</b>		
SE633	S1359	Clear
SE634	S1369	Grey
SE635*	S1360	Light Grey
SE636*	S145	Amber
SE637	S1379	Mirror
SE638*	S112	SCT® - Low IR
SE639*	S1361	SCT® - Grey
SE641	S111029	Infra-Dura® 2.0
SE642*	S1111	Infra-Dura® 3.0
SE643*	S1112	Infra-Dura® 5.0
<b>REPLACEMENT LENSES</b>		
SE404	S535C	Clear/Uvextreme® AF
SE650	S536C	Grey/Uvextreme® AF
SE652	S535	Clear/Ultra-Dura® Hardcoat
SE653	S536	Grey/Ultra-Dura® Hardcoat

\* Does not feature Duoflex® temples

## ULTRASPEC®

### ULTRASPEC® 1000

- Ideal visitor eyewear
- Uncoated 100% polycarbonate wraparound unilens design with solid side shields
- Certified to CSA standard Z94.3



### ULTRASPEC® 2000

- Coated 100% polycarbonate wraparound unilens design
- Adjustable temple length
- Available with Uvextreme® AF anti-fog coating
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Frame Colour	Lens Tint
<b>ULTRASPEC® 1000 UNCOATED</b>			
SAG310	S300CS	Clear	Clear
<b>ULTRASPEC® 2000 UVEXTREME® AF</b>			
SE614	S0250X	Clear	Clear
SE615	S0280X	Grey	Grey
SE616	S0290X	Amber	Amber

## ASTRO OTG® 3001

- Same features as the Astrospec 3000® with attractive OTG (over-the-glass) styling
- An economical alternative to expensive Rx eyewear
- Lifetime frame guarantee
- Available with high-performance Uvextreme® AF anti-fog and Ultra-dura® anti-scratch coatings
- Certified to CSA standard Z94.3



Black Order No.	Mfg. No.	Blue Order No.	Mfg. No.	Lens Tint
<b>UVEXTREME® AF</b>				
SE700	S2500C	SE702	S2510C	Clear
SE701	S2504C	SE703	S2514C	Grey
<b>ULTRA-DURA® HARDCOAT</b>				
SE704	S2500	-	-	Clear
SE705	S2504	-	-	Grey

## AMBIENT OTG

- Exceptional peripheral vision and coverage in a lightweight, wraparound uni-lens design
- Soft, flexible nasal fingers conform to a variety of facial profiles and minimize slippage
- Offered in two lens sizes (medium and large) to fit a variety of users and prescription eyewear styles
- The medium version has a 13% smaller lens than the larger version and extends the life of the eyewear
- Available with high-performance Uvextreme® AF anti-fog, Ultra-dura® anti-scratch and Durastreme® dual anti-fog/anti-scratch coatings, as well as a wide range of lens tints
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Description	Lens Tint
SAS560	S3150	Blue/Large	Clear/Ultra-Dura®
SAS561	S3150X	Blue/Large	Clear/Uvextreme®
SAS562	S3150D	Blue/Large	Clear/Dura-Streme™
SAS563	S3160	Blue/Medium	Clear/Ultra-Dura®

# Eye Protection

## EYE INJURIES ARE NOT COOL. THESE ARE.

- Harley-Davidson® logo on lens and frame
- Impact-resistant polycarbonate lenses
- 99.9% UV protection
- Scratch-resistant hardcoat

### HD400 SERIES

- High-tech, high-style protective eyewear
- Provides 180° of panoramic vision
- Excellent side and brow coverage
- Adjustable H-D® retainer cord shipped with frame
- Meets CSA and ANSI standards



SAK025

### HD500 SERIES

- Silver matte metal frame with special nickel-free coating
- 10-base dual lens for optimal field of vision
- Spring hinge temples provide a secure and comfortable fit
- Meets ANSI standard



SAK029

### HD700 SERIES

- 8-base, metal rimless frame design with spring hinge temples
- Gunmetal frame with nickel-free coating
- Adjustable optical nose pads conform to varying nose bridge shapes
- Polycarbonate hard-coated lenses
- Complies with ANSI standard Z87+ for high impact



SAN330

### HD800 SERIES

- Defies convention while embracing compliance
- Lightweight, comfortable to wear all day long
- Striking mirror lenses coupled with a double 9-base frameless design
- Silver temples
- Meets CSA and ANSI standards



SAP450

## ACCESSORIES

### SAFETY EYEWEAR ZIPPER CASE

- Tough, hard case protects eyewear when not in use
- Includes handy belt loop and clip

Order No. SAK216



### SAFETY EYEWEAR RETAINER CORD

- Silkscreened with Harley-Davidson® logo
- Adjustable slide with Harley-Davidson® logo

Order No. SAK217



Order No.	Mfg. No.	Frame Colour	Lens Tint
<b>HD400 SERIES</b>			
SAK024	HD400	Black	Clear
SAK025	HD401	Black	Mirror 50
SAK026	HD402	Black	Silver Mirror
<b>HD500 SERIES</b>			
SAK027	HD501	Matte Silver	Clear
SAK028	HD502	Matte Silver	Grey
SAK029	HD503	Matte Silver	Silver Mirror
<b>HD700 SERIES</b>			
SAN327	HD701	Gunmetal	Clear
SAN328	HD702	Gunmetal	Grey
SAN329	HD703	Gunmetal	Amber
SAN330	HD700	Gunmetal	Brown Mirror
<b>HD800 SERIES</b>			
SAP450	HD800	-	Orange Mirror
SAP451	HD801	-	Blue Mirror
SAP452	HD802	-	Silver Mirror
<b>ACCESSORIES</b>			
Order No.	Mfg. No.	Description	
SAK216	HD903	Zipper Case	
SAK217	HD902	Retainer Cord	



**Honeywell**

© 2015 H-D. All rights reserved. Manufactured by Honeywell under license from Harley-Davidson Motor Company.

**WARNING:** Not intended for use when riding a motorcycle. Improper use may result in serious personal injury or death.

## ADAPTEC™

- Adjustable nose bridge keeps eyes centered in lens for clearer optics and reduced eye fatigue
- Vented, cushioned frame allows optimum air circulation and reduces fogging
- Ratcheting temple hinges adjust lens angle for greater protection and reduced fogging
- Proprietary temple design adjusts temple tension for personal comfort and non-slip security
- Temple inserts slide from front to back for firmer fit, – or in opposite direction for looser fit
- Soft, flexible material covers frame components for comfortable, secure fit
- The North Adaptec™ 4A lens coating ensures excellent anti-fog, anti-static and scratch-resistant properties plus 99.9% UV protection
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Colour	Lens Tint
<b>NARROW</b>			
SED448	T5900NTK	Black	Clear
SED450	T5900NTKS	Black	Smoke
SED451	T5900NTKA	Black	Amber
<b>REGULAR</b>			
SED456	T5900LTK	Black	Clear
SED458	T5900LTKS	Black	Smoke
SED459	T5900LTKA	Black	Amber
<b>WIDE</b>			
SED464	T5900WTK	Black	Clear
SED466	T5900WTKS	Black	Smoke
SED467	T5900WTKA	Black	Amber

Other lens tint available

### REPLACEMENT LENS

Order No.	Mfg. No.	Lens Tint
<b>NARROW</b>		
SED471	500NRL	Clear
SED472	501NRL	Smoke
SED473	502NRL	Amber
<b>REGULAR</b>		
SED477	500LRL	Clear
SED478	501LRL	Smoke
SED479	502LRL	Amber
<b>WIDE</b>		
SED483	500WRL	Clear
SED484	501WRL	Smoke
SED485	502WRL	Amber

## LIGHTNING & LIGHTNING PLUS

- High base panoramic lens for a wide unobstructed field of vision
- Frame made of chemical and heat resistant Elasto LT material
- Flexi-Fit three-point non-slip nosepiece eliminates excessive pressure on the nose
- Exclusive 4A coating: anti-fog, anti-scratch, anti-UV, anti-static
- Fast and easy lens replacement with unique Rapid-Change system
- Soft-Touch comfort pads
- Certified to CSA standard Z94.3

### LIGHTNING:

- Self-adjusting temples to insure a secure and comfortable fit

### LIGHTNING PLUS:

- Bowed temples designed to fit virtually anyone



Order No.	Mfg. No.	Frame Colour	Lens Tint
<b>LIGHTNING</b>			
SAJ221	T65005	Black	Clear
SAJ222	T65005S	Black	Smoke
SAJ230	T65005A	Black	Amber
SAJ231*	T65005M	Black	Mirror
SAP515*	T65015TCK	Black	I/O Mirror
<b>LIGHTNING PLUS</b>			
SAJ223	T65505B	Black	Clear
SAJ224	T65505BS	Black	Smoke
SAJ232	T65505BA	Black	Amber
SAP516*	T65515BTCG	Black	I/O Mirror

## 180 SLIMLINE

- Made of lightweight, non-conductive high impact polycarbonate material
- Popular low profile shape
- High 9-base curve for better coverage and wide field of vision
- Soft temple pads for more comfort
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SAK757	T13501	Clear
SAK758	T13502	Smoke

# Eye Protection

## VAPOR™

- Affordably priced, shiny smooth design
- Metallic blue, lightweight frame for all day wear
- Sport temple provides a secure and comfortable wraparound fit
- Soft nose bridge, prevents slipping and conforms to varying nose bridge shapes
- 9-base polycarbonate hardcoat lenses provide distortion-free 180° field of vision
- Includes: Adjustable break-away FlexiCord™
- Certified to CSA standard Z94.3



**NORTH**

by Honeywell



Order No.	Mfg. No.	Lens Tint
SAK393	11150900	Clear HC
SAK394	11150901	TSR® Grey HC
SAK395	11150904	Silver Mirror HC
SAK396	11150905	Clear Fog-Ban®
SAK397	11150906	Grey Fog-Ban®

## VISITORS SPECTACLES

- Offer premium protection to plant visitors
- Comfortable, provide a wide viewing field
- Superior optical quality with high impact and penetrating resistance
- Exclusive interlocking sideshield system offers all around protection from flying particles
- Universal nose bridge
- Specially designed to fit comfortably over prescription glasses
- Individually wrapped in a protective poly envelope
- Certified to CSA standard Z94.3

Order No. **SG290**

Mfg. No. 90S



**NORTH**

by Honeywell



## FUSE™

- Affordably priced, sporty gunmetal double bridge styling
- Soft adjustable saddle nose bridge, prevents slipping and provides comfort and grip
- 9-base polycarbonate lenses provide distortion-free 180° field of vision
- Frame with nickel-free top-coat to prevent skin reactions for people sensitive to nickel
- Hinge-stoppers prevent temple tips from touching the lenses when folded
- Includes: Adjustable breakaway FlexiCord™
- Certified to CSA standard Z94.3



**NORTH**

by Honeywell



Order No.	Mfg. No.	Lens Tint
SAK398	11150800	Clear HC
SAK399	11150801	TSR® Grey HC
SAK400	11150804	Silver Mirror HC
SAK401	11150805	Clear Fog-Ban®
SAK402	11150806	Grey Fog-Ban®

## A700 SERIES

- Lightweight design with sport temples
- Soft temple tip pads provide a secure, comfortable fit
- Molded universal nose bridge
- 9-base polycarbonate hard coated lenses provide 180° field of distortion-free vision
- Provides 99.9% UV protection
- Certified to CSA standard Z94.3



**NORTH**

by Honeywell



SAO669

Order No.	Mfg. No.	Frame Colour	Lens Tint
SAO669	A700	Clear	Clear/Hardcoat
SAO670	A701	Grey	TSR® Grey/Hardcoat
SAO671	A702	Clear	Amber/Hardcoat
SAO672	A703	Grey	Blue Mirror/Hardcoat
SAO673	A704	Grey	I/O Silver Mirror
SAO674	A705	Clear	Clear Fog-Ban®

## THE EDGE™

- Single-piece polycarbonate lens with a 9-based curve for maximum peripheral vision
- Lens is anti-fog, anti-scratch, anti-UV 99.9% and anti-static
- Comes complete with both straight and curved temple ends
- Available in black or grey frame colours

Order No.	Mfg. No.	Frame Colour	Lens Tint
SH060	T56005B	Black	Clear
SH061	T56005BS	Black	Smoke
SH062	T56005BA	Black	Amber

### REPLACEMENT LENSES

Order No.	Mfg. No.	Frame Colour	Lens Tint
SR681	443RL	-	Clear
SR682	444RL	-	Smoke
SR683	445RL	-	Amber



SH060



SH061

**NORTH**

by Honeywell



## N-VISION™ T5650 SERIES

### UNIVERSAL COMFORT BRIDGE SYSTEM

- Modern ergonomic design for comfort and fit
- Easy lens replacement system
- Frame made of new Elasto LT chemical-resistant material
- Lenses are protected by North's exclusive 4A coating, anti-fog, anti-scratch, anti-static and anti-UV at 99.9%
- Comfortable straight and curved temple ends supplied with all N-Vision™ series eyewear
- Black frame
- Certified to CSA standard Z94.3

Order No.	Mfg. No.	Lens Tint
SAK140	T56505B	Clear
SAK141	T56505BS	Smoke

## N-VISION™ T5655 SERIES

### FLEXI-FIT SOFT NOSEPIECE SYSTEM

- Flexi-Fit soft nosepiece for comfort and adaptability
- Easy lens replacement system
- Frame made of new Elasto LT chemical-resistant material
- Lenses are protected by North's exclusive 4A coating, anti-scratch, anti-fog, anti-static and anti-UV at 99.9%
- Comfortable straight and curved temple with all N-Vision™ series eyewear
- Black frame
- Certified to CSA standard Z94.3

Order No.	Mfg. No.	Lens Tint
SAK195	T56555B	Clear
SAK196	T56555BS	Smoke

## TORNADO F5

- Unique dual lens styling in a single piece lens design gives maximum protection and comfort for greater user acceptance
- Full frame in black with red trim
- Available with fully adjustable curved temples or straight extensible non-pivoting temple ends
- Anti-fog, anti-scratch, anti-static and anti-UV
- Certified to CSA standard Z94.3



**NORTH**

by Honeywell

Black/Red Order No.	Mfg. No.	Lens Tint
<b>CURVED TEMPLES</b>		
SEF128	T57505B	Clear
SEC323	T57505BS	Smoke
SEB098	T57505BA	Amber
<b>STRAIGHT TEMPLES</b>		
SEB099	T58505B	Clear
SEC326	T58505BS	Smoke
SEC324	T58505BA	Amber



**NORTH**

by Honeywell

### REPLACEMENT LENSES

Order No.	Mfg. No.	Lens Tint
SAK192	477RL	Clear
SAK784	478RL	Smoke



**NORTH**

by Honeywell

### REPLACEMENT LENSES

Order No.	Mfg. No.	Lens Tint
SAK787	485RL	Clear
SAK788	486RL	Smoke

## TRITON™

- Wide field uni-lens design offering unobstructed vision
- Economical, made of very lightweight high impact resistant polycarbonate
- Attractive translucent grey temples

SAQ850



**NORTH**

by Honeywell

Order No.	Mfg. No.	Lens Tint
SAQ849	T12005S	Smoke
SAQ848	T12005	Clear
SAQ850	T12005TCG	Grey

## SEE CLEARLY!

## SEE PAGE 117 FOR LENS CLEANING STATIONS



# Eye Protection

## Z300

- Impact proof polycarbonate lens with UV protection
- Adjustable elastic headband
- Indirect ventilation on **SAN429** and **SAN430** protects against dust, fumes and chemical splash
- Anti-fog lens on **SAN430** is ideal for high humidity applications
- Distortion-free
- Compliant with CSA standard Z94.3



SAN428

Order No.	Description
SEF218	Direct Vent
SEF219	Indirect Vent
SAN430	Indirect Vent, Anti-Fog

## STRATEGY™

- All-day comfort, exceptional fit and protection, even in extreme environments
- Four ventilation options: direct vent, closed vent, indirect vent and indirect vent with foam lining for fine particle protection
- Soft, flexible TPE body conforms to the face, providing an exceptional snug fit
- Optically perfected clear polycarbonate lens with Uvextra™ AF anti-fog coating
- Fits over most prescription eyewear
- Certified to CSA standard Z94.3



SAP500



SAP502

Order No.	Mfg. No.	Description	Frame Colour
SAP498	S3800	Direct Vent	Grey
SAP499	S3805	Closed Vent	Grey
SAP500	S3810	Indirect Vent	Grey
SAP501	S3815	Indirect Vent w/Foam	Grey
SAP502	S3820	Indirect Vent	Hot Orange

## Z1100

- Wraparound style provides excellent 180° panoramic vision
- Extremely flexible soft PVC goggle body for greater comfort
- Impact resistant polycarbonate lens
- Anti-fog lens is ideal for high humidity applications
- Indirect vent increases air flow and protects against dust, fumes, and chemical splash
- Adjustable elastic headband
- Compliant with CSA standard Z94.3



Order No.	Description
SEK294	Indirect vent

## CARBONVISION™

- Flexible soft frame adapts perfectly to the face to ensure a perfect fit and seal around the eyes for high-performance protection and all-day comfort
- The soft, flexible body is permanently fixed to the frame, making it easy to clean and maintain
- Convenient clip makes it easy to remove headband before cleaning
- Ideal for protection from impact, dust/airborne particles as well as chemical splash hazards
- Low profile, compact design is ideal for wearing with disposable respirators and protective caps
- Dura-streme® dual anti-fog/anti-scratch coating



SEH176



SDL472

Order No.	Mfg. No.	Lens Tint	Headband
SEH176	S1650D	Clear	Neoprene
SDL471	S1651D	Grey	Neoprene
SDL472	S1650DF	Clear	Fabric
SDL473	S1651DF	Grey	Fabric

## FURY®

- Sleek, frameless design with wraparound 9-base unilens
- Ideal for dust and small particulates
- Soft, flame resistant, replaceable face foam and headband
- Not for chemical splash applications
- Compliant with CSA standard Z94.3

Order No. SG499  
Mfg. No. S1890X



## FUTURA™

- Wraparound sports style provides excellent panoramic vision
- Goggle body is made of soft flexible PVC material for enhanced comfort
- Frosted browguard reduces glare
- Indirect venting increases air flow
- For welding and dust/mist/impact/chemical splash
- Uvextreme® AF coating minimises fogging
- Neoprene headband
- Clear frame
- Fits over most Rx eyewear
- Compliant with CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
SE799	S345C	Clear

### REPLACEMENT LENSES

SE802	S780C	Clear
-------	-------	-------

## CLASSIC™

- Three models available for dust, mist or chemical splash:
  - indirect vented
  - indirect hooded and for dust and mist only
  - indirect hooded with face foam
- Goggle body is made of soft flexible PVC material for enhanced comfort
- Impact resistant polycarbonate lenses absorb 99.9 of UV light
- Uvextreme® AF coating minimises fogging
- Neoprene headband
- Fits over most prescription eyewear
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Description
SE805	S360	Indirect Vent
SE806	S350	Hooded, Indirect Vent
SE807	S350CF	Hooded, Indirect Vent w/Facefoam

## STEALTH™

- Futuristic, low profile design for chemical splash and impact protection
- Toric lens provides superior optics and peripheral vision
- Rx insert available
- Easiest lens replacement system available
- Uvextreme® AF coating and indirect ventilation system minimises fogging
- Dura-Streme™ dual anti-fog/anti-scratch coating minimizes fogging while protecting the lens
- Impact resistant polycarbonate lens absorbs 99.9% of UV light
- Quick adjust neoprene headband
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
<b>UVEXTREME® AF</b>		
SE790	S3960C	Clear
SE791*	S3960CI	Clear
SE792	S3961C	Grey
SE793	S3962C	Amber

### REPLACEMENT LENSES

SE794	S700C	Clear
SE795	S701C	Grey
SE796	S702C	Amber
SDL056	S3961HS	Grey/HydroShield™ Anti-Fog Lens Coating
SDL055	S3960HS	Clear HydroShield™ Anti-Fog Lens Coating

\* Fabric Headband

## FLEX SEAL™

- Lightweight, silicone body conforms to assure the highest level of comfort and eye protection
- Cured silicone body stays soft and supple in extreme temperatures
- Low profile and optically correct polycarbonate lens provides full field of vision
- Uvextreme® anti-fog coating and indirect venting system minimises fogging
- Pivoting clips permit the wearer to position the goggle on a hard hat or position the headband above the ears
- Fits over most prescription eyewear
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint	Headband
SAK386	S3400X	Clear	Neoprene
SAK387	S3405X	Clear	Fabric
<b>REPLACEMENT LENSES</b>			
SAK391	S710X	Clear	-

## V-MAXX®

- Sleek wraparound styling
- Direct vent for impact resistance and indirect vent for chemical splash applications
- Peel-off goggle covers available to extend useful life of the lens
- OTG compatible
- 180° clear field of vision
- Lenses coated with Fog-ban® anti-fog coating
- Pivoting headband clips to adjust strap around hardhats or hearing protection
- Adjustable elastic or neoprene headband
- Certified to CSA standard Z94.3



SAI905



Order No.	Mfg. No.	Description	Lens Tint
SAI905	11250800	Direct Vent, Red Elastic Headband	Clear Fog-Ban®
SAI906	11250810	Indirect Vent, Black Neoprene Headband	Clear Fog-Ban®
SAI907	11250830	Indirect Vent, Black Body and Elastic Headband	Shade 3.0
SAI908	11250850	Indirect Vent, Black Body and Elastic Headband	Shade 5.0
SAI909	11250860	Goggles Covers, Peel-Off, 10/Pkg.	-

# Eye Protection

## NEOPRENE EYEWEAR RETAINER

- Lightweight and durable
- Fits a wide range of eyewear
- Colour: Black

Order No. SEF183



## NYLON EYEWEAR RETAINER

- Lightweight and durable
- Fits a wide range of eyewear
- Colour: Black

Order No. SEF182



## EYEWEAR LANYARDS

- 100% cotton
- Adjustable barrel slide
- Durable, cool and comfortable
- Machine washable
- Fits standard frames
- Black

### 3200 SERIES

Order No. SAK847

Mfg. No. 19152

### 3215 SERIES

DUAL BREAKAWAY DESIGN

Order No. SAK848

Mfg. No. 19212



## EYEWEAR CASES

- Extends the life of eyewear by protecting the lens from scratches and abrasions
- Zipper closure
- Accommodates all Zenith® eyewear
- Attached belt clip offers multiple attachment options
- Colour: Black

Order No. SEF180



## GOGGLES CASES

- Extends the life of goggles by protecting the lens from scratches and abrasions
- Zipper closure
- Accommodates all Zenith® goggles
- Attached belt clip offers multiple attachment options
- Colour: Black

Order No. SEF181



## EYEWEAR CASES

- Offers protection for your Wolf Peak glasses
- Hard carrying case

Order No. SEI538

Mfg. No. 9810



## LENS CLEANING BAGS

- Can be used for all safety eyewear

Order No. SEI539

Mfg. No. 9802



## PRINZING SAFETY GLASSES DISPENSERS WITH LID

- Compact unit designed to hold up to six pairs of glasses
- Dust cover to isolate glasses
- Wall or table mount
- 9" W x 6" D x 3" H

Order No. SED048

Mfg. No. PD211L-F



## DELUXE VISITOR SPEC DISPENSERS

- Bottom door that keeps glasses in and folds down for easy dispensing
- Supplied with two top holes making them ideal for wall-mounting
- Holds approximately 20-25 glasses
- 8" W x 4" D x 18" H

Order No. SED050

Mfg. No. MVSD





## LENS CLEANING SOLUTION

- Anti-fog, anti-static lens cleaning solution
- Safe for all types of glass, plastic or polycarbonate eyeglasses, safety glasses, goggles, faceshields and computer monitors
- Silicone free



**ZENITH®**  
Safety Products

SEE377

SEE378

SEE381

Order No.	Description	Size	Fits Station(s)
SEE377	Modern Round Bottle w/Pump	8 oz./250 ml	SEE380
SEE378	Boston Round Bottle w/Pump	16 oz./500 ml	SEE382, SEE397
SEE381	Refill	1 gallon	-

## LENS CLEANING TISSUES

- For general lens cleaning and wiping needs
- Fits SEE380, SEE382 and SEE397 lens cleaning stations
- 300 interfolded 5" x 8" wipes

Order No. SEE398

Mfg. No. M60G

**Magic®**  
SAFETY PRODUCTS



## LENS CLEANING TOWELETTES

- Excellent cleaning with no streaking
- 5" x 8" individually wrapped towelettes permeated with anti-fog, anti-static formula
- 100 towelettes per dispenser

Order No. SEE379

**ZENITH®**  
Safety Products



**SEE PAGES 101 TO 103**

**FOR ZENITH® EYEWEAR**



## LENS CLEANING STATIONS

SEE380



SEE382



**ZENITH®**  
Safety Products

Order No.	Description
SEE380	One 237 ml/8 oz. Bottle w/Pump and 600 Tissues
SEE382	One 473 ml/16 oz. Bottle w/Pump and 1200 Tissues

## METAL LENS CLEANING STATIONS

- Rugged, long-wearing steel dispenser
- Comes with two boxes of 5" x 8" interfolded tissues and one 16 oz./473 ml pump bottle of lens cleaning solution

Order No. SEE397

Mfg. No. 860DFP

**Magic®**  
SAFETY PRODUCTS



## UVEX CLEAR®

- Specially formulated for anti-fog and scratch-resistant hardcoats and is completely silicone-free and alcohol-free
- Refillable lens cleaning station SR366 comes complete with one 16-oz. Uvex Clear® cleaning solution, four boxes of 500 non-abrasive tissues, a 3 1/2" x 4 1/2" mirror and screw mounts and adhesive foam for quick wall mounting

SR366




**UVEX™**  
by Honeywell


Order No.	Mfg. No.	Description
SR366	S461	Refillable Lens Cleaning Station (22 1/2" x 12 1/2")
SN287	S463	16 oz./473 ml Refillable Spray Solution
SM798	S464	1 Gallon/3.78 L Solution Refill
SN144	S462	Box of 500 Non-Abrasive Tissues



## SAFETY PRODUCTS FOR INDUSTRY



## SELECTION OF PARTICULATE RESPIRATORS & FILTERS



### N-SERIES FILTERS

These filters are restricted to use in atmospheres free of oil aerosols. They may be used for any solid or liquid airborne particulate hazard that does not contain oil.

### R-SERIES FILTERS

These filters may be used for solid or liquid airborne particulate hazards including oil aerosols.

### P-SERIES FILTERS

These filters may be used for solid or liquid particulate airborne hazards including oil aerosols. In environments containing oil aerosols, P-Series filters can be used longer than R-Series filters. Refer to each product's time use limitation.

## NUISANCE DUST MASKS

- Provides protection against nuisance dusts such as pollen, animal dander, saw dust, and other non-toxic dusts
- Lightweight construction
- Adjustable nose clip provides a secure fit
- Latex straps



**ZENITH®**  
Safety Products

Order No.	Qty/Box
SAS499	50

## PARTICULATE RESPIRATORS

- Provides excellent worker protection
- Lightweight construction for enhanced comfort
- Adjustable nose clip with soft foam nose piece provides a secure fit
- Dual rubber strap design
- Latex free
- SAS498 comes with exhalation valve for reduced humidity build up
- NIOSH approved N95



SAS497



SAS498

**ZENITH®**  
Safety Products

Order No.	Qty/Box
SAS497	20
SAS498	12



# Respiratory Protection

## 8200 N95 PARTICULATE RESPIRATORS

- Proprietary filter media helps make breathing easier
- Lightweight construction enhances comfort and wear time
- Two-strap design with dual point attachment for secure fit
- Adjustable nose clip
- NIOSH approved N95
- **20 respirators per box**

Order No. SAQ777

Mfg. No. 8200



## 8110S & 8210 N95 PARTICULATE RESPIRATORS

- Excellent worker protection
- Proprietary filter media helps make breathing easier
- Lightweight construction
- Adjustable nose clip and cushioning nose foam provide a custom fit and reduce fogging
- Welded strap attachment - no staples to irritate the user's face
- NIOSH approved N95
- **20 respirators per box**



SE260



Order No.	Mfg. No.	Size
SAM402	8110S	Small
SE260	8210	Regular

## 8210 PLUS N95 PARTICULATE RESPIRATORS

- Advanced electret media
- Two braided straps with staple free attachment
- Adjustable nose clip with soft nose foam
- NIOSH approved N95
- **20 respirators per box**

Order No. SAQ778

Mfg. No. 8210PLUS



## 8210V N95 PARTICULATE RESPIRATORS

- Excellent worker protection
- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Lightweight construction
- Adjustable nose clip and cushioning nose foam provide a custom fit and reduce fogging
- Welded strap attachment - no staples to irritate the user's face
- NIOSH approved N95
- **10 respirators per box**

Order No. SEF203

Mfg. No. 8210V



## 8212 & 8214 N95 PARTICULATE RESPIRATORS



- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Caking resistant filter media provides longer respirator life and is designed for ease of breathing
- Fits easily under a welding hood
- Adjustable straps
- Comfortable foam face seal
- Flame resistant as per ASTM D2859-96 testing
- NIOSH approved N95
- **10 respirators per box**



Order No.	Mfg. No.	Description
SE262	8212	N95
SE883	8214	N95 w/Nuisance Level Organic Vapour Relief

## 8511 N95 PARTICULATE RESPIRATORS

- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Adjustable M-nose clip allows fewer pressure points and greater comfort
- Braided comfort straps
- Lightweight construction
- NIOSH approved N95
- **10 respirators per box**

Order No. SE261

Mfg. No. 8511N95



## 9105 & 9105S N95 V-FLEX™ PARTICULATE RESPIRATORS

- V-shaped pleats flex with mouth movement for easier talking and expand to help ease of breathing
- Uniquely designed tabs help position the respirator on the face
- Adjustable nose clip provides a custom fit and secure seal
- Elastic headband
- **SED599** fits small faces
- NIOSH approved N95
- **50 respirators per box**

SED600



Order No.	Mfg. No.	Size
SED599	9105S	Small
SED600	9105	Regular

## 9210+ & 9211+ N95 PARTICULATE RESPIRATORS

- Three-panel respirator
- Soft, conformable nose clip
- Lightweight, collapse-resistant design
- Cool Flow™ exhalation valve on **SR616**
- NIOSH approved N95



SR588



Order No.	Mfg. No.	Description	Qty /Box
SEJ983	9210+	Without Valve	20
SR616	9211+	With Valve	10



## 8233 N100 PARTICULATE RESPIRATORS

**3M**

- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Adjustable nose clip
- Lightweight construction
- Comfortable foam face seal
- Adjustable straps
- NIOSH approved N100
- **1 respirator per bag**

Order No. SE268

Mfg. No. 8233



## 8246 & 8247 R95 PARTICULATE RESPIRATORS

**3M**

- Proprietary filter media helps make breathing easier
- Constructed with carbon filter material for nuisance level vapour relief
- Adjustable nose clip and cushioning nose foam provide a custom fit and reduce fogging
- Lightweight construction
- NIOSH approved R95
- **20 respirators per box**



SE263



SE264

## 8515 N95 WELDING PARTICULATE RESPIRATORS

**3M**

- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Adjustable M-nose clip allows fewer pressure points and greater comfort
- Welding web and black valve
- Lightweight construction
- Braided comfort straps
- NIOSH approved N95
- **10 respirators per box**

Order No. SA0788

Mfg. No. 8515



## 8512 N95 WELDING PARTICULATE RESPIRATORS

**3M**

- Designed for applications in which metal fumes may be present
- Lightweight construction
- Caking resistant filter media provides longer respirator life and is designed for ease of breathing
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Adjustable nose clip and cushioning nose foam provide a custom fit and reduce fogging
- Adjustable straps
- NIOSH approved N95
- **10 respirators per box**

Order No. SAJ443

Mfg. No. 8512



## 8271, 8576 & 8577 P95 PARTICULATE RESPIRATORS

**3M**

- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Adjustable M-nose clip allows fewer pressure points and greater comfort
- Lightweight construction
- Braided comfort straps
- NIOSH approved P95
- **10 respirators per box**




SE267

Order No.	Mfg. No.	Description
SE267	8271	P95
SE265	8576	P95 w/ Nuisance Level Acid Gas Relief
SE266	8577	P95 w/ Nuisance Level Organic Vapour Relief

## SOLUTIONS FOR ALL YOUR CONFINED SPACE NEEDS

RESCUE EQUIPMENT  
PAGES 252-255



GAS DETECTION  
PAGE 345



RESPIRATORY PROTECTION  
PAGES 126-138



BLOWERS PAGE 257



## 8293 P100 PARTICULATE RESPIRATORS

**3M**

- Lightweight construction
- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up inside the respirator
- Comfortable foam face seal
- Adjustable straps
- NIOSH approved P100
- **1 respirator per bag**

Order No. 142-8293


Mfg. No. 8293



# Respiratory Protection

## 1200 N95 PARTICULATE RESPIRATORS

- Dura-Mesh® shell resists collapsing
- Molded nose bridge seals easily without a metal nose band
- Softspun® lining gives added comfort and durability
- NIOSH approved N95
- 20 respirators per box



**MOLDEX**

Order No.	Mfg. No.	Description
SAQ182	1200N95	Medium/Large

## 2200 N95 PARTICULATE RESPIRATORS

- Dura-Mesh® shell resists collapsing
- Molded nose bridge seals easily without a metal nose band
- Available in three sizes to fit most faces
- Flame retardants are added to the shell to help decrease flammability
- NIOSH approved N95
- 20 respirators per box



SE848



SAQ183

**MOLDEX**

Order No.	Mfg. No.	Description
SE451	2200N95	Medium/Large
SE452	2201N95	Small
SE848	2207N95	Low Profile
SAQ183	2200N95HV	High-Visibility

## 2300 N95 PARTICULATE RESPIRATORS

- Exhale valve reduces hot air build up
- Dura-Mesh® shell resists collapsing
- Molded nose bridge seals easily without a metal nose band
- Soft foam nose cushion
- Available in three sizes to fit most faces
- NIOSH approved N95
- 10 respirators per box



SE849

**MOLDEX**

Order No.	Mfg. No.	Description
SE849	2300N95	Medium/Large
SE850	2301N95	Small
SE851	2307N95	Low Profile

## 2400 N95 PARTICULATE RESPIRATORS

**MOLDEX**


- Added carbon layer helps filter out nuisance levels of ozone and organic vapours (less than OSHA PEL)
- Exhale valve reduces hot air build-up
- Dura-Mesh® shell resists collapsing
- Contour molded nose bridge with soft foam nose cushion provides all-day comfort
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N95
- 10 respirators per bag



Order No.	Mfg. No.	Description
SE852	2400N95	Medium/Large

## 2500 N95 PARTICULATE RESPIRATORS

- Added carbon layer helps to filter nuisance levels of acid gas irritants (less than OSHA PEL)
- Exhale valve reduces hot air build-up
- Dura-Mesh® shell resists collapsing
- Contour molded nose bridge with soft foam nose cushion provides all-day comfort
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N95
- 10 respirators per bag



**MOLDEX**

Order No.	Mfg. No.	Description
SE853	2500N95	Medium/Large

## 2700 N95 PARTICULATE RESPIRATORS

**MOLDEX**

- HandyStrap® with buckle allows the respirator to hang down around neck when not in use
- Cloth strap feels cool and comfortable against the skin
- Ventex® valve lets the hot air out faster
- Soft foam nose cushion
- Dura-Mesh® shell resists collapsing
- Available in two sizes to fit most workers
- NIOSH approved N95
- 10 respirators per box



Order No.	Mfg. No.	Description
SJ902	2700N95	Medium/Large
SJ903	2701N95	Small

## 2800 N95 PARTICULATE RESPIRATORS

- Added carbon layer helps filter out nuisance levels of ozone and organic vapours (less than OSHA PEL)
- HandyStrap® cloth strap feels cool and comfortable against the skin
- Ventex® valve lets the hot air out faster
- Dura-Mesh® shell resists collapsing
- Contour molded nose bridge with soft foam nose cushion provides all-day comfort
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N95
- 10 respirators per box

SJ904



### RESPIRATOR LOCKER®

- Handy personal supply with hygienic storage
- Separate chamber stores respirator-in-use during breaks
- 4 respirators per locker



Order No.	Mfg. No.	Description
SJ904	2800N95	Medium/Large
SJ905	2801N95	Small
<b>RESPIRATOR LOCKER®</b>		
SAG158	2850	Medium/Large



**MOLDEX**

## AIRWAVE™ N95 RESPIRATORS

- Exclusive easy-breathing wave design
- Less resistance, better breathability
- Cool inside, without a valve
- FlexFit™ comfort wave flexes with you
- Ideal where unvalved respirators are preferred
- Dura-Mesh® shell adds lasting durability
- NIOSH approved N95
- **10 respirators per box**

Order No.	Mfg. No.	Size	Straps
SEE821	4200	Medium/Large	Standard
SEE822	4201	Small	Standard
SEI529	4600N95	Medium/Large	Adjustable
SEI530	4601N95	Small	Adjustable

SEE281



**MOLDEX**

## 2360 P100 PARTICULATE RESPIRATORS

- Adjustable straps allow a snug, comfortable fit
- Molded nose bridge with face foam cushion
- Ventex® valve lets the hot air out faster
- Dura-Mesh® shell resists collapsing
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved P100
- **5 respirators per box**

Order No.	Mfg. No.	Description
SAI323	2360P100	Medium/Large

SAI323



**MOLDEX**

## 2310/2315 N99 PARTICULATE RESPIRATORS

- Exhale valve reduces hot air build up
- Dura-Mesh® shell resists collapsing
- Contour molded nose bridge and soft foam nose cushion
- **SAG155** has adjustable cloth straps for a more comfortable fit
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N99
- **10 respirators per bag**

Order No.	Mfg. No.	Description
SE854	2310N99	Standard Straps
SAG155	2315N99	Adjustable Straps

SE854



**MOLDEX**

## 2730 N100 PARTICULATE RESPIRATORS

- Handystap® with buckle
- Ventex® valve lets the hot air out faster
- Soft foam face cushion
- Dura-Mesh® shell resists collapsing
- Available in two sizes to fit most workers
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved N100
- **5 respirators per box**

Order No.	Mfg. No.	Description
SAG149	2730N100	Medium/Large
SAG150	2731N100	Small

SAG249



**MOLDEX**

## 2740 R95 PARTICULATE RESPIRATORS

- Handystap® with buckle
- Ventex® valve lets the hot air out faster
- Soft foam nose cushion
- Dura-Mesh® shell resists collapsing
- Flame retardants are added to the shell to help decrease flammability
- Available in two sizes to fit most workers
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 section 7.11.1
- NIOSH approved R95
- **10 respirators per box**

Order No.	Mfg. No.	Description
SAF825	2740R95	Medium/Large
SAF826	2741R95	Small

SAF825



**MOLDEX**

## M2600 SPECIAL OPS™ SERIES PARTICULATE RESPIRATORS

- Solid black colour stays cleaner looking longer to prevent premature disposal
- HandyStrap® with buckle
- Stretch cloth strap feels cool and comfortable against the skin
- Contoured nose bridge with soft foam nose cushion
- NIOSH approved N95 or R95



SAM864



SAM858



**MOLDEX**

Order No.	Mfg. No.	Size	Type	Qty /Box
SAM858	M2600N95	Medium/Large	N95	15
SAM859	M2601N95	Small	N95	15

### RESPIRATORS WITH VENTEX VALVE

- Ventex® valve lets the hot air out faster

Order No.	Mfg. No.	Size	Type	Qty /Box
SAM860	M2700N95	Medium/Large	N95	10
SAM861	M2701N95	Small	N95	10
SAM862	M2740R95	Medium/Large	R95	10
SAM863	M2741R95	Small	R95	10

### PARTICULATE RESPIRATORS PLUS NUISANCE VAPOUR RELIEF

Order No.	Mfg. No.	Size	Type	Qty /Box
SAM864	M2800N95	Medium/Large	N95	10
SAM865	M2801N95	Small	N95	10
SAM866	M2840R95	Medium/Large	R95	10



# Respiratory Protection

## N95 FOLDING PARTICULATE RESPIRATORS

- Fits a small face as well as a large one
- Wide cushion offers a better sealing
- Latex free
- One size fits all
- Individually packed and sealed
- NIOSH certified N95
- Sold per box



SAS475

**Honeywell**

SAS476

Order No.	Mfg. No.	Description	Qty/Box
SAS475	7230N95	Without Valve	12
SAS476	7240N95	With Valve	10

## ONE-FIT™ MOLDED CUP PARTICULATE RESPIRATORS

- Universal, one-size design
- Fits most face sizes and shapes
- Provides outstanding respiratory protection
- NIOSH approved N95



**Honeywell**

Order No.	Mfg. No.	Description	Qty /Box
SAQ180	14110444	Without Exhalation Valve	20
SAQ181	14110445	With Exhalation Valve	10

## SAF-T-FIT® PLUS N1105 PARTICULATE RESPIRATORS

- Economical respiratory protection
- Lightweight, humidity resistant, hypoallergenic filter media
- Three colour-coded sizes for a better fit on a wider range of facial features
- NIOSH approved N95
- 20 respirators per box



**Honeywell**

Order No.	Mfg. No.	Size
SAM235	14110387	Small
SAM236	14110388	Medium/Large
SAM237	14110389	X-Large

## SAF-T-FIT® PLUS N1125 PARTICULATE RESPIRATORS

- Lightweight, humidity resistant, hypoallergenic filter media
- Exhalation valve increases wearer comfort when working in hot environments
- Three colour-coded sizes for a better fit on a wider range of facial features
- Boomerang nose seal adapts to different faces for better protection
- NIOSH approved N95
- 20 respirators per box



**Honeywell**

Order No.	Mfg. No.	Size
SAM241	14110393	Small
SAM242	14110394	Medium/Large
SAM243	14110395	X-Large

## CFR-1™ PARTICULATE RESPIRATORS

- Reusable face piece with easy to replace disposable filters
- A perfect compromise between comfort, protection and value
- Soft face piece seal
- Built-in exhalation valve
- Face piece design prevents filters from collapsing
- Adjustable harness
- Welding version features a stainless steel mesh cover to catch sparks and slag
- Both versions are shipped with N95 filters, but R95 replacement filters are available for environments where oil may be present



SAG360

**Honeywell**

Order No.	Mfg. No.	Description	Size
SAG360	4200S	Standard	Small
SAG361	4200M	Standard	Medium
SAG362	4200L	Standard	Large
SAG363	4200SW	Welding	Small
SAG364	4200MW	Welding	Medium
SAG365	4200LW	Welding	Large



SAG363

### REPLACEMENT FILTERS

Order No.	Mfg. No.	Description	Qty /Box
SAG366	42N95	N95	20
SAM585	42R95	R95	20

## SAF-T-FIT® PLUS N1115 PARTICULATE RESPIRATORS

- Lightweight, humidity resistant, hypoallergenic filter media
- Three colour-coded sizes for a better fit on a wider range of facial features
- Boomerang nose seal adapts to different faces for better protection
- NIOSH approved N95
- 20 respirators per box



**Honeywell**

Order No.	Mfg. No.	Size
SAM238	14110390	Small
SAM239	14110391	Medium/Large
SAM240	14110392	X-Large

## SAF-T-FIT® PLUS N1125 OV PARTICULATE RESPIRATORS

- Lightweight, humidity resistant, hypoallergenic filter media
- Exhalation valve increases wearer comfort when working in hot environments
- Provides relief from nuisance level organic vapours
- Three colour-coded sizes for a better fit on a wider range of facial features
- Boomerang nose seal adapts to different faces for better protection
- NIOSH approved N95
- 10 respirators per box



**Honeywell**

Order No.	Mfg. No.	Size
SAM244	14110396	Small
SAM245	14110397	Medium/Large
SAM246	14110398	X-Large



## SAF-T-FIT® N1139 PARTICULATE RESPIRATORS

- Lightweight, humidity resistant, hypoallergenic filter media
- Exhalation valve increases wearer comfort when working in hot environments
- Three colour-coded sizes for a better fit on a wider range of facial features
- Full sealing flange maximizes protection and wearer comfort
- NIOSH approved P95
- 10 respirators per box

**Honeywell**

Order No.	Mfg. No.	Size
<b>SAM250</b>	14110402	Small
<b>SAM251</b>	14110403	Medium/Large
<b>SAM252</b>	14110404	X-Large



## SAF-T-FIT® P1135 PARTICULATE RESPIRATORS

- Lightweight, humidity resistant, hypoallergenic filter media
- Exhalation valve increases wearer comfort when working in hot environments
- Three colour-coded sizes for a better fit on a wider range of facial features
- Full sealing flange maximizes protection and wearer comfort
- NIOSH approved P95
- 10 respirators per box

**Honeywell**

Order No.	Mfg. No.	Size
<b>SAM255</b>	14110428	Medium/Large
<b>SAM256</b>	14110429	X-Large



## NUISANCE DUST MASKS

- Suitable for nuisance dusts such as animal dander or pollen
- This mask is not NIOSH approved

Order No. **SAM286**  
Mfg. No. 14110094CC

**Honeywell**



**SEE PAGES 159-161 FOR OUR  
LINE OF ZENITH® DISPOSABLE  
COVERALLS**



## FILTERING FACEPIECE RESPIRATOR DISPENSERS

- Holds up to 40 disposable respirators
- Keeps respirators clean, sanitary and readily accessible
- Gravity-close lid
- Foam-gasket opening
- All steel construction
- Wall mountable
- Dimensions: 6 1/4" W x 5 3/4" D x 13 9/16" H
- Colour: Safety yellow
- Weight: 4.75 lbs.

Order No. **SB916**  
Mfg. No. D100

**3M**



*Respirators  
sold separately*

## RESPIRATOR DISPENSERS

- Convenient clear acrylic dispenser has a unique cut-out design that allows you to reach in the opening to easily remove even the last respirator
- Fits any disposable respirator model
- Holds more than 30 respirators
- Dimensions: 6" W x 6" D x 12 1/2" H

**BRADY®**

Order No. **SAM878**  
Mfg. No. M420



*Respirators  
sold separately*

# Respiratory Protection

## 7700 SERIES HALF MASK RESPIRATORS

- Non-allergenic silicone facepiece material conforms to facial features and doesn't harden with age
- Easy to clean, extremely durable and resists distortion ensuring a better fit
- Contoured sealing flange and cradle suspension system eliminates discomfort caused by pressure points on facial nerves
- Minimal dead air space improves worker comfort by limiting rebreathing of exhaled air
- Direct cartridge to facepiece seal minimizes replacement parts and simplifies maintenance

Cartridges  
sold separately



**NORTH**  
by Honeywell

Order No.	Mfg. No.	Size
ZC352	770030S	Small
SM802	770030M	Medium
SA788	770030L	Large

## 5400 SERIES LOW MAINTENANCE FULL FACEPIECE RESPIRATORS

- Elastomer material with high chemical resistance
- Oral nasal cup reduces fogging and lessens dead air space to improve comfort
- Hard-coated polycarbonate lens provides over 200° field vision

Cartridges  
sold separately



**NORTH**  
by Honeywell

Order No.	Mfg. No.	Size
SAH792	54001S	Small
SAH791	54001	Medium/Large

## BACKPACK ADAPTERS

- Backpack adapter allows users to locate cartridges and filters out of the work zone
- Is easily adaptable to all North full facepiece and half mask air-purifying respirators
- Attaches to the facepiece cartridge connector
- Ideal for tight or highly heated work places
- Like an extension cord for cartridges

Order No. SA0679  
Mfg. No. BP1002



**NORTH**  
by Honeywell

Shown here with half mask and cartridges, sold separately

## 5500 SERIES LOW MAINTENANCE HALF MASK RESPIRATORS

- Non-allergenic elastomer for comfort and fit
- Contoured sealing flange eliminates discomfort
- Minimal dead air space improves worker comfort by limiting rebreathing of exhaled air
- Direct cartridge to facepiece seal minimizes replacement parts and simplifies maintenance
- Latex-free straps stretch and move with worker while providing optimum support



**NORTH**  
by Honeywell

Order No.	Mfg. No.	Size
SM890	550030S	Small
SM891	550030M	Medium
SM892	550030L	Large

## 7600 SERIES FULL FACEPIECE RESPIRATORS

- Silicone facepiece material conforms to facial features and doesn't harden with age
- Easy to clean and resists distortion
- Protects the wearer's eyes and face against irritating gases, vapors and flying objects
- Oral nasal cup reduces fogging and lessens dead air space to improve comfort
- Speaking diaphragm makes communication easy
- Five-strap harness provides an effective and comfortable facepiece to face seal
- Hard-coated polycarbonate lens provides over 200° field vision

**NORTH**  
by Honeywell



Cartridges  
sold separately

Order No.	Mfg. No.	Size
SM893	76008AS	Small
SI777	76008A	Medium/Large

## 7900 EMERGENCY ESCAPE RESPIRATORS

- Easy to use, emergency escape mouthpiece respirators
- Disposable, no need for a maintenance program



**NORTH**  
by Honeywell

Order No.	Mfg. No.	NIOSH Approved for (Escape only)
SM898	7902	Chlorine, Chlorine Dioxide, Sulfur Dioxide, Hydrogen Sulfide
SM899	7904	Ammonia







## N SERIES GAS/VAPOUR RESPIRATOR CARTRIDGES

Sleek, low profile design provides better balance and a wider field of vision



by Honeywell

Sold per Package

Cartridges	Description	Approved For	Order No.	Mfg. No.	Qty /Pkg.
	Defender™ Multi-Gas	Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine, Formaldehyde	SEI595	75SCL	2
	Organic Vapour	Organic Vapours	SEI596	N75001L	2
	Acid Gas	Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, Formaldehyde	SEI597	N75002L	2
	Organic Vapour and Acid Gas	Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide	SEI598	N75003L	2
	Ammonia / Methylamine	Ammonia, Methylamine	SEI599	N75004L	2
	Mercury Vapour / Chlorine with Mercury ESLI	Mercury Vapour, Chlorine Gas	SEI600	N750052L	2







## N SERIES COMBINATION GAS/VAPOUR/ P100 FILTER RESPIRATOR CARTRIDGES

Sleek, low profile design provides better balance and a wider field of vision











by Honeywell

Sold per Package

Cartridges	Description	Approved For	Order No.	Mfg. No.	Qty /Pkg.
	Defender™ Multi-Gas w/P100 Filter	Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine, Formaldehyde, P100 Particulate Filter	SEI601	75SCP100L	2
	Organic Vapour w/P100 Filter	Organic Vapours, P100 Particulate Filter	SEI602	7581P100L	2
	Acid Gas w/P100 Filter	Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, Formaldehyde, P100 Particulate Filter	SEI603	7582P100L	2
	Organic Vapour and Acid Gas w/P100 Filter	Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, P100 Particulate Filter	SEI604	7583P100L	2
	Ammonia / Methylamine w/P100 Filter	Ammonia, Methylamine, P100 Particulate Filter	SEI605	7584P100L	2
	Mercury Vapour / Chlorine with Mercury ESLI w/P100 Filter	Mercury Vapour, Chlorine Gas, P100 Particulate Filter	SEI606	75852P100L	2

# Respiratory Protection

## PARTICULATE PREFILTERS & ACCESSORIES

				Sold per Package	
		Descriptions	Order No.	Mfg. No.	Qty /Pkg.
	N95 Filter	N95 Particulate Filter	SM915	7506N95	10
	N95 Filter Assembly	Includes: N95 Particulate Filter, Filter Cover, and Filter Holder	SM907	7531N95	2
	N99 Filter	N99 Particulate Filter	SM916	7506N99	10
	N99 Filter Assembly	Includes: N99 Particulate Filter, Filter Cover, and Filter Holder	SM909	7531N99	2
	P100 Filter	P100 Particulate Filter	SM914	75FFP100	2
	Hard Shell P100 Filter	Hard Shell P100 Particulate Filter	SM913	7580P100	2
	Filter Adaptor	For Use With N Series Cartridges and SM907, SM909, or SM914 Filters	SM917	N750035	1
	Shower Cap	For SM913 Hardshell P100 Filter	SM919	N750029	1

**WORKING IN TIGHT SPACES?  
SEE PAGES 252 TO 255  
FOR OUR CONFINED SPACE  
ENTRY & EGRESS PRODUCTS**





## THREADED CARTRIDGES

This icon indicates selected Survivair® products that will accept threaded (S-Series) cartridges



## SURVIVAIR® PREMIER® PLUS HALF-MASK RESPIRATORS

Triple flange design = superior fit, comfort and protection. The Survivair® Premier® Plus is our top-of-the-line half-mask respirator. Made of soft silicone, it is extremely comfortable, flexible and durable.

- A triple flange fits a wide variety of facial types and provides the ultimate in comfort and superior fit
- Wide, wraparound, pleated silicone facepiece fits a large variety of facial types
- Lateral placement of exhalation valve and cartridge ports enhances field of vision
- Cradle suspension with four-point floating yoke eliminates pressure points to enhance comfort



Cartridges sold separately

**Honeywell**

Order No.	Mfg. No.	Size
<b>SAM220</b>	321000	Small T-Series
<b>SAM221</b>	322000	Medium/Large T-Series

## SURVIVAIR® OPTI-FIT™ FULL FACEPIECE RESPIRATORS

Optimum fit, comfort and superior optics in a full face respirator. The Opti-Fit™ offers the ultimate in performance and affordability. With features usually reserved for more expensive respirators, the Opti-Fit™ can help you get the most from your respiratory protection budget. Opti-Fit™ features a distortion-free lens with exceptional view. Lightweight construction reduces head and neck stress even during extended wear. Three sizes fit almost any facial type.

- Comfortable, durable silicone skirt and five-strap suspension
- Nose cup is a standard feature to prevent fogging
- Lens is replaceable and treated with an anti-scratch coating



Cartridges sold separately

**Honeywell**

Order No.	Mfg. No.	Size
<b>S-SERIES</b>		
<b>SAM922</b>	752000	Small
<b>SAM923</b>	762000	Medium
<b>SAM924</b>	772000	Large
<b>T-SERIES</b>		
<b>SAM925</b>	758000	Small
<b>SAM926</b>	768000	Medium
<b>SAM927</b>	778000	Large

## BAYONET CARTRIDGES

This icon indicates selected Survivair® products that will accept bayonet (T-Series) cartridges



## SURVIVAIR® RESPIRATOR CARTRIDGES

- Designed to offer low inhalation resistance for easier breathing and less fatigue
- Low profile won't interfere with vision

**Honeywell**

Sold per Pair				
Cartridges	Description	Connection Type	Order No.	Mfg. No.
	Organic Vapour		<b>SAM265</b>	T100100
			<b>YB579</b>	B100100
	Ammonia/Methylamine		<b>SAM268</b>	T100400
			<b>SAM934</b>	B100400
	Organic Vapours /Acid Gas		<b>SAM267</b>	T100300
			<b>SAM933</b>	B100300
	Acid Gas		<b>SAM266</b>	T100200
			<b>SAM932</b>	B100200
	Uni-Sorb™ Multi-Gas		<b>SAM212</b>	T100800
			<b>SAM936</b>	B100800
	Mercury Vapours /Chlorine		<b>SAM270</b>	T100600
			<b>SAM935</b>	B100600
	Organic Vapour w/P100		<b>SAM273</b>	T105110
	Organic Vapour/Acid Gas w/P100 Filter		<b>SAM274</b>	T105310
	Uni-Sorb™ Multi-Gas w/P100 Filter		<b>SAM275</b>	T105810

## PARTICULATE PREFILTERS & ACCESSORIES

	N95, Solid and Non-Oil Based Aerosol		<b>SAM277</b>	T106010
			<b>SAM938</b>	106010
	N99, Solid and Non-Oil Based Aerosol		<b>SAM939</b>	107010
	R95, Solid, Liquid Aerosol and Oil Mist		<b>SAO702</b>	T117010
	P100 HEPA, Solid Liquid Aerosol and Oil Mist		<b>SAM272</b>	T105005
			<b>SAM937</b>	105005
	Filter Retainer Cover		<b>SAM259</b>	14900975
			<b>SAP401</b>	140170
	Filter Base		<b>SAM257</b>	14900578
			<b>SAP402</b>	B140074

# Respiratory Protection

## 7000/9000 SERIES RESPIRATORS

- Designed to be the most user friendly respirator on the market
- Features fewer parts, minimal maintenance, and a wider field of vision
- Ultra lightweight, durable, and economical



### 7000 HALF-MASK RESPIRATORS

- Low profile, angled cartridge placement for wider field of vision
- Easy mount bayonet cartridge/filter attachment
- Adjustable head harness for a custom fit
- Contoured neck buckles for comfort and quick attachment
- Compact, fits under welding helmets
- Wide flange fits more facial shapes comfortably
- Attached exhale cover for easy inspection



Order No.	Mfg. No.	Size
SEC563	7001	Small
SEC564	7002	Medium
SEC565	7003	Large

### PRE-ASSEMBLED PAINT/SPRAY PESTICIDE RESPIRATORS

- Includes SEC576 Organic Vapour Cartridge, SEC570 N95 Prefilter, and SEC572 Prefilter
- Size: Medium

Order No. SEC566  
Mfg. No. 7112



### 9000 FULL FACEPIECE RESPIRATORS

- Lightweight facepiece weighs less than 12.7 oz.
- Stand away head harness for easy donning
- Over-molded buckles for secure strap attachment with one finger strap release
- Panoramic lens with peripheral vision side panels is scratch resistant and includes a tear away lens protector
- Integrated exhale area with attached cover has fewer parts for simple maintenance and inspection



Order No.	Mfg. No.	Size
SEC567	9001	Small
SEC568	9002	Medium
SEC569	9003	Large

### REPLACEMENT FACESHIELD PROTECTORS





- 15 per bag

Order No. SEC574  
Mfg. No. 0093






## 7000/9000 SERIES GAS/VAPOUR CARTRIDGES



	Description	Order No.	Mfg. No.	Sold per Package
				Qty /Pkg.
	Organic Vapour	SEC576	7100	2
	Acid Gas	SEC575	7200	2
	Organic Vapour/Acid Gas	SEC577	7300	2
	Multi-Gas/Vapor Smart	SEC578	7600	2

## 7000/9000 SERIES PARTICULATE FILTERS & RETAINERS

Sold per Package

	Description	Order No.	Mfg. No.	Sold per Package
				Qty /Pkg.
	N95 Prefilter	SEC570	8910	10
	P100 Prefilter	SEC571	7940	2
	Prefilter Retainer	SEC572	7020	2
	Piggyback Adapter	SEC573	7920	2

## ADVANTAGE® 200 LS HALF FACEPIECE RESPIRATORS

- Clear blue facepiece subtracts 25% of the weight and adds noticeable softness to give workers more comfort and stability than ever
- AnthroCurve™ sealing surface, which instantly conforms to each wearer's unique facial characteristics
- The unmatched fit and comfort start with a soft, pliable combination of rubber and plastic that provides a virtually customized fit
- Patented MultiFlex® system equalizes pressure on the face-seal area while delivering exceptional stability



Order No.	Mfg. No.	Size
<b>2-PIECE NECK STRAP</b>		
<b>SAG058</b>	815696	Small
<b>SAG059</b>	815692	Medium
<b>SAG060</b>	815700	Large
<b>SINGLE NECK STRAP</b>		
<b>SAG061</b>	815448	Small
<b>SAG062</b>	815444	Medium
<b>SAG063</b>	815452	Large

## ADVANTAGE® 3000 FULL FACEPIECE RESPIRATORS

- Full-face respirator features a wraparound lens combined with a soft, pliable silicone facepiece
- For the utmost in convenience, Advantage® 3000 uses the same cartridges and filters as the Advantage® 200 LS respirator
- Lower breathing resistance; includes a standard noseclip that reduces fogging in low temperatures or high humidity conditions
- Scratch-resistant coating has been engineered to be optically correct, giving you superior visibility and peripheral vision
- Pre-adjustable straps for a consistent fit, time after time
- Choose between standard rubber harness or Advantage® harness that dons like a catcher's mask



Order No.	Mfg. No.	Size
<b>RUBBER HEAD HARNESS</b>		
<b>SAG064</b>	10028996	Small
<b>SAG065</b>	10028995	Medium
<b>SAG066</b>	10028997	Large
<b>ADVANTAGE® HEAD HARNESS</b>		
<b>SAM909</b>	10031340	Small
<b>SAM910</b>	10031309	Medium
<b>SAM911</b>	10031341	Large

### COVER LENS

- Clear, flexible cover lens protects facepiece lens from scratches
- Package of 25, **sold per package**

Order No.	Mfg. No.	Description
<b>SAM912</b>	10031542	Clear
<b>SAM913</b>	10031543	Smoke

**SEE PAGE 345  
FOR OUR GAS  
DETECTION  
PRODUCTS**









# Respiratory Protection

## ADVANTAGE GAS/VAPOUR RESPIRATOR CARTRIDGES

- Lightweight, low-profile performance

- Fits MSA Advantage® respirators

**Sold per Package**  
Qty/Pkg.







Cartridges	Order No.	Mfg. No.	Description	Approved For	Qty/Pkg.
	<b>SAG094</b>	815355	Organic Vapours	Organic Vapours	2
	<b>SAG096</b>	815356	Acid Gas	Chlorine/ Sulfur Dioxide/ Chlorine Dioxide/ Hydrogen Chloride/ Hydrogen Sulfide(Escape Only)	2
	<b>SAG098</b>	815357	Organic Vapours/Acid Gas	Organic Vapours/Chlorine/ Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Chloride/Hydrogen Sulfide(Escape Only)	2
	<b>SAG102</b>	815359	Multi-Gas	Organic Vapours/ Chlorine/Sulfur Dioxide/ Chlorine Dioxide/ Hydrogen Chloride/ Hydrogen Sulfide(Escape Only), Formaldehyde/Hydrogen Fluoride	2
	<b>SAG100</b>	815358	Ammonia/Methylamine	Ammonia/Methylamine	2
	<b>SAG105</b>	815361	Mercury Vapour/Chlorine Gas	Mercury Vapour/Chlorine Gas	2

## ADVANTAGE COMBINATION GAS/VAPOUR/P100 RESPIRATOR CARTRIDGES

- Lightweight, low-profile performance
- Fits MSA Advantage® respirators

- Combines gas/vapour protection with a permanently attached P100 filter




**Sold per Package**  
Qty/Pkg.

Cartridges	Order No.	Mfg. No.	Description	Approved For	Qty/Pkg.
	<b>SAG095</b>	815362	Organic Vapours/P100	Organic Vapours Permanently Preattached P100 Filter	2
	<b>SAG097</b>	815363	Acid Gas/P100	Chlorine/Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Chloride/Hydrogen Sulfide(Escape Only) Permanently Preattached P100 Filter	2
	<b>SAG099</b>	815364	Organic Vapours/ Acid Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Chloride/Hydrogen Sulfide(Escape Only) Permanently Preattached P100 Filter	2
	<b>SAG103</b>	815366	Multi-Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide(Escape Only)/Formaldehyde/ Hydrogen Fluoride Permanently Preattached P100 Filter	2
	<b>SAG101</b>	815365	Ammonia/Methylamine/P100	Ammonia/Methylamine/P100	2
	<b>SAG106</b>	815368	Mercury Vapour/Chlorine Gas/P100	Mercury Vapour/Chlorine Gas/P100	2

## ADVANTAGE RESPIRATOR CARTRIDGE FILTERS & PREFILTERS

- For use with Advantage® respirators and cartridges


**Sold per Package**  
Qty/Pkg.

Filters	Order No.	Mfg. No.	Description	Approved For	Qty/Pkg.
	<b>SAG107</b>	815369	P100 Hard Shell Filter	99.97% Efficiency Against Patriculate Aerosols	2
	<b>SAG108</b> <b>SAG110</b>	816357 815392	N95 Prefilter N95 Prefilter Retainer	95% Efficiency Against Non-Oil Patriculate Aerosols Use with N95 Prefilter	10 2
	<b>SAG109</b> <b>SAG111</b>	815397 815401	R95 Prefilter R95 Prefilter Retainer	95% Efficiency Against Patriculate Aerosols Use with R95 Prefilter	2 2

## FLEXI-FILTER® RESPIRATOR FILTERS

- Low profile flexible filters fit well under a welding hood or with other personal protection equipment
- Great balance and weight distribution for maintaining a good face seal
- Swept-back design provides improved vision and comfort

**Sold per Package**  
Qty/Pkg.

Filters	Order No.	Mfg. No.	Description	Approved For	Qty/Pkg.
	<b>SAG112</b>	818342	P100	99.97% Efficiency Against Patriculate Aerosols	2
	<b>SAG113</b>	818343	P100 w/Nuisance Level Organic Vapour & Ozone Relief	99.97% Efficiency Against Patriculate Aerosols	2
	<b>SAG114</b>	818344	P100 w/Nuisance Level Acid Gas Relief	99.97% Efficiency Against Patriculate Aerosols	2
	<b>SAG116</b>	818346	N95	95% Efficiency Against Non-Oil Patriculate Aerosols	2
	<b>SAG117</b>	818347	N95 w/Nuisance Level Organic Vapour Relief	95% Efficiency Against Non-Oil Patriculate Aerosols	2
	<b>SAG120</b>	818354	P95	95% Efficiency Against Patriculate Aerosols	2
	<b>SAG121</b>	818355	P95 w/Nuisance Level Organic Vapour Relief	95% Efficiency Against Patriculate Aerosols	2








## COMFO CLASSIC® HALF FACEPIECE RESPIRATORS

- Comfo Classic® respirators feature SoftFeel® facepiece material, which is an MSA-exclusive formulation that improves pliability and softness
- Unique face seal design gives wearers an exceptional fit
- NIOSH approved









Order No.	Mfg. No.	Size
<b>SOFTFEEL® HYCAR™ RUBBER</b>		
<b>SAG070</b>	808075	Small
<b>SAG071</b>	808074	Medium
<b>SAG072</b>	808076	Large
<b>SOFTFEEL® SILICONE</b>		
<b>SAG073</b>	808072	Small
<b>SAG074</b>	808071	Medium
<b>SAG075</b>	808073	Large

## COMFO® GAS/VAPOUR RESPIRATOR CARTRIDGES

Cartridges	Order No.	Mfg. No.	Description	Approved For	Sold per Package Qty/Pkg.
	<b>SAG124</b>	464031	Organic Vapours	Organic Vapours	1
	<b>SAG127</b>	464032	Acid Gas	Chlorine/Sulfur Dioxide/ Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide(Escape Only)	1
	<b>SAG129</b>	464046	Organic Vapours/Acid Gas	Organic Vapours/Chlorine/Sulfur Dioxide/ Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide(Escape Only)	1
	<b>SAG134</b>	492790	Multi-Gas	Organic Vapours/Chlorine/Sulfur Dioxide/ Chlorine Dioxide/Hydrogen Chloride/ Hydrogen Sulfide(Escape Only), Formaldehyde/Hydrogen Fluoride	1
	<b>SAG132</b>	464033	Ammonia/Methylamine	Ammonia/Methylamine	1






## COMFO® COMBINATION GAS/VAPOUR/P100 RESPIRATOR CARTRIDGES

- Combines gas/vapour protection with a permanently attached P100 filter

Cartridges	Order No.	Mfg. No.	Description	Approved For	Sold per Package Qty/Pkg.
	<b>SAG125</b>	815178	Organic Vapours/P100	Organic Vapours Permanently Preattached P100 Filter	1
	<b>SAG128</b>	815179	Acid Gas/P100	Chlorine/Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Chloride/ Hydrogen Sulfide(Escape Only) Permanently Preattached P100 Filter	1
	<b>SAG130</b>	815180	Organic Vapours/ Acid Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/ Chlorine Dioxide/ Hydrogen Chloride/ Hydrogen Sulfide(Escape Only) Permanently Preattached P100 Filter	1
	<b>SAG135</b>	815182	Multi-Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Chloride/Hydrogen Sulfide(Escape Only), Formaldehyde/Hydrogen Fluoride Permanently Preattached P100 Filter	1
	<b>SAG133</b>	815181	Ammonia/Methylamine/P100	Ammonia/Methylamine/P100	1
	<b>SAG138</b>	815185	Mercury Vapour/Chlorine Gas/P100	Mercury Vapour/Chlorine Gas/P100	1

## COMFO® RESPIRATOR CARTRIDGE FILTERS & PREFILTERS

- For use with Advantage® respirators and cartridges

Filters	Order No.	Mfg. No.	Description	Approved For	Sold per Package Qty/Pkg.
	<b>SAG139</b>	815175	P100 Hard Shell Filter	99.97% Efficiency Against Particulate Aerosols	1
	<b>SAG142</b>	816661	N95 Prefilter	95% Efficiency Against Non-Oil Particulate Aerosols	10
	<b>SAG144</b>	489353	N95 Prefilter Retainer	Use with N95 Prefilter	1
	<b>SAG143</b>	816287	R95 Prefilter	95% Efficiency Against Particulate Aerosols	1
	<b>SAG145</b>	489219	R95 Prefilter Retainer	Use with R95 Prefilter	1

# Respiratory Protection

## MAINTENANCE-FREE PAINT SPRAY/PESTICIDE RESPIRATORS

- **5000 series** respirator offers workers greater comfort, convenience and performance
- Pre-assembled so there are no spare parts to replace
- Cradle suspension holds the respirator in place with minimal pressure to the back of the neck and the bridge of the nose
- Low profile facepiece with organic vapour cartridge for a wider field of vision and even greater comfort while wearing glasses or goggles
- Easy-to-install prefilter that is approved for paint spray, pesticides and particulates
- Packaged with one pair of 5P71 P95 prefilter and one pair of prefilter retainers
- NIOSH approved



**3M**

Order No.	Mfg. No.	Size
SE884	51P71	Small
SE406	52P71	Medium
SE885	53P71	Large

## 6000 SERIES HALF FACEPIECE LOW-MAINTENANCE RESPIRATORS

- Lightest half mask respirator available
- Soft thermoplastic facepiece is extremely comfortable and easy-to-adjust
- Low profile design gives workers better visibility and permits comfortable wearing of safety glasses
- Facepiece can be reused over and over by simply washing as directed
- Includes reclosable storage bag
- NIOSH/MSHA approved



**3M**

Order No.	Mfg. No.	Size
SE886	6100	Small
SE887	6200	Medium
SE888	6300	Large

REPLACEMENTS PARTS			Sold per Package
Order No.	Mfg. No.	Description	Qty /Pkg.
SAI579	6889	Exhalation Valves	10
SR188	6893	Inhalation Valves	40
SR190	6895	Inhalation Gaskets	20
SAI583	6281	Head Harness	5

## MAINTENANCE-FREE GAS & VAPOUR RESPIRATORS

- Same features as the Paint Spray/Pesticide Respirator
- Colour coded by size
- Replaceable prefilters eliminate the need to replace the entire respirator
- NIOSH/MSHA approved



**3M**

Order No.	Mfg. No.	Size
<b>ORGANIC VAPOUR NIOSH/MSHA APPROVAL NO. TC-23C-859</b>		
SI937	5101	Small
SI938	5201	Medium
SI939	5301	Large
<b>ORGANIC VAPOUR/ACID GAS NIOSH/MSHA APPROVAL NO. TC-23C-865</b>		
SI940	5103	Small
SI941	5203	Medium
SI942	5303	Large

## 6500 SERIES HALF FACEPIECE RESPIRATORS

- Provides comfort and stability with a soft but firm silicone faceseal
- Resilient material extends product life
- Maintains its shape in high heat environments
- Overmolded, low-profile design simplifies cleaning and maintenance with fewer parts and crevices, and provides a wide field of view
- Valve cover design directs exhaled breath and moisture downwards, and facilitates a positive pressure seal check
- Cool Flow™ exhalation valve enhances comfort by reducing heat and moisture, and allows for easier breathing
- Adjustable head harness assembly provides optimum fit and comfort with a three-size adjustable head cradle
- Long-lasting polyester spandex straps
- Optional quick-latch drop-down mechanism allows for easy on and off as workers move in and out of contaminated areas – no need to remove your hard hat or faceshield



**3M**

Order No.	Mfg. No.	Size
SEJ779	6501	Small
SEJ780	6502	Medium
SEJ781	6503	Large
<b>W/QUICK-LATCH DROP-DOWN FEATURE</b>		
SEJ782	6501QL	Small
SEJ783	6502QL	Medium
SEJ784	6503QL	Large

## 7500 SERIES ULTIMATE REUSABLE HALF FACEPIECE RESPIRATORS



- Advanced silicone material provides a softer feel on the face
- Unique adjustment design helps reduce pressure points on the face
- Dual-mode head harness, option of wearing in traditional or drop-down mode
- Durable and heat resistant plastics
- Cool Flow™ exhalation valve for easier breathing and helps reduce heat and moisture build-up
- NIOSH approved



Order No.	Mfg. No.	Size
SAG264	7501	Small
SAG265	7502	Medium
SAG266	7503	Large

REPLACEMENT PARTS			Sold per Package
Order No.	Mfg. No.	Description	Qty /Pkg.
SAI636	7582	Inhalation Valves	10
SAI637	7583	Exhalation Valves	10

## 6000 SERIES FULL FACEPIECE RESPIRATORS



- Lightweight, well balanced, low maintenance facepiece provides user comfort, convenience, and ease of breathing
- Unique centre adapter directs exhaled breath and moisture downward
- Smooth surfaces allow for quick and easy cleaning
- Cool Flow™ exhalation valve reduces heat and moisture build-up inside the facepiece, making breathing easier and providing cool, dry comfort
- Lens with integrated optical correction limits distortion as you look from side to side
- Wide field of vision provides excellent visibility



Order No.	Mfg. No.	Size
SE889	6700	Small
SE890	6800	Medium
SE891	6900	Large

ACCESSORIES			Sold per Package
Order No.	Mfg. No.	Description	Qty /Pkg.
SAI578	6878	Spectacle Kit	1
SI946	6885	Clear Lens Covers	25
SI947	6886	Tinted Lens Covers	25

REPLACEMENTS PARTS			Sold per Package
Order No.	Mfg. No.	Description	Qty /Pkg.
SAI579	6889	Exhalation Valves	10
SAN499	6864/37000	Centre Adapter Assembly	1
SR188	6893	Inhalation Valves	40
SAI581	6894	Nosecup Assembly	1
SR190	6895	Inhalation Gaskets	20
SR189	6897	Head Harness Assembly	1
SAI584	6898	Lens Assembly	1

## ULTIMATE FX FF-400 SERIES FULL FACEPIECE RESPIRATORS



- Engineered for maximum comfort, durability, and visibility
- Provides rugged flexibility in extreme environments while still delivering superior comfort
- The only respirator with Scotchgard™ Protector for easier cleaning and maintenance
- Cool Flow™ valve for easier breathing and cool, dry comfort
- Features soft yet durable silicone facesal and head harness
- Long-lasting head harness – straps pulled over one million times in durability testing
- Large lens for superior peripheral vision
- Low profile bayonet cartridge attachments, designed for improved balance and better weight distribution
- NIOSH approved



Order No.	Mfg. No.	Size
SEB184	FF-401	Small
SEB185	FF-402	Medium
SEB186	FF-403	Large

## 7800 SERIES FULL FACEPIECE RESPIRATORS



- Silicone facepiece with large face shield for excellent visibility
- Versatile - use with particulate filters, gas/vapour cartridges, supplied air systems or Powered Air Purifying Respirators (PAPR)
- Double-flap face seal
- Cool Flow™ exhalation valve helps make breathing easier
- Speaking diaphragm for easy, clear communications
- Scratch-resistant polycarbonate lens
- Six adjustable straps
- NIOSH approved



Order No.	Mfg. No.	Size
SG534	7800(S)	Small
SG535	7800(M)	Medium
SG536	7800(L)	Large












ACCESSORIES			Sold per Package
Order No.	Mfg. No.	Description	Qty /Pkg.
SAI645	7894	Spectacle Kit	1
SI948	7899-25	Clear Lens Covers	25
SI949	7986	Tinted Lens Covers	25

REPLACEMENTS PARTS			Sold per Package
Order No.	Mfg. No.	Description	Qty /Pkg.
SAI639	701	Cartridge Filter Adapters	2
SR190	6895	Inhalation Gaskets	20
SAI642	7884	Lens	1
SAI643	7885	Frame Kit for Lens	1
SAI644	7887	Gaskets for Inhalation Valves	2
SAF820	7893S	Head Strap Assembly	1

# Respiratory Protection

## 6000 SERIES GAS/VAPOUR RESPIRATOR CARTRIDGES










Cartridges	Description	Approved For	Order No.	Sold per Package	
				Mfg. No.	Qty/Pkg.
	Organic Vapours	Organic Vapours	SE892	6001	2
	Acid Gas	Chlorine/Hydrogen Chloride/ Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Sulfide	SE893	6002	2
	Organic Vapours/ Acid Gas	Organic Vapours/Chlorine/Hydrogen Chloride/Sulfur Dioxide/Hydrogen Fluoride/Hydrogen Sulfide	SE894	6003	2
	Ammonia/ Methylamine	Ammonia/Methylamine	SE895	6004	2
	Formaldehyde	Formaldehyde and certain organic vapours	SE896	6005	2
	Multi-Gas/ Vapour	Organic Vapours/Chlorine/Chlorine Dioxide/ Hydrogen Chloride/Sulfur Dioxide/ Hydrogen Fluoride/Hydrogen Sulfide/ Ammonia/Methylamine/Formaldehyde	SE897	6006	2
	Mercury Vapour/ Chlorine Gas	Mercury Vapour/Chlorine	SE898	6009	2
	N95 Prefilter	Use with 6000 series cartridges or SEH649 prefilter adapter	SE913	5N11	10
	P95 Prefilter	Use with 6000 series cartridges or SEH649 prefilter adapter	SE914	5P71	10
	Prefilter Retainer	For use with SE913 or SE914	SE915*	501	1
	Prefilter Adapter	For use with SE913 or SE914	SEH649	603	2

\*Need two retainers per respirator

## 6000 SERIES COMBINATION GAS/VAPOUR/ P100 FILTER RESPIRATOR CARTRIDGES



Cartridges	Description	NIOSH Approval For	Order No.	Sold per Package	
				Mfg. No.	Qty/Pkg.
	Organic Vapours/ P100	Organic Vapours permanently pre-attached P100 prefilter*	SE899	60921	2
	Acid Gas/P100	Chlorine/Hydrogen Chloride Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Sulfide permanently pre-attached P100 prefilter*	SE900	60922	2
	Organic Vapour/ Acid Gas/P100	Organic Vapours/Chlorine/Hydrogen Chloride/Sulfur Dioxide/Hydrogen Fluoride/Hydrogen Sulfide permanently pre-attached P100 prefilter*	SE901	60923	2
	Ammonia/ Methylamine/P100	Ammonia/Methylamine/ permanently pre-attached P100 prefilter*	SE902	60924	2
	Formaldehyde/ P100	Formaldehyde and certain organic vapors with P100 particulate filter*	SE903	60925	2
	Multi-Gas/ Vapour/P100	Organic Vapours/Chlorine/ Chlorine Dioxide/Hydrogen Chloride/ Ammonia/Methylamine/ Sulfur Dioxide/Hydrogen Fluoride/Hydrogen Sulfide/Formaldehyde/permanently pre-attached P100 prefilter*	SE904	60926	2
	Mercury Vapour/ Chlorine/P100	Mercury Vapour/Chlorine/permanently pre-attached P100 prefilter*	SE905	60929	2

\*At least 99.97% efficient against solid and liquid aerosols including oils











## 2000 SERIES RESPIRATOR PREFILTERS

- Light weight and easy to breathe through
- Suited for a wide range of oil and non-oil based particulate contaminants




Sold per Package

Filters	Description	Used For (Possible Applications)	Order No.	Mfg. No.	Qty /Pkg
	P95 Filter	Grinding, sanding, bagging, welding, other oily/dusty operations	SE906	2071	2
	P95 Filter w/Hydrogen Fluoride and Nuisance Level Acid Gas	Aluminum smelting, glass etching, chemical manufacturing	SE907	2076	2
	P95 Filter w/Nuisance Level Organic Vapour and Acid Gas	Chemical manufacturing, welding, aluminum smelting	SE908	2078	2
	P100 Filter	Welding, pharmaceutical manufacturing	SE909	2091	2
	P100 Filter w/Acid Gas	Utility operations, chemical manufacturing aluminum smelting	SE910	2096	2
	P100 Filter w/Organic Vapour	Welding, metal foundry, chemical manufacturing undercoating operations, pharmaceutical manufacturing	SE911	2097	2

## 2200 SERIES RESPIRATOR PREFILTERS

- Features 3M™ advanced electret filter media making it easier to breathe
- Suited for a wide range of oil and non-oil based particulate contaminants



Sold per Package

Filters	Description	Used For (Possible Applications)	Order No.	Mfg. No.	Qty /Pkg.
	P100 Advanced Filter	Welding, pharmaceutical manufacturing	SEI738	2291	2
	P100 Advanced Filter w/ Nuisance Level Acid Gas	Utility operations, chemical manufacturing, Aluminum smelting	SEI739	2296	2
	P100 Advanced Filter w/ Nuisance Level Organic Vapour Relief	Welding, metal foundry, chemical Manufacturing, undercoating operations, pharmaceutical manufacturing	SEI740	2297	2
	Prefilter Adaptor	Filter adaptor for use with 2000 And 2200 series filters	SE916	502	1

## 7093 P100 RESPIRATOR PARTICULATE FILTERS

- Unique, spring-loaded filter cover design simplifies negative pressure user seal checks
- Swept-back design provides enhanced field of view and greater comfort

Sold per Package

Filters	Description	Used For (Possible Applications)	Order No.	Mfg. No.	Qty /Pkg.
	P100 Hard Shell Filter	Welding, pharmaceutical manufacturing	SE912	7093	1
	P100 Filter w/Hydrogen Fluoride and Nuisance Level Acid Gas	Welding, metal pouring, abatement OSHA substance specific particle exposures, pharmaceuticals chemical manufacturing, undercoating	SAQ696	7093C	2

# Respiratory Protection

## ULTRA SWIPES

- Disposable cloths clean, disinfect and deodorize hard surfaces and instruments
- Ethanol formulation provides hospital-level disinfection to destroy a wide range of pathogens, including HIV-1 (AIDS) and TB in just 1 minute
- 160 sheets per canister

Order No. JA984



## RESPIRATOR CLEANING WIPES

Used to clean elastomeric facepiece respirators. 8" x 10" towelettes are alcohol-free and will not damage the facepiece materials. Individually packaged. 100 per box.

Order No. SAI530

Mfg. No. 504



## RESPIRATORS & PPE CLEANING TOWELETTES

- For rubber or latex face and mouth pieces, respirators, etc.
- Alcohol-free
- Avoids "drying-out" associated with alcohol based cleaners
- 5" x 8" individually wrapped towelettes
- 100 towelettes per dispenser

Order No. SEE383



## FIT TEST KITS

### IRRITANT SMOKE FIT TEST KITS

- Facilitates testing required under CSA standard Z94.4-02
- Includes: Six irritant smoke tubes (15 tests/tube), aspirator bulb, tube tip breaker, record form, instruction manual and a hard shell plastic case

**Note:** The irritant smoke test protocol requires that the test be conducted in a well-ventilated area. The use of a tent or hood is prohibited and will not comply with OSHA regulations.

Misuse of these products may result in serious injury or death.

Order No.	Mfg. No.	Description
SAM213	140090	Irritant Smoke Fit Test Kit
SAQ164	140038	Replacement Tubes, Irritant Smoke (6/box)



## FIT TEST KITS

- Meets the performance criteria for fit testing respirators under the current OSHA Standard for Respirator Protection and CSA Standard Z94-4
- A fast, easy method for performing qualitative fit testing
- Can be used with any particulate respirator or any gas and vapour respirator with a particulate filter
- Helps satisfy respiratory program requirements
- Can be used during respirator training programs
- Convenient, reliable, and economical to use
- Determines employee's taste threshold to fit test solution
- Allows exercises to be performed in a test atmosphere
- 1 per case

### QUALITATIVE FIT TEST KIT WITH SWEET TESTING SOLUTION

Order No. SAK078

Mfg. No. FT-10

### FT-30 QUALITATIVE FIT TEST KIT WITH BITTER TESTING SOLUTION

Order No. SAK085

Mfg. No. FT-30



## FIRMFIT™ SINGLE USE EARPLUGS

- Made of TPE foam
- Softer and exerts less pressure
- **Rating:** NRR 30 dB



HOWARD  
LEIGHT  
by Honeywell

Order No.	Mfg. No.	Description	Qty/Box
SEK003	FF-1	Uncorded, Poly Bag	200 prs.
SEK004	FF-30	Corded	100 prs.
SEK067	FF-1-PB	Uncorded, Paper Bag	100 prs.
SEK068	FF-30-PB	Corded, Paper Bag	100 prs.

## MAX LITE® LOW PRESSURE FOAM

- Ideal size for workers with smaller ear canals
- Low pressure polyurethane foam expands gently for comfortable long-term wear
- Contoured T-shape for easy handling and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Available in poly or paper bags
- Attenuation tested in accordance with ANSI S3.19-1974
- **Rating:** NRR 30 dB, CSA A(L)



HOWARD  
LEIGHT  
by Honeywell

Order No.	Mfg. No.	Description	Qty/Box
SM558	LPF-1	Uncorded, Poly Bag	200 prs.
SM559	LPF-30	Poly Cord, Poly Bag	100 prs.
SM560	LPF-30-PB	Poly Cord, Paper Bag	100 prs.
SM561	LPF-30-P	White Cotton Cord, Biodegradable-Repulpable Paper Bag	100 prs.

## LASER-TRAK™ SINGLE USE DETECTABLE EARPLUGS

- Self-adjusting foam expands to fit virtually every wearer
- Non-ferrous metal and bright colours are easily detected by visual and automated inspections
- Blue metalized cord offers additional protection in highly sensitive production areas
- Contoured T-shape for easy handling and wear
- Comfortable long term wear
- **Rating:** NRR 32 dB CSA Class A(L)




HOWARD  
LEIGHT  
by Honeywell

Order No.	Mfg. No.	Description	Qty/Box
SAK189	LT-30	Poly Cord, Individual Polybag	100

## MAX® FOAM

- The world's most-used polyurethane foam earplug
- Bell shape delivers maximum in-ear comfort
- Contoured design easier to insert, resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- **Rating:** NRR 33 dB, CSA Class AL



HOWARD  
LEIGHT  
by Honeywell

Order No.	Mfg. No.	Description	Qty/Box
SD630	MAX-1	Uncorded	200 prs.
SD631	MAX-30	Corded	100 prs.

## LASER LITE® MULTI-COLOUR FOAM

- Vibrant colours make protection visible
- Self-adjusting polyurethane foam expands to fit virtually every wearer
- Contoured T-shape for easy insertion and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- **Rating:** NRR 32 dB, CSA A(L)



HOWARD  
LEIGHT  
by Honeywell

Order No.	Mfg. No.	Description	Qty/Box
SM562	LL-1	Uncorded, Poly Bag	200 prs.
SM563	LL-30	Corded, Poly Bag	100 prs.

## MULTI MAX® MULTI-SIZED FOAM

- Multi Max® offers flexibility, protection and economy in hearing protection with its two-sizes-in-one design
- Improves individual fit while simplifying inventory
- Smooth, soil-resistant polyurethane foam skin prevents dirt build-up
- Expands to fit virtually every wearer
- Available in poly or paper bags
- Attenuation tested in accordance with S3.19-1974
- **Rating:** NRR 31 dB, CSA Class AL



HOWARD  
LEIGHT  
by Honeywell

Order No.	Mfg. No.	Description	Qty/Box
SM556	MM-1	Poly Bag	200 prs.
SM557	MM-1-PB	Paper Bag	100 prs.

# Disposable Earplugs

## 3M™ E-A-R™ CLASSIC™ FOAM EAR PLUGS

- PVC foam provides comfort with low pressure
- Moisture resistant
- Foam will maintain its comfort, fit and critical recovery characteristics
- Flame retardant and dermatologically safe foam is not irritating
- The **Classic® Plus** offers the highest NRR, 33 dB
- The **Classic® Small** has a more narrow design for smaller ear canals
- All models available uncorded in pillow pak or corded in poly bag
- **SH106** is packaged in environmentally friendly paper pak, vegetable-based ink and glue
- One size fits all
- 200 pairs per box



Order No.	Mfg. No.	Description	NRR dB
<b>UNCORDED</b>			
SA681	310-1001	Foam - Pillow	29
SH106	313-5555	Foam - Paper Pak	29
SH107	310-1101	Classic® Plus Foam	33
SH109	310-1103	Classic® Small Foam	29
SAJ486	312-1201	Polybag	29
<b>CORDED</b>			
SE649	311-1101	Foam	29
SH108	311-1105	Classic® Plus Foam	33
SH110	311-1106	Classic® Small Foam	29

## 1100 FOAM EARPLUGS

- Individually packaged for convenience
- Smooth, dirt resistant surface
- Soft hypo-allergenic polyurethane foam offers superior comfort
- NRR 29 dB, CSA Z94.2 Class AL
- Bright orange for visibility



**3M**

Order No.	Mfg. No.	Description	Qty/Box (pairs)
SI762	1100	Uncorded	200
SAG359	1110	Corded	100

## GLIDE™ FOAM CORDED

- Unique multi-curved stem rotates for a custom fit
- Large handle on curved stem for easy insertion and removal
- Cord can be attached at any desired length
- 100% PVC-free, like all Moldex products and packaging, for a greener alternative
- **Rating:** NRR 26 dB



**MOLDEX**

Order No.	Mfg. No.	Description	Qty /Box
SEH048	6945	Corded	100 prs.

## PURA-FIT® FOAM

- Longer length for easy fitting instructions and removal
- Tapered for easy insertion in any size ear canal
- Non-irritating, smooth surface for added comfort
- Bright green colour for easy compliance checks
- **Rating:** NRR 33 dB



**MOLDEX**

Order No.	Mfg. No.	Description	Qty /Box
SR831	6800	Uncorded	200 prs.
SAG837	6900	Corded	100 prs.

## SPARKPLUGS® MULTI-COLOURED FOAM

- Different colours in every package
- Fun coloured to spark up hearing protection program
- Tapered for easy insertion in any size ear canal
- Non-irritating, smooth surface for added comfort
- **Rating:** NRR 33 dB



**MOLDEX**

Order No.	Mfg. No.	Description	Qty /Box
SAG838	6604	Uncorded	200 prs.
SAG839	6654	Corded	100 prs.
SED129	6615	Corded - Metal Detectable	100 prs.



## EAR PLUG DISPENSERS

- Durable plastic design an economical choice for dispensing earplugs
- Mounts to wall or stands as table-top dispenser with balanced footing
- Twist knob to dispense earplugs
- Catch basin prevents earplugs from falling to the ground
- Earplugs not included

Order No.	Description
SAO205	LS-400 Leight® Source Ear Plug Dispenser

### BULK REFILLS, SINGLE USE EAR PLUGS

Order No.	Description	NRR db	Pairs /Refill
SAO206	Matrix™ Orange No-Roll	29	200
SAO207	Matrix™ Green No-Roll	27	200
SAO208	Matrix™ Blue No-Roll	23	200
SAO209	Max®	33	200
SAO210	Max Lite®	30	200
SAO211	Laser Lite®	32	200
SAO212	MultiMax®	31	200



HOWARD LEIGHT  
by Honeywell

## LS-500 LEIGHT® SOURCE EARPLUG DISPENSERS

- Heavy-duty anodized aluminum construction withstands constant use
- Mount on wall for easy access
- Crank handle to dispense earplugs
- Ideal for large factories and process industries that have zero tolerance for packaging waste
- Earplugs not included



Order No.	Description
SAK347	LS-500 Leight® Source Earplug Dispenser

### BULK REFILLS

Order No.	Description	NRR db	Pairs /Refill
SAF828	Max® Single-Use Earplugs	33	500
SAK343	Max Light® Single-Use Earplugs	30	500
SAF827	Laser Lite® Single-Use Earplugs	32	500
SAK346	Multi Max® Single-Use Earplugs	31	500
SAK338	Matrix™ Green No-Roll Single-Use Earplugs	27	500
SAK337	Matrix™ Orange No-Roll Single-Use Earplugs	29	500
SAK339	Matrix™ Blue No-Roll Single-Use Earplugs	23	500

## ONE TOUCH™ EARPLUG DISPENSERS

- Patented "No Waste Funnel" allows users to reuse base and dispenser
- Can be used as a table top or wall mounted
- Easy access for the user from all sides
- Rating: NRR 33dB

3M



Order No.	Mfg. No.	Description
SAI093	391-1000	One Touch™ Dispenser

### BULK REFILLS

Order No.	Mfg. No.	Description	Size	Pairs /Refill
SAH873	391-1004	Yellow Neons™	Regular	500
SAH874	391-1005	Yellow Neons™	Large	400
SAI104	391-1010	Blasts™	Regular	500
SAP387	391-1001	Foam Pillows	Regular	500

## PLUGSTATION® EAR PLUG DISPENSERS

- Gives workers easy access to hearing protection
- Affordable enough to be placed near every work area
- Clicking mechanism for easier use and dispensing
- Chute delivers plugs right into the palm of your hand
- Eliminates the need of individual paper/polybag packaging
- Each dispenser is sealed and disposable plus completely recyclable
- Mounting bracket with hardware included with every PlugStation®
- All rated at NRR 33 dB



MOLDEX

Order No.	Mfg. No.	Description	Pairs /Dispenser
SE924	6644	SparkPlugs®, Uncorded	250
SE925	6645	SparkPlugs®, Uncorded	500
SDL452	6881	Metal Detectable SparkPlugs®, Corded	150
SDL453	6880	SparkPlugs®, Corded	150
SE847	6844	Pura-Fit®, Uncorded	250
SF624	6845	Pura-Fit®, Uncorded	500
SDL454	6882	Pura-Fit®, Corded	150
SAK439	6648	Camo Plugs®, Uncorded	500

# Reusable Earplugs

## QUIET®


- Patented "no-roll" design is easy to handle and fit
- Contoured shape comfortably matches contours of the ear canal
- Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use
- Built-in insertion stem makes insertion quick and easy
- **Rating:** NRR 26 dB, CSA Class A(L)



Order No.	Mfg. No.	Description	Qty /Box
SAK351	QD1	Uncorded, Flip Top Box	100 prs.
SE359	QD30	Poly Cord, Flip Top Box	100 prs.

## FUSION®


- Patented dual material design combines firm core for easy handling with soft flanges for comfort and fit
- FlexiFirm® stem is easy to grasp, ensuring easy insertion into the ear canal
- SoftFlange™ creates comfortable seal in the ear canal for superior comfort and protection
- Detachable nylon cord
- Two sizes fine-tune fit for personal comfort and safety
- **Rating:** NRR 27 dB, CSA Class A(L)



Order No.	Mfg. No.	Description	Qty /Box
SAK349	FUS30-HP	Regular, HearPack™	100 prs.
SAK350	FUS30S-HP	Small, HearPack™	100 prs.

## GLIDE™ FOAM UNCORDED

- Unique multi-curved stem rotates for a custom fit
- Large handle on curved stem for easy insertion and removal
- 100% PVC-Free, like all Moldex products and packaging, for a greener alternative
- **Rating:** NRR 26 dB



Order No.	Mfg. No.	Description	Qty /Box
SEH047	6940Z	Uncorded	100 prs.

## SMARTFIT®


- Patented Conforming Material Technology™ uses body heat to adapt to the individual shape of each wearer's ear canal
- Delivers superior comfort and a truly individual fit
- Simplifies inventory control – a single product fits almost every wearer
- Detachable cord system and HearPack® storage case
- **Rating:** NRR 25 dB, CSA Class A(L)



Order No.	Mfg. No.	Description	Qty /Box
SAK348	SMF-30	Corded	100 prs.

## AIR SOFT™

- Advanced air pocket design features internal noise-blocking fins
- Four-flange profile creates better seal in the ear canal
- Less pressure in the ear canal eliminates that "plugged up" feeling
- Rounded flanges, tapered shape fits better in the ear canal
- Firm stem facilitates easy insertion and removal
- Attenuation tested in accordance with ANSI S3.19-1974
- **Rating:** NRR 27 dB, CSA A(L)



Order No.	Mfg. No.	Description	Qty/Box
<b>POLYBAGS</b>			
SD582	DPAS-1	Uncorded	100 prs.
SD583	DPAS-30R	Corded, Red Vinyl	100 prs.
SD584	DPAS-30W	Corded, White Nylon	100 prs.
<b>DISPENSER BOXES</b>			
SD585	AS-1	Uncorded	50 prs.
SD586	AS-30R	Corded, Red Vinyl	50 prs.
SD587	AS-30W	Corded, White Nylon	50 prs.

## ROCKETS® REUSABLE

- Easy grip handle allows easy insertion
- Air bubble in the tip provides cushioned comfort
- Can be washed and reused
- Each pair comes with a Pocket-Pak® carrying case to store plugs between uses
- Slips easily into the pocket
- **Rating:** NRR 27 dB



Order No.	Description	Qty /Box
SAN317	Uncorded	50 prs.
SAN318	Corded Vinyl	50 prs.
SDL455	Corded - Metal Detectable	50 prs.

## EAR PLUG TRAYS

- Clear acrylic ear plug dispenser tray holds a standard box of ear plugs
- Front section catches spills and protects the corrugated dispenser
- Use on table top or wall mount
- Dimensions:  
10 5/8" W x 10 5/8" D x 10 5/8" H

Order No. SED049  
Mfg. No. PD228E



## LARGE CAPACITY EAR PLUG DISPENSERS

- Visually striking green glow front pocket draws attention to earplugs
- Dispenser features a removable inner slanted shelf to direct plugs toward pocket
- Comfortably holds a standard box of 200 disposable ear plugs and can be wall or table mounted
- Dimensions: 12" W x 8" D x 13" H

Order No. SED051  
Mfg. No. PD439G



## JAZZ BAND® HEARING PROTECTORS


- Extra soft tapered foam pods gently conform to the ear canal
- Band pressure is reduced by 50%
- A cooler and lighter alternative to earmuffs
- 100% PVC-Free
- Higher NRR 25 dB
- Includes an extra pair of pods



Order No.	Mfg. No.	Description
SE922	6506	Jazz Band® w/Corded Replacement Pods
SE923	6504	Replacement Pods w/Cord, 5 Pairs/Bag

## PERCAP® FOLDABLE 3-POSITION BANDED

- Super soft pods rest outside the ear canal opening
- Ideal for workers who do not like to put ear plugs in their ears
- Wear over the head, under the chin or behind the neck
- Compact, fits easily in a pocket
- Comfortable for both short term and long term wear
- Rating: NRR 21 dB



HOWARD LEIGHT  
by Honeywell

Order No.	Mfg. No.	Description	Qty /Box
SA0692	PERCAP	Ear Band	10
SA0744	PCAP100	Replacement Pods	50

## QUIET BANDS

Ergonomic design keeps the pods suspended so they do not become contaminated when you set the Quiet Bands down. Available in three different plug styles:

QB1 Hyg® inner-aural protection; NRR 27 dB

QB2 Hyg® supra-aural protection; NRR 25 dB


QB3 Hyg® semi-aural protection for moderate or intermittent hearing protection; NRR 23 dB rating

One free pair of replacement pods included with each Quiet Band.

Replacement pods for all three styles allow you to economically replace the ear plugs while reusing the headband.

HOWARD LEIGHT  
by Honeywell

Order No.	Mfg. No.	Description
SN615	QB1HYG	QB1 HYG® Inner-Aural, 27 dB
SN616	QB2HYG	QB2 HYG® Supra-Aural, 25 dB
SN281	QB3HYG	QB3 HYG® Semi-Aural, 23 dB
<b>REPLACEMENT PODS</b>		
SN617	QB100HYG	QB1 HYG®, 1 Pair/Pkg.
SN618	QB200HYG	QB2 HYG®, 1 Pair/Pkg.
SN279	QB300HYG	QB3 HYG®, 1 Pair/Pkg.





## THUNDER®

- Non-deforming comfort headband fits all head sizes
- Ventilated inner headband and soft pads for maximum comfort
- Quick-Click height adjustments
- Dielectric design safe for electrical environments
- Features patented Air Flow Control™ technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy
- Hygiene kits available

Order No.	Mfg. No.	Description	NRR dB
SAK150	1010928	T1, Over-Head Headband	26
SAK151	1010929	T2, Over-Head Headband	28
SAK152	1010930	T3, Over-Head Headband	30
SAO694	1011601	T1H, Cap Mount	23



SAK150  
T1



SAK151  
T2



SAO694  
T1H

## VIKING®

- Three-position headband offers more wearing options and works with helmets, shields and other equipment
- Super soft ear cushions deliver longwearing comfort
- Dielectric design safe for electrical environments
- Headband straps for multi-position wear
- Features patented Air Flow Control™ technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy

Order No.	Mfg. No.	Description	NRR dB
SAK153	1010925	V1, Multi-Position Headband	23
SAK154	1010926	V2, Multi-Position Headband	25
SAK155	1010927	V3, Multi-Position Headband	29



SAK153  
V1



SAK155  
V3



SAK154  
V2

## NOISE BLOCKING QM24+

- Soft foam cushions are easy to clean with soap and water, and can be replaced for extended use
- Ultra lightweight design, weighing only 6 oz
- Alternative to cap-mounted earmuffs – wear with hard hats, face shields, respirators and other PPE
- Dielectric construction suitable for electrical environments
- Multiple-position headband allows wearer to select position over the head, behind the head or under the chin

Order No. 154-1205  
Mfg. No. QM24+





## LEIGHTNING®

- Maximum protection from an earmuff
- Robust steel headband withstands demanding use
- Padded foam headband and super-soft ear cushions deliver longwearing comfort
- Contemporary design improves wearer compliance
- Telescoping height adjustment
- Hygiene kits available



Order No.	Mfg. No.	Description	NRR dB
SAK147	1010922	L1, Over-Head Headband	25
SAK148	1010923	L2, Over-Head Headband	27
SAK149	1010924	L3, Over-Head Headband	30



## LEIGHTNING® HIGH VISIBILITY®

- Bright green earcups provide additional visibility and contrast on the job
- Features patented Air Flow Control™ technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy
- Robust design withstands demanding use, especially in tough environments
- Ideal for roadway construction, utility workers, survey engineers, ferry service operators, emergency response workers, railroad workers, and many others



Order No.	Mfg. No.	Description	NRR dB
SAO691	1015020	Cap-Mount	23
SAO695	1013941	Over-Head	30
SAO696	1013942	Foldable	27

## LEIGHTNING® ULTRASLIM

- Easy storage when not in use
- Extremely lightweight design rests comfortably on the head
- Lower attenuation provides reliable protection against marginal noise or intermittent exposure
- Cushion replacement is quick and easy
- Provides better fitting on top of the head for optimal attenuation
- Robust design withstands demanding use, especially in tough environments



Order No.	Mfg. No.	Description	NRR dB
SAO690	1013460	LoN Neckband	22
SAO697	1013461	LoF Foldable	23

## MUSTANG, CSA CLASS A

Lightweight and durable earmuffs provide low profile protection while soft sealing ear cushions give maximum comfort.

- Colour: Blue



Order No.	Mfg. No.	Description	NRR dB	Wt. lbs.
SA690	EM4157	Cap Mount	20	9.3
SAK280	HK100	Hygiene Kit	-	-
2 Cushions & Foam Inserts				



# Earmuffs

## IMPACT®

- Amplifies ambient sound to safe 82 dB – response technology revert to passive hearing protector when noise reaches 82 dB
- Inner-ventilated headband minimises pressure on the head, breathes easier in warm/humid climates
- Non-deforming outer headband withstands rough treatment in the toughest workplaces
- Quick-Click height adjustment remains fixed during wear
- Snap-in ear cushions make replacement quick and easy
- Sound amplification allows wearers to hear important communication – alarms/warning signals, co-workers' voices
- Directionally placed stereo microphones amplify and enhance sound for more natural hearing
- Includes two AA batteries for 700 hours of use
- Hygiene kits available

Order No.	Mfg. No.	Description	NRR dB
SAK160	1010376	V1, Over-Head Headband	23
SAK161	1010632	Cap Mount	21

## CLARITY®

- Patented Sound Management Technology™ (SMT) design blocks low and medium frequencies while higher frequencies (voice, signals, alarms) and can be heard more naturally with less distortion
- Prevents worker isolation by enhancing communication
- Improves safety in environments where overprotection is a danger
- Ventilated headband and ear cushions deliver longwearing comfort
- Dielectric design safe for electrical environments
- Hygiene kits available

Order No.	Mfg. No.	Description	NRR dB
SAK157	1011142	C1, Over-Head Headband	20
SAK159	1011146	C3, Over-Head Headband	27



HOWARD  
LEIGHT  
by Honeywell



HOWARD  
LEIGHT  
by Honeywell

## MACH™ 1

- Economical choice for basic hearing protection
- Adjusts to fit any head size
- Dielectric, super lightweight construction

Order No.	Mfg. No.	NRR dB
SAK156	1010421	18



HOWARD  
LEIGHT  
by Honeywell

## INTRUDER, CSA, CLASS A

- Unique cup design gives first class comfort at all time
- Large, flexible and comfortable cushions offering equal distribution of pressure
- Hygiene kits available



NORTH  
by Honeywell

Order No.	Mfg. No.	Description	NRR dB
SAH731	EM7206	Cap Mount	27
SAH733*	EM7209	Cap Mount	27

\* Full Brim Hard Hats

## HORNET, CSA CLASS A

- Quality, economical protection for medium range noises
- Lightweight plastic construction provides durable, dielectric protection
- Hygiene kits available



NORTH  
by Honeywell

Order No.	Mfg. No.	Description	NRR dB	Wt. oz.
SA685	EM2177	Cap Mount	24	8.0

## 3M™ PELTOR™ OPTIME™ 101 SERIES EARMUFFS

- Designed for maximum attenuation in a severe noise environment
- Soft sealing cushions easily replaceable by press-and-snap function
- Suitable for agriculture, construction equipment, heavy industry and airports
- CSA Class A
- Colour: Green
- Hygiene kits available



**PELTOR™ 3M**

Order No.	Mfg. No.	Description	NRR dB	Wt. oz.
SC165	H7A	Headband	27	7.8
SC166	H7B	Neckband	26	7.2
SC167	H7P3E	Cap Mount	24	8.8

## 3M™ PELTOR™ OPTIME™ 95 SERIES EARMUFFS

- Comfort engineered for continuous daily use
- Slim tapered dome for use with hardhat and face protection equipment
- Ultra light with liquid/foam filled ear cushions
- Exclusively engineered for the computer industry
- Also suitable for technical training schools, printing facilities, textile industries and home power equipment use
- CSA Class A (SC176, SC177), Class B (SC175, SAG847)
- Colour: White



**PELTOR™ 3M**

Order No.	Mfg. No.	Description	NRR dB	Wt. oz.
SC175	H6A/V	Headband	21	5.8
SC176	H6B/V	Neckband	21	5.3
SC177	H6P3E/V	Cap Mount	21	6.9
SAG847	H6F/V	Foldable	21	6.5

## 3M™ PELTOR™ OPTIME™ 98 SERIES EARMUFFS

- Slim tapered upper dome, excellent for use with hard hat and face protection equipment
- Broad foam cushions give low, comfortable surface pressure
- Pressure equalization air openings, quickly ensure the correct pressure to the eardrum
- Suitable for factories, sheet metal works, schools, printing offices, textile industries and power equipment
- CSA Class A
- Colour: Yellow
- Hygiene kits available



**PELTOR™ 3M**

Order No.	Mfg. No.	Description	NRR dB	Wt. oz.
SC172	H9A	Headband	25	5.1
SC173	H9P3E	Cap Mount	23	6.2

## 3M™ PELTOR™ OPTIME™ 105 SERIES EARMUFFS

- Dual cup ultra high attenuating hearing protector for extremely high noise environments
- Wide ear cushions are filled with a foam which provides excellent sealing properties, good fit, and low surface pressure
- Ear cushions are easily replaceable with a simple press-and-snap function
- The outer layer consists of a specially developed hygienically textured plastic, allowing for ventilation and durability
- CSA Class AL
- Colour: Black with red trim
- Hygiene kits available



**PELTOR™ 3M**

Order No.	Mfg. No.	Description	NRR dB	Wt. oz.
SC161	H10A	Headband	30	9.3
SC162	H10B	Neckband	29	8.8
SC163	H10P3E	Cap Mount	27	10.4

# Earmuffs

## 3M™ PELTOR™ X SERIES EARMUFFS V-GARD® EARMUFF ACCESSORIES

- The X-Series earmuffs are 3M's latest advancement in hearing conservation
- This low-profile earmuff is designed for protection against low-level industrial noise and other loud sounds
- Earcup pivot points tilt for optimum comfort and efficiency
- Hygiene kit available
- CSA Class A



**PELTOR™ 3M**

Order No.	Mfg. No.	Description	NRR dB
SEJ034	X1A	Peltor™ X1, Over-Head Headband	22
SEJ035	X2A	Peltor™ X2, Over-Head Headband	24
SEJ036	X3A	Peltor™ X3, Over-Head Headband	28
SEJ037	X4A	Peltor™ X4, Over-Head Headband	27
SEJ038	X5A	Peltor™ X5, Over-Head Headband	31
SEJ039	X1P3E	Peltor™ X1P, Cap Mount	21
SEJ040	X2P3E	Peltor™ X2P, Cap Mount	24
SEJ041	X3P3E	Peltor™ X3P, Cap Mount	25
SEJ042	X4P3E	Peltor™ X4P, Cap Mount	25
SEJ043	X5P3E	Peltor™ X5P, Cap Mount	31

### MX-5 EARMUFF

- Soft cushion-ribbed open air headband for cool comfort all day long
- Larger ear cushions allow freedom to fit almost all ears comfortably
- Extra soft foam/low pressure cushions and headband are PVC-free
- Glossy surface for easy cleaning and longer wear



**MOLDEX**

Order No.	Mfg. No.	Description	NRR dB
SDK993	6120	Headband	27
SDK995	6125	Hygiene Kit	-

### XLS, CSA CLASS A

- The XLS has been specifically designed to offer quality, comfort and protection at an affordable price
- The space age plastic provides rugged durability in harsh environments
- May be adjusted to six different positions
- Extra wide headband provides secure fit
- Hygiene kits available



**MSA**

Order No.	Mfg. No.	Description	NRR dB	Wt. oz.
SAN234	10061535	Cap Mount	22	6



**MSA**

Order No.	Mfg No.	Description	NRR dB
SEL083	10087439	Left/Right White Helmet Mounted Ear Muffs	21
SEK032	10087429	Left/Right Blue Helmet Mounted Ear Muffs	25
SEL102	10087422	Left/Right Yellow Helmet Mounted Ear Muffs	28

### MX-6 EARMUFF

- Soft cushion-ribbed open air headband for cool comfort all day long
- Larger ear cushions allow freedom to fit almost all ears comfortably
- Extra soft foam/low pressure cushions and headband are PVC-free
- Exclusive waffled cup foam for superior NRR protection



**MOLDEX**

Order No.	Mfg. No.	Description	NRR dB
SDK994	6130	Headband	30
SDK996	6135	Hygiene Kit	-

### EXC, CSA CLASS A

- Wide headband with ventilated padding provides a firm fit and a high level of comfort with maximum protection
- Two point mounting system ensures pressure is distributed evenly around the cushion
- Press-and-snap function makes it easy to replace ear cushion
- Contoured sealing ring feature provides the best possible seal
- Also suitable for dielectric applications
- Hygiene kits available



**MSA**

Order No.	Mfg. No.	Description	NRR dB	Wt. oz.
SAN237	10061230	Cap Mount	24	7.6



## JACKSON SAFETY\* 170-SB HEADGEARS

- Enables attachment of all Jackson Safety\* faceshields to your safety cap
- Large spark deflector
- Universal hole pattern design
- Ratchet suspension
- Faceshields sold separately

Order No. 138-1613

Mfg. No. 29077



## JACKSON SAFETY\* FACESHIELDS

### POLYCARBONATE

- Impact performance
- Good performance against heat
- Excellent cold flexibility
- Meets ANSI standard Z87.1
- Compliant with CSA standard Z94.3



138-1070

138-1072

### ACETATE

- Robust combination of weight and strength
- Excellent cold flexibility
- Meets ANSI standard Z87.1

Order No.	Mfg. No.	Window Dimensions				Tint
		W"	x	D"	x	H"

### POLYCARBONATE, UNBOUND

138-1070	3002832	15 1/2	x	0.060	x	8	Clear
138-1072	3002813	15 1/2	x	0.060	x	8	IR/UV 3.0
138-1074	3002810	15 1/2	x	0.060	x	8	IR/UV 5.0

### ACETATE, ALUMINUM BOUND

138-1950	3002806	12	x	0.040	x	8	Clear
138-1035	3002808	15 1/2	x	0.040	x	9	Clear

## V90 MONOSHIELD\* GOGGLES

- Monogoggle\* 211 attaches to shield with PVC gasket
- Can be worn with caps and disposable respirators
- Clear see through material allows for easy wearer identification
- Polycarbonate shield provides face protection
- Can be worn over most prescription eyeglasses
- Meets ANSI standard Z87.1

Order No. SC480

Mfg. No. 16671



## ZENITH GOGGLES WITH SAFETY SHIELD

- Indirect ventilation and a polycarbonate shield for full face protection
- Face shield detaches from the goggles
- Curved face shield conforms to the shape of the users face for added protection
- Can be used over most prescription eyewear
- Compliant with CSA standard Z94.3

Order No. SEL095




## JACKSON SAFETY\* CAPSHIELDS

- Ideal for attachment of Jackson Safety\* faceshields



### 137 CAPSHIELDS

- Metal device for non-slotted caps
- Curved aluminum channel and coil spring attachment



138-1550

### 337 CAPSHIELDS

- Totally dielectric device for non-slotted caps
- Curved plastic channel fits over the bill and secures with adjustable rubber headband that stretches around the exterior cap crown
- Faceshields are secured with integral plastic lugs



138-1725

### 437 CAPSHIELDS

- All plastic, totally dielectric device for slotted caps
- Curved plastic channel fits over the bill of the cap and includes pivoting blades which snap easily into cap slots
- Faceshields are secured with integral plastic lugs



138-1775

Order No.	Mfg. No.	Description
138-1550	14948	137 Capshield, Cap Coil Spring Attachment
138-1725	14946	337 Capshield, Cord Mounted
138-1775	14947	437 Capshield, Blade Mounted

## JACKSON SAFETY\* 382 B CAP ADAPTERS

- Ideal for attachment of Jackson Safety\* faceshields
- Easiest, least costly adapter
- Polyethylene spark deflector
- Totally dielectric for slotted caps
- Faceshield secured with integral plastic lugs
- Includes an integral spark deflector and pivoting blades



Order No.	Mfg. No.	Description
138-1747	14944	382 B Cap Adapters

# Face Protection

## PROTECTO-SHIELD® PROLOK® HEADGEARS

- Impact and splash protection
- Constructed of tough thermoplastic
- Heat resistant brow guard
- Easy sizing and tension adjustment for individual visor positioning
- Faceshields easily attach with no snaps, posts or levers
- Specially designed with a chemical splash drip edge to prevent fluids from splashing down inside the visor



SG413



SG414



Order No.	Mfg. No.	Description
<b>HEADGEARS</b>		
SG413	11380048	Ratchet Adjustment
SG414	11380049	Pinlock Adjustment
SG416	11380057	For Safety Cap with Bilsom® Earmuffs

Order No.	Mfg. No.	Description	Window Dimensions				
			W"	x	D"	x	H"
<b>FACESHIELDS - MOLDED</b>							
SG418	11390044	Clear, Propionate	15	x	0.060	x	8 1/2
SG419	11390047	Clear, Polycarbonate	15	x	0.060	x	8 1/2
SG423	11390058	Clear, Polycarbonate	20	x	0.040	x	9
SAK431	11390066	Shade 3.0	15	x	0.060	x	8 1/2
SAK432	11390067	Shade 4.0	15	x	0.060	x	8 1/2
SAK433	11390068	Shade 5.0	15	x	0.060	x	8 1/2
SAK434	11390069	Shade 6.0	15	x	0.060	x	8 1/2

<b>FACESHIELDS - ALUMINUM BOUNDED ACETATE</b>							
SG420	11390054	Clear	15	x	0.040	x	6
SG421	11390055	Clear	15	x	0.040	x	8 1/2

## FACESHIELDS (SOLD SEPARATELY)

- Universal hole pattern allows faceshields to be used with other popular manufacturers' headgear
- Easy attachment without snaps, posts or levers
- Reinforced edge to resist cracking from abuse
- Popular industry sizes and thicknesses
- Aluminum-bound acetate faceshields form easily for a contoured, customised fit
- Faceshields offer secondary protection and must be worn with spectacles or goggles
- Compliant with OSHA, ANSI Z87+ and CSA Z94.3 standards

SG418



SG420



Faceshields sold separately

## BIONIC™ FACESHIELDS

- Lightweight and balanced, ergonomic design
- Extended chin and top-of-head protection
- Enhanced protection from airborne debris
- Excellent optics and increased visibility
- Easy-to-set ratcheting headgear
- Highly adjustable headgear
- Easily replaceable faceshield with dual position choices
- Comfortably worn with most goggles and respirators
- Compliant with CSA Z94.3 standards



SAK421



Order No.	Mfg. No.	Description
<b>FACESHIELDS</b>		
SAK421	S8500	Clear Uncoated Faceshield
SAK422	S8510	Clear Anti-fog Hardcoat Faceshield

<b>REPLACEMENT FACESHIELDS</b>		
SAK423	S8550	Clear Uncoated
SAK424	S8555	Clear Anti-Fog Hardcoat
SAK425	S8560	Shade 3.0, Uncoated
SAK426	S8565	Shade 5.0, Uncoated

<b>ACCESSORIES</b>		
SAO774	S8580	Replacement Headband
SAO775	S8570	Hard Hat Adapter
SAO776	S8595	Ratchet Suspension

## HIGH PERFORMANCE FACESHIELDS

- High performance faceshields are stronger, more durable and more heat-resistant than ordinary faceshields
- Made from Noryl®, the same material used in Fibre-Metal®'s welding helmets
- Exclusive channel grip system mounts windows and locks them in place to form a perfect seal from dust, dirt and debris
- Deeper 4" crown protector extends protection without increasing weight
- Wide vision 17" x 8" wraparound visors provide 40% more protection area than standard size faceshields
- Visors are 0.060" thick for an extra margin of protection

Headgear and faceshields sold separately



Order No.	Mfg. No.	Description
SAM376	F-400	Headgear
SAF821	F300CSA	Headgear 3" Crown
SAM377	4178	Clear Faceshield 17" x 8"
SAG164	4118CL	Clear Faceshield 11 1/4" x 8"
SAM403	4178IR/UV5	IR/UV5 Shade 5.0 Faceshield 17" x 8"

## REGULAR FORESTRY KITS

### Contains:

- 1 SH143 hard hat, orange
- 1 SAM365 forestry screen
- 1 SA688 Phantom muff, NRR 21 dB

Order No. SG503

Mfg. No. FK12

**NORTH**

by Honeywell



## ECONOMICAL FORESTRY KITS

### Contains:

- 1 QZ045 hard hat, red
- 1 SAM365 forestry screen
- 1 SA690 Mustang muff, NRR 20 dB

Order No. SG504

Mfg. No. FK13

**NORTH**

by Honeywell



## SPARKGARD HEADGEARS

- Accepts a wide range of faceshield/window styles
- Large sparkguard provides excellent protection
- Cross strap adjusts to allow an exceptional fit
- Full floating mount Sparkgard provides comfortable wear even with heavy faceshield and continuous use
- Quick change system for holding faceshield/window
- Ratchet adjustment for quick, easy and perfect fit



Headgear and faceshields sold separately

**NORTH**

by Honeywell

Order No.	Mfg. No.	Description	
HEADGEAR			
SAH652	KHG4001	Headgear	
FACESHIELDS			
Order No.	Mfg. No.	Description	Window Dim.
			W" x H"
SAI077	A8154	Polycarbonate, Formed	15 1/2 x 8
SAI078	A8150/40	Copolyester, Flat PET-G	15 1/2 x 8

## RATCHET HEADGEARS

- ABS material: Plastic resin forms shell of the headgear
- 5-cam locking system for added impact resistance
- Crown is made of nylon 66
- 4" Sparkgard made of HDPE plastic
- Large ratchet handle is easy to adjust for optimum fit
- Washable cotton sweatband for better fit and durability
- Meets or exceeds ANSI Z87.1+ standards



Headgear and Faceshield sold separately

**CREWS**

Order No.	Mfg. No.	Description	Window Dimensions W" x D" x H"
SA388	103	Ratchet Headgear	-
SA301	181540	Clear Polycarbonate Faceshield	15 1/2 x 0.040 x 8

## FACESHIELDS

Choose from a wide variety of faceshields that fit easily on MSA faceshield frames. Nitrometer faceshields and chin-guards incorporate an additional guard to help protect chin and neck and reduce the chance of upsweep of particles and splash. Faceshields should always be worn with primary eye protection such as high impact resistant spectacle or goggles. All MSA faceshields meet or exceed applicable requirements of ANSI Z87.1.



Order No.	Mfg. No.	Description	Window Dimensions W" x D"
<b>POLYCARBONATE</b>			
SEL087	10120108	Clear, Side Contour	8 x 17
SEL088	10115842	Green Tint, Molded, AF/AS	8 x 17
SEL098	10115842	Clear, Molded	10.375 x 17
<b>PROPIONATE</b>			
SEL084	10115855	Clear, Molded	8 x 17
SEL085	10115851	Clear, Molded	9.25 x 18
SEL086	10115857	Green Tint, Molded	9.25 x 17
<b>MESH</b>			
SEL099	10116557	Mesh w/Plastic Edge	- -
SEL013	10116556	V-Gard, Mesh	- -
<b>ARC FLASH</b>			
SEL107	10115847	Molded, Rated 12.9 Cal/cm <sup>2</sup>	29.25 x 18
SEL108	10118480	Molded, Nitrometer, Chin Protector	8 x 7.25
<b>FRAME</b>			
SEJ998	10115730	V-Gard, for Slotted Caps	
SEL103	10121266	V-Gard, for Slotted Caps, w/Debris Control	
SEL104	10115821	V-Gard, for Slotted Caps, High Temp, w/Debris Control	
SEL105	10121267	V-Gard, for Slotted Caps, High Temp, w/o Debris Control	
SEL106	10116552	V-Gard, Universal Frame, High Temp, w/Debris Control	
SEL012	10115822	V-Gard, Universal Frame, for MSA Slotted Helmet	
SEK014	10124426	V-Gard, Universal Frame, w/o Debris Control	
SEK015	10121268	V-Gard, Universal Frame, w/o Debris Control	

## HEAD & FACE PROTECTION SYSTEMS

### Contains:

- 1 SAF960 V-Gard® hard hat, yellow
- 1 SEJ998 Frame for V-Gard®
- 1 SEK030 Clear polycarbonate faceshield
- 1 SEL083 Sound Blocker muffs, 26 NRR

Order No. SAM400

### Contains:

- 1 SAF960 V-Gard® hard hat, yellow
- 1 SEJ998 Frame for V-Gard®
- 1 SEK030 Clear polycarbonate faceshield

Order No. SAM401



SAM400



SAM401

**MSA**



# Head Protection

## LIBERTY SAFETY CAPS CSA TYPE 1

- Crown impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Features short peak, trim profile, and functional rain trough
- Accessory slots accommodate a wide variety of eye, face and hearing products
- Cushioned brow pad absorbs moisture and is removable and washable
- Low nape strap helps eliminate unnecessary shifting on the wearer's head
- Comfortable, 4-point impact-absorbing nylon woven suspension
- Easy Quick-Slide or Secure-Fit ratchet suspension adjustment
- Reverse headband certified
- **Certified to CSA standard Z94.1-05 type 1 class E**

**ERB**  
Safety Products for LIFE.



Order No.	Mfg. No.	Colour
<b>EASY QUICK-SLIDE SUSPENSION</b>		
<b>SAX840</b>	14LS79822-YEL	Yellow
<b>SAX841</b>	14LS79826-BLU	Blue
<b>SAX842</b>	14LS79821-WHT	White
<b>SAX844</b>	14LS79823-ORG	Orange
<b>SAX849</b>	14LS79801-DBL	Dark Blue
<b>SAX845</b>	14LS79835-HVO	Hi-Viz Orange

### SECURE-FIT RATCHET SUSPENSION

<b>SAX850</b>	14LR79622-YEL	Yellow
<b>SAX851</b>	14LR79626-BLU	Blue
<b>SAX852</b>	14LR79621-WHT	White
<b>SAX854</b>	14LR79623-ORG	Orange
<b>SAX859</b>	14LR79601-DBL	Dark Blue
<b>SAX855</b>	14LR79635-HVO	Hi-Viz Orange

Other colours available upon request.

### REPLACEMENT 4-POINT SUSPENSION

Order No.	Mfg. No.	Description
<b>SAX884</b>	14A79800	Easy Quick-Slide Suspension
<b>SAX885</b>	14A79600	Secure-Fit Ratchet Suspension

## BUMP CAPS

- Ideal for protecting head from lacerations, minor bumps and bruises
- Molded from high density polyethylene for maximum comfort and protection
- Perforated sides allow cross ventilation for maximum air circulation
- Cushioned brow pad absorbs moisture and is removable and washable
- 4-point injection-molded suspension
- "Pin-lock" sizing adjustment
- **Not certified**

**ERB**  
Safety Products for LIFE.



Order No.	Mfg. No.	Colour
<b>SAX874</b>	14B19112-YEL	Yellow
<b>SAX876</b>	14B19111-WHT	White
<b>SAX877</b>	14B19114-RED	Red
<b>SAX879</b>	14B19161-DBL	Dark Blue

Other colours available upon request.

### REPLACEMENT BUMP CAP SUSPENSION

Order No.	Mfg. No.	Description
<b>SAX886</b>	14A19120	Replacement Suspension

## OMEGA II SAFETY CAPS CSA TYPE 2

- Crown and lateral impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Accessory slots accommodate a wide variety of eye, face, and hearing products
- Cushioned brow pad absorbs moisture and is removable and washable
- Comfortable, 4-point impact-absorbing nylon woven suspension
- Easy Quick-Slide or Secure-Fit ratchet suspension adjustment
- Reverse headband certified
- **Certified to CSA standard Z94.1-05 type 2 class E**

**ERB**  
Safety Products for LIFE.



Order No.	Mfg. No.	Colour
<b>EASY QUICK-SLIDE SUSPENSION</b>		
<b>SAX813</b>	14OSC49132-YEL	Yellow
<b>SAX814</b>	14OSC49136-BLU	Blue
<b>SAX815</b>	14OSC49131-WHT	White
<b>SAX816</b>	14OSC49133-ORG	Orange
<b>SAX825</b>	14OSC49301-DBL	Dark Blue
<b>SAX819</b>	14OSC49129-HVP	Hi-Viz Pink
<b>SAX821</b>	14OSC49135-HVO	Hi-Viz Orange

### SECURE-FIT RATCHET SUSPENSION

<b>SAX826</b>	14ORC49932-YEL	Yellow
<b>SAX827</b>	14ORC49936-BLU	Blue
<b>SAX828</b>	14ORC49931-WHT	White
<b>SAX829</b>	14ORC49933-ORG	Orange
<b>SAX838</b>	14ORC49901-DBL	Dark Blue
<b>SAX832</b>	14ORC49929-HVP	Hi-Viz Pink
<b>SAX834</b>	14ORC49935-HVO	Hi-Viz Orange

Other colours available upon request.

### REPLACEMENT 4-POINT SUSPENSION

Order No.	Mfg. No.	Description
<b>SAX882</b>	14A69141	Easy Quick-Slide Suspension
<b>SAX883</b>	14A69945	Secure-Fit Ratchet Suspension



## BASEBALL BUMP CAPS

- 100% cotton ball cap
- ABS shell cap insert with foam padding
- Hook & loop size adjustment
- Vent holes for breathability
- Protects against lacerations, minor bumps and bruises in areas that do not require certified safety helmets
- Ideal for meat packing, food/beverage processing, warehousing, auto repair, pest control and home inspection
- Caution, bump caps are not designed to protect against impact from falling or glancing objects
- **Does not meet CSA or ANSI requirements**

Order No.	Colour
SEJ182	Dark Blue
SEJ183	Camo
SEJ184	Orange
SEJ185	Red

**ERB**  
Safety Products for LIFE.



## HARLEY-DAVIDSON® HARD HATS

- Smooth ratchet adjustment is quick and easy to set, allowing for proper safety cap alignment
- Cushioned sweatband provides increased comfort for the wearer
- **Complies with ANSI Z89.1 impact standard type 1 and electric class G and E**



**Honeywell**



Order No.	Mfg. No.	Description
SAP272	HDHHAT10FM	Flame Design
SAS386	HDHHAT30FM	Orange Metallic Flames, Blades and Skull
SAS387	HDHHAT35FM	Black Matte w/Silver Metallic Flames, Blades and Skull

© 2013 H-D. All rights reserved.

Manufactured by Honeywell under license from Harley-Davidson Motor Company.

**WARNING:** Not intended for use when riding a motorcycle. Improper use may result in serious personal injury or death.

## SUPEREIGHT™ P2 ROUGHNECK

- Exceptional impact and crack resistance plus durability
- All day comfort under tough working conditions
- Strip proof ratchet headband
- Exclusive Supereight™ suspension, eight load bearing points balance and stabilize the cap's weight and dissipate force upon impact
- **Meets ANSI standard Z89.1, type 1, classes C and G**

Order No.	Mfg. No.	Colour
SAM404	P2QRW-GREY	Grey
SAM405	P2QRW-GREEN	Green
SAM406	P2QRW-BLUE	Blue

**FIBRE-METAL**  
by Honeywell



## WORKER STARTER KITS

- Ideal for outfitting temporary workers
- **Kit includes:**  
Hard hat: CSA type 1 with ratchet suspension  
Safety glasses: I/O blue mirror compliant with CSA standard  
Ear plugs: Corded CSA class AL with NRR rating of 32 dB  
Gloves: Split cowhide patch palm leather  
Respirator: NIOSH N95 approved

Order No.	Hard Hat Colour
SEH890	Yellow
SEH891	White
SEH892	Blue

**ZENITH**  
Safety Products



# Head Protection

## CSA Z94.1-05 STANDARDS FOR INDUSTRIAL PROTECTIVE HEADWEAR

CSA has recently launched a revised version of the "Industrial Protective Headwear" standard Z94.1-05. This new standard classifies protective headwear in to two types. Type 1 provides impact and penetration protection on the crown (top) only. Type 2 offers impact and penetration protection on the top as well as lateral protection (sides). The new standard also requires that a hazard assessment be performed in the work place. This new standard includes a guide on how to perform a workplace hazard assessment. If no hazard assessment is conducted, the worker must default to the highest protection level which is a type 2, class E protective helmet.

The new standard still covers dielectric properties. Class E rating (Electric), is a hard hat that must pass an electrical test that protects up to 20 000 volts. For a class G rating (general purpose) the conductivity test must qualify with a protection limit of 2200 volts. Lastly, a class C rating, is a hard hat manufactured of conductive material or a hard hat that does not meet classes E or G. This would only be suitable in areas where there is no risk of electrical hazards.

### THE PEAK A79 CSA TYPE 1

- High density polyethylene shell
- Side slots for attaching accessories
- Rain trough to shed rain out
- Reinforcing ribs for extra shell strength
- Choice of ratchet or pinlock suspension
- Vertical adjustable headband and foam perforated vinyl sweatband
- Weighs less than 12 oz.
- Pinlock and ratchet suspensions also available separately
- **Certified to CSA standard Z94.1-05 type 1 class E**

**NORTH**

by Honeywell



Order No.	Mfg. No.	Suspension	Colour
SA653	A79010000	Pinlock	White
SA654	A79020000	Pinlock	Yellow
SH138	A79030000	Pinlock	Orange
SH139	A79080000	Pinlock	Navy Blue
SA1085	A79070000	Pinlock	Sky Blue
SH140	A79040000	Pinlock	Green
QZ045	A79150000	Pinlock	Red
SH141	A79R010000	Ratchet	White
SH142	A79R020000	Ratchet	Yellow
SH143	A79R030000	Ratchet	Orange
SH144	A79R080000	Ratchet	Navy Blue
YA067	A79R0070000	Ratchet	Sky Blue
SH145	A79R040000	Ratchet	Green

Other colours available upon request

#### ACCESSORIES

Order No.	Mfg. No.	Description
SI917	A79S2	4-Point Pinlock Suspension
SI918	A79RS2	4-Point Ratchet Suspension



### THE SUMMIT A99R CSA TYPE 2

- High-density polyethylene provides all-around limited impact and penetration protection
- Universal slots will accept all attachments
- Expanded polystyrene inner shell prevents injuries from lateral, side and back impacts
- 6-point ratchet suspension system comes with two adjustment levels for headband
- Rear tab sliding mechanism allows centering of helmet on head
- Crown pad and sweatband for user comfort
- Weighs less than 17.1 oz.
- **Certified to CSA standard Z94.1-05 type 2 class E**



**NORTH**

by Honeywell

Order No.	Mfg. No.	Suspension	Colour
SA651	A99R010000	Ratchet	White
SA652	A99R020000	Ratchet	Yellow
SH146	A99R030000	Ratchet	Orange
SA650	A99R070000	Ratchet	Sky Blue
SH147	A99R040000	Ratchet	Green

Other colours available upon request

#### ACCESSORIES

Order No.	Mfg. No.	Description
SJ317	A99C100	4-Point Safety Cap Chin Strap



SA652

## MATTERHORN CSA TYPE 2

- Foam liner for extra protection from lateral impacts
- Rain trough
- Slotted for attachments
- Ratchet or "Quick Fit" suspension
- "Quick Fit" suspension is ultra-lightweight with locking action, simply squeeze buckle and loosen
- **Certified to CSA standard Z94.1-05 type 2 class E**



Order No.	Mfg. No.	Suspension	Colour	Wt. oz.
SH342	A89010000	Quick Fit	White	14.7
SH343	A89020000	Quick Fit	Yellow	14.7
SH344	A89030000	Quick Fit	Orange	14.7
SH345	A89080000	Quick Fit	Navy Blue	14.7
SAI080	A89070000	Quick Fit	Sky Blue	14.7
SH346	A89040000	Quick Fit	Green	14.7
SH347	A89R010000	Ratchet	White	15.6
SH348	A89R020000	Ratchet	Yellow	15.6
SH349	A89R030000	Ratchet	Orange	15.6
SH350	A89R080000	Ratchet	Navy Blue	15.6
SAI081	A89R070000	Ratchet	Sky Blue	15.6
SH351	A89R040000	Ratchet	Green	15.6

### ACCESSORIES

SAO538	A89S3	4-Point Quick Fit Suspension
SAN022	A89RS3	4-Point Ratchet Suspension

## TRAFFIC SAFETY HARD HATS CSA TYPE 1

- Anti-glare protector under peak
- HDPE shell and rain trough
- 4-point nylon suspension and comfort pad
- Four anchor points for chin strap
- **SAM549** and **SAM550** come with three North-Brite™ stripes, 1" x 4", on side and back
- **SAM551** and **SAM552** come with three North-Lite™ stripes, 1" x 4", on side and back
- **Certified to CSA standard Z94.1-05 type 1**



SAM552



SAM550



Order No.	Mfg. No.	Suspension	Stripes	Colour
SAM549	A7931/GY	Pinlock	North-Brite™	Orange
SAM550	A79R31/GY	Ratchet	North-Brite™	Orange
SAM551	A7944/GS	Pinlock	North-Lite™	Yellow
SAM552	A79R44/GS	Ratchet	North-Lite™	Yellow

## THE EVEREST A119R CSA TYPE 2

- Provide protection from top, sides, front and back
- High-density polyethylene outer shell
- Universal slots
- Full all around brim for UV ray and rain protection
- Expanded polystyrene inner shell
- Ergonomically designed 6-point suspension with two adjustment levels
- Sliding mechanism on the rear for centering of the helmet on the head
- Ratchet mechanism fits head sizes 6 to 8
- Crown pad and sweatband for user comfort
- Weighs 17.4 oz.
- **Certified to CSA standard Z94.1-05 type 2 class E**



Order No.	Mfg. No.	Colour
SE933	A119R010000	White
SE934	A119R020000	Yellow
SE935	A119R030000	Orange
SE936	A119R070000	Sky Blue
SE937	A119R110000	Black
SE938	A119R150000	Red
SAN168	A119R080000	Navy Blue

## THE EVEREST A49 CSA TYPE 1

- High-density polyethylene outer shell
- 6-point ratchet web suspension or pinlock suspension
- Full all around brim for UV ray and rain protection
- Side slots for easy attaching/detaching of accessories
- Sliding mechanism on rear tabs allows self-centering of the helmet on the head
- Crown pad and sweatband for user comfort
- Sizing adjustment from 6 1/2 to 8
- **Certified to CSA standard Z94.1-05 type 1 class E**



Order No.	Mfg. No.	Suspension	Colour	Wt. oz.
SE928	A49R010000	Ratchet	White	15.4
SE929	A49R020000	Ratchet	Yellow	15.4
SE930	A49R070000	Ratchet	Sky Blue	15.4
SE931	A49R110000	Ratchet	Black	15.4
SE932	A49R150000	Ratchet	Red	15.4
SH151	A49010000	Pinlock	White	14.7
SH152	A49020000	Pinlock	Yellow	14.7
SH154	A49110000	Pinlock	Black	14.7
SH155	A49150000	Pinlock	Red	14.7

### ACCESSORIES

SJ317	A99C100	4-Point Safety Cap Chin Strap
SI919	A491S	4-Point Pinlock Suspension




# Head Protection

## V-GARD® PROTECTIVE CAPS

Offer comfortable, lightweight protection

V-Gard® protective caps from MSA consist of a polyethylene shell and suspension system working together as a protection system. V-Gard® headwear features slotted sides and advanced styling in standard (6 1/2 - 8) size. Available with Fas-Trac® or 1-Touch™ suspension. Caps meet or exceed the applicable requirements for a **type I** helmet (top impact) as outlined in **ANSI Z89.1 2003**, and **CSA Z94.1-2005, class E**.

**MSA**



Order No.	Mfg. No.	Colour
<b>FAS-TRAC® SUSPENSION</b>		
SAF970	475358	White
SAF971	475359	Blue
SAF972	475360	Yellow
SAF973	475361	Orange
SAF974	475363	Red
SAF975	475362	Green
SAF976	475364	Grey
SAF977	488146	Hi-Viz Orange
SAF978	815565	Hi-Viz Lime Green
SDL113	10061512	Hi-Viz Yellow Green
SAF981	492559	Black

<b>1-TOUCH™ SUSPENSION</b>		
SAM578	10057441	White
SAM579	10057442	Blue
SAM580	10057443	Yellow
SAM581	10061514	Hi-Viz Lime Green

## V-GARD® FULL BRIM HARDHAT

- Polyethylene shell provides superior impact protection
- Self-adjusting crown straps ensure a comfortable fit
- Fas-Trac® III suspension
- Slotted design works with MSA accessories

**MSA**

Order No.	Mfg. No.	Colour
SDL493	475366	Yellow
SDL494	475367	Navy Grey
SDL495	475368	Blue
SDL496	475369	Green
SDL497	475370	Red
SDL497	475371	Black

SDL496



## TOPGARD® FULL BRIM HARDHAT

- Built for use by utilities and other industries where head protection with dielectric protection is necessary
- Withstands radiant heat loads up to 275°F
- Fas-Trac® III suspension
- Non-slotted hardhat

**MSA**

Order No.	Mfg. No.	Colour
SDL487	475387	Yellow
SDL488	475388	Grey
SDL489	475389	Blue
SDL490	475391	Green
SDL491	475392	Red
SDL492	475394	Black

SDL487



## MSA SUSPENSION TYPES:



Fas-Trac® III



1-Touch™

## TOPGARD® PROTECTIVE CAPS

Uni-Ridge Design Protects Wearer From Falling Objects

Lightweight, durable Topgard® slotted caps are built for use by utilities and other industries, where head protection from falling objects is necessary, along with good dielectric properties (non-conduction of electrical current). Limited resistance to top impact or penetration is retained through a wide range of temperatures.

Available in standard (6 1/2 - 8) size with 1-Touch™ or Fas-Trac® suspension. Topgard® caps meet or exceed the applicable requirements for a **type I** helmet (top impact) as outlined in **ANSI Z89.1 2003** and **CSA Z94.1-2005, class E**.

**MSA**



Order No.	Mfg. No.	Colour
<b>1-TOUCH™ SUSPENSION</b>		
SAM569	454728	White
SAM571	454723	Blue
SAM572	454721	Yellow
SAM573	454725	Orange
SAM574	454727	Red
SAM575	454726	Green
SAM576	454722	Grey

<b>FAS-TRAC® SUSPENSION</b>		
SAG002	475385	White
SAG003	475380	Blue
SAG004	475378	Yellow
SAG005	475382	Orange

## REPLACEMENT SUSPENSIONS

Order No.	Mfg. No.	Description
SAM577	10061127	1-Touch™ Suspension
SEL240	10153384	Fas-Trac® III Suspension

## FREEDOM SERIES™ HARD HATS

- Canadian Maple Leaf design
- V-Gard® helmet with distinctive "all Canadian" graphics
- Fas-Trac® suspension
- Meet requirements of **ANSI Z89.1 2003** for a **type I** helmet, **class E** and **CSA type 1, class E**

Order No. **SAM667**  
Mfg. No. 10050613

**MSA**





## HARD HAT MOUNTING RACKS

Two models of racks are available to store your hard hat.

**Seat Mount Rack** hangs over the front or back of a car or truck seat.

**Wall Mount Rack** can be permanently mounted in a vehicle or office.



SA660



SA664

Order No.	Mfg. No.	Description
SA660	STR-1-SM	Seat Mount Rack
SA664	STR-2-WM	Wall Mount Rack


## SWEATBANDS

Sweatbands are a cool and comfortable solution for hot workplace environments. Feature soft, reinforced sponge to absorb perspiration and prevent it from running into eyes or spectacles. Waffled sponge provides added durability with gauze scrim-reinforced design. Durable 14" nylon elastic band "box-stitched" into sponge material helps keep sweatband in place.


**Clip-on** version has harness that fits onto hard hats, welding helmets, or sandblast hood suspensions. For workers who wear head or face protection all day.

Dimensions: 8 5/8" x 1 3/4".

**Sold per package.**



SAI911



SAI910

Order No.	Mfg. No.	Description	Qty /Pkg
SAI910	22011	Sweatband	25
SAI911	22010	Clip-On Sweatband	25

## HEADGEAR PADS & SWEATBANDS

- Field tested to improve helmet grip with maximum perspiration absorption
- Headgear pads are flame retardant for added safety
- Made of an absorbent air cushioned layer lined with 10% fleece cotton
- Velcro fastening system is designed to fit all major brands of headgear
- Sweatbands come with elastic strap
- **Sold per package of two**



Sweatbands



Suspender headgear

Order No.	Description
620-3200V	Suspender Pads For Use With Hard Hats
SAM548	Sweatbands

## 6810/6815 STRETCH CAPS

- 100% polyester knit
- Keeps ears and head protected from wind and cool conditions
- Single wash, FR-treated
- One size

SEE076

SEE077



Order No.	Mfg. No.	Description
SEE076	16810	Half Cap Style
SEE077	16815	Full Face Style

# Face Protection

## SEPTOR® HEADLAMPS

- Hands-free LED headlamp
- 90° tilting head
- 7 bright white LEDs have a 100000 hour lifetime
- 3 brightness levels - 7 LEDs, 3 LEDs, 1 LED
- Run time of up to 150 hours
- Produces up to 50 lumens - 7 LEDs; 25 lumens - 3 LEDs; 9 lumens - 1 LED
- Water resistant
- Includes: 3 AAA alkaline batteries, elastic headstrap, and rubber hard hat strap

Order No. XC389

Mfg. No. 61052



## TRIDENT® HEADLAMPS

- 3-way headlamp with rubber and elastic straps
- 1 high powered LED, 3 ultra bright white LEDs within the same reflector - all with 100000 hour lifetimes
- 3 brightness levels - (1) high powered LED, (1) LED, (3) LEDs
- 90° tilting head
- Low Battery Indicator - Red LED flashes when battery voltage is low
- Water resistant, lightweight thermoplastic construction with push-button switch
- Includes: 3 AAA alkaline batteries, elastic and rubber hard hat straps

Order No. XC388

Mfg. No. 61050



## ARGO® HEADLAMPS

- Long-range headlamp with a far reaching beam of 190 meters
- 3 lighting modes: High for maximum output long-range beam distance, medium for intense brightness, and low for extended run times
- Low Battery Indicator - Red LED flashes when battery voltage is low
- Water resistant, lightweight thermoplastic construction with push-button switch
- Includes: 3 AAA alkaline batteries and both elastic and rubber hard hat straps

Order No. SEJ181

Mfg. No. 61301



## 3AA HAZ-LO®

- Contains a 1 Watt super high-flux LED
- 50000 hour lifetime LED
- Brightness: 34 lumens
- Run time: Up to 11 hours of continuous use
- O-ring sealed for weather-resistance
- 90° tilting head
- UL Classified for Class I, Division 1, Groups A, B, C, D, Temperature Code T4
- Includes: 3 AA Alkaline batteries; 2 head straps - rubber and elastic

Order No. XC391

Mfg. No. 61200



## SEPTOR® HAZARDOUS LOCATION HEADLAMPS

- LED lamp: Class 1, Division 1 safety rating, Groups A,B,C,D Class II, Division 1, Groups E,F,G; Class III, T-Class: T4 Exia
- Septor® Haz-Lo: Soft flood light for working
- Lumens: 85
- Run Time Hrs.: 8 high/50 low
- IPX4 water resistant
- 2 meter impact resistance tested
- 90 degree tilting head prevents neck fatigue
- Colour: Black/Yellow
- Batteries included (3 x AAA)

Order No. XE488

Mfg. No. 61024



## TRIDENT® HAZARDOUS LOCATION HEADLAMPS

- C4® LED: Class 1, Division 1 safety rating, Groups A,B,C,D Class II, Division 1, Groups E,F,G; Class III, T-Class: T4 Exia
- Trident® Haz-Lo: Lighting for both close-up and distance work
- Lumens: 85
- Run Time Hrs.: 8 high/24 low
- IPX4 water resistant
- 2 meter impact resistance tested
- 90 degree tilting head prevents neck fatigue
- Colour: Black/Yellow
- Batteries included (3 x AAA)

Order No. XE487

Mfg. No. 61025



## ARGO® HAZARDOUS LOCATION HEADLAMPS

- C4® LED: Class 1, Division 1 safety rating, Groups A,B,C,D Class II, Division 1, Groups E,F,G; Class III, T-Class: T4 Exia
- Argo® Haz-Lo: Long-range beam for distance lighting
- Lumens: 90
- Run Time Hrs.: 8 high/50 low
- IPX4 water resistant
- 2 meter impact resistance tested
- 90° tilting head prevents neck fatigue
- Colour: Black/Yellow
- Batteries included (3 x AAA)

Order No. XE489

Mfg. No. 61026



## INDUSTRIAL 6 LED HEADLIGHTS

- Two white spot, two white flood, two red
- Lamp life: Lifetime
- Comes with three AAA batteries

Order No. XC645

Mfg. No. HDL33AINE

REPLACEMENT BATTERIES, AAA

24/pkg. Sold per package.

Order No. XB873

Mfg. No. EN92



**Energizer**

## MICROPOROUS CLOTHING

- Microporous film laminated to a polypropylene substrate
- Offers protection against liquid, dust and light chemical splashes
- High quality microporous fabric provides comfortable fit and breathability
- Can be used in dry and wet work environments
- Passed penetration tests with Diazinon, motor oil, bleach, isocyanate based paint, sodium hydroxide, sodium hypochlorite and blood
- Fabric weight: 1.85 oz/yd<sup>2</sup> (63 grams)
- Colour: White

**Applications:** Asbestos and lead abatement, clean rooms, radioactive dirt and dust, printing, refineries/chemical producers, maintenance, crime scenes, painting.

Description	Order No.	Size	Qty /Case
<b>COVERALL</b>			
	<b>SEC807</b>	Small	25
Zipper front	<b>SEC808</b>	Medium	25
w/storm flap,	<b>SEC809</b>	Large	25
elastic wrists	<b>SEC810</b>	X-Large	25
and ankles	<b>SEC811</b>	2X-Large	25
	<b>SEC812</b>	3X-Large	25
	<b>SEC813</b>	4X-Large	25
<b>HOODED COVERALL</b>			
	<b>SEC814</b>	Small	25
Zipper front	<b>SEC815</b>	Medium	25
w/storm flap,	<b>SEC816</b>	Large	25
attached hood,	<b>SEC817</b>	X-Large	25
elastic wrists	<b>SEC818</b>	2X-Large	25
and ankles	<b>SEC819</b>	3X-Large	25
	<b>SEC820</b>	4X-Large	25
<b>LAB COAT</b>			
	<b>SEC821</b>	Small	30
	<b>SEC822</b>	Medium	30
Snaps	<b>SEC823</b>	Large	30
2 pockets,	<b>SEC824</b>	X-Large	30
collar	<b>SEC825</b>	2X-Large	30
	<b>SEC826</b>	3X-Large	30
	<b>SEC827</b>	4X-Large	30
<b>APRON</b>			
Sewn ties	<b>SEC828</b>	28" x 36" Long	100

SEC823

SEC809

SEC816

SEC828

**ZENITH**  
Safety Products

## SMS COVERALLS

- Three layer polypropylene SMS (spun-bonded, melt-blown, spun-bonded)
- Offers protection against toxic particles, water based liquids and dust
- Elastic wrist, ankle and hood
- Front zipper for optimum fit
- 1.85 oz/m<sup>2</sup> fabric
- Royal blue

**ZENITH**  
Safety Products

Order No.	Size
<b>SEK363</b>	Medium
<b>SEK364</b>	Large
<b>SEK365</b>	X-Large
<b>SEK366</b>	2X-Large
<b>SEK367</b>	3X-Large
<b>SEK368</b>	4X-Large
<b>SEK369</b>	5X-Large





# Clothing

## SMS COVERALLS

- Three layer polypropylene SMS (spun-bonded, melt-blown, spun-bonded)
- Offers protection against toxic particles and water-based liquids
- Double outer layer offer greater protection against tearing and abrasion
- Lightweight and flexible fabric permits superior comfort and breathability
- Colour: White (Hooded coveralls available in white or navy blue)
- Fabric weight: 1.80 oz/yd<sup>2</sup> (60 grams)

**Applications:** Food processing, laboratories/pharmaceutical, light oil and grease, maintenance, manufacturing/assembly, refineries/chemical producers.



Description	Order No.	Size	Qty /Case
<b>COVERALL</b>			
Zipper front w/storm flap collar and 1 breast pocket	SEC829	Medium	25
	SEC830	Large	25
	SEC831	X-Large	25
	SEC832	2X-Large	25
	SEC833	3X-Large	25
	SEC834	4X-Large	25
Zipper front w/storm flap, elastic wrists and ankles and 1 breast pocket	SEC835	Medium	25
	SEC836	Large	25
	SEC837	X-Large	25
	SEC838	2X-Large	25
	SEC839	3X-Large	25
	SEC840	4X-Large	25
<b>HOODED COVERALL</b>			
	<b>WHITE</b>		
	SEC841	Medium	25
	SEC842	Large	25
	SEC843	X-Large	25
	SEC844	2X-Large	25
	SEC845	3X-Large	25
Zipper front w/storm flap, attached hood, elastic wrists and ankles and 1 breast pocket	SEC846	4X-Large	25
	<b>NAVY</b>		
	SEC847	Medium	25
	SEC848	Large	25
	SEC849	X-Large	25
	SEC850	2X-Large	25
	SEC851	3X-Large	25
	SEC852	4X-Large	25
<b>LAB COAT</b>			
Snaps 2 pockets, collar	SEC853	Medium	30
	SEC854	Large	30
	SEC855	X-Large	30
	SEC856	2X-Large	30
<b>SMOCK</b>			
Attached ties	SEC857	Large	50
	SEC858	X-Large	50
	SEC859	2X-Large	50



**SEE PAGES  
22-41 FOR OUR  
SPILL CONTROL PRODUCTS**





## POLYPROPYLENE COVERALLS

- Polypropylene permits breathability and comfort
- Offers protection against non-hazardous and non-toxic, liquid, dust and particles
- Economical disposable option for protection in grimy work environments
- Elastic wrists, ankles and hood
- Front zipper for optimum fit
- 1.6 oz/m<sup>2</sup> fabric
- 50 coveralls per case

**Applications:** Food processing, laboratories/ pharmaceutical, warehouses, maintenance, manufacturing/assembly, dusty environments

Order No.	Size
SEK356	Medium
SEK357	Large
SEK358	X-Large
SEK359	2X-Large
SEK360	3X-Large
SEK361	4X-Large
SEK362	5X-Large



## POLYPROPYLENE PREMIUM COVERALLS

- Polypropylene permits breathability and comfort
- Offers protection against non-hazardous and non-toxic, liquid, dust and particles
- Economical disposable option for protection in grimy work environments
- Elastic wrists, ankles and hood
- Heavy-duty front zipper for optimum fit
- Protective front zipper flap
- Features front left breast pocket
- 1.85 oz/m<sup>2</sup> fabric
- 50 coveralls per case

**Applications:** Food processing, laboratories/ pharmaceutical, warehouses, maintenance, manufacturing/assembly, dusty environments

Order No.	Size
SEK370	Medium
SEK371	Large
SEK372	X-Large
SEK373	2X-Large
SEK374	3X-Large
SEK375	4X-Large
SEK376	5X-Large



## SHOE COVERS

- 100% spun-bonded polypropylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement
- Sewn seams offer maximum tear strength
- Skid-free models have a textured sole for improved traction
- Colour: White
- Sold per package



Order No.	Description	Size	Qty /Pkg.
SEC385	Regular sole	Large	100
SEC386	Regular sole	X-Large	100
SEC387	Skid-free sole	Large	100
SEC388	Skid-free sole	X-Large	100

## NON-CONDUCTIVE SHOE COVERS

- 100% spun-bonded polypropylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement
- Sewn seams offer maximum tear strength
- Skid-free model has textured sole for improved traction
- Colour: Blue
- Sold per package



Order No.	Description	Size	Qty /Pkg.
SEC389	Regular Sole	Large	100
SEC390	Regular Sole	X-Large	100
SEC391	Skid-Free Sole	X-Large	100

## SHOE COVERS

- 100% polyethylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement
- No seams are ideal for protection from liquids
- Colour: Blue



Order No.	Size	Qty /Pkg.
SEL089	Large	100

## SEE PAGES 124 - 138 FOR RESPIRATOR PRODUCTS



# Clothing

## TYVEK® PROTECTIVE CLOTHING

- Serged seams

**Applications:** Asbestos removal, paint spraying, light splashes, maintenance, general clean-up, dry particulate protection.



SAV192



SAV174



SAV176










SAV183



SAV190



		Order No.	Mfg. No.	Size	Qty /Case
 <b>SHIRT</b> Snap front		SAV183	TY303S-S	Small	50
		SAV182	TY303S-M	Medium	50
		SAV181	TY303S-L	Large	50
		SAV184	TY303S-XL	X-Large	50
		SAV178	TY303S-2XL	2X-Large	50
		SAV179	TY303S-3XL	3X-Large	50
		SAV180	TY303S-4XL	4X-Large	50
 <b>PANTS</b> Elastic waist		SAV190	TY350S-S	Small	50
		SAV189	TY350S-M	Medium	50
		SAV188	TY350S-L	Large	50
		SAV191	TY350S-XL	X-Large	50
		SAV185	TY350S-2XL	2X-Large	50
		SAV186	TY350S-3XL	3X-Large	50
		SAV187	TY350S-4XL	4X-Large	50
 <b>PULLOVER HOOD</b> Pullover, elasticized face opening, covers shoulders		SAV193	TY657S	One-Size	100
 <b>LAB COAT</b> Snaps 2 pockets, collar		SAV174	TY212S-S	Small	30
		SAV173	TY212S-M	Medium	30
		SAV172	TY212S-L	Large	30
		SAV175	TY212S-XL	X-Large	30
		SAV169	TY212S-2XL	2X-Large	30
		SAV170	TY212S-3XL	3X-Large	30
		SAV171	TY212S-4XL	4X-Large	30
 <b>APRON</b> Sewn ties		SAV176	TY273B	28" x 36" Long	100
 <b>SLEEVES</b> Elastic at both ends		SAV192	TY500S	18" Long	100 pairs
 <b>SHOE/BOOT COVER</b> Elastic top		SA174 SA173	TY450S-WH TY454S-WH	8 1/4" High, O/S, pr. 17" High, O/S, pr.	100 pairs 100 pairs





## TYVEK® COVERALLS

- The best balance of protection, durability and comfort
- Inherent barrier protection against dry particulate hazards
- Even after abrasion, stops submicron particles better than reusable garments
- Colour: White

### Applications:

General maintenance/operations, spray painting, lead abatement, environmental cleanup, asbestos abatement, agriculture, food processing, mould remediation, microcrystalline silica.



	Order No.	Mfg. No.	Size	Qty /Case
 <b>COVERALL</b> Serged Seams, Collar, Front Zipper Closure	<b>SAS028</b>	TY120S-M	Medium	25
	<b>SAS029</b>	TY120S-L	Large	25
	<b>SAS030</b>	TY120S-XL	X-Large	25
	<b>SAS031</b>	TY120S-2XL	2X-Large	25
	<b>SAS032</b>	TY120S-3XL	3X-Large	25
	<b>SAS033</b>	TY120S-4XL	4X-Large	25
 <b>COVERALL</b> Serged Seams, Collar, Front Zipper Closure, Elastic Wrists and Ankles	<b>SAS035</b>	TY125S-M	Medium	25
	<b>SAS036</b>	TY125S-L	Large	25
	<b>SAS037</b>	TY125S-XL	X-Large	25
	<b>SAS038</b>	TY125S-2XL	2X-Large	25
	<b>SAS039</b>	TY125S-3XL	3X-Large	25
	<b>SAS040</b>	TY125S-4XL	4X-Large	25
 <b>HOODED COVERALL</b> Serged Seams, Attached Hood, Front Zipper Closure, Elastic Wrists and Ankles	<b>SAS042</b>	TY127S-M	Medium	25
	<b>SAS043</b>	TY127S-L	Large	25
	<b>SAS044</b>	TY127S-XL	X-Large	25
	<b>SAS045</b>	TY127S-2XL	2X-Large	25
	<b>SAS046</b>	TY127S-3XL	3X-Large	25
	<b>SAS047</b>	TY127S-4XL	4X-Large	25
 <b>HOODED COVERALL W/BOOTS</b> Zipper Front, Attached Hood, Boots and Elastic Wrists	<b>SAV166</b>	TY122S-M	Medium	25
	<b>SAV165</b>	TY122S-L	Large	25
	<b>SAV168</b>	TY122S-XL	X-Large	25
	<b>SAV162</b>	TY122S-2XL	2X-Large	25
	<b>SAV163</b>	TY122S-3XL	3X-Large	25
	<b>SAV164</b>	TY122S-4XL	4X-Large	25

## TYVEK® DUAL COVERALLS

- The ideal balance of protection, durability, and comfort for workers
- Unique zoned garment designed specifically for composite manufacturing applications
- Front zone features Tyvek® fabric to provide excellent durability and an inherent barrier to fine particles
- Rear zone features ProShield® fabric to help increase breathability for reduced heat stress and advanced worker comfort
- Comfort fit design helps to enable a greater range of movement while providing a more tailored fit
- Thumb loops keep the sleeves in place while donning gloves or reaching
- Respirator-fit hood with elastic around the face opening
- Longer zipper extends to chin for complete coverage of the neck area
- Unique outside serged seams provide better liquid mist holdout

Order No.	Mfg. No.	Size	Qty /Case
<b>SEH058</b>	TD127-M	Medium	25
<b>SEH059</b>	TD127-L	Large	25
<b>SEH060</b>	TD127-XL	X-Large	25
<b>SEH061</b>	TD127-2X	2X-Large	25
<b>SEH062</b>	TD127-3X	3X-Large	25
<b>SEH063</b>	TD127-4X	4X-Large	25



# Clothing

## PROSHIELD® BASIC GARMENTS

- Soft, breathable, comfortable and lightweight spunbond meltblown spunbond (SMS) material
- Feature a proprietary comfort fit design that is specially engineered for enhanced worker range of motion and durability in use
- Provides protection from dirt, grime, and non-hazardous dry particles
- Colour: Blue



**Applications:** Food processing, general maintenance, janitorial, visitor garments, hospitals and situations where you want to avoid nuisance contamination.



		Order No.	Mfg. No.	Description	Qty /Case
<b>COVERALL</b> Zipper Front, Elastic Wrists and Ankles		SEJ892	PB125SBU-MD	Medium	25
		SEJ893	PB125SBU-LG	Large	25
		SEJ894	PB125SBU-XL	X-Large	25
		SEJ895	PB125SBU-2X	2X-Large	25
		SEJ896	PB125SBU-3X	3X-Large	25
		SEJ897	PB125SBU-4X	4X-Large	25
<b>HOODED COVERALL</b> Zipper Front, Attached Hood, Elastic Wrists and Ankles		SEJ899	PB127SBU-MD	Medium	25
		SEJ900	PB127SBU-LG	Large	25
		SEJ901	PB127SBU-XL	X-Large	25
		SEJ902	PB127SBU-2X	2X-Large	25
		SEJ903	PB127SBU-3X	3X-Large	25
		SEJ904	PB127SBU-4X	4X-Large	25
<b>LAB COAT</b> Snaps 2 Pockets, Collar		SDL501	PB212SBU-MD	Medium	30
		SDL502	PB212SBU-LG	Large	30
		SDL503	PB212SBU-XL	X-Large	30
		SDL504	PB212SBU-2X	2X-Large	30
		SDL505	PB212SBU-3X	3X-Large	30

## NEXGEN® COVERALLS

- Effective barrier against a variety of common industrial aerosols and liquids
- Proprietary microporous technology
- Colour: White



**Applications:** Anywhere general protective coveralls are used from dirty jobs to paint spraying to agricultural applications.



		Order No.	Mfg. No.	Size	Qty /Case
<b>COVERALL</b> Zipper front, collar		SN880	NG120S-S	Small	25
		SN881	NG120S-M	Medium	25
		SN882	NG120S-L	Large	25
		SN883	NG120S-XL	X-Large	25
		SN884	NG120S-2XL	2X-Large	25
		SN885	NG120S-3XL	3X-Large	25
<b>COVERALL</b> Zipper front, elastic wrists and ankles		SN886	NG120S-4XL	4X-Large	25
		SN887	NG125S-S	Small	25
		SN888	NG125S-M	Medium	25
		SN889	NG125S-L	Large	25
		SN890	NG125S-XL	X-Large	25
		SN891	NG125S-2XL	2X-Large	25
<b>HOODED COVERALL</b> Zipper front, attached hood, elastic wrists and ankles		SN892	NG125S-3XL	3X-Large	25
		SN893	NG125S-4XL	4X-Large	25
		SN894	NG127S-S	Small	25
		SN895	NG127S-M	Medium	25
		SN896	NG127S-L	Large	25
		SN897	NG127S-XL	X-Large	25
		SN898	NG127S-2XL	2X-Large	25
		SN899	NG127S-3XL	3X-Large	25
		SN900	NG127S-4XL	4X-Large	25



## TYCHEM® SL COVERALLS



- Lightweight fabric made from Tyvek® laminated with a chemical-resistant Dow Saranex® 23P film
- Offers dependable protection against a broad spectrum of chemicals
- Provides great protection against hazardous particles and liquids
- Rugged and durable strong fabric, reducing the risk of tears and abrasion
- Bound seams
- Colour: White



### Applications:

Petrochemical manufacturing, waste management, industrial plants, hazardous material response, emergency medical response, paint spraying, radioactive environments, environmental cleanups and other emergency services. Commonly used in domestic preparedness for protection from biohazards, several toxic industrial chemicals and some chemical warfare agents.






	Order No.	Mfg. No.	Size	Qty /Case
 <b>COVERALL</b> Bound Seams, Collar, Front Zipper, Storm Flap, Elastic Wrists and Ankles	<b>SAS056</b>	SL125B-M	Medium	12
	<b>SAS057</b>	SL125B-L	Large	12
	<b>SAS058</b>	SL125B-XL	X-Large	12
	<b>SAS059</b>	SL125B-2XL	2X-Large	12
	<b>SAS060</b>	SL125B-3XL	3X-Large	12
	<b>SAS061</b>	SL125B-4XL	4X-Large	12
 <b>HOODED COVERALL</b> Bound Seams, Attached Hood, Front Zipper, Storm Flap, Elastic Wrists and Ankles	<b>SA194</b>	SL127B-M	Medium	12
	<b>SA193</b>	SL127B-L	Large	12
	<b>SA196</b>	SL127B-XL	X-Large	12
	<b>SC252</b>	SL127B-2XL	2X-Large	12
	<b>SC253</b>	SL127B-3XL	3X-Large	12
	<b>SC254</b>	SL127B-4XL	4X-Large	12

## TEMPRO® COVERALLS

- Engineered secondary flame-resistant protection intended to wear over primary flame-resistant garments
- Lightweight, disposable barrier protection designed to not contribute to burn injury
- Protects non-hazardous dry particles and aerosols from contaminating flame-resistant garments
- Colour: Blue

\*Attached socks must be worn inside protective outer footwear and are not suitable as outer footwear. These attached socks do not have adequate durability or slip resistance to be worn as the outer foot covering.





	Order No.	Mfg. No.	Size	Qty /Case
 <b>COVERALL</b> Zipper front, collar	<b>SA224</b>	TM120S-S	Small	25
	<b>SA223</b>	TM120S-M	Medium	25
	<b>SA222</b>	TM120S-L	Large	25
	<b>SA225</b>	TM120S-XL	X-Large	25
	<b>SC273</b>	TM120S-2XL	2X-Large	25
	<b>SC274</b>	TM120S-3XL	3X-Large	25
 <b>COVERALL</b> Zipper front, attached hood, elastic wrists and ankles	<b>SA228</b>	TM127S-S	Small	25
	<b>SA227</b>	TM127S-M	Medium	25
	<b>SA226</b>	TM127S-L	Large	25
	<b>SA229</b>	TM127S-XL	X-Large	25
	<b>SC276</b>	TM127S-2XL	2X-Large	25
	<b>SC277</b>	TM127S-3XL	3X-Large	25
 <b>COVERALL</b> Zipper front, attached hood, elastic wrists and ankles, attached sock boots*	<b>SAV159</b>	TM122S-M	Medium	25
	<b>SAV158</b>	TM122S-L	Large	25
	<b>SAV161</b>	TM122S-XL	X-Large	25
	<b>SAV155</b>	TM122S-2XL	2X-Large	25
	<b>SAV156</b>	TM122S-3XL	3X-Large	25
	<b>SAV157</b>	TM122S-4XL	4X-Large	25

## PYROLON PLUS II® COVERALLS

### FLAME RETARDANT FABRIC

- Overgarment enhances protection for expensive thermal protective garments
- Protection from a wide range of dry particulate hazards
- Water and oil repellency
- Will not melt and drip or cause additional injury
- Used in combination with thermal protective garments
- Ideal for welding, steel mills, coal mines, maintenance work, refineries, laboratories, utilities
- Meets the standards of ANSI/ISEA 101-1996
- Colour: Blue



	Order No.	Mfg. No.	Size	Qty /Case
 <b>COVERALL</b> Zipper Front, Collar	<b>SN339</b>	7412-SB	Small	25
	<b>SN340</b>	7412-MB	Medium	25
	<b>SN341</b>	7412-LB	Large	25
	<b>SN342</b>	7412-XLB	X-Large	25
	<b>SN343</b>	7412-2XLB	2X-Large	25
	<b>SN344</b>	7412-3XLB	3X-Large	25
 <b>HOODED COVERALL</b> Zipper Front, Attached Hood, Elastic Wrists and Ankles	<b>SN345</b>	7412-4XLB	4X-Large	25
	<b>SN346</b>	7428-SB	Small	25
	<b>SN347</b>	7428-MB	Medium	25
	<b>SN348</b>	7428-LB	Large	25
	<b>SN349</b>	7428-XLB	X-Large	25
	<b>SN350</b>	7428-2XLB	2X-Large	25
	<b>SN351</b>	7428-3XLB	3X-Large	25
	<b>SN352</b>	7428-4XLB	4X-Large	25

## BOUFFANT CAPS

### NON-WOVEN

- Non-woven polypropylene
- Elasticized band for an optimum fit
- 100% latex-free
- Sold per package



SEC376

Order No.	Size	Colour	Qty /Pkg.
SEC375	Medium 18"	White	100
SEC376	Large 21"	White	100
SEC377	X-Large 24"	White	100
SEC378	Large 21"	Blue	100

### LINT-FREE

- Lint-free, lightweight non-woven material
- Elasticized band for an optimum fit
- Colour: White
- 100% latex-free
- Sold per package



SEC380

Order No.	Size	Qty /Pkg.
SEC379	Medium 18"	100
SEC380	Large 21"	100

### LATEX-FREE

- Non-woven polypropylene
- Latex-free elasticized band for an optimum fit
- Ideal for individuals with latex sensitivities or allergies
- Colour: White
- 100% latex-free
- Sold per package



SEC382

Order No.	Size	Qty /Pkg.
SEC381	Large 21"	100
SEC382	X-Large 24"	100

## HAIR NETS

- Fine nylon mesh
- Elasticized band for an optimum fit
- Colour: White
- 100% latex-free
- Sold per package



SEC373

Order No.	Size	Qty /Pkg.
SEC372	Medium 18"	100
SEC373	Large 21"	100
SEC374	X-Large 24"	100

## BEARD NETS

- Non-woven polypropylene
- Elasticized band for an optimum fit
- Covers beard and mustache
- One size fits all
- Colour: White
- 100% latex-free
- Sold per package



SEC384

Order No.	Description	Colour	Qty /Pkg.
SEC383	One String Behind Head	White	100
SEC384	Two Strings, Behind Ears	White	100

## FINE NYLON NETS

- Bouffant style with elastic band to ensure a snug and comfortable fit
- Colour: White and brown
- Sold per package

SA657

Order No.	Size	Colour	Qty /Pkg.
SA656	Medium	White	100
SA657	Medium	Brown	100

## POLYETHYLENE APRONS

- Disposable, 0.02 mm thick white polyethylene apron
- Bib-style apron is 46" L x 35" W with waist ties
- Accepted for use in Canadian food processing facilities
- 100 per package
- Sold per package

Order No. SAQ708



## LIGHTWEIGHT VINYL APRONS

- Bib style
- Cotton straps for adjustability
- Seamless edges prevent residue and bacteria accumulation
- Dimensions: 45" L x 36" W
- Thickness: 0.20mm
- Colour: Blue
- Accepted for use in Canadian food processing facilities

Order No. SEE888



## DENIM APRONS

- Bib style
- 100% cotton
- Cotton straps for adjustability
- Includes one chest pocket and three waist pockets
- Dimensions: 38" L x 28" W
- Fabric weight: 10 oz.
- Colour: Blue
- Accepted for use in Canadian food processing facilities

Order No. SEE851



## COTTON CANVAS APRONS

- Bib style
- 100% cotton
- Cotton straps for adjustability
- Dimensions: 36" L x 29" W
- Fabric weight: 10 oz.
- Colour: White
- Accepted for use in Canadian food processing facilities

Order No. SEE852



## NEOPRENE ON NYLON APRONS

- Lightweight 9-oz. neoprene on nylon
- Protects against splashes
- Resists most acids
- Sewn-on ties
- 48" L x 36" W
- Colour: Yellow

**NORTH**

by Honeywell

Order No.	Mfg. No.	Description
SA277	1276	Neoprene

## FLAME RETARDANT NEOPRENE ON POLYESTER APRONS

- Bib style apron with metal grommets and polyester ties
- Reliable form of protection against industrial chemical splashes and the handling of corrosive solvents
- 48" L x 35" W
- 0.45 mm thick
- CFIA approved
- Colour: Yellow

Order No.	Description
SAL663	Neoprene

## NITRILE ON POLYESTER APRONS

- Heavy-duty bib style apron with metal grommets and polyester ties
- Reliable form of protection against industrial chemical splashes and the handling of corrosive solvents
- 48" L x 35" W
- 0.45 mm thick
- CFIA approved
- Colour: Black

Order No.	Description
SAL664	Nitrile

## HEAVYWEIGHT APRON

- Black
- 50" L x 36" W
- 19 oz.

Order No.	Mfg. No.	Description
SEB864	ER127	Rubber



## LIGHTWEIGHT POLYURETHANE APRONS

- Bib style apron
- 48" L x 35" W
- 0.45 mm thick
- Colour: Yellow

Order No.	Description
SAL666	Polyurethane



## FLAME RETARDANT PVC ON POLYESTER APRONS

- Bib style apron
- Heavy duty features oil resistant and fire retardant material
- Rustproof heat sealed grommets
- Seamless edges that prevent buildup of bacteria and residue
- 48" L x 36" W
- CFIA approved
- Colour: Yellow

Order No.	Description	Thickness mm
SAL660	Regular	0.35
SAL661	Oil/Fire Retardant	0.35
SAL662	Oil/Fire Retardant w/Reinforced Belly	0.45



## CA-43® APRONS

- Flame retardant PVC coating on polyester
- Fabric is tough and durable while offering protection from most chemical and acid exposures
- Durable waist and neck ties
- Reinforced grommets at tie points
- 48" L x 29" W
- Colour: Kelly green

**ranpro**

Order No.	Mfg. No.
SAL595	A4348



## FLAME RETARDANT CANVAS APRONS

- Bib-style green flame retardant canvas apron
- Sewn-on ties
- 36" L x 30" W

**NORTH**

by Honeywell

Order No.	Mfg. No.	Description
SB912	AFC79	Canvas





# Clothing

## COTTON SLEEVES

- Knitted on both ends prevents debris from entering the sleeve
- Single ply
- Length: 8"
- Colour: Beige
- Sold individually

Order No. SAQ743



## POLYETHYLENE SLEEVES

- Disposable
- 0.02 mm polyethylene
- Elastic at both ends
- Length: 16"
- Colour: White
- 100 per bag
- Sold per bag

Order No. SEK350



## VINYL SLEEVES

- Made with 4-mil vinyl
- Heat sealed seams
- Elastic cuffs
- Length: 18"
- Approved for use in Canadian food processing facilities
- Sold per dozen pairs



Order No.	Mfg. No.	Colour
SDL001	DSBV-18	Blue
SDL002	DSWV-18	White

## TUBE STYLE COTTON SLEEVES

- Made wide for a better fit and greater comfort
- Length: 24"
- Colour: Beige
- Sold per pair

Order No. SAL755

Mfg. No. S-24-WIDE



## NEOPRENE SLEEVES

- Medium weight neoprene construction
- Elastic at both ends
- Length: 18"
- Colour: Yellow
- Sold per pair

Order No. SA281

Mfg. No. SLE11



by Honeywell

## COTTON SLEEVES

- Elastic at both ends
- Length: 18"
- Colour: White
- 10 per package
- Sold per package

Order No. SAL705

Mfg. No. 440030



## PVC ON POLYESTER SLEEVES

- These PVC on polyester sleeves are strong and flexible
- Sewn-in elastic at top with 1" wide elastic at bottom
- Length: 18"
- Colour: Green
- Sold per pair

Order No. SA282

Mfg. No. SLE13



by Honeywell



## NYLON MESH SLEEVES

- Adjustable dome snap closure
- Length: 9"
- Colour: Black
- Sold per pair

Order No. SAM210



## FLAME RESISTANT CANVAS SLEEVES

- 100% cotton-flame retardant material
- Elastic at both ends
- Length: 18"
- Colour: Lime green
- Sold per pair

Order No. SB894

Mfg. No. SLE12



by Honeywell



## FLAME RESISTANT PVC/POLYESTER SLEEVES

- Elastic cuffs
- Length: 18"
- Available in regular and heavy-duty
- Colour: Yellow
- Accepted for use in Canadian food processing facilities
- Sold per pair



Order No.	Mfg. No.	Description
SAL703	440040	Regular, 0.35 mm
SAL704	440050	Heavy-Duty, 0.45 mm



## KEVLAR® SLEEVES

- Tube style sleeves
- Resists burns, abrasions and cuts
- Available with or without thumb hole
- Available in both double ply and single ply, wide and regular fit
- Other sizes available
- Colour: Yellow
- Sold per pair



**JOMAC**  
CANADA

Order No.	Mfg. No.	Description	Length"
<b>WITHOUT THUMB HOLE</b>			
<b>SAL745</b>	SK-10	Double Ply, Regular Fit	10
<b>SAL746</b>	SK-10-WIDE	Double Ply, Wide Fit	10
<b>SAL747</b>	SK-14-1PLY-WIDE	Single Ply, Wide Fit	14
<b>SAL748</b>	SK-14	Double Ply, Regular Fit	14
<b>SAL749</b>	SK-14-WIDE	Double Ply, Wide Fit	14
<b>SAL750</b>	SK-18	Double Ply, Regular Fit	18
<b>SAL751</b>	SK-18-WIDE	Double Ply, Wide Fit	18
<b>SAL752</b>	SK-24-1PLY-WIDE	Single Ply, Wide Fit	24
<b>SAL753</b>	SK-24	Double Ply, Regular Fit	24
<b>SAL754</b>	SK-24-WIDE	Double Ply, Wide Fit	24

Order No.	Mfg. No.	Description	Length"
<b>WITH THUMB HOLE</b>			
<b>SAL738</b>	SK-10H	Double Ply, Regular Fit	10
<b>SAL739</b>	SK-10H-WIDE	Double Ply, Wide Fit	10
<b>SAL740</b>	SK-14H-1PLY-WIDE	Single Ply, Wide Fit	14
<b>SAL741</b>	SK-14H-WIDE	Double Ply, Wide Fit	14
<b>SAL742</b>	SK-18H-1PLY-WIDE	Single Ply, Wide Fit	18
<b>SAL743</b>	SK-18H	Double Ply, Regular Fit	18
<b>SAL744</b>	SK-18H-WIDE	Double Ply, Wide Fit	18

## SHOP COATS

- 7.5-oz. twill, 65% polyester/35% cotton
- Five concealed grippers
- One-piece notch lapel
- Two chest pockets and two lower pockets
- Side vent openings and back vent
- 43 3/4" length (based on size 42)
- Navy blue



Order No.	Mfg. No.	Size
<b>SEE232</b>	KT30NV38	38
<b>SEE233</b>	KT30NV40	40
<b>SEE234</b>	KT30NV42	42
<b>SEE235</b>	KT30NV44	44
<b>SEE236</b>	KT30NV46	46
<b>SEE237</b>	KT30NV48	48

Other sizes available, call us today

## COVERALLS

- 7.5-oz. twill, 65% polyester/35% cotton
- Gripper at top of zipper and lapel
- Two set-in front pockets, patch hip pockets, chest pockets, and rule pocket on right leg
- Two-way brass zipper
- Hemmed sleeves



Order No.	Mfg. No.	Order No.	Mfg. No.	Size
<b>SEE208</b>	CT10NV38	<b>SEE220</b>	CT10SG38	38
<b>SEE209</b>	CT10NV40	<b>SEE221</b>	CT10SG40	40
<b>SEE210</b>	CT10NV42	<b>SEE222</b>	CT10SG42	42
<b>SEE211</b>	CT10NV44	<b>SEE223</b>	CT10SG44	44
<b>SEE212</b>	CT10NV46	<b>SEE224</b>	CT10SG46	46
<b>SEE213</b>	CT10NV48	<b>SEE225</b>	CT10SG48	48

Other sizes available, call us today

## ARMGUARDS

- Ideal for animal and wood/lumber handling, metal and glass fabrication and assembly operations
- Made of high-performance SuperFabric®, a cut and puncture-resistant fabric
- Spandex wrist insert with thumb hole maximizes fit; will not fall down like knit sleeves
- Reduce costs: lasts 10-15 times longer than typical protective wear
- Compatible with most gloves
- Ambidextrous
- Length: 9"
- Sold individually



Order No.	Mfg. No.	Size
<b>SAM145</b>	AG10009S-S	Small
<b>SAM146</b>	AG10009S-M	Medium
<b>SAM147</b>	AG10009S-L	Large
<b>SAM148</b>	AG10009S-XL	X-Large

## DURAKAP INDUSTRIAL PANTS

- 7.5-oz. twill, 65% polyester/35% cotton
- Touchtex™ technology with superior colour retention, soil release, and wickability
- Traditional easy fit
- Folder-set waistband with outlet and button closure, for a comfortable fit
- Slack-style front pockets and two set-in hip pockets, left pocket has button closure



Order No.	Mfg. No.	Order No.	Mfg. No.	Inseam*	Size
<b>SEE186</b>	PT20NV34	<b>SEE198</b>	PT20SG34	37	34
<b>SEE187</b>	PT20NV36	<b>SEE199</b>	PT20SG36	37	36
<b>SEE188</b>	PT20NV38	<b>SEE200</b>	PT20SG38	37	38
<b>SEE189</b>	PT20NV40	<b>SEE201</b>	PT20SG40	36	40
<b>SEE190</b>	PT20NV42	<b>SEE202</b>	PT20SG42	36	42

\* Inseams are unhemmed. Hemmed pants are available, please call for more details. Other sizes available, call us today

## INDUSTRIAL SOLID WORK SHIRTS

- 4.25-oz. poplin, 65% polyester/35% cotton
- Touchtex™ technology with superior colour retention, soil release, and wickability
- Two-piece, lined collar with sewn-in stays
- Six-button front with gripper at neck
- Two button-thru hex style pockets with bartacked pencil still on left pocket



Order No.	Mfg. No.	Order No.	Mfg. No.	Size
<b>SEE148</b>	SP24NVM	<b>SEE157</b>	SP24SGM	Medium
<b>SEE149</b>	SP24NVL	<b>SEE158</b>	SP24SGL	Large
<b>SEE150</b>	SP24NVXL	<b>SEE159</b>	SP24SGXL	X-Large
<b>SEE151</b>	SP24NV2XL	<b>SEE160</b>	SP24SG2XL	2X-Large
<b>LONG SLEEVE</b>				
<b>SEE166</b>	SP14NVM	<b>SEE175</b>	SP14SGM	Medium
<b>SEE167</b>	SP14NVL	<b>SEE176</b>	SP14SGL	Large
<b>SEE168</b>	SP14NVXL	<b>SEE177</b>	SP14SGXL	X-Large
<b>SEE169</b>	SP14NV2XL	<b>SEE178</b>	SP14SG2XL	2X-Large

Other sizes available, call us today

## WINTER LINERS

Winter liners give you added protection in cold conditions or on windy days. Can be worn with caps, hats, welding helmets, hard hats or alone. One size fits all. Flame resistant outer shell.

**ZENITH**  
Safety Products

### MILD COLD

Single twill layer with napped inside for mild cold.

Order No. SAJ553



### MODERATE COLD

Twill outer layer and polyfiber/cotton lined for moderate to severe cold.

Order No. SAM456



### SEVERE COLD

Twill outer layer, sheep thermal lined and full neck flap for severe cold.

Order No. SAM455



## BALACLAVAS

- Polyester stretch fleece keeps head and neck warm
- Single wash, FR-treated
- Long length
- One size



Order No. Mfg. No.  
SEE075 16821



## WINTER LINERS

- Inner pockets at ears can hold warming packs for extra warmth
- Single wash, FR-treated
- One size



SEE070



SEE065



SEE068



## 6810/6815 STRETCH CAPS

- 100% polyester knit
- Keeps ears and head protected from wind and cool conditions
- Single wash, FR-treated
- One size

SEE077



Order No. Mfg. No. Description  
SEE076 16810 Half Cap Style  
SEE077 16815 Full Face Style

SEE076



## FLEECE MULTI-BANDS

- Polyester performance fabric with Microfleece
- Multiple style and usage configurations; wear it as a balaclava, neck-warmer, tuque, and more
- Anti-stink treatment helps workers remain unscented
- Stretchable, comfortable, and seam-free
- Machine washable
- One size

SED108

SED107



## OUTER LAYER THERMAL JACKETS

- Rugged nylon outer shell with water repellent treatments
- Fleece lining for soft warmth
- Armortex™ reinforcements protect heavy wear zones
- Multiple pockets, including back document and front cell
- Reflective accents help keep workers safe and visible
- Drawstring waist and adjustable cuffs



Order No. Mfg. No. Size  
SEB753 41103 Medium  
SEB754 41104 Large  
SEB755 41105 X-Large  
SEB756 41106 2X-Large  
SEB757 41107 3X-Large



Order No. Mfg. No. Pattern  
SED107 42311 Flames  
SED108 42312 Skulls

## FLAME-RESISTANT DRESS UNIFORM SHIRTS

- 7-oz. Excel FR® ComforTouch, 88% cotton/12% nylon
- Banded, topstitched, button-down collar
- Two chest pockets with button flap closures and sewn-in pencil stall
- Placket front with button closure
- Tailored sleeve plackets
- Colour: Navy
- Arc Rating: ATPV 8.6 cal/cm², HRC 2



Order No.	Mfg. No.	Size
SED622	SLU2NVSM	Small
SED623	SLU2NVMD	Medium
SED624	SLU2NVLG	Large
SED625	SLU2NVXL	X-Large
SED626	SLU2NV2XL	2X-Large

Other colours and specialty long sizes are available, call today.

## FLAME-RESISTANT WORK PANTS

- 9-oz. Excel FR® ComforTouch™ twill 88% cotton/12% nylon
- Inner-lined waistband with button closure
- Multiple versatile pockets
- Arc Rating: ATPV 12.2 cal/cm², HRC 2

Order No.	Mfg. No.	Size	Length" (Inseam)
SED679	PLW2NV33	33	37
SED680	PLW2NV36	36	37
SED681	PLW2NV38	38	37
SED682	PLW2NV40	40	36
SED683	PLW2NV42	42	36
SED684	PLW2NV44	44	36



Other colours and specialty sizes are available, call today.

## FLAME-RESISTANT PREMIUM COVERALLS

- 6-oz. 93% Nomex® aramid/5% Kevlar® aramid/2% other fibre
- 2-way concealed Nomex® taped brass break-away zipper
- Concealed snap at top of zipper and at neck
- Mandarin style, stand-up, two-way safety collar
- Concealed snap closure on cuff
- Elastic waist inserts
- Multiple versatile pockets
- Deep-pleated action back
- Side vent openings with concealed snap closure
- Colour: Royal blue
- Arc Rating: ATPV 5.1 cal/cm², HRC 1



Order No.	Mfg. No.	Size
SED726	CNB6RB38	38
SED727	CNB6RB40	40
SED728	CNB6RB42	42
SED729	CNB6RB44	44
SED730	CNB6RB46	46
SED731	CNB6RB48	48
SED732	CNB6RB50	50

Other colours and specialty sizes are available, call today.

## FLAME-RESISTANT WORK SHIRTS

- 7-oz. Excel FR® 100% cotton
- 2-piece lined collar
- Two chest pockets with button flap closures and sewn-in pencil stall
- Hemmed front with button closure
- 1-piece lined cuff with button closure
- Sleeve vent
- Colour: Navy
- Arc Rating: ATPV 7.7 cal/cm², HRC 1



Order No.	Mfg. No.	Size
SED634	SEW2NVSM	Small
SED635	SEW2NVMD	Medium
SED636	SEW2NVLG	Large
SED637	SEW2NVXL	X-Large
SED638	SEW2NV2XL	2X-Large

Other colours and specialty long sizes are available, call today.

## FLAME-RESISTANT COOL TOUCH® 2 CARGO PANTS

- 7-oz. 45% modacrylic/35% lyocell/15% polyamide imide/5% para-aramid
- Inner-lined waistband with hook-and-loop closure
- Multiple versatile pockets
- Colour: Navy
- Arc Rating: ATPV 10.1 cal/cm², HRC 2

Order No.	Mfg. No.	Size	Length" (Inseam)
SED693	PMU2NV33	33	37
SED694	PMU2NV36	36	37
SED695	PMU2NV38	38	37
SED696	PMU2NV40	40	36
SED697	PMU2NV42	42	36
SED698	PMU2NV44	44	36



Specialty sizes are available, call today.

## FLAME-RESISTANT CLASSIC COVERALLS

- 9-oz. Excel FR® 100% cotton
- 2-way concealed Nomex® taped brass break-away zipper
- 1-piece, topstitched, lay-flat collar
- Concealed snap at neck
- Hemmed sleeves
- Multiple versatile pockets
- Side vent openings
- Arc Rating: ATPV 11.2 cal/cm², HRC 2



Navy Order No.	Mfg. No.	Royal Blue Order No.	Mfg. No.	Size
SED738	CEC2NV38	SED196	CEC2RB38	38
SED739	CEC2NV40	SED197	CEC2RB40	40
SED740	CEC2NV42	SED198	CEC2RB42	42
SED741	CEC2NV44	SED199	CEC2RB44	44
SED742	CEC2NV46	SED200	CEC2RB46	46
SED743	CEC2NV48	SED201	CEC2RB48	48
SED744	CEC2NV50	SED202	CEC2RB50	50

Other colours, sizes and specialty long sizes are available, call today.



# Clothing

## FLAME-RESISTANT PREMIUM COVERALLS W/REFLECTIVE TRIM

- 9-oz. Excel FR® ComforTouch twill 88% cotton/12% nylon
- 2-way concealed Nomex® taped brass break-away zipper
- Mandarin style stand-up, two-way safety collar
- Concealed snap on cuff and at top of zipper and at neck
- Elastic waist inserts
- Pockets: Two topstitched and lined front swing pockets, two patch chest pockets with flaps and concealed snap closures, two patch hip pockets with single concealed snap closure, one left sleeve pocket and one ruled pocket on right leg
- Deep-pleated action back
- Side vent openings with concealed snap closure
- 360° visibility with front and back 2" yellow/silver/yellow reflective stripes
- Colour: Royal blue
- Arc Rating: ATPV 12.2 cal/cm², HRC 2



Back

Order No.	Mfg. No.	Size
SED783	CLBTRB38	38
SED784	CLBTRB40	40
SED785	CLBTRB42	42
SED786	CLBTRB44	44
SED787	CLBTRB46	46
SED788	CLBTRB48	48
SED789	CLBTRB50	50
SED790	CLBTRB52	52
SED791	CLBTRB54	54
SED792	CLBTRB56	56
SED793	CLBTRB58	58



Specialty sizes are available, call today.

## DELUXE FLAME-RESISTANT INSULATED BIB OVERALLS W/REFLECTIVE TRIM

- Outer shell made from 5.3-oz. 93% Nomex® aramid/5% Kevlar® aramid/2% other fibre, water repellent material
- 14.2-oz. quilted Nomex® insulation with wind and moisture barrier
- 2-way, extra heavy-duty Nomex® taped brass zipper front with concealed flap
- Full Nomex® taped ankle-to-hip brass zippers
- Elasticized shoulder straps with non-conductive adjustable hardware
- Five large patch pockets, hip pocket with closure
- Reinforced double knees
- 360° visibility with front and back 2" yellow/silver/yellow reflective striping
- Arc Rating: EBT 69.5 cal/cm², HRC 4



Order No.	Mfg. No.	Size
SED224	BNNTRBSRG	Small
SED225	BNNTRBMRG	Medium
SED226	BNNTRBLRG	Large
SED227	BNNTRBXLRG	X-Large
SED228	BNNTRB2XLRG	2X-Large
SED229	BNNTRB3XLRG	3X-Large

Specialty sizes are available, call today.



## FLAME-RESISTANT PARKAS WITH REFLECTIVE STRIPES

- Outer shell made from 5.3-oz. 93% Nomex® aramid/5% Kevlar® aramid/2% other fibre water repellent material
- 14.2-oz. quilted flame-resistant Nomex® insulation with wind and moisture barrier
- 2-way separating extra heavy-duty Nomex® taped brass zipper, fully covered with hook-and-loop secured storm flap
- Fully insulated stand-up collar
- Knit storm cuffs within hemmed sleeve end with hook-and-loop suppression tabs
- Multiple pockets
- Deep-pleated action back
- Elastic inserts at waist and across back
- Inside zipper guards on all zippers
- Internal snow belt
- 360° visibility with front and back 2" yellow/silver/yellow reflective stripes
- Colour: Royal blue
- Arc Rating: EBT 69.5 cal/cm², HRC 4



Order No.	Mfg. No.	Size
SED210	JNPTRBBSRG	Small
SED211	JNPTRBMRG	Medium
SED212	JNPTRBLRG	Large
SED213	JNPTRBXLRG	X-Large
SED214	JNPTRB2XLRG	2X-Large
SED215	JNPTRB3XLRG	3X-Large
SED216	JNPTRB4XLRG	4X-Large

Specialty sizes are available, call today



## FLAME-RESISTANT PARKAS W/REFLECTIVE STRIPES

- Outer shell made from 7-oz. twill 88% cotton/12% nylon water repellent material
- 12-oz., 2-layer quilted flame-resistant modacrylic isolation
- 2-way separating extra heavy-duty Nomex® taped brass zipper, fully covered with hook-and-loop secured storm flap
- Fully insulated stand-up collar
- Knit storm cuffs with hook-and-loop suppression tabs
- Pockets: Three large patch pockets with concealed snaps (lower pockets with hand warmers), one inside chest pocket, and one sleeve pocket
- Deep-pleated action back
- Elastic inserts at waist and across back
- Internal snow belt
- 360° visibility with front and back 2" yellow/silver/yellow reflective striping
- Colour: Royal blue
- Arc Rating: ATPV 43.3 cal/cm², HRC 4



Order No.	Mfg. No.	Size
SED217	JLPTRBSRG	Small
SED218	JLPTRBMRG	Medium
SED219	JLPTRBLRG	Large
SED220	JLPTRBXLRG	X-Large
SED221	JLPTRB2XLRG	2X-Large
SED222	JLPTRB3XLRG	3X-Large
SED223	JLPTRB4XLRG	4X-Large

Specialty sizes are available, call today.





## ARC FLASH PROTECTION KITS

- 8 cal/cm<sup>2</sup> kits include: 8 cal/cm<sup>2</sup> coveralls, faceshield with bracket, hard hat, and storage bag, balaclava-style hood, safety glasses, all in one storage bag
- 40 cal/cm<sup>2</sup> kits include: 40 cal/cm<sup>2</sup> coat, 40 cal/cm<sup>2</sup> bib overalls, 40 cal/cm<sup>2</sup> Pro-Hood®, and safety glasses, all in one storage bag
- Meets NFPA standard 70E



SED838



SED843

**SALISBURY**  
by Honeywell

Order No.	Mfg. No.	Coverall Size	Hazard Risk Category
<b>8 CAL/CM² KITS</b>			
SED838	SKCA8L-1200	Large	2
SED839	SKCA8XL-AS1200	X-Large	2
SED840	SKCA82XL-AS1200	2X-Large	2

<b>40 CAL/CM² KITS</b>			
SED843	SK40L	Large	4
SED844	SK40XL	X-Large	4
SED845	SK402XL	2X-Large	4

Other sizes and colours available, call today

## ARC FLASH PROTECTIVE BALACLAVA-STYLE HOODS

- Create 360° head and neck protection from arc flash dangers, when used with a faceshield
- Made from FR materials
- Made from two layers of rib knit material
- Elastic face opening maintains its shape and size
- ATPV rating of 10 cal/cm<sup>2</sup>

**Caution:** Arc flash hoods must be worn in combination with a faceshield in order to comply with the requirements of NFPA 70E

Order No. SED820  
Mfg. No. AFHOOD10



**SALISBURY**  
by Honeywell

## LEATHER PROTECTOR GLOVES

- Leather protector gloves should always be worn over insulating rubber gloves to provide the needed mechanical protection against cuts, abrasions and punctures
- Manufactured from top grain cowhide or goatskin
- Elastic wrist, no cuff
- Length: 10"
- Minimum distance between top of protectors and rubber gloves is 1/2" for class 0
- Sold per pair

**SALISBURY**  
by Honeywell



Goatskin		Cowhide		Fits Insulating Glove Size
Order No.	Mfg. No.	Order No.	Mfg. No.	
SED865	ILPG10/7	SED871	ILP10/7	7 & 7.5
SED866	ILPG10/8	SED872	ILP10/8	8 & 8.5
SED867	ILPG10/9	SED873	ILP10/9	9 & 9.5
SED868	ILPG10/10	SED874	ILP10/10	10 & 10.5
SED869	ILPG10/11	SED875	ILP10/11	11 & 11.5

**Warning:** Do not use leather protectors alone for protection against electric shock. Serious injury or death will result. Always use proper insulating rubber gloves.

Proper care of leather protectors is essential to user safety. Inspect the leather protectors when inspecting rubber gloves. Metal particles, imbedded wire, abrasive materials or any substance that could physically damage the rubber gloves must be removed from the protector before use.

## ARC FLASH PROTECTION FACESHIELDS

- Utilizes nanotechnology to provide a more transparent window for improved visibility
- Shield/window designed to be easily replaced without tools
- Absorbs >99.9% of harmful UV radiation
- 7 1/2" x 20" viewing area with extra light tint
- 0.06" thick
- Faceshield unit includes: Ventilation ribs that allow a natural convection air flow through the top of the faceshield to reduce fogging of the visor, lower CO<sub>2</sub> levels, and improve user comfort
- SED815 comes with a dielectric hardhat; the faceshield stows in a balanced, compact position, centred over the top of the hard hat when not needed
- ATPV rating of 12 cal/cm<sup>2</sup>
- Meets current ANSI standard Z87.1, CSA, and tested to ASTM standard F2178 specifications



SED816



SED815

**SALISBURY**  
by Honeywell

Order No.	Mfg. No.	Description
SED816	AS1200	Unit w/Bracket
SED815	AS1200HAT	Unit w/Bracket and Hard Hat
SED817	AS1200FS	Replacement Faceshield

## FLAME RESISTANT ATTACHABLE TASK LIGHTS

- Arc tested FR task light features a high intensity long lasting white LED lamp with an overall brightness of 7 lumens
- From 24" distance, the beam is approximately 6-7" in diameter
- High intensity illumination is very useful when working up close
- Two AAA batteries provide 14-15 hours of high brightness



**SALISBURY**  
by Honeywell

Order No.	Mfg. No.	Description
SED818	FLKIT	Attachable Task Light and Clip

The SED816 faceshield can hold two task lights. SED818 only contains one task light and one clip

## RUBBER INSULATING GLOVES

- Made from Class 0 Type I natural rubber
- Extremely flexible; working with small parts is easy
- Proper fit is important to minimize chafing and fatigue; allow for additional room if fabric liners are to be worn
- Meets or exceeds ASTM standard D120 and IEC standard EN60903
- Sold per pair

**SALISBURY**  
by Honeywell



Black Order No.	Mfg. No.	Red Order No.	Mfg. No.	Size	Length"
SED847	E011B7	SED856	E011R7	7	11
SED849	E011B8	SED858	E011R8	8	11
SED850	E011B8.5	SED859	E011R8.5	8.5	11
SED851	E011B9	SED860	E011R9	9	11
SED852	E011B9.5	SED861	E011R9.5	9.5	11
SED853	E011B10	SED862	E011R10	10	11
SED854	E011B10.5	SED863	E011R10.5	10.5	11
SED855	E011B11	SED864	E011R11	11	11

# Non-Sparking, Non-Magnetic Tools

Ampco non-sparking, non-magnetic, corrosion-resistant safety tools are FM approved. Made in the U.S.A. Backed by a limited lifetime warranty. Effectively limit sparking and meet OSHA's New Hazard Communication Standard stating that non-sparking tools are required with flammable liquids. Non-sparking tools for use in locations where flammable vapours and/or combustible residues are present. Non-sparking or intrinsically safe tools are also required and/or recommended by NFPA, MSHA and NIOSH. Ideal for petroleum, metalworking, paint finishing, and transportation applications. Also used in woodworking, fertilizer production, and grain handling where high levels of dust are

prominent. The metals used to make Ampco Safety Tools are highly conductive and should be grounded if there is a risk for static sparks.


**Non-sparking metal** - High-strength for impact and torque applications. Brinell hardness is 200 to 350. Tensile strength is 95 000 to 150 000 PSI.

**Beryllium Copper\*** Superior strength for impact and torque applications. Most effective material for tools with cutting edges or gripping teeth. Brinell hardness is 332 to 382. Tensile strength is up to 200 000 PSI.

\* All models made from non-sparking metal, some contain beryllium copper where indicated.

## WRECKING & PRYING BARS

Cast from a high-strength nickel-aluminum bronze. Ideal for handling potentially flammable or hazardous items.



Order No.	Description	Bar"	Overall Length"	Wt. lbs.
TP417	Crow Bar	5/8 Hex.	18	1.9
TP418	Crow Bar	3/4 Hex.	24	3.8
TP420	Crow Bar	7/8 Hex.	36	7.2
TP421	Pinch Bar w/Bent Chisel Tip	3/4 Hex.	18	2.3
TP423	Pinch Bar w/Bent Chisel Tip	1 Hex.	36	8.7
TP424	Pry Bar w/Straight Chisel Tip	1 1/4	60	18.8

## HAMMERS & MALLETS

Non-sparking metal construction, cast from a high strength nickel-aluminum bronze. Fibreglass handle for durability and vibration control.



Order No.	Description	Head Wt. lbs.	Face Dia."	Overall Length"
BB514	Curved-Claw Nail Hammer Smooth Striking Face	1.00	1	14
BB517	Curved-Claw Nail Hammer Smooth Striking Face	1.25	1	14
BB488	Ball Pein Hammer	1.00	1 1/4	14
BB489	Ball Pein Hammer	1.50	1 3/8	14
BB490	Ball Pein Hammer	2.00	1 1/4	14
BB498	Double-Face Engineer's Hammer	1.75	1 3/8	14
BB504	Double-Face Engineer's Hammer	2.75	1 1/2	15
WI941	Sledge Hammer	5.00	2	33
WI943	Sledge Hammer	10.00	2 3/8	33
WI944	Sledge Hammer	15.00	2 3/4	33
WI945	Sledge Hammer	18.00	3	33
WI953	Mallet	2.00	1 1/2	14
WI954	Mallet	4.00	2	15
WI955	Mallet	6.00	2 1/4	15
BB497	Bricklayer's Hammer	1.50	3/4	14

## SAFETY FLANGE WEDGES


• Cast from high strength nickel-aluminum bronze



Order No.	Mfg. No.	Dimensions				
		L"	x	W"	x	H"
TLV212	W-1	3 1/4	x	1/2	x	1/4
TLV213	W-2	3 1/4	x	3/4	x	1/2
TLV214	W-3	6	x	1	x	1/2
TLV215	W-4	6	x	1 1/2	x	3/4
TLV216	W-5	7	x	1 1/4	x	1/2

## SHOVELS & SCOOPS


Non-sparking metal construction. One-piece blade, hollow-socket shovels and scoops. High strength and manageable weight allow for continuous and effective use. Long-handled models have fibreglass handles and D-handled models have fibreglass handles with a plastic grip bar.



Order No.	Blade Dim. W" x H"	Handle Style	Overall Length"
<b>ROUND-POINT SHOVELS</b>			
TP509	9 x 11 1/4	D	37
TP510	9 x 11 1/4	Long	56 1/2
<b>SQUARE-POINT SHOVELS</b>			
TP511	9 x 11	D	37
TP512	9 x 11	Long	58
<b>SCOOP SHOVELS</b>			
TP513	14 x 17	D	40
TP514	14 x 17	Long	60 1/2

## FLOOR SCRAPERS

• Cast from a high strength nickel-aluminum bronze  
• Fibreglass handle sold separately



Order No.	Description	Blade Dim. L" x W"	Overall Length"
TP480	Scraper, Short Blade	1 1/2 x 3	7
TP483	Scraper, Short Blade	1 1/2 x 6	6 3/4
TP485	Scraper, Long Blade	2 1/2 x 4	9
TP487	Scraper, Long Blade	2 1/4 x 6	8 1/2
TP489	Plain Floor Scraper	6 3/4 x 6	6 3/4
TP469	Fibreglass Handle for Floor Scraper	-	65

## HAND SCRAPERS

• Cast from a high strength nickel-aluminum bronze  
• Choose from a variety of models



Order No.	Description	Blade Dim. L" x W"	Overall Length"
TP474	Spray Booth Scraper	4 x 3	9 1/4
TP475	Pick and Scaler Scraper	2 1/4 x 3	17 3/4
TP476	Hand Styler Scraper w/Plastic Handle	3 3/4 x 3 3/4	19
TP477	Deck Scraper w/Single Blade and Handle	- 1 1/2	15
TP478	Deck Scraper w/Blade on Each End	- 7/8	7 7/8

# Non-Sparking, Non-Magnetic Tools

## COMBINATION WRENCHES

- 15° angle and 12-point box



Order No.	Size"	Length"
TX692	3/8	6 5/16
TX693	7/16	7 1/4
TX694	1/2	7 1/4
TX695	9/16	8 1/4
TX696	5/8	8 7/8
TX697	11/16	10 1/8
TX698	3/4	10 1/8
TX699	7/8	13 1/4
TX700	15/16	13 1/4
TX701	1	13 1/4
TX702	1 1/16	17
TX703	1 1/8	17
TX704	1 1/4	19 1/2
TX705	1 5/16	16 15/16
TX706	1 3/8	21 1/4
TX707	1 7/16	21 1/4
TX708	1 1/2	22
TX709	1 5/8	22

## ADJUSTABLE WRENCHES



Order No.	Max Jaw Width"	Length"
TX679	15/16	6
TX680	1 1/8	8
TX681	1 5/16	10
TX682	1 1/2	12
TX683	1 11/16	15


## ADJUSTABLE PIPE WRENCHES

- Cast from nickel-aluminum bronze (beryllium copper teeth)
- Available with aluminum handles



Order No.	Jaw Material	Handle Material	Max Jaw Width"	Length"
TX684	Nickel-Aluminum Bronze	Nickel-Aluminum Bronze	1 15/16	8
TX685	Nickel-Aluminum Bronze	Nickel-Aluminum Bronze	2 1/2	10
TX686	Nickel-Aluminum Bronze	Nickel-Aluminum Bronze	2 13/16	14
TX687	Nickel-Aluminum Bronze	Nickel-Aluminum Bronze	3 3/16	18
TX688	Nickel-Aluminum Bronze	Nickel-Aluminum Bronze	4 1/4	24
TLV206	Nickel-Aluminum Bronze	Aluminum	2 1/2	10
TLV208	Nickel-Aluminum Bronze	Aluminum	3 3/16	18
TLV209	Nickel-Aluminum Bronze	Aluminum	4 1/4	24

## BUNG WRENCHES



UQ924




TX691



Order No.	Description	a"	b"	c"
UQ924	For 3/4 and 2" Bungs	2	2	12
TX691	For 22 Different Bung Sizes	2 1/2	2 1/4	15

## SCREWDRIVERS


- Shank made of beryllium copper



Order No.	Type	a"	b"	c"	Wt. lbs.
<b>STANDARD</b>					
TD625	-	1/8	6	9 1/2	0.12
TD613	-	5/16	3	6 1/2	0.14
TD614	-	5/16	6	10 1/8	0.3
TD615	-	3/8	8	13	0.5
TD616	-	3/8	12	17	0.64
<b>PHILLIPS</b>					
TD617	#1	-	3	6 1/2	0.12
TD618	#2	-	4	7 1/2	0.16
TD619	#3	-	6	10 1/8	0.3
TD620	#4	-	8	13	0.5
<b>CABINET-TIP</b>					
TD623	-	1/4	4	7 5/8	0.14
TD624	-	3/16	3 1/2	6 5/8	0.14
TD626	-	3/16	6	9 1/2	0.16
TD627	-	3/8	12	17	0.75

## PUTTY KNIVES

- Made from nickel copper
- Use with volatile resins, paints, inks and other compounds
- Blade is riveted to wood handle



TX713

Order No.	Blade Width"	Blade Length"	O. A. Length"
<b>PUTTY KNIVES - STIFF BLADE</b>			
TX710	1 1/4	3 9/16	7 3/4
TX711	2	4	8
TX712	3 1/2	4 1/2	8 1/2
<b>PUTTY KNIFE - FLEXIBLE BLADE</b>			
TX713	3 1/2	4 1/2	8 1/2


## PLIERS

- Cast from a high-strength nickel-aluminum bronze
- Cushion-grip handle provides powerful leverage, comfort and added safety



TP457

Order No.	Description	Jaw Width"	Overall Length"
TP452	Combination Slip-Joint Pliers	5/16	6 1/2
TP453	Combination Slip-Joint Pliers	1/2	8
TP454	Lineman's Pliers w/Side Cutter	5/8	8 1/2
TP455	Tongue and Groove Pliers, 6 Positions	1 1/2	10
TP456	Tongue and Groove Pliers, 6 Positions	2 1/8	12
TP457	Long-Nose Pliers w/Side Cutter, 1/8" Jaw Tip	1/3	7



TP452



TP455

TP454



## RZ PONCHOS

- 0.10 mm material thickness
- 100% unsupported single-ply PVC material
- Ultrasonically welded seams
- One size fits all

Order No. SEH121



## RZ100 RAIN SUITS

- 0.35 mm material thickness
- Yellow triple layer PVC/Polyester/PVC material
- Jacket features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Bib overall pants feature non-conductive fasteners, fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Adjustable waist snaps
- Ultrasonically welded seams



Order No.	Size
SEH078	Small
SEH079	Medium
SEH080	Large
SEH081	X-Large
SEH082	2X-Large
SEH083	3X-Large
SEH084	4X-Large



## RZ200 LONG COATS

- 0.35 mm material thickness
- Yellow triple layer PVC/Polyester/PVC material
- 47" long coat features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Cuff take-up snaps
- Fire retardant
- Ultrasonically welded seams



Order No.	Size
SEH085	Small
SEH086	Medium
SEH087	Large
SEH088	X-Large
SEH089	2X-Large
SEH090	3X-Large
SEH091	4X-Large



## RZ300 RAIN SUITS

- 0.20 mm material thickness
- Unsupported yellow PVC material with an embossed finish
- Jacket features storm flap and dome snaps, two patch pockets and a detachable hood
- Bib overall pants feature fly front
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically welded seams



Order No.	Size
SEH092	Small
SEH093	Medium
SEH094	Large
SEH095	X-Large
SEH096	2X-Large
SEH097	3X-Large
SEH098	4X-Large



## RZ900 PREMIUM TRAFFIC RAIN SUITS

- 0.35 mm thick high visibility lime-yellow triple layer laminated PVC/polyester/PVC
- 3M™ Scotchlite™ reflective material for maximum visibility
- 2" reflective stripes
- Jacket features storm flap, dome fasteners, two patch pockets, corduroy collar and detachable hood
- Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Non-conductive fasteners
- Ultrasonically welded seams
- Meets CSA standard Z96-02 standard, Class 3, Level 2 requirements



Order No.	Size
SEH113	Small
SEH114	Medium
SEH115	Large
SEH116	X-Large
SEH117	2X-Large
SEH118	3X-Large
SEH119	4X-Large





## RZ500 FLAME RESISTANT RAIN SUITS



- 0.30 mm material thickness
- Yellow tear-resistant PVC/Nylon/PVC material
- Lightweight material offers greater flexibility and comfort
- Jacket comes with storm flap, dome snap fasteners, two patch pockets and detachable hood
- Cape back vent on jacket with underarm vents
- Pants feature adjustable suspenders and waist straps
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically welded seams
- Compliant with CSA testing under CAN/CGSB standard 155.20 for flame resistance



Order No.	Size
SEH099	Small
SEH100	Medium
SEH101	Large
SEH102	X-Large
SEH103	2X-Large
SEH104	3X-Large
SEH105	4X-Large

## TRAFFIC RAINWEAR

- High visibility orange PVC on nylon
- Flame resistant, water repellant, has good abrasion resistance and is not affected by most chemical products and acids
- All seams are electronically sealed to prevent leakage
- 2" North-Brite™ reflective stripes
- Rust proof hardware
- Jacket, pants and hood are sold separately
- Jacket meets CSA standard Z96-09 Class 2, Level 2 requirements
- Meets CSA standard Z96-09 Class 3, Level 2 when worn with pants



Order No.	Mfg. No.	Size
<b>JACKET</b>		
SD458	TV7001HV/S	Small
SD459	TV7001HV/M	Medium
SD460	TV7001HV/L	Large
SD461	TV7001HV/XL	X-Large
SD462	TV7001HV/2XL	2X-Large
<b>PANTS</b>		
SD463	TV7002HV/S	Small
SD464	TV7002HV/M	Medium
SD465	TV7002HV/L	Large
SD466	TV7002HV/XL	X-Large
SD467	TV7002HV/2XL	2X-Large
<b>HOOD</b>		
SD468	AV7004HV	-

## RZ600 FLAME RESISTANT RAIN SUITS



- 0.35 mm material thickness
- Yellow PVC/polyester/PVC material
- Jacket comes with storm flap, dome snaps, two patch pockets and detachable hood
- Cape back and underarm vents
- Bib overall pants come with fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Adjustable waist snaps
- Non-conductive fasteners
- Ultrasonically welded seams
- Compliant with CSA testing under CAN/CGSB standard 155.20 for flame resistance



Order No.	Size
SEH106	Small
SEH107	Medium
SEH108	Large
SEH109	X-Large
SEH110	2X-Large
SEH111	3X-Large
SEH112	4X-Large

## TROOPER RAIN SUITS

- Fluorescent lime-yellow polyurethane coated polyester stretch fabric
- 2" silver reflective stripes
- Tear, chemical, abrasion, and puncture-resistant
- Stretchy, breathable, washable, windproof and waterproof
- Seams sealed and welded
- Velcro adjustment on leg cuff
- Hood enclosed in collar
- Meets CSA standard Z96-09 Class 3, Level 2 requirements



Order No.	Mfg. No.	Size
SEA669	RTS-FLY-M	Medium
SEA670	RTS-FLY-L	Large
SEA671	RTS-FLY-XL	X-Large
SEA672	RTS-FLY-2XL	2X-Large

## TOUGH & DRY RAIN SUITS

- Fluorescent lime-yellow polyurethane coated polyester
- 2" silver reflective stripes
- Breathable, washable, windproof and waterproof
- Black at lower sleeves, cuffs, and waist for longer wear
- Seams sealed and welded
- Velcro adjustment on leg cuff
- Hood enclosed in collar
- Meets CSA standard Z96-09 Class 3, Level 2 requirements



Order No.	Mfg. No.	Size
SEA600	RTS2-FLY-M	Medium
SEA601	RTS2-FLY-L	Large
SEA602	RTS2-FLY-XL	X-Large
SEA603	RTS2-FLY-2XL	2X-Large

# Heat Stress Prevention

## CHILL-ITS® 6605 COOLING HEADBANDS & 6615 COOLING DEW RAGS

- Hi Cool® moisture management performance fabric transports moisture away
- Absorbent terrycloth band
- Machine washable



SEC695



SEC678

Order No.	Mfg. No.	Colour
<b>HEADBANDS</b>		
SEC694	12425	Solid Blue
SEC695	12422	Camouflage
SEC697	12429	Flames
SEC698	12424	Navy Western

Order No.	Mfg. No.	Colour
<b>DEW RAGS</b>		
SEC675	12481	Solid Blue
SEC676	12478	Camouflage
SEC678	12485	Flames
SEC680	12480	Navy Western

## CHILL-ITS® 6200 COOLING VESTS

- Maintains a constant 58°F/14°C for up to four hours
- Comfortable cotton construction with hook and loop closure
- Flame resistant Banox FR3 fabric
- Phase change packs recharge in an iced cooler or freezer
- Non toxic, non carcinogenic, dielectric substance
- Inserts and vest sold separately



Order No.	Mfg. No.	Description	Size
SEB147	12100	Khaki Vest	Small/Medium
SEB146	12110	Khaki Vest	Large/X-Large
SEB149	12102	Phase Change Insert	Small/Medium
SEB148	12112	Phase Change Insert	Large/X-Large

## CHILL-ITS® 5155 & 5155HV LOW-PROFILE HYDRATION PACKS

- Keeps workers hydrated when they are away from water sources
- Nylon shell stands up to long term wear and tear
- Zip-up cap cover keeps debris and contaminants off
- Closed cell insulation keeps liquid cold or warm for hours
- Big mouth opening for simple filling and cleaning
- Capacity: 2 litres



Order No.	Mfg. No.	Colour
SEC701	13155	Black
SEC702	13156	Lime-Yellow

## COLOURS & PATTERNS

All colours not necessarily available in all styles.



## CHILL-ITS® 6700CT COOLING BANDANAS & 6710CT COOLING TRIANGLE HATS

- Advanced PVA towel material keeps you cool without the bulk
- Activates quickly and easily when run under water for one minute
- Lightweight and low profile for use with hard hats and helmets
- Tie closure for personal fit
- Reusable, just re-soak
- One size



Order No.	Mfg. No.	Colour
<b>BANDANAS</b>		
SEC683	12566	Hi-Vis Lime
SEC684	12567	Blue
SEI645	12562	Camouflage
SEI646	12563	Red Western
SEI647	12564	Navy Western
SEI648	12568	Flames

Order No.	Mfg. No.	Colour
<b>TRIANGLE HATS</b>		
SEC685	12586	Hi-Vis Lime
SEC686	12587	Blue
SEI649	12582	Camouflage
SEI650	12583	Red Western
SEI651	12584	Navy Western
SEI652	12588	Flames

SEC684



SEC685



## CHILL-ITS® 6700 COOLING BANDANAS & 6710 COOLING TRIANGLE HATS

- Soak in cold water to activate
- Remains hydrated up to four hours
- Activated cooling polymers bring cooling power where you need it most to fight heat stress and fatigue
- Reusable, just re-soak



Order No.	Mfg. No.	Colour
<b>BANDANAS</b>		
SEB128	12306	Navy Western
SEB136	12305	Red Western
SEB134	12304	Camouflage
SEB139	12341	Flames
SEB137	12307	Solid Blue
<b>TRIANGLE HATS</b>		
SAP942	12326	Navy Western
SAP941	12325	Red Western
SAP943	12324	Camouflage
SEC860	12327	Solid Blue

SEB128



SAP942



## CHILL-ITS® 6602 COOLING TOWELS

- Dampen this synthetic space age towel to create a cooling aid significantly cooler than ambient air
- Advanced PVA material holds water without feeling heavy
- Super-evaporative, reduces the effect of heat stress and fights fatigue
- Wear for hours, or wipe for quick relief
- Simply re-wet the towel to reactivate
- Machine washable



Order No.	Mfg. No.	Colour
SEB126	12420	Blue
SEI753	12439	Lime
SEI754	12441	Orange
SEI755	12442	Pink
SEI756	12438	Grey



## CHILL-ITS® 6665 COOLING VESTS

- Soak in cold water 2-5 minutes to activate
- Enjoy cooling relief and comfort for up to four hours
- V-neck with zipper closure
- Quilted nylon outer layer
- Activated, polymer-embedded fabric inside
- Water-repellent liner and black cotton-poly elastic trim
- Lightweight, durable and washable
- 100% nylon
- Reusable, just re-soak



Order No.	Mfg. No.	Size
<b>HI-VIZ LIME-YELLOW</b>		
SAP936	12533	Medium
SAP937	12534	Large
SAP938	12535	X-Large
SAP939	12536	2X-Large
SEC687	12537	3X-Large

Order No.	Mfg. No.	Size
<b>GREY</b>		
SEC688	12543	Medium
SEC689	12544	Large
SEC690	12545	X-Large
SEC691	12546	2X-Large
SEC692	12547	3X-Large

## CHILL-ITS® 6670 & 6670CT COOLING NECK SHADES

- Water-repellent liner
- Hook and loop allows for easy attachment
- Reusable, just re-soak

Order No.	Mfg. No.	Colour
<b>STANDARD</b>		
SEC714	12525	Lime-Yellow
SEC715	12526	Grey
<b>W/COOLING TOWEL TECHNOLOGY</b>		
SEI653	12523	Lime-Yellow



## CHILL-ITS® 6650 COOLING HATS W/NECK SHADES

- Hi Cool® moisture management performance fabric transports moisture away
- Absorbent terrycloth headband
- Wide panel neck protection
- Adjustable cinch cord for a great fit



SEC713

SEC712

Order No.	Mfg. No.	Colour
SEC712	12520	Lime-Yellow
SEC713	12521	Orange



## CHILL-ITS® 6717 HARD HAT PADS & SHADES

- Soak in cold water 2-5 minutes to activate
- Remains hydrated up to four hours
- Conveniently attaches to standard hard hat suspension with hook and loop closures
- Activated cooling polymers bring cooling power where you need it most to fight heat stress and fatigue
- Protects neck from harmful UV rays
- Reusable, just re-soak

Order No. SAP940  
Mfg. No. 12336



## HEAT STRESS STOP WATCHES

- Measures temperature and humidity, and calculates heat index as well as dew point
- Combines air temperature and relative humidity measurements in an attempt to determine the human-perceived equivalent temperature or "how hot it feels"
- Full LCD display with LED backlight
- Silent operation option
- Dual power: Solar panel and battery
- 1 ATM water resistant (IPX4 rated)

Order No. IA987  
Mfg. No. SW700

**REED**



## HEAT STRESS METERS

- Measures indoor and outdoor WBGT (Wet Bulb Globe Temperature), Black Globe (TG) temperature, humidity, wet bulb, dew point and air temperatures
- Adjustable audible WBGT alarm setting
- Real time data logger with integral 2GB SD memory card (optional)
- RS232 and USB interface
- Temperature is measured in °C or °F

### SPECIFICATIONS

Indoor WBGT Range:	0° to 59 °C
Outdoor WBGT Range:	0° to 56 °C
TG Temp. Range:	0° to 80 °C
Air Temp. Range:	0° to 50 °C
Humidity Range:	5% to 95% RH

Order No. IA794  
Mfg. No. SD-2010

**REED**



## HEAT STRESS METERS

- Wet Bulb Globe Temperature (WBGT) considers the effects of temperature, humidity and direct or radiant sunlight
- Heat stress index measures how hot it feels when humidity is combined with temperature, air movement and radiant heat
- Black Globe Temperature (TG) monitors the effects of direct solar radiation on an exposed surface
- In/Out function displays the WBGT value with or without direct sun exposure
- View individual temperatures or indices in either °F or °C
- User adjustable WBGT threshold with audible alarm if threshold is exceeded
- Built-in RS-232 interface
- Tripod mount design for long term monitoring

### SPECIFICATIONS:

Air Temp. Range:	32 to 122°F (0.0 to 50.0°C)
Black Globe Temp. Range:	32 to 176°F (0.0 to 80.0°C)
WBGT Temp. Range:	32 to 122°F (0.0 to 50.0°C)
Humidity Range:	0 to 100% RH

**REED**

Order No.	Mfg. No.	Description
IA639	8778	Heat Stress Meter
IA447	BS-6	Tripod
HX515	HR33	33% Humidity Calibration Standard
HX514	HR75	75% Humidity Calibration Standard
IA452	VZRS232BN	RS-232 Cable and Software





# Heat Stress Prevention

## SQWINCHER® LIQUID CONCENTRATE

- Yields large quantities to cover your whole crew
- Mixes instantly when water is added – no stirring required
- Screw-on cap allows you to reseal the bottle



SR933



Order No.	Mfg. No.	Flavour	Bottle Size oz.	Bottle Yield Gal.	Qty /Box
SAF862	11025	Grape	64	5	6
SAP552	11027	Mixed Berry	64	5	6
SR933	11020	Lemonade	64	5	6
SR934	11021	Orange	64	5	6
SR935	11022	Fruit Punch	64	5	6
SR936	11023	Lemon Lime	64	5	6
SR937	11024	Tropical Cooler	64	5	6
SAN540	11011	Orange	32	2.5	12
SAF863	11012	Fruit Punch	32	2.5	12
QQ095	11013	Lemon-Lime	32	2.5	12
SAP553	11015	Grape	32	2.5	12
SAP554	11014	Tropical Cooler	32	2.5	12
SR918	11010	Lemonade	32	2.5	12

## SQWINCHER® QWIK STIK LITE

- Calorie and sugar free single-serve pouches
- Simply tear open the pouch, pour the powder into a 20-oz. bottle of water, and shake
- Sold per box



Order No.	Mfg. No.	Flavour	Pouch Size oz.	Pouch Yield oz.	Qty /Box
SAN505	11060100-OR	Orange	0.11	20	50
SAN506	11060102-FP	Fruit Punch	0.11	20	50
SAP496	11060101-MB	Mixed Berry	0.11	20	50
SEI282	11060453-SL	Strawberry Lemonade	0.11	20	50

## SQWINCHER® FAST PACK®

- Packet can be used as a drinking cup; simply open it and add water to fill
- Handy, portable size lets you take Sqwincher® almost anywhere
- Sold per box



SAF874



Order No.	Mfg. No.	Flavour	Packet Size oz.	Packet Yield oz.	Qty /Box
SAF872	11080	Lemonade	0.6	6	50
SAF873	11081	Fruit Punch	0.6	6	50
SAF874	11082	Lemon-Lime	0.6	6	50
SAF878	11086	Orange	0.6	6	50

## SQWINCHER® SQWEEZE FREEZER POPS

- The great taste and performance of Sqwincher® in a refreshing frozen treat
- Simply freeze each package, then Squeeze!
- Sold per box



Order No.	Mfg. No.	Flavour	Package Size oz.	Package Yield	Qty /Box
SAM804	11130	Various*	3	3-oz. Popsicle	150

\* Mixed case consists of Orange, Grape, Lemon-Lime, Cherry and Mixed Berry flavours.

## SQWINCHER® QWIK STIK KWIK PAK™

- Plastic container has a snap lock and hold four of each flavour of the Qwik Stiks
- Ideal size fits almost anywhere including pockets, glove compartments, first aid kits, tool boxes and vending machines
- Multiple flavours help to reduce flavour fatigue to ensure the worker enjoys the drink and hydrates properly
- Can be refilled from the 50 Qwik Stik bag, controlling consumption
- Calorie and sugar free single-serve pouches
- Simply tear open the pouch, pour the powder into a 20-oz. bottle of water and shake
- Cost effective and convenient for people on the go
- Each Qwik Pak contains 16 assorted 0.11 oz. Qwik Stiks, yielding 20 oz. each

Order No. SEI283  
Mfg. No. 11QWKP-MF



## INDUSTRIAL WATER COOLERS

- Heavy-duty blow molded resin resists chips and dents in the toughest work area or job site
- Injection grade insulated liner material keeps your water or beverage cold
- Leak-resistant screw-on lid
- Drip-resistant spigot
- Sturdy molded-in handles on the 10-gallon
- Universal cup dispenser is available for three gallons and up, holds 200 cups



NI653



Order No.	Mfg. No.	Description	Wt. lbs.
NI653	1683-01-11	3 Gallons	5.4
ON611	1685-01-11	5 Gallons	7.5
ON607	1841106	5 Gallons w/Dispenser	7.5
NI656	1610-01-11	10 Gallons	10.9
NI657	8257-UN-92	Universal Cup Dispenser	0.82



## 6" CLIP-ON & DESK FANS

- 2-speed, low and high settings
- Tilting head
- Fully assembled and ready for use
- Convertible clip and desk feature
- Weight: 2.21 lbs.

Order No. EA304

Convertible Clip  
Included



## 16" WALL MOUNT OSCILLATING FANS

- 4-speed control with timer and remote
- Rotating or fixed air direction
- Portable and easy to assemble
- Weight: 8.82 lbs.

Order No. EA526



## 18" OSCILLATING PEDESTAL FANS

- 3-speed push button front control
- Adjustable height
- Rotating or fixed air direction
- Easy to assemble
- Weight: 19.84 lbs.

Order No. EA551



## 20" HIGH VELOCITY PEDESTAL FANS

- 120 V/60 Hz, 1/4 HP, 3-speed motor
- All-metal construction, chrome grill, black painted base
- Adjustable pedestal base
- 6' SJT power cord
- CFM: 5950 high, 4550 medium, 3850 low
- Overall height: 134-157.5 cm
- Base dia.: 48.5 cm
- Stem length: 63-86.5 cm
- Weight: 36 lbs.

Order No. EA289



## LIGHT INDUSTRIAL DIRECT DRIVE DRUM FANS

- 120 V/60 Hz, 2-speed motor
- All-metal construction, painted black
- 6' SJT power cord
- 6" casters with easy moving handle



Order No.	Blade size"	HP	Watts	CFM		Wt. lbs.
				High	Low	
EA286	28	2/5	290	8050	6500	22
EA288	36	3/5	405	11200	9100	30.5

## OSCILLATING DESK FANS WITH PUSH BUTTONS

- 3-speed push buttons controls
- Rotating or fixed air direction
- Portable and easy to assemble
- Topples resistant base



Order No.	Dia."	Wt. lbs.
EA305	12	5.5
EA306	16	6.83



## 20" BOX FANS

- 3-speed control
- Five slim blades
- Fully assembled and ready to use
- Weight: 9.92 lbs.

Order No. EA527



## HIGH VELOCITY FLOOR FANS

- 120 V/60 Hz, 1/4 HP, 3-speed motor
- All metal construction, chrome grill and base

EA290



Order No.	Diameter"	High	CFM			Wt. lbs.
			Med	Low		
EA528	16	2370	1950	1560		10
EA290	18	4725	3850	2975		16.18

## LIGHT INDUSTRIAL-DUTY AIR CIRCULATING FANS

- 120 V/60 Hz, 2-speed motor
- All-metal construction, chrome grill stand and base painted black
- Can be used in oscillating or non-oscillating mode
- Pedestal models feature adjustable height and heavy-duty round base for added stability
- 6' SJT power cord
- Stem length for pedestal: 89-124 cm
- Arm length wall: 32 cm
- EA571 is non-oscillating only



EA284

Order No.	Description	Overall Height	HP	Base Dia	CFM		Wt. lbs.
		cm		cm	High	Low	
OSCILLATING							
EA282	26" Pedestal	140-175	1/4	60	7525	4050	26.5
EA283	30" Pedestal	145.5 - 180.5	1/3	68.8	8778	6780	31
EA284	26" Wall Mount	55	1/4	-	7525	4050	25
NON-OSCILLATING							
EA571	30" Pedestal	154-198	1/3	25.75	8400	6650	31

## Fans & Heaters

### PORTABLE FAN-FORCED CONVECTION HEATERS

- Two heat settings (1500W and 750W) provide full comfort and efficient operation
- Adjustable thermostat
- Wide-angle oscillation
- Tip over safety switch and thermal limit control



Order No.	Volts	Watts	BTU/H	Amps
EA597	120	750/1500	2560/5200	6.25/12.5

### PORTABLE FAN-FORCED UTILITY HEATERS

- Two heat settings provide full comfort and economic operation
- Automatic built-in thermostat
- Fan only setting
- Tip over safety switch and thermal limit control
- Built-in carrying handle and front safety guards
- Safety buzzer sounds if unit is tipped over



Order No.	Volts	Watts	BTU/H	Amps	Plug
EA471	120	1300/1500	4437/5120	10.8/12.5	Grounded

### CONTRACTOR HEATERS

- Built-in thermostat
- Safety high temperature limit
- Steel spiral fin brazed to metal sheath elements for maximum heat transfer
- 6' heavy-duty cord
- Built-in handle/cord storage
- Permanently lubricated motor



Order No.	Volts	HP	Watts	BTU/H	Amps	Plug Type	Wt. lbs.
EA477	240	1	5600	19110	23.34	#6-30P	12
EA561	240	1	4800	16380	20	#6-30P	12

### HEAVY-DUTY CEILING MOUNT HEATERS

- Multi wattage covering 2500-5000 W (2500 W, 3332 W, 4165 W, 5000 W)
- Rugged heavy-duty industrial heater
- Ideal for use in barns, storage rooms, workshops, garages, warehousing
- Built-in ceiling bracket for easy mounting
- Automatic fan delay
- 240 V

Order No. EA532



### PORTABLE OPEN COIL HEATERS

- Two heat settings (1500 W and 1000 W)
- Provide full comfort and efficient operation
- Fully adjustable automatic thermostat
- Safety overload switch
- Power signal light
- Top mounted handle and controls
- Grounded plug and controls



Order No.	Volts	BTU/H	Watts	Amps
EA469	120	3410/5120	1000/1500	8.3/12.5

### POTABLE FAN-FORCED UTILITY HEATERS

- Two heat settings (1300 W and 1500 W) provide full comfort and economic operation
- Adjustable thermostat
- Fan-only setting
- Tip over safety switch
- Built-in carrying handle with front safety guards



Order No.	Volts	Watts	BTU/H	Amps
EA598	120	1300/1500	4435/5120	10.8/12.5

### PORTABLE FAN-FORCED/RADIANT UTILITY HEATERS

- Three heat settings provides full comfort and efficient operation
- 600 W radiant
- 900 W fan forced
- 1500 W fan forced and radiant
- Chrome-plated safety grill
- Automatic built-in thermostat
- Ceramic core element
- Tip over safety switch and thermal limit



Order No.	Volts	Watts	BTU/H	Amps
EA466	120	600/900/1500	2048/3072/5120	5.0/7.5/12.5

### PORTABLE CERAMIC HEATERS

- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- PTC heating element
- Tip over safety switch and thermal safety fuse



Order No.	Volts	Watts	BTU/H	Amps
EA599	120	750/1500	2560/5200	6.25/12.5

### RADIANT PLUG-IN UNDER DESK HEATERS

- Safe comfortable radiant heat
- Extremely economical to operate - only draws 1.4 A
- Will not effect computer work stations
- Lighted on-off kick switch
- Built-in safety tip-over switch
- Includes: Velcro tabs and wire support hardware for easy installation



Order No.	Volts	Watts	Amps	Size"
BA960	120	170	1.4	15 x 22 x 1



## HINGED KNEE PADS

- Cover flexes with knee to keep pad snug and debris out
- Hard cap cover for extra durability
- Premium removable cover for quick cleaning, with a Coolmax® liner for dry comfort
- Flame laminated inner sponge for added comfort
- Two velcro straps for easy donning
- One size fits all
- **Sold per pair**

**Order No. SEB486**

**Mfg. No. 18210**



## FOAM KNEE PADS

- Durable copolymer foam padding provides excellent protection and value
- Form fitted, lightweight molded pad with ribbed kneeling surface
- Light-duty copolymer single velcro strap
- One size fits all
- **Sold per pair**

**Order No. SEB475**

**Mfg. No. 18200**



## ALL TERRAIN COMFORT KNEE PADS

### SHORT CAP INJECTED GEL

- Short cap design for lightweight, mobile protection
- Lower strap with buckle closure, upper elastic strap with velcro closure
- 10 mm injected gel and PU foam for long lasting comfort
- Cap is sewn on to the knee pad
- Great for multiple surfaces
- **Sold per pair**

**Order No. SEB478**

**Mfg. No. 18355**



### LONG CAP INJECTED GEL

- Long cap design optimizes stability
- Breathable, wide elastic strap with velcro closure
- 10 mm injected gel and PU foam for long lasting comfort
- Strap design uses calf muscle to eliminate discomfort behind knee
- **Sold per pair**

**Order No. SEB477**

**Mfg. No. 18345**



**SEB123**

### HONEYCOMB GEL

- Lightweight gel protection and stability
- Lower strap and elastic sleeves eliminate irritation
- 10 mm honeycomb gel and EVA foam for lightweight comfort
- Upper and lower elastic sleeves hold knee pad in place
- Lower elastic strap with velcro closure
- One size fits all
- **Sold per pair**

**Order No. SEB123** Short Cap

**Mfg. No. 18357**



**SEB124**

**Order No. SEB124** Long Cap

**Mfg. No. 18348**

## HARD SHELL KNEE PADS

- Hard, durable, shell caps with tough fabric
- Thick foam padding and adjustable closures
- Ideal for professional trades
- **Sold per pair**



**TN241**



**TN240**



Order No.	Mfg. No.	Description
<b>TN240</b>	KP-300	Heavy-Duty Leather Knee Pad
<b>TN241</b>	KP303	Hard Shell Knee Pad

## KNEELING PADS

- Comfort for static kneeling situations
- Closed cell foam is non-conductive, resistant to petroleum and silicon-free
- Convenient handle included



**SEB125**

Order No.	Mfg. No.	Dimensions"				
<b>SEB125</b>	18380	14	x	21	x	1
<b>SEB479</b>	18385	16	x	28	x	1
<b>SEB480</b>	18390	18	x	36	x	1



# Ergonomics

## FLEXIBLE KNEE PADS

- Lightweight molded knee pad
- High density foam padding
- Nylon top cover
- Abrasion resistant plastic cover attached with grommets
- Adjustable double elastic straps
- Hook and loop closure
- **Sold per pair**

Order No. SEE110

Mfg. No. 827-00



**IMPACTO**  
Protective Products Inc.



## PLASTIC CAP KNEE PADS

- Foam padding with nylon top cover
- Ribbed surface helps prevent slipping
- Sewn-on ribbed plastic cover is non-marring
- Top elastic strap and bottom webbing strap with plastic buckle closure
- **Sold per pair**

Order No. SEE112

Mfg. No. 826-00



**IMPACTO**  
Protective Products Inc.



## WELDING KNEE PADS

- Made of heat resistant leather
- Flexible non-skid cap designed to stand up to the everyday demands of the welding environment
- Ideal for welding as well as high heat applications such as smelters and foundries
- **Sold per pair**

Order No. SM777

Mfg. No. 6991-01Q

**ALLEGRO**  
INDUSTRIES



## LEATHER KNEE PADS

- Tough abrasion-resistant leather for maximum protection and soft cushion back for comfort
- Elastic straps with velcro closures ensure a secure fit
- Resistant to heat and fire
- Ideal for welders or any construction application such as concrete work
- **Sold per pair**

Order No. SAL218

Mfg. No. 6991

**ALLEGRO**  
INDUSTRIES



## ADJUSTABLE WRIST WRAPS

- Adjustable moderate support, keeps wrist in neutral position; good for sprains, strains, minor complaints
- Economical wrist wrap fits right or left hand, one size fits all; thumb loop keeps support in place
- Tradewinds™ open-cell neoprene construction, which breathes and stays comfy in hot, humid weather or under clothing
- Compression is easily adjusted with hook and loop closure
- Washable, dry flat

Order No. SAK698

Mfg. No. 10190101



## UNIVERSAL ELASTIC WRIST SUPPORTS

- Absorbs impact-induced vibrations before reaching the elbow
- Universal 3" elastic wrist support with a poly/cotton covered Sorbothane® strip
- Adjustable hook and loop closure

Order No. SEE126

Mfg. No. ERWW



## ELASTIC WRIST RESTRAINERS

- Limits the wrist from over flexing and over extending to help prevent repetitive strain injuries
- Flexible spiral stays provide support
- Loops around thumb to keep in place
- Elastic strap with hook and loop closure
- Double straps has stays on palm and dorsal side



Left Order No.	Mfg. No.	Right Order No.	Mfg. No.	Measurement"
SEE139	EL41SL	SEE143	EL41SR	4.5 to 5.5
SEE140	EL41ML	SEE144	EL41MR	6.5 to 7.5
SEE141	EL41LL	SEE145	EL41LR	7.5 to 8.5
SEE142	EL41XLL	SEE146	EL41XLR	8.5 to 11

## THERMAL WRIST WRAPS

- Relieves stress, strains, swelling and tendinitis by providing a wrist joint compression support
- Allows for free hand movement
- Jersey covered neoprene retains body heat
- Hook and loop closure

Order No. SEE127

Mfg. No. ER101



## TENNIS ELBOW BRACES

- Supports the upper forearm during activities involving repeated hand motion
- Provides relief and prevention of pain related to muscle strain, tendinitis, repetitive motion, carpal tunnel syndrome, lateral epicondylitis
- Adjustable strap with hook and loop closure

Order No.	Mfg. No.	Measurement"
SEE114	EL5002S	9 to 10.5
SEE115	EL5002M	11 to 12
SEE116	EL5002L	12 to 14
SEE117	EL5002XL	14 to 16.5





## BACK SUPPORTS

- Reduces risk of lower back injury and offers added support
- Encourages proper lifting posture
- Adjustable two-stage straps permit optimal level of tension
- Double closure on cinch strap permits more adjustment options
- Adjustable elastic suspenders for maximum comfort and fit
- 8" reinforced primary belt

Order No.	Size
SEE905	Small
SEE906	Medium
SEE907	Large
SEE908	X-Large
SEE909	2X-Large



## BACK SUPPORTS - PREVENTS PAINS, STRAINS, INJURIES & REDUCES FATIGUE. PROTECT YOURSELF!

Improves lifting technique and encourages correct posture when lifting, standing, sitting or driving. Delivers firm comfortable broad lower back and abdominal support by enhancing intra-abdominal pressure to equalize stress away from spine. All models are machine washable.

### PROFLEX® 2000SF PERFORMANCE SPANDEX

- Patented Sticky Fingers® stays deliver firm, continuous lower back and abdominal support, and have greater durability and gripping properties than industry-standard, rubber-tracked tape
- Patented contoured design comfortably hugs the body and naturally positions support on wearer
- 1 1/4" premium woven elastic suspenders are adjustable and detachable to improve comfort and fit
- Power panel positioner keeps elastic bands close to sides for ease of use and will not fall out of reach when not in use
- Woven cinch tabs are reinforced to stand up to daily wear
- Durable Spandex body cloth provides an ideal combination of breathability and consistent stretch
- Adjustable two-stage closure helps remind wearers to lift properly
- Colour: Black



Order No.	Mfg. No.	Size
SAI207	11281	X-Small
SAI208	11282	Small
SAI209	11283	Medium
SAI210	11284	Large
SAI211	11285	X-Large
SAI212	11286	2X-Large
SAI213	11287	3X-Large
SAI214	11288	4X-Large



### PROFLEX® 100 ECONOMY SPANDEX

- Rubber track webbing helps keep support in position
- Economical 280D Spandex body material
- Adjustable and detachable suspenders
- Non-conductive polypropylene stays
- Stretchable bias binding with zig-zag stitching



Order No.	Mfg. No.	Size
SEB206	11381	X-Small
SEB207	11382	Small
SEB208	11383	Medium
SEB209	11384	Large
SEB210	11385	X-Large
SEB211	11386	2X-Large
SEB212	11387	3X-Large
SEB213	11388	4X-Large



### PROFLEX® 1051 MESH W/LUMBAR PAD

- Breathable mesh outer shell provides a cool, comfortable wear
- Uniquely designed with ventilated lumbar pad to fill the gap in the back's natural curve for comfortable support
- Adjustable two-stage closure helps remind wearers to lift properly
- Power panel positioner keeps elastic bands close to sides for ease of use - will not fall out of reach when not in use
- Machine washable
- Colour: Black



Order No.	Mfg. No.	Size
SAI223	20183	Small
SAI224	20184	Medium
SAI225	20185	Large
SAI226	20186	X-Large
SAI227	20187	2X-Large



## SIZING CHARTS

Measure around the waist.

A back support should fit snugly around the waist but not too tightly that it can't be cinched to a comfortable closure when ready to lift.



### ERGODYNE®

Size	Fits Waist	Size	Fits Waist
X-Small	22" to 25" (56-64 cm)	X-Large	38" to 42" (97-107 cm)
Small	25" to 30" (64-76 cm)	2X-Large	42" to 46" (107-117 cm)
Medium	30" to 34" (76-86 cm)	3X-Large	46" to 52" (117-132 cm)
Large	34" to 38" (86-97 cm)	4X-Large	52" to 58" (132-147 cm)

### ZENITH SAFETY PRODUCTS®

Size	Fits Waist	Size	Fits Waist
Small	28" to 35"	X-Large	45" to 54"
Medium	33" to 42"	2X-Large	50" to 57"
Large	38" to 48"		



# Inspector Gloves

## NYLON INSPECTION GLOVES

- Lint-free nylon yarn offers premium product protection
- Maximum dexterity and sensitivity
- Keep hands clean during inspections
- Protect products from fingerprints, contamination, scratches and static
- Hemmed cuff provides secure fit
- Case Qty: 600
- **Sold per pair**

**Applications:** Electronics inspection lines and assembly, paint line inspection, low lint applications

Order No.	Size
SEE791	Ladies
SEE792	Men's



**ZENITH**  
Safety Products

## PREMIUM STRING KNIT GLOVES

- Cotton/nylon/spandex blend
- Elastic knit wrist
- Optimal fit
- Superior comfort
- Premium dexterity and sensitivity
- Case Qty: 300
- **Sold per pair**

Order No.	Size
SED611	Small
SED612	Medium
SED613	Large



**ZENITH**  
Safety Products

## POLY/NYLON STRING KNIT GLOVES

- A string knit polyester/nylon blend glove with knit wrist
- Commonly known as the "Fisherman's Glove" it is ideal for food processing, will not absorb liquids therefore remaining lightweight even when wet
- Case Qty: 360
- **Sold per pair**

Order No.	Size
SEF199	Medium
SEF200	Large



## COTTON INSPECTION GLOVES

- Keep hands clean during inspections
- Protect products from fingerprints, contamination, scratches and static
- Can be used as a perspiration absorbing liner for gloves
- 100% heavyweight cotton
- Case Qty: 600
- **Sold per pair**

**Applications:** General inspection lines, assembly, glove liner

Order No.	Size
SEE787	Ladies
SEE788	Men's



**ZENITH**  
Safety Products

## POLY/COTTON STRING KNIT GLOVES

- Seamless string knit design provides excellent comfort and breathability
- 65% cotton and 35% polyester blend, 7 gauge
- Reversible pattern extends wear life and improves savings
- Knit wrist provides secure fit and prevents debris from entering the glove
- Accepted for use in Canadian food processing facilities
- Case Qty: 300
- **Sold per pair**

**Applications:** Parts handling, maintenance, assembly, glove liner, food processing

Order No.	Size
SEE932	X-Small
SEE933	Small
SEE934	Medium
SEE935	Large
SEE936	X-Large
SEE937	2X-Large



**ZENITH**  
Safety Products

## POLY/COTTON INSPECTION GLOVES

- Keep hands clean during inspections
- Protect products from fingerprints, contamination, scratches and static
- Can be used as a perspiration absorbing liner for gloves
- 80% cotton and 20% polyester blend
- **Sold per pair**

**Applications:**  
General inspection lines, assembly, glove liner

Order No.	Cuff	Size	Qty /Case
<b>LIGHTWEIGHT LISLE</b>			
SEE783	Unhemmed	Ladies	1200
SEE784	Unhemmed	Men's	1200
<b>MEDIUM WEIGHT</b>			
SEE785	Hemmed	Ladies	600
SEE786	Hemmed	Men's	600
<b>MEDIUM WEIGHT</b>			
SEE789	Knit Wrist	Ladies	600
SEE790	Knit Wrist	Men's	600



SEE783

**ZENITH**  
Safety Products



SEE786



SEE787

## PARADE/WAITER'S GLOVES

- Seaming detail on back
- 100% white cotton
- Hemmed cuff provides secure fit
- Case Qty: 600
- **Sold per pair**

Order No.	Size
SEE793	Small
SEE794	Medium
SEE795	Large
SEE796	X-Large

**ZENITH**  
Safety Products



## WHITE POLY/COTTON DOTTED GLOVES

- 65% cotton and 35% polyester blend, 7 gauge
- PVC dots provide excellent grip and abrasion resistance
- Bleached white poly/cotton seamless string knit provides a cool comfortable fit
- Ambidextrous, both sides dotted version extends wear life
- Accepted for use in Canadian food processing facilities
- Case Qty: 240
- Sold per pair

Order No.	Size
<b>ONE SIDE DOTTED</b>	
<b>SAN489</b>	Small
<b>SAN490</b>	Medium
<b>SAN491</b>	Large
<b>SAN492</b>	X-Large
<b>BOTH SIDES DOTTED</b>	
<b>SAN493</b>	Small
<b>SAN494</b>	Medium
<b>SAN495</b>	Large
<b>SAN496</b>	X-Large



**ZENITH**  
Safety Products

## NATURAL POLY/COTTON DOTTED GLOVES

- 65% cotton and 35% polyester blend, 7-gauge
- PVC dots provide excellent grip and abrasion resistance
- Natural colour poly/cotton seamless string knit provides a cool comfortable fit
- Ambidextrous, both sides dotted version extends wear life
- Accepted for use in Canadian food processing facilities
- Case Qty: 240
- Sold per pair

**Applications:** General maintenance, shipping and receiving, assembly and parts handling

Order No.	Size
<b>SINGLE SIDE DOTTED</b>	
<b>SEE938</b>	X-Small
<b>SEE939</b>	Small
<b>SEE940</b>	Medium
<b>SEE941</b>	Large
<b>SEE942</b>	X-Large
<b>BOTH SIDES DOTTED</b>	
<b>SEE943</b>	Small
<b>SEE944</b>	Medium
<b>SEE945</b>	Large
<b>SEE946</b>	X-Large



**ZENITH**  
Safety Products

## KEVLAR® KNIT GLOVES W/PVC DOTS

- 100% Kevlar® knit gloves with PVC dots on both sides provide quality cut protection when grip is necessary
- Ambidextrous design
- Excellent dexterity and comfort
- Continuous cuff
- Blue on yellow
- Case Qty: 144
- Sold per pair

**Applications:** Automotive, sheet metal and metal stamping

Order No.	Mfg. No.	Size
<b>SQ279</b>	1811	Small
<b>SQ280</b>	1810	Large



**JOMAC**

## COTTON CANVAS DOTTED PALM GLOVES

- PVC dots provide excellent grip and abrasion resistance
- Excellent comfort, dexterity and breathability
- Moderate abrasion resistance
- Knit wrist provides secure fit and prevents debris from entering the glove
- Case Qty: 240
- Sold per pair

**Applications:** Material handling, automotive, assembly and construction

**ZENITH**  
Safety Products

Order No.	Size
<b>SEE947</b>	Small
<b>SEE948</b>	Large



## DOTTED MEDIUM WEIGHT KEVLAR® KNIT GLOVES

- 100% Kevlar® string type
- Continuous cuff
- PVC dots provide increased grip on wet or dry surfaces
- Blue on yellow
- Case Qty: 120
- Sold per pair

Order No.	Mfg. No.	Size
<b>SAJ924</b>	1887-S	Small
<b>SAJ925</b>	1887-M	Medium
<b>SAJ926</b>	1887-L	Large



**JOMAC**

## MULTICOLOUR POLY/COTTON DOTTED GLOVES

- PVC dots provide excellent grip and abrasion resistance
- Poly/cotton seamless string knit provides a cool comfortable fit
- Multicolour hides the dirt and extends wear life
- Case Qty: 240
- Sold per pair

**ZENITH**  
Safety Products

Order No.	Size
<b>SAM662</b>	Small
<b>SAM663</b>	Large





# Canvas/Leather Gloves

## COTTON CANVAS GLOVES

- Excellent comfort, dexterity and breathability
- Moderate abrasion resistance
- Knit wrist provides secure fit and prevents debris from entering the glove
- Heavier weights provide enhanced protection and extended wear
- Case Qty: 300
- **Sold per pair**

**Applications:** Material handling, automotive, assembly, construction

Order No.	Fabric Weight Oz.	Size
SEE846	7	Large
SEE847	8	Medium
SEE848	8	Large
SEE849	8	X-Large
SEE850	12	Large



SEE848

**ZENITH**  
Safety Products

## BROWN JERSEY GLOVES

- Durable knit jersey fabric offers premium comfort
- 65% polyester and 35% cotton blend
- Good abrasion resistance
- Provides moderate warmth
- **Sold per pair**

**Applications:** Light-duty material handling, assembly, automotive, and winter glove liner

**ZENITH**  
Safety Products

SEE949



Order No.	Description	Size	Qty /Case
SEE949	Slip-On Style, Red Fleece Lining	Large	144
SEE950	Knit Wrist	Large	300

## SALT & PEPPER JERSEY GLOVES

- Durable knit jersey fabric offers premium comfort
- 65% polyester and 35% cotton blend
- Good abrasion resistance
- Knit wrist provides secure fit and prevents debris from entering the glove
- Case Qty: 300
- **Sold per pair**

**Applications:** Light-duty material handling, assembly, automotive, winter glove liner

Order No.	Size
SEE951	Large
SEE952	X-Large



**ZENITH**  
Safety Products

## SUPERIOR QUALITY UNLINED GRAIN COWHIDE FITTERS GLOVES

- Unlined palm for improved dexterity and sensitivity
- Resist oil and water absorption better than split leather
- Superior abrasion resistance
- Excellent comfort and durability
- Rubberized cuff for ultimate protection
- Full leather tipped fingers and knuckle strap provides increased protection
- Case Qty: 120
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction

Order No.	Size
SEC139	Ladies
SEB100	Medium
SA619	Large
SEB101	X-Large
SEB102	2X-Large



**ZENITH**  
Safety Products

## ORIGINAL SUPER GREEN KING™ GLOVES

- Unique extra heavy weight cotton flannel
- High quality fabric allows for repeated launderings with minimal colour loss
- Excellent comfort and warmth
- Snug green and white knit wrist maintains stretch even after numerous washing
- Size: Large
- Case Qty: 12
- **Sold per pair**

**Order No. SED899**

**Mfg. No. SGK**

**JOMAC**  
CANADA



## SUPERIOR QUALITY LINED GRAIN COWHIDE FITTERS GLOVES

SM583

- Cotton-lined palm keeps hands dry
- Resist oil and water absorption better than split leather
- Superior abrasion resistance
- Excellent comfort and durability
- Rubberized cuff
- Full leather tipped fingers and knuckle strap provides increased protection
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction

**ZENITH**  
Safety Products



Order No.	Description	Size	Qty /Case
SAS502	Superior Quality	Ladies	120
SM582	Superior Quality	Medium	120
SAJ023	Superior Quality	Large	120
SAP232	Superior Quality	X-Large	60
SM583	Superior Quality, 4" Gauntlet Cuff	Large	120
SAP223	Premium Quality, Double Palm & Index	Large	120
SAP233	Premium Quality	Large	120

## GRAIN COWHIDE FITTERS STANDARD QUALITY GLOVES

- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water absorption better than split leather
- Starched safety cuff
- Full leather-tipped fingers and knuckle strap

**Applications:** Material handling, fabrication, metal handling and construction

**ZENITH**  
Safety Products

SEK239

Order No.	Description	Size
SEK239	High Visibility Green	Large
SEK242	High Visibility Orange	Large





## PREMIUM QUALITY GRAIN COWHIDE LEATHER GLOVES

- Superior abrasion resistance
- Unlined palm improves dexterity
- Full split leather 4" gauntlet cuff provides superior protection
- Size: Large
- Case Qty: 120
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction

SM592



**ZENITH**  
Safety Products

Order No.	Description
SI842	Cowhide, Split Back
SM592	Cowhide Back

## STANDARD QUALITY GRAIN COWHIDE FITTERS GLOVES

- Smooth grain cowhide leather construction
- Excellent comfort and durability
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Starched safety cuff
- Full leather tipped fingers and knuckle strap provides increased protection
- SAO051 has an unlined palm for improved dexterity and sensitivity
- SAO052 has a cotton lined palm keeping hands dry
- Case Qty: 120
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction

SAO051



**ZENITH**  
Safety Products

Order No.	Description	Size
SAO051	Unlined Palm	Large
SAO052	Cotton Lined Palm	Large

## GRAIN COWHIDE PATCH PALM FITTERS GLOVES

- Smooth grain cowhide leather construction
- Superior abrasion resistance
- Excellent comfort and durability
- Absorbent cotton lined palm
- Resists oil and water absorption better than split leather
- Patch palm design delivers added savings
- Full leather tipped fingers and knuckle strap provides increased protection
- Case Qty: 120
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction

YC386



**ZENITH**  
Safety Products

Order No.	Description	Size
YC386	Standard Quality, Starched Cuff	Large
SAJ497	Better Quality, Plasticized Cuff	Large
SEC594	Better Quality, 4 3/4" Gauntlet Cuff	Large
SAP230	Better Quality, Rubberized Cuff	X-Large
SAP234	Superior Quality, Rubberized Cuff	X-Large

## GRAIN COWHIDE ROPERS GLOVES

- Oil and water resistant
- Excellent comfort, durability and dexterity
- Snug fit and good sense of touch
- Adjustable snap back
- Smooth leather finish
- Case Qty: 120
- **Sold per pair**

**Applications:** Forklift and truck driver use, construction and farm equipment operators

Order No.	Size
SM588	Small
SM589	Medium
SM590	Large
SM591	X-Large



**ZENITH**  
Safety Products

## SMOOTH GRAIN COWHIDE FURNITURE LEATHER GLOVES

- Smooth grain leather finish
- Resists oil and water
- Durable, tough furniture leather construction
- Cotton lined patch palm style
- Safety cuff provides added protection
- Case Qty: 120
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction

Order No.	Size
SAN270	Large



**ZENITH**  
Safety Products

## GRAIN COWHIDE DRIVERS GLOVES

- Excellent comfort, durability and dexterity
- Oil and water resistant
- Smooth leather finish
- Unlined palm
- Provides a snug fit and a good sense of touch
- Case Qty: 120
- **Sold per pair**

**Applications:** Forklift and truck driver use, construction and farm equipment handling

Order No.	Size
SM584	Small
SM585	Medium
SM586	Large
SM587	X-Large



**ZENITH**  
Safety Products

## PREMIUM QUALITY GRAIN COWHIDE LEATHER GLOVES

- Premium cow grain palm and index leather construction
- Top split cowhide leather back and cuff construction
- Velcro tab for adjustable fit
- 5" cuff provides superior protection
- Exceptional durability
- Case Qty: 72 • **Sold per pair**

Order No.	Size
SEE287	Small
SEE288	Medium
SEE289	Large
SEE290	X-Large
SEE291	2X-Large



**ZENITH**  
Safety Products

# Leather Gloves

## SUPERIOR QUALITY SPLIT COWHIDE FITTERS GLOVES

- Top split cowhide leather construction
- Good abrasion resistance
- Absorbent cotton lined palm
- Full leather tipped fingers and knuckle strap provides increased protection
- Launderable PE cuff on **SAP226**
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction

**SAP227**



**ZENITH**  
Safety Products

Order No.	Description	Size	Qty /Case
<b>SAS503</b>	Rubberized Cuff	Ladies	120
<b>SG281</b>	Rubberized Cuff	Medium	120
<b>SD602</b>	Rubberized Cuff	Large	120
<b>SD603</b>	Rubberized Cuff	X-Large	120
<b>SAP229</b>	Rubberized Cuff	2X-Large	120
<b>SAP298</b>	Rubberized 4" Gauntlet Cuff	Large	60
<b>SAP227</b>	Rubberized Cuff, Premium Quality	Large	120
<b>SAP226</b>	PE Cuff	Large	120

## SUPERIOR QUALITY SPLIT COWHIDE LEATHER GLOVES

- Top split cowhide leather construction
- Unlined palm improves dexterity
- Good abrasion resistance
- Full split leather cuff provides superior protection
- Case Qty: 120
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction

**SAL253**



**ZENITH**  
Safety Products

**SAL592**

Order No.	Description	Size
<b>SAL592</b>	2" Cuff	Large
<b>SAL253</b>	4" Cuff	Large

## SPLIT COWHIDE PATCH PALM FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton lined palm
- Patch palm design delivers added savings
- Safety cuff provides good protection
- Full leather tipped fingers and knuckle strap provides increased protection
- Case Qty: 120
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction

**SAN382**



**ZENITH**  
Safety Products

Order No.	Description	Size
<b>SAN636</b>	Better Quality, Denim Cuff	Large
<b>SAN382</b>	Better Quality, Striped Cuff	Large
<b>SAP231</b>	Better Quality, Striped Cuff	X-Large
<b>SAP225</b>	Superior Quality, Striped Cuff	Large

## SUPERIOR QUALITY DOUBLE PALM SPLIT COWHIDE FITTERS GLOVES

- Top split cowhide leather construction
- Double layer of leather for premium protection
- Ultimate abrasion resistance
- Absorbent cotton lined palm
- Rubberized safety cuff provides superior protection
- Full leather tipped fingers and knuckle strap provides increased protection
- **Sold per pair**

**Applications:** Heavy-duty material handling, fabrication and metal handling

**SM579**



**ZENITH**  
Safety Products

Order No.	Description	Size	Qty /Case
<b>SM578</b>	Outside Double Palm & Index Finger	Large	120
<b>SM579</b>	Outside Double Palm & Index Finger, 4" Gauntlet Cuff	Large	120
<b>SD604</b>	Outside Double Palm, Index Finger & Finger Tips	Large	60
<b>SE349</b>	Inside Double Palm & Index Finger	Large	120

## SUPERIOR QUALITY HI-VIZ SPLIT COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton lined palm
- Full leather tipped fingers and knuckle strap
- Fluorescent yellow back and two grey reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 120
- **Sold per pair**

Order No.	Size	Colour
<b>SED160</b>	Large	Fluorescent Yellow
<b>SEK236</b>	Large	Fluorescent Orange



## SPLIT COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton lined palm
- Safety cuff provides good protection
- Full leather tipped fingers and knuckle strap provides increased protection
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction

**SAP224**



**SM576**



**ZENITH**  
Safety Products

Order No.	Description	Size	Qty /Case
<b>SAN638</b>	Standard Quality	Large	120
<b>SM575</b>	Better Quality	Large	120
<b>SAP228</b>	Better Quality	X-Large	60
<b>SM576</b>	Better Quality, 4" Gauntlet Cuff	Large	60
<b>SAP224</b>	Superior Quality	Large	120

## SPLIT COWHIDE LEATHER PALM GLOVES

- Rugged split cowhide leather construction
- Good abrasion resistance
- Cotton back provides superior breathability
- Knit wrist eliminates dirt and debris from entering the glove
- **Sold per pair**

**Applications:** Material handling, automotive, assembly and construction



Order No.	Description	Size	Qty /Case
<b>SM572</b>	Standard Quality, White Back, Patch Palm	Large	144
<b>SN266</b>	Better Quality, White Back	Ladies	120
<b>SAP274</b>	Better Quality, White Back	Medium	300
<b>SA616</b>	Better Quality, White Back	Large	144
<b>SAP294</b>	Better Quality, White Back	X-Large	300
<b>SM573</b>	Better Quality, White Back, Full Index Finger	Large	300
<b>SAP297</b>	Better Quality, Stripped Back	Large	300
<b>SAP296</b>	Superior Quality, White Back	Large	120
<b>SEI496</b>	Rubber Cuff, Kevlar, Blue	Large	120

## SPLIT PIGSKIN FITTERS GLOVES

- Performs better than cowhide grain or split leather in wet applications
- Superior comfort and breathability
- Good abrasion resistance
- Better dexterity than cowhide leather
- Absorbent cotton lined palm
- Safety cuff provides good protection
- Full leather tipped fingers and knuckle strap provides increased protection
- Case Qty: 120
- **Sold per pair**

**Applications:** Material handling, fabrication and construction



Order No.	Size
<b>SAO156</b>	Large
<b>SAP353</b>	X-Large



## SPLIT BACK DRIVERS GRAIN PALM GLOVES

- Grain leather provides excellent dexterity and abrasion resistance and is resistance to oil and water
- Features unlined palm with a split leather back
- Gunn-cut design with keystone thumb and elastic back
- Ideal for use in construction, machine operation, utility work, and many other general applications
- Case Qty: 120
- **Sold per pair**



Order No.	Size
<b>SAJ651</b>	Small
<b>SAJ652</b>	Medium
<b>SAJ653</b>	Large
<b>SAJ654</b>	X-Large

## GRAIN PIGSKIN FITTERS GLOVES

- Smooth grain pigskin leather construction
- Performs better than cowhide grain or split leather in wet applications
- Superior comfort and breathability
- Good abrasion resistance
- Better dexterity than cowhide leather
- Absorbent cotton lined palm
- Full leather tipped fingers and knuckle strap provides increased protection
- **Sold per pair**

**Applications:** Material handling, fabrication and construction



Order No.	Description	Size	Qty /Case
<b>SM580</b>	Standard Quality, Safety Cuff	Large	120
<b>SAP222</b>	Premium Quality, Rubberized Cuff	Large	120

## BISON DRIVERS GLOVES

- Premium grain bison leather palm with split cowhide back provides superior comfort, durability and dexterity
- Driver style pattern features a smooth leather finish, unlined palm and provide a snug fit for a great sense of touch
- Bison leather is tougher than cowhide and offers better tear and abrasion resistance
- Keystone thumb and elastic wrist band ensure a comfortable fit
- Kevlar® stitching improves seam strength and reduces seam burnout
- Ideal for forklift and truck drivers as well as operators of construction and farm equipment
- Case Qty: 72
- **Sold per pair**



Order No.	Size
<b>SEA795</b>	Medium
<b>SEA796</b>	Large
<b>SEA797</b>	X-Large



## Lined Gloves

### GRAIN COWHIDE FITTERS FOAM FLEECE-LINED GLOVES

- Premium grain cowhide leather construction
- Full fleece covered foam lining provides excellent warmth
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Excellent comfort and durability
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Case Qty: 72
- **Sold per pair**

**Applications:** Moderate/extreme cold material handling, fabrication, metal handling and construction



Order No.	Size
SM611	Large



### COTTON FLEECE GRAIN COWHIDE FURNITURE LEATHER GLOVES

- Smooth grain leather finish
- Full cotton fleece provides moderate warmth
- Resists oil and water
- Durable, tough furniture leather construction
- Cotton lined patch palm style
- Safety cuff provides added protection
- Case Qty: 120
- **Sold per pair**

**Applications:** Material handling, fabrication, metal handling and construction



Order No.	Size
SEA198	Large



### GRAIN FURNITURE LEATHER FITTERS ACRYLIC BOA-LINED GLOVES

- Smooth grain leather finish
- Full acrylic boa lining provides superior warmth
- Patch palm design delivers added savings
- Excellent abrasion resistance
- Safety cuff provides added protection
- Resists oil and water absorption better than split leather
- Full leather tipped fingers and knuckle strap provides increased protection
- Case Qty: 72
- **Sold per pair**

**Applications:** Extreme cold material handling, fabrication, metal handling and construction



Order No.	Size
SAP290	Large



### GRAIN COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

- Premium grain cowhide leather construction
- Full acrylic boa lining provides superior warmth
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Excellent comfort and durability
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Case Qty: 72
- **Sold per pair**

**Applications:** Extreme cold material handling, fabrication, metal handling and construction



SAO053

Order No.	Description	Size
SAO053	Rubberized Safety Cuff	Large
SEI681	Rubberized Safety Cuff, Patch Palm	Large



### SUPERIOR QUALITY HI-VIZ GRAIN COWHIDE FITTERS THINSULATE™ LINED GLOVES

- Premium construction
- 100-g Thinsulate™ liner provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather tipped fingers and knuckle strap
- Fluorescent yellow back and two grey reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 72
- **Sold per pair**



Order No.	Size	Colour
SED428	Large	Fluorescent Yellow
SEK237	Large	Fluorescent Orange



### GOAT GRAIN PREMIUM QUALITY GLOVES

- Premium goat grain palm and index leather construction
- Top split goatskin leather back and cuff construction
- Velcro tab for adjustable fit
- 5" cuff provides superior protection
- Exceptional dexterity
- Case Qty: 72
- **Sold per pair**



Order No.	Size
SEB752	Small
SEB733	Medium
SEB734	Large
SEB735	X-Large
SEB736	2X-Large





## THINSULATE™ LINED GRAIN COWHIDE FITTERS GLOVES

- Provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Provides good dexterity
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- **Sold per pair**

**Applications:** Extreme cold material handling, fabrication, metal handling and construction



**ZENITH®**  
Safety Products

Order No.	Description	Size	Qty /Case
<b>SAS501</b>	Premium, 100-g Thinsulate™	Ladies	120
<b>SM613</b>	Premium, 100-g Thinsulate™	Large	60
<b>SEH040</b>	Superior, 100-g Thinsulate™	Large	72
<b>SAP246</b>	Standard, 100-g Thinsulate™	X-Large	72
<b>SEI642</b>	Standard, Patch Palm, 40-g Thinsulate™	Large	72

## COWHIDE DRIVERS & ROPERS FLEECE-LINED GRAIN GLOVES

- Smooth top grain cowhide all leather construction
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Excellent comfort and durability
- Full cotton fleece lining provides moderate warmth
- **Drivers'** style comes with elastic wrist
- **Ropers'** style comes with adjustable strap with snap
- Case Qty: 120
- **Sold per pair**

**Applications:** Forklift and truck drivers, operators of construction and farm equipment

**ZENITH®**  
Safety Products



Order No.	Description	Size
<b>SM616</b>	Drivers	Small
<b>SM617</b>	Drivers	Medium
<b>SM618</b>	Drivers	Large
<b>SM619</b>	Drivers	X-Large
<b>SAP250</b>	Drivers	2X-Large
<b>SAP215</b>	Ropers	Small
<b>SAP216</b>	Ropers	Medium
<b>SAP217</b>	Ropers	Large
<b>SAP218</b>	Ropers	X-Large

## GOAT GRAIN PREMIUM QUALITY FLEECE LINED GLOVES

- Premium goat grain palm and index leather construction
- Top split goatskin leather back and cuff construction
- Velcro tab for adjustable fit
- 5" cuff provides superior protection
- Exceptional dexterity
- Palm and back cotton fleece liner provides added warmth
- Case Qty: 72
- **Sold per pair**

**ZENITH®**  
Safety Products

Order No.	Size
<b>SEE313</b>	Medium
<b>SEE314</b>	Large
<b>SEE315</b>	X-Large



## SPLIT COWHIDE FITTERS COTTON FLEECE-LINED GLOVES

- Rugged split cowhide leather construction
- Full cotton fleece lining provides moderate warmth
- Good abrasion resistance
- Full leather tipped fingers and knuckle strap provides increased protection
- Safety cuff provides good protection
- Case Qty: 120
- **Sold per pair**

**Applications:** Moderate cold material handling, fabrication, metal handling and construction



Order No.	Size
<b>SD613</b>	Large
<b>SAP299</b>	X-Large

**ZENITH®**  
Safety Products

## SPLIT COWHIDE FITTERS FOAM FLEECE-LINED GLOVES

- Full fleece covered foam lining provides excellent warmth
- Good abrasion resistance
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Case Qty: 72
- **Sold per pair**

**Applications:** Moderate/extreme cold material handling, fabrication, metal handling and construction

**ZENITH®**  
Safety Products

Order No.	Size	Colour
<b>SAP240</b>	Medium	Red
<b>SAP241</b>	Large	Yellow
<b>SAP242</b>	X-Large	Blue



# Lined Gloves

## THINSULATE™ LINED SPLIT COWHIDE FITTERS GLOVES

- Premium split cowhide leather construction
- Full Thinsulate™ lining provides superior warmth
- Good abrasion resistance
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Thinner lining than acrylic boa provides better dexterity
- **Sold per pair**

**Applications:** Extreme cold material handling, fabrication, metal handling and construction

**ZENITH®**  
Safety Products

Order No.	Size	Lining Weight g	Qty/Case
SAS500	Ladies	100	72
SAN637	Medium	100	60
SAL544	Large	40	72
SM609	Large	100	72
SAP248	X-Large	100	72
SAP249	2X-Large	100	72

SAN637



SAL544



SM609



SAP249



## SPLIT COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

- Premium split cowhide leather construction
- Full acrylic boa lining provides superior warmth
- Good abrasion resistance
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Case Qty: 72
- **Sold per pair**

**Applications:** Extreme cold material handling, fabrication, metal handling and construction

SD614



SAP247



Order No.	Size
SD614	Large
SAP247	X-Large

**ZENITH®**  
Safety Products

## SUPERIOR QUALITY HI-VIZ SPLIT COWHIDE FITTERS THINSULATE™ LINED GLOVES

- Good abrasion resistance
- 100-g Thinsulate™ liner provides superior warmth
- Full leather tipped fingers and knuckle strap
- Fluorescent yellow back and two grey reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 72
- **Sold per pair**



Order No.	Size	Colour
SED161	Large	Fluorescent Yellow
SEK238	Large	Fluorescent Orange

**ZENITH®**  
Safety Products

## SUPERIOR QUALITY GRAIN COWHIDE FULL COTTON FLEECE LINED GLOVES

- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather tipped fingers and knuckle strap
- 2 1/2" elastic cuff eliminates dirt and debris from entering the glove
- Case Qty: 120
- **Sold per pair**



Order No.	Size
SEH145	Medium
SEB613	Large

**ZENITH®**  
Safety Products

## GRAIN COWHIDE FITTERS COTTON FLEECE-LINED PALM GLOVES

- Full cotton fleece lining provides moderate warmth
- Resists oil and water absorption better than split leather
- Excellent comfort and durability
- Patch palm design delivers added savings
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Case Qty: 120
- **Sold per pair**

**Applications:** Moderate cold material handling, fabrication, metal handling and construction



Order No.	Size
SR521	Large
SAM023	X-Large

**ZENITH®**  
Safety Products

## GRAIN PIGSKIN FITTERS THINSULATE™-LINED GLOVES

- Full 100-g Thinsulate™ lining provides superior warmth
- Performs better in wet applications than cowhide grain or split leather
- Good abrasion resistance
- Better dexterity than cowhide leather
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Case Qty: 72
- Sold per pair

**Applications:** Extreme cold material handling, fabrication and construction



SAP251



SM615

Order No.	Size
SM615	Large
SAP251	X-Large



## GRAIN PIGSKIN FITTERS COTTON FLEECE-LINED GLOVES

- Full cotton fleece lining provides moderate warmth
- Superior comfort and breathability
- Performs better in wet applications than cowhide grain or split leather
- Full leather tipped fingers and knuckle strap provides increased protection
- Safety cuff provides good protection
- Sold per pair

**Applications:** Moderate cold material handling, fabrication and construction



Order No.	Description	Size	Qty/Case
SAP295	Safety Cuff	Large	72



## GRAIN PIGSKIN FITTERS ACRYLIC BOA-LINED GLOVES

- Full Boa lining provides superior warmth
- Performs better in wet applications than cowhide grain or split leather
- Full leather tipped fingers and knuckle strap provides increased protection
- Case Qty: 72
- Sold per pair

**Applications:** Extreme cold material handling, fabrication and construction



Order No.	Description	Size
SAP300	Superior Quality, Rubberized Cuff	Large



## GRAIN COWHIDE FITTERS COTTON FLEECE-LINED GLOVES

- Full cotton fleece lining provides moderate warmth
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Case Qty: 120
- Sold per pair

**Applications:** Moderate cold material handling, fabrication, metal handling and construction



SD605



SAP245

Order No.	Size
SM610	Ladies
SD605	Large
SEF236	Large
SAP245	X-Large



SM610



## Coated Gloves

### LIGHTWEIGHT POLYURETHANE PALM COATED GLOVES

- Excellent abrasion resistance
- Premium comfort and breathability
- 13-gauge seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Superior dry grip
- Ultra soft polyurethane coated palm
- Knit wrist
- Case Qty: 120
- Sold per pair

**ZENITH**  
Safety Products

**Applications:** Clean room environments, quality control, electronics assembly and general manufacturing



Order No. White	Order No. Black	Size
SAO161	SAX694	6
SAO162	SAX695	7
SAO163	SAX696	8
SAO164	SAX697	9
SAO165	SAX698	10
SAO166	SAX699	11

### HYFLEX® 11-600/11-601 GLOVES

- Light-duty polyurethane coated, knit nylon liner
- Silicone-free
- Snug fit for maximum dexterity and tactile sensitivity
- New palm dipping technology – keeps back of hands and knuckles open, reducing hand fatigue and promoting comfort and coolness
- Seamless
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- Sold per pair

**Applications:** Electronics assembly and computer assembly

**Ansell**



Order No.	Description	Size
<b>11-600</b>		
SAW968	White	6
SAW969	Polyurethane	7
SAW970	Palm Coated,	8
SAW971	White Nylon	9
SAW972	Liner	10
SAW973		11

Order No.	Description	Size
<b>11-601</b>		
SAW974	Grey	6
SAW975	Polyurethane	7
SAW976	Palm Coated,	8
SAW977	Black Nylon	9
SAW978	Liner	10

### HI-TECH ASSEMBLY PALM COATED GLOVES

- Seamless 13-gauge 100% black nylon liner
- Abrasion, tear and small cut resistant
- Open back eliminates perspiration and offers superb user comfort
- Grey polyurethane-coated palm
- Anatomical shape facilitates movement
- Case Qty: 72
- Sold per pair

**Applications:** Car mechanics, handling of greasy parts, industrial assembly, precision mechanics



Order No.	Mfg. No.	Size
SAO085	BO500B-06	6
SAO086	BO500B-07	7
SAO087	BO500B-08	8
SAO088	BO500B-09	9

**SHOWA**  
Always Innovating. Never Imitating.

### HYFLEX® 11-618 GLOVES

- Black polyurethane palm coated
- Ultra-light weight glove maximizing touch and precision for delicate handling operations
- 18-gauge glove nylon with soil-hiding polyurethane coating
- Ideal for workers who need a higher level of touch and precision in dry or slightly oily applications
- Ultralight weight 18-gauge seamless liner enhances flexibility, tactility and handling efficiency
- The ultralight glove is just 0.8-mm thick in total, providing high dexterity with high abrasion resistance (Level 3)
- Silicone-free
- Case Qty: 144
- Sold per pair

**Applications:** Light assembly requiring high degree of precision, picking and lifting small pieces, finishing works



Order No.	Size
SEI717	Small
SEI718	Medium
SEI719	Large
SEI720	X-Large

**Ansell**

### BREATHABLE LIGHTWEIGHT NITRILE FOAM PALM COATED GLOVES

- Lightweight nitrile foam offers maximum breathability and tactile sensitivity
- 13-gauge seamless nylon shell provides a cool comfortable fit
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Resists abrasion, cuts and punctures
- Knit wrists prevents debris from entering the glove
- Case Qty: 120
- Sold per pair

**Applications:** Metal stamping, material handling, automotive assembly and small oily parts handling

**ZENITH**  
Safety Products



Order No.	Size
SBA611	6
SBA612	7
SBA613	8

Order No.	Size
SBA614	9
SBA615	10
SBA616	11



## HYFLEX® 11-800/11-801 GLOVES

- Light-duty foam nitrile coated
- Knit nylon liner
- Excellent grip in light oil applications, oil is channelled away from the glove surface
- Highest level of comfort and protection
- Resistant to snags and abrasions
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- **Sold per pair**

**Applications:** Automotive assembly, handling small parts (especially where oil is present)

**Ansell**



Order No.	Description	Size
<b>11-800</b>		
<b>SAW921</b>	Grey Foam	6
<b>SAW922</b>	Nitrile Palm	7
<b>SAW923</b>	Coated, White	8
<b>SAW924</b>	Nylon Liner	9
<b>SAW925</b>		10
<b>SAW926</b>		11

Order No.	Description	Size
<b>11-801</b>		
<b>SAW962</b>	Grey	6
<b>SAW963</b>	Polyurethane	7
<b>SAW964</b>	Palm Coated,	8
<b>SAW965</b>	Black Nylon	9
<b>SAW966</b>	Liner	10
<b>SAW967</b>		11

## LIGHTWEIGHT NITRILE FOAM PALM COATED GLOVES

- Lightweight nitrile foam palm coating
- 13-gauge seamless knitted nylon shell
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Resists abrasion, cuts and punctures
- Knit wrist
- Palm coating provides a cool comfortable fit
- Case Qty: 120
- **Sold per pair**

**Applications:** Metal stamping, material handling, automotive assembly and small oily parts handling

Order No.	Size
<b>SAM629</b>	6
<b>SAM630</b>	7
<b>SAM631</b>	8
<b>SAM632</b>	9
<b>SAM633</b>	10
<b>SAM634</b>	11



**ZENTH®**  
Safety Products

## POLYESTER SHELL LIGHTWEIGHT NITRILE FOAM PALM COATED GLOVES

- Lightweight nitrile foam palm coating
- 13-gauge seamless polyester shell provides a comfortable fit
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Resists abrasion, cuts and punctures
- Knit wrists prevents debris from entering the glove
- Case Qty: 120 • **Sold per pair**

**Applications:** Metal stamping, material handling, automotive assembly and small oily parts handling

Order No.	Size
<b>SBA605</b>	6
<b>SBA606</b>	7
<b>SBA607</b>	8
<b>SBA608</b>	9
<b>SBA609</b>	10
<b>SBA610</b>	11

**ZENTH®**  
Safety Products



## G40 NITRILE COATED GLOVES

Better oil and industrial grease grip than the previous G40 nitrile glove

- Silicone-free, nitrile foam coated
- Washable – maintains the EN388 ratings through at least five wash cycles
- Ecofriendly packaging – no separate insert, no printed bags, less waste
- EN 388 rating of 4131
- EN 420 dexterity level 5
- Color coded hem for sizing
- Case Qty: 60
- **Sold per pair**

**Applications:** Metal, glass and wood handling, automotive and aerospace assembly

Order No.	Mfg. No.	Size
<b>SAQ347</b>	40225	Small
<b>SAQ348</b>	40226	Medium
<b>SAQ349</b>	40227	Large
<b>SAQ350</b>	40228	X-Large
<b>SAQ351</b>	40229	2X-Large



**SAQ349**

**Kimberly-Clark**  
PROFESSIONAL™

## BLACK LIGHTWEIGHT NITRILE FOAM PALM COATED GLOVES

- Lightweight nitrile foam palm coating
- 13-gauge seamless nylon shell provides a cool comfortable fit
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Resists abrasion, cuts and punctures
- Knit wrists
- Case Qty: 120
- **Sold per pair**

**Applications:** Metal stamping, material handling, automotive assembly and small oily parts handling

**ZENTH®**  
Safety Products

Order No.	Size
<b>SBA837</b>	6
<b>SAX783</b>	7
<b>SAX784</b>	8
<b>SAX785</b>	9
<b>SAX786</b>	10
<b>SAQ179</b>	11



## SHOWA 377 GLOVES

- Thin dipped blue nitrile coated glove
- Black foam nitrile coated palm ensures excellent grip
- Elastic knit-wrist holds the glove firmly on the arm for enhanced fit
- Liquid resistant
- Launderable
- Case Qty: 72
- **Sold per pair**

**Applications:** Mechanical and automotive, constructions, machine assembly, handling oily objects, limited chemical splash and refineries

Order No.	Mfg. No.	Size
<b>SEI864</b>	377-06	Small
<b>SEI865</b>	377-07	Medium
<b>SEI866</b>	377-08	Large
<b>SEI867</b>	377-09	X-Large
<b>SEI868</b>	377-10	2X-Large



**SHOWA**  
Always protecting your working

# Coated Gloves

## ZORB-IT™ SPONGE NITRILE PALM COATED GLOVES

- Zorb-IT™'s unique, patent-pending "sponge nitrile" technology is changing the rules of what a flat-dip nitrile glove can be
- The sponge nitrile produces an extra-absorbent nitrile dip that conforms and adheres to the nylon shell like no other glove
- Beats the competition in laundering nearly three-to-one, and absorbs almost twice as much oil and grease while still delivering a sure grip
- Stands up to repeated washing with no shrinkage
- Accepted for use in Canadian food processing facilities
- Made of FDA compliant materials
- Case Qty: 72
- Sold per pair



Order No.	Mfg. No.	Size
SAK964	4550-06	X-Small
SAK965	4550-07	Small
SAK966	4550-08	Medium
SAK967	4550-09	Large
SAK968	4550-10	X-Large

## HYFLEX® 11-900 GLOVES

- Light-duty nitrile coated, knit nylon liner
- Excellent dry grip for applications involving small to medium sized parts
- Abrasion resistance
- Oil repellency, nitrile coating prevents oil from penetrating through the glove, protecting hands from dermatitis
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- Sold per pair

**Applications:** Automotive assembly and metal fabrication



Ansell

Order No.	Size
SAW979	6
SAW980	7
SAW981	8
SAW982	9
SAW983	10

## NITRI-FLEX LITE® NITRILE PALM COATED GLOVES

- Seamless nylon knit gloves with a textured green nitrile palm coat
- Snug fitting knit wrist glove is extremely flexible
- Resist cuts, snags and abrasion with non slip grip
- Accepted for use in Canadian food processing facilities
- Case Qty: 72
- Sold per pair

**Applications:** Construction, general maintenance, shipping and receiving



Order No.	Mfg. No.	Size
SQ136	4500S-7	Small
SQ137	4500M-8	Medium
SQ138	4500L-9	Large
SQ139	4500XL-10	X-Large



## HYFLEX® 11-920 GLOVES

- Nitrile coated palm
- Special nylon fine gauge liner
- Ansell Grip Technology™ coating repels oils and other lubricants away from the surface via microscopic channels
- Increases surface contact for enhanced grip and control
- Prevents oil penetration and reduces the risk of dermatitis and liquid exposure
- Provides softness, comfort and breathability to the glove
- Ergonomic, natural fit
- Available in a wide range of sizes to protect more workers
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- Sold per pair

### Applications:

Engine and transmission assembly, handling machine parts free, from shavings and sharp edges, handling small castings, gears and other abrasive edged parts, light metal fabrication and parts handling, light stamping in oily environments, product inspection



Ansell

Order No.	Size
SAY772	6
SAY773	7
SAY774	8
SAY775	9
SAY776	10
SAY777	11

## PREMIUM NITRILE PALM COATED GLOVES

- 15-gauge seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Superior abrasion, cut and puncture resistance
- Fluorescent green shell and green coating offers maximum visibility
- Premium comfort and breathability
- Excellent dry grip
- Durable nitrile coated palm
- Knit wrist prevents dirt and debris from entering the glove
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- Sold per pair

**Applications:** Manufacturing, maintenance, small parts handling, laboratory, painting and janitorial



Order No.	Size
SEI851	7
SEI852	8
SEI853	9
SEI854	10
SEI855	11

ZENITH®  
Safety Products

## LIGHTWEIGHT NITRILE COATED GLOVES

- 13-gauge seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Superior abrasion, cut and puncture resistance
- Premium comfort and breathability
- Excellent dry grip
- Durable nitrile coated palm
- Knit wrist prevents dirt and debris from entering the glove

**Applications:** Metal stamping, material handling, automotive assembly and small parts handling



Order No.	Size
SAO157	7
SAO158	8
SAO159	9
SAO160	10
SAP355	11

## BLACK NYLON NITRILE PALM COATED GLOVES

- 13-gauge seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Superior abrasion, cut and puncture resistance
- Premium comfort and breathability
- Excellent dry grip
- Durable nitrile coated palm
- Knit wrist
- Case Qty: 120
- Sold per pair



Order No.	Size
SAP931	7
SAP932	8
SAP933	9
SAP934	10
SAP935	11

## HYLITE® 47-400 GLOVES

- Nitrile coated, interlock knit lined, medium-duty
- Outwear cotton up to 12 to 1, light leather 5 to 1 and PVC coated gloves 3 to 1
- Exceptional snag, puncture, abrasion and cut resistance
- Extra comfort
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- Sold per pair



Order No.	Size
SAW984	7
SAW985	8
SAW986	8.5
SAW987	9
SAW988	10

## MEDIUMWEIGHT NITRILE COATED GLOVES

- Interlock cotton lining
- Excellent comfort and breathability
- Superior abrasion cut and punctures resistance
- Greater dexterity than heavyweight
- Knit wrist eliminates dirt and debris from entering the glove
- Open back coating provides a cool comfortable fit
- Case Qty: 120
- Sold per pair

**Applications:** Light to medium fabrication, material handling, automotive, and general maintenance



Order No.	Size
SAO150	7
SAO151	8
SAO152	9
SAO153	10
SAO154	11

## MEDIUMWEIGHT NITRILE COATED GLOVES

- 13-gauge seamless knitted cotton shell
- Excellent dexterity and dry grip
- Resists abrasion, cuts and punctures
- Knit wrist prevents debris from entering the glove
- Open back 3/4 coating provides a cool comfortable fit
- Case Qty: 120
- Sold per pair

**Applications:** Metal stamping, material handling, automotive, small parts handling and general maintenance



Order No.	Size
SAM646	7
SAM647	8
SAM648	9
SAM649	10

## PVC PALM COATED GLOVES

- String knit design for excellent breathability and comfort
- PVC palm coating provides superior abrasion resistance, grip and durability
- Knit wrist eliminates dirt and debris from entering the glove
- Black on white
- Case Qty: 240
- Sold per pair

**Applications:** Parts handling, assembly and metal stamping



Order No.	Size
SAP211	Small
SAP212	Medium
SAP213	Large
SAP214	X-Large



## Coated Gloves

### HI-VIZ NATURAL RUBBER LATEX PALM-COATED ACRYLIC-LINED GLOVES

- 100% acrylic thermal liner offers superior cold protection
- 7-gauge seamless terry knitted and brushed lining
- Resists abrasions, cuts and punctures
- Natural rubber latex palm coating
- Uncoated back permits breathability and limits perspiration
- Crinkle finish coating provides superior wet and dry grip
- Case Qty: 60
- **Sold per pair**

**Applications:** Fishing industry, cold/outdoor environments, glass/wood handling, and general maintenance.

Order No.	Size
SEC797	7
SEC798	8
SEC799	9
SEC800	10
SEC801	11



**ZENITH**  
Safety Products

### NATURAL RUBBER LATEX PALM COATED FLEECE LINED GLOVES

- 10-gauge seamless knitted poly/cotton shell
- Superior wet and dry grip
- Warm fleece lining
- Resists abrasion, cuts and punctures
- Knit wrist prevents debris from entering the glove
- Palm coating provides a cool comfortable fit
- Case Qty: 120
- **Sold per pair**

**Applications:** Glass handling, construction, wood handling and general maintenance

Order No.	Size
SAN431	8
SAN432	9
SAN433	10
SAN434	11



**ZENITH**  
Safety Products

### POWERFLEX® 80-100 GLOVES

- Natural rubber latex, crinkle finish
- Soft seamless poly/cotton knit liner
- Superior wet and dry grip
- Combination of cut, abrasion and puncture resistance
- Uncoated back allows air to circulate which keeps hands cooler and drier
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 1, EN388 Level 2 for cut resistance
- Case Qty: 144
- **Sold per pair**

**Applications:** General maintenance, shipping and receiving, assembly, concrete and brick handling

Order No.	Size
SAY841	6
SAY842	7
SAY843	8
SAY844	9
SAY845	10



**Ansell**

### NATURAL RUBBER LATEX COATED GLOVES

- 10-gauge seamless knitted poly/cotton shell
- Textured coating provides superior wet and dry grip
- Resists abrasion, cuts and punctures
- Knit wrist prevents debris from entering the glove
- Palm coating provides a cool comfortable fit
- Case Qty: 120
- **Sold per pair**

**Applications:** Glass handling, construction, wood handling, and general maintenance

Order No.	Size
SEB865	7
SAL255	8
SAL256	9
SAL257	10
SAL258	11



**ZENITH**  
Safety Products

### POWERFLEX® T° HI-VIZ YELLOW™ 80-400

- Natural rubber latex-coated acrylic thermal liner
- Excellent insulation for cold environment
- Strong combination of abrasion, liquid repellency and dry grip
- Uncoated back allows for air circulation to keep hands drier
- Palm-coated crinkle finish
- Accepted for use in Canadian food processing facilities
- Case Qty: 72
- **Sold per pair**

**Applications:** Fishing industry, cold storage, winter transportation, unheated warehouses, yard and field work, freight handling.

Order No.	Size
SEA278	7
SEA279	8
SEA280	9
SEA281	10
SEA282	11



**Ansell**

### ATLAS THERMA FIT® 451 COATED GLOVES

- Crinkle finish natural rubber palm coating
- Warm fleece lined shell with a knit wrist
- Exceptional warmth as well as a snug fit for excellent dexterity
- Improved grip for wet and dry conditions
- Case Qty: 72
- **Sold per pair**

**Applications:** Sheet metal, metal stamping as well as glass manufacturers and glaziers, agricultural and general assembly applications

Order No.	Mfg. No.	Size
SAJ985	451-07	Small
SAJ986	451-08	Medium
SAJ987	451-09	Large
SAJ988	451-10	X-Large



**SHOWA**  
Always Innovating. Never Stopping.

## ATLAS FIT® 300 COATED GLOVES

- Durable rubber coating
- Cotton/polyester lining provides extremely comfortable fit
- Rough textured gripping
- An elastic knit-wrist secures the glove above the wrist for comfort and prevents debris from entering the glove
- Launderable
- Case Qty: 144
- Sold per pair



SAO819



**Applications:** Construction, landscaping, carpentry, floor tiling, maintenance, masonry, garbage collection, highway work, roofing, shipping and receiving

Order No.	Mfg. No.	Size
<b>BLUE</b>		
SAO815	300-S	Small
SAO816	300-M	Medium
SAO817	300-L	Large
SAO818	300-XL	X-Large

Order No.	Mfg. No.	Size
<b>GREEN</b>		
SAO819	310-XS	X-Small
SAO820	310-S	Small
SAI304	310-M	Medium
SAI305	310-L	Large
SAO823	310-XL	X-Large

## NITTY GRITTY® RUBBER PALM COATED GLOVES

- The original Nitty Gritty® was the industry's first wrinkle-finished, natural rubber-coated glove
- Offers the best in grip and protection
- Smooth finish glazers' are a standard in the glass industry
- Five piece flannel lined, Sanitized® recyclable
- Wrinkle palm coated
- Case Qty: 72
- Sold per pair



SC458



SC459



**Applications:** Rugged jobs, handling sharp edged objects, glass, sheet metal

Order No.	Mfg. No.	Description
SC458	63PNFW	Knit Wrist, Men's
SAJ468	L63PNFW	Knit Wrist, Ladies
SC459	66NFW	Safety Cuff
SAJ984	65NFW	12" Gauntlet

## HYD-TUF® 52-547 GLOVES

- Medium to heavy-duty nitrile coated
- Outperform standard cotton and leather gloves
- Driver's style, with cloth back and soft jersey lining
- Nitrile coating resists snags, punctures, abrasions and cuts
- Excellent dry grip and repelling oil, grease and grime
- Snug and comfortable fit
- Nitrile knuckle strap provides added protection across the back of the hand
- Safety cuff
- Accepted for use in Canadian food processing facilities
- Case Qty: 144 • Sold per pair

**Applications:** Handling cores and castings, operating machinery and equipment, shipping and receiving and maintenance

Order No.	Size
SAW956	9
SAW957	10



## NATURAL RUBBER LATEX PALM COATED CRINKLE FINISH GLOVES

- High density 100% cotton jersey lining
- Crinkle finish coating provides superior grip
- Exceptional cut and abrasion resistance
- Safety cuff provides added protection
- Superior comfort and flexibility
- Case Qty: 120
- Sold per pair

**Applications:** Glass handling, sheet metal handling and general handling of any sharp-edged materials

Order No.	Size
SAN435	10



## HEAVYWEIGHT NITRILE IMPREGNATED GLOVES

- Soft cotton jersey lining
- Exceptional abrasion cut and puncture-resistance
- Safety cuff provides added protection
- Excellent dry grip resists oil and grease
- Outperforms leather work gloves
- Case Qty: 120
- Sold per pair

**Applications:** Rough industrial applications, sheet metal handling, fabrication workshops and automotive

Order No.	Size
SAM643	9
SAM644	10
SAM645	11



## ORIGINAL NITRI-FLEX® NITRILE COATED GLOVES

- Nitrile-coated for maximum wear and excellent cut, puncture and abrasion resistance
- Economical alternative to cotton and lightweight leather gloves
- Two-piece, 100% cotton liner for comfort, flexibility and dexterity
- Nitri-Flex® is launderable for added value
- Textured grip for safety and ease of handling
- Colour-coded knit-wrist indicating size
- Made of FDA compliant materials
- Case Qty: 72
- Sold per pair

**Applications:** Assembly, shipping and receiving, general maintenance, light fabrication

Order No.	Mfg. No.	Size
<b>PALM COATED, KNIT WRIST</b>		
SC445	4000P-8	8
SC446	4000P-9	9
SE214	4000P-10	10
<b>FULLY COATED, KNIT WRIST</b>		
SC448	4000-8	8
SC449	4000-9	9
SE215	4000-10	10



SC445



SC448

# Coated Gloves

## NITRILE LAMINATED GLOVES

- Slip-on style, laminated nitrile
- Nitrile coating makes for a durable glove
- Economical hand protection for a wide variety of jobs where dexterity, grip and snag resistance are required
- Perforated back style to keep hands cool
- Case Qty: 120
- Sold per pair



SAJ647



Order No.	Size
<b>FULLY LAMINATED</b>	
SAJ640	7
SAJ641	8
SAJ097	9
SAJ643	10
<b>PERFORATED BACK</b>	
SAJ644	7
SAJ645	8
SAJ586	9
SAJ647B	10

SAJ642



## HEAVYWEIGHT NITRILE COATED SAFETY CUFF GLOVES

- High density 100% cotton jersey lining
- Exceptional durability, grip and flexibility
- Superior abrasion, cut and puncture-resistant
- Safety cuff provides added protection
- Full coating for maximum protection, palm coating provides a cool comfortable fit
- Case Qty: 120
- Sold per pair

**Applications:** Rough industrial applications, sheet metal handling, fabrication workshops and automotive

Order No.	Size
<b>FULLY COATED</b>	
SAN445	10
SAN446	11
<b>PALM COATED</b>	
SAN447	10
SAN448	11

SAN447



SAN445



## HYCRON® 27-805 GLOVES

- Heavy-duty nitrile coated
- Outwears standard heavy-duty leather palm gloves by 3 to 1
- Soft jersey knitting eliminates seams from the working areas for greater comfort
- Excellent dry grip and superior service when handling rough, abrasive materials
- Excellent resistance to snags, puncture, abrasions, cuts, grease and oils
- Fully coated, 2 1/2" safety cuff
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- Sold per pair

**Ansell**

Order No.	Size
SAY787	10



## HEAVYWEIGHT NITRILE FULLY COATED KNIT WRIST GLOVES

- High density 100% cotton jersey lining
- Exceptional durability, grip and flexibility
- Superior abrasion, cut and puncture resistant
- Knit wrist prevents debris from entering the glove
- Case Qty: 120
- Sold per pair

**Applications:** Rough industrial applications, sheet metal handling, fabrication workshops and automotive

Order No.	Size
SAN441	8
SAN442	9
SAN443	10
SAN444	11



## POLARIS® 30-493 GLOVES

- Vinyl coating remains soft when cold
- Excellent insulation against cold temperatures
- Curved fingers, wing thumb and soft polyester lining provide comfort
- Textured surface provides excellent grip for handling of both wet and dry materials
- Offers resistance to oils, acids, caustics and alcohols
- Fluorescent orange, fully coated, safety cuff
- Case Qty: 72
- Sold per pair

**Applications:** Construction, cold storage, winter transportation, yard and field work, freight handling and trash collection

Order No.	Size
SEA307	X-Large

**Ansell**



## WINTER HI VIZ™ 23-491 GLOVES

- Stays soft when cold
- Keeps hands warm and dry
- Chemical resistant
- Resist abrasion and oils
- Comfortable
- Knit wrist
- Case Qty: 72
- Sold per pair

**Applications:** Cold storage, winter transportation, laboratories, yard and field work, unheated warehouse and construction

Order No.	Size
SEA273	X-Large



**Ansell**



# Coated/Cut Resistant Gloves

## POLAR GRIP® 23-700 GLOVES

- PVC coated rough finish that remains soft when cold
- Excellent foam insulation against cold temperatures
- Curved fingers, wing thumb and soft insulative lining provide comfort
- Offers resistance to oils, acids, caustics and alcohols
- Rough finish surface provides excellent grip for handling of both wet and dry materials
- 11" long with nylon liner, **SEA303** 14" with nylon liner
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- Sold per pair

**Applications:** Fishing industry, cold storage construction, winter transportation, yard and field work, freight handling, trash collection



**Ansell**

Order No.	Length"	Size
<b>SEA274</b>	11	9
<b>SEB089</b>	11	10
<b>SEA303</b>	14	10

## BEX™ SOF PAW GLOVES

- The Sof Paw gloves are made of a breathable full vinyl impregnated stretch fabric
- Great tactile, sensitivity and comfort
- Offer excellent abrasion resistance and good grip, wet or dry
- Washable
- Case Qty: 144
- Sold per pair

**SHOWA**  
Always Innovating. Never Imitating.



Order No.	Mfg. No.	Size
<b>SC434</b>	70-6	X-Small
<b>SC435</b>	70-7	Small
<b>SC436</b>	70-8	Medium
<b>SC437</b>	70-9	Large

## HPPE GLOVES W/POLYURETHANE COATING

- HPPE liners provide excellent abrasion, tear and good cut resistance barrier
- Nitrile foam coating provides excellent grip in oily working conditions
- 3/4 coated back provides additional hand protection
- May be laundered for repeated uses, does not shrink
- Excellent fit and dexterity
- Meets EN388 Level 5 for cut resistance
- Case Qty: 144
- Sold per pair

**JOMAC**  
CANADA



Order No.	Mfg. No.	Size
<b>SEC142</b>	Y9259-SM	Small
<b>SEC143</b>	Y9259-M	Medium

Order No.	Mfg. No.	Size
<b>SEC144</b>	Y9259-L	Large
<b>SEB866</b>	Y9259-XL	X-Large

## VINYL IMPREGNATED GLOVES

- Stretch fit provides excellent dexterity
- Abrasion and water resistance
- Rough surface for a superior grip
- Case Qty: 300
- Sold per pair

**Applications:** Assembly work, bottling plants, warehousing, packaging, maintenance



Order No.	Description
<b>SEF065</b>	Ladies
<b>SEF066</b>	Men's

## THE KNIT PICKER KPG® VINYL GLOVES

- Lightweight, breathable vinyl coating and textured finish for sure grip
- 100% cotton seam free knit liner
- Outwears cotton many times on straight abrasion
- Machine washable
- Case Qty: 72
- Sold per pair

**Applications:** Furniture manufacturing, automotive subassembly, general maintenance, inspection, packaging, shipping, receiving, light fabrication and general assembly



**SHOWA**  
Always Innovating. Never Imitating.

Order No.	Mfg. No.	Size
<b>SLIP-ON</b>		
<b>SC414</b>	960-S	Small
<b>SC415</b>	960-M	Medium
<b>SA600</b>	960-L	Large
<b>KNIT WRIST</b>		
<b>SC416</b>	961-S	Small
<b>SC417</b>	961-M	Medium
<b>SC418</b>	961-L	Large



## POWERFLEX® 80-813 GLOVES

- Combines high levels of flame resistance and cut protection
- ARC flash-hazard category 2, helps protect workers against electrical hazards
- Special, soft foam coating ensures a secure grip in wet, oily and dry environments
- Ergonomic design provides superior comfort, dexterity and flexibility
- Meets EN407 Level 4 resistance to flammability
- Meets ANSI/ISEA 105 Level 4, EN388 Level 5 for cut resistance
- Case Qty: 144
- Sold per pair

**Ansell**



Order No.	Size
<b>SEB814</b>	6
<b>SEB815</b>	7
<b>SEB816</b>	8

Order No.	Size
<b>SEB817</b>	9
<b>SEB818</b>	10
<b>SEB819</b>	11

# Cut Resistant Gloves

## HPPE POLYURETHANE-COATED GLOVES

- Stretchable seamless HPPE liner
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable polyurethane palm coating
- Superior cut, abrasion, and tear resistance
- Elastic knit wrist
- Provides a superior grip
- Meets EN388 Level 4 and 5 for cut resistance
- Case Qty: 144
- Sold per pair



**ZENITH**  
Safety Products

Order No.	Size
<b>LEVEL 4 CUT RESISTANCE</b>	
SAW908	7
SAW909	8
SAW910	9
SAW911	10
SAW912	11
<b>LEVEL 5 CUT RESISTANCE</b>	
SEF166	7
SEF167	8
SEF168	9
SEF169	10
SEF170	11

## HYFLEX® 11-511 GLOVES

- An unprecedented combination of cut resistance and dexterity with improved durability
- Lightweight and ergonomically designed with incredible cut protection and a relaxed fit
- Features Intercept Technology™ yarn - developed by Ansell and DuPont™ which incorporates Kevlar® Stretch Armor Technology
- Extended cuff provides additional cut protection in the highly sensitive wrist area
- New foam nitrile formulation provides longer wear for increased durability
- Offers superior grip and tactility in light oil or dry environments, therefore providing sure grip of product and assurance when handling sharp objects and knives
- Experience exceptional comfort and durability combined with EN/ANSI Level 4 cut protection
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance
- Case Qty: 144
- Sold per pair



**Ansell**

**Applications:** Door and wood framing, glass installation, knife handling, maintenance operations, paper slitting, sharp small part handling, sheet metal press and small part stamping

Order No.	Size	Order No.	Size
SEB171	6	SEB174	9
SEB172	7	SEB175	10
SEB173	8	SEB176	11

## HYFLEX® 11-501 GLOVES

- Intercept Technology™ yarn liner developed by Ansell and Dupont™
- Lightweight fit and feel with superior cut resistance
- Outstanding dexterity
- Superior oil grip, tactile sensitivity, dexterity and comfort
- Cut prevention improves productivity and profitability
- Teal foam nitrile palm coating
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance
- Case Qty: 144
- Sold per pair



**Ansell**

**Applications:** Automotive assembly, sheet metal assembly, handling sharp small parts, handling glass

Order No.	Size	Order No.	Size
SAW951	6	SAW954	9
SAW952	7	SAW955	10
SAW953	8		

## NITRILE COATED KEVLAR® GLOVES

- Stretchable seamless 13-gauge Kevlar® liner
- Nitrile palm coating
- Excellent cut, abrasion and tear resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance
- Case Qty: 120
- Sold per pair



**ZENITH**  
Safety Products

**Applications:** Component assembly, waste handling, automotive and metal handling

Order No.	Size	Order No.	Size
SEC137	7	SAP925	10
SAP923	8	SAP926	11
SAP924	9	SEC138	12

## VANTAGE® 70-765 GLOVES

- Premium longevity and cut protection through advanced technology
- 10-gauge medium weight knit with Kevlar® fibre
- Durable leather pad double-stitched, with Kevlar® fibre
- Reinforced thumb crotch
- Excellent abrasion resistance and long-lasting
- Puncture and snag protection all the way to fingertips while providing enhanced grip
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance
- Case Qty: 36
- Sold per pair

**Ansell**

**Applications:** Press, welding, handling heavy, oily metal pieces, oily, with sharp or irregular edged metal parts, heat protection



Order No.	Size	Order No.	Size
SAY665	8	SAY667	10
SAY666	9	SAY668	11

## LATEX COATED KEVLAR® GLOVES

- Natural rubber latex palm coating
- Seamless 10-gauge Kevlar® liner
- Excellent cut, tear and puncture resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance
- Case Qty: 120
- Sold per pair

**Applications:** Material handling, automotive, glass handling and waste handling



**ZENITH**  
Safety Products

Order No.	Size
SAP927	8
SAP928	9

Order No.	Size
SAP929	10
SAP930	11

## HYFLEX® 11-627 GLOVES

- Dyneema® innovative yarn liner with polyurethane coating
- Exceptional cut resistance with an optimal level of Dyneema®
- Lycra® and nylon combined for excellent dexterity
- Polyurethane palm coating for excellent grip
- Meets ANSI/ISEA 105 Level 1/EN388 Level 3 for cut resistance
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- Sold per pair

**Applications:** Applications, automotive, metal, glass, aeronautics, white goods manufacturing

**Ansell**



Order No.	Size	Order No.	Size
SAY080	6	SAY083	9
SAY081	7	SAY084	10
SAY082	8		

## HY-FLEX® 11-518 GLOVES

- Blue polyurethane palm coating
- New Dyneema® Diamond Technology HPPE yarn offers an unmatched combination of cut protection, comfort and dexterity in an 18-gauge glove
- Soft, sheer Dyneema® Diamond fibre breathes to keep hands cool and dry and moves freely with the motion of the hand for a more comfortable fit
- Polyurethane coating provides a sure grip in light oil and dry applications and excellent resistance to abrasion
- The ultralight fabric and tailored fit of the 11-518 create a barehand-like sensation of contact when performing tasks that demand high tactility
- ANSI level 2 cut protection, EN388 level 3 for cut resistance
- Case Qty: 144
- Sold per pair

**Applications:** Handling/Assembly of small or ultra-fine dry sharp parts, packaging areas with risk of cut, wiring



**Ansell**

Order No.	Size
SEI847	Small
SEI848	Medium
SEI849	Large
SEI850	X-Large

## SALT & PEPPER KNIT W/BLACK POLYURETHANE PALM GLOVES

- HPPE liner is an extremely strong polyethylene fibre
- Weight-for-weight, HPPE is up to 15 times stronger than steel
- Breathable polyurethane palm coating
- Floats on water
- High energy absorption and low elongation
- Anatomically formed for added comfort
- Resistant to abrasion, moisture, UV rays, mildew, chemicals and detergents
- Cut resistance unaffected by washing
- Colour: Black on salt and pepper
- Meets EN388 Level 3 for cut resistance
- Case Qty: 144
- Sold per pair

**JOMAC**



Order No.	Mfg. No.	Size
SAN298	Y9248-7S&P	7
SAN299	Y9248-8S&P	8

Order No.	Mfg. No.	Size
SAN300	Y9248-9S&P	9
SAN301	Y9248-10S&P	10

## HYFLEX® 11-624 GLOVES

- Advanced cut protection with ergonomic design
- Dyneema®, Spandex® and nylon liner combined for excellent dexterity
- Yarn combination molds naturally to prevent hand fatigue
- Polyurethane coating provides a sure grip in dry and light oil applications
- Meets ANSI/ISEA 105 Level 2, EN388 Level 3 for cut resistance
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- Sold per pair

**Ansell**



**Applications:** Assembly areas for use when handling metal components, glass handling and installation, small parts stamping, forming, machining and bending of small parts

Order No.	Size	Order No.	Size
SAW989	6	SAW992	9
SAW990	7	SAW993	10
SAW991	8	SAW994	11

## HPPE NITRILE-COATED GLOVES

- Stretchable seamless liner
- Breathable nitrile palm coating
- Excellent abrasion and tear resistance
- Elastic knit wrist
- Meets EN388 Level 3 for cut resistance
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- Sold per pair



Order No.	Size	Order No.	Size
SEB090	7	SEB093	10
SEB091	8	SEB094	11
SEB092	9		

**ZENITH**  
Safety Products



# Cut Resistant Gloves

## HYFLEX® 11-510 GLOVES

- Unique product design engineered for light to medium cut protection applications
- Designed to provide cut protection in applications where abrasion resistance and dexterity are a "must have"
- Protects hands from abrasion in the palm area as well as the back of the hand, giving workers more confidence when working in restrictive spaces
- Sure grip and protection
- Knitted with Kevlar® yarn from DuPont™, offers flexibility and comfort along with EN Level 3/ANSI Level 2 cut protection
- New ComfortFlex cuff provides additional protection as well as a soft feel around the sensitive wrist area
- Black foam nitrile ensures a sure grip in light oil and dry applications
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 2, EN388 Level 3 for cut resistance
- Case Qty: 144
- **Sold per pair**



Ansell

**Applications:** Carpentry, HVAC, pipefitting, final assembly, glass installation, maintenance operations, sheet metal press, small part stamping, small part handling, small scale stamping and assembly, and wiring

Order No.	Size
SEB165	6
SEB166	7
SEB167	8

Order No.	Size
SEB168	9
SEB169	10
SEB170	11

## HPPE GLOVES W/POLYURETHANE COATING

- HPPE liner is an extremely strong polyethylene fibre
- Weight-for-weight, HPPE is up to 15 times stronger than steel
- Floats on water
- High energy absorption and low elongation
- Anatomically formed for added comfort
- Resistant to abrasion, moisture, UV rays, mildew, chemicals and detergents
- Cut resistance unaffected by washing
- Colour: White on white
- Meets EN388 Level 2 for cut resistance
- Case Qty: 144
- **Sold per pair**



JOMAC

Order No.	Mfg. No.	Size
SAJ773	Y9266-7	7
SAJ774	Y9266-8	8

Order No.	Mfg. No.	Size
SAJ775	Y9266-9	9
SAJ776	Y9266-10	10

## JUNKYARD DOG® GLOVES

- Standard weight 100% Kevlar® with full leather palm
- Exceptional cut, slash, heat and puncture resistance
- Leather palm provides excellent wet and dry grip, it offers puncture and abrasion resistance
- Reinforced thumb crotch significantly extends its longevity and prevents abrasion in numerous applications
- Meets ANSI/ISEA 105 Level 3 for cut resistance
- Case Qty: 144
- **Sold per pair**



Honeywell



Order No.	Mfg. No.	Size
SAJ484	KV18A-100-50	Men's
SAJ485	KV18AL-100-50	Ladies

## JACKSON SAFETY® G60 PURPLE NITRILE® CUT RESISTANT GLOVES

- High level of cut resistance with enhanced dexterity, grip and comfort
- Ambidextrous and breathable with a flexible dotted palm for better grip
- Meets ANSI Level 3, EN388 level 3 for cut resistance
- Case Qty: 12
- **Sold per pair**

**Applications:** Metal fabrication, glass handling, handling of sharp objects, automotive assembly



Order No.	Mfg. No.	Size
SAQ352	97430	Small (7)
SAQ353	97431	Medium (8)
SAQ354	97432	Large (9)
SAQ355	97433	X-Large (10)
SAQ356	97434	2X-Large (11)



## GUARDDOG® GLOVES

- Full leather palm, 100% Kevlar® fibre shell
- 100% Kevlar® lining offers outstanding cut and slash resistance
- Seamless knit liner eliminates uncomfortable seams that may rub or chafe
- Lining offers added hand protection during hazardous applications
- High grade leather offers excellent abrasion and puncture resistance and is superior in wet and dry applications
- Safety cuff
- Meets ANSI/ISEA 105 Level 3 for cut resistance
- Case Qty: 48
- **Sold per pair**



Honeywell

Order No.	Mfg. No.	Size
SAJ957	KV224D	Men's

## HYFLEX® 11-500 GLOVES

- Black foam nitrile palm coating
- Cut resistant stretch Kevlar® liner provides a comfortable fit
- Excellent protection from nuisance nicks and abrasion
- Excellent choice when working with sharp edged materials and tools
- Unique foam nitrile coating channels away oil from the surface of the gloves
- Extended cuff offers extra cut protection around the wrist
- Sure grip in light oil applications
- Soil hiding black palm
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 2, EN388 Level 2 for cut resistance
- Case Qty: 144 • **Sold per pair**

Ansell



**Applications:** Automotive assembly, handling sharp and/or pointed small parts, handling wire harnesses, sheet metal assembly, durable goods assembly, maintenance

Order No.	Size	Order No.	Size
SAW931	6	SAW934	9
SAW932	7	SAW935	10
SAW933	8	SAW936	11

# Cut Resistant/Chemical Resistant Gloves

## STAINLESS STEEL MESH GLOVES

- This double interlocked metal mesh ambidextrous glove is formed using state-of-the-art micro plasma welding techniques. The result is stronger, smoother, hermetically sealed ring connections that have no gaps or weak spots
- The self-adjusting tensioning system allows for easy fit with no straps or buckles to fasten; there is no fabric cuff to wear out or become contaminated, the glove is easy to clean
- Meets ANSI/ISEA standard 105 Level 5 for cut resistance
- Case Qty: 1
- Sold per glove



Micro plasma weld



Resistance weld



Micro plasma welds create value. Links are stronger so the gloves wear longer. There is also a lower risk of contamination because, unlike resistance-welded mesh rings, micro plasma welded rings leave no gaps to trap soil.



Order No.	Mfg. No.	Size
SAI314	CM030000	2X-Small
SAI315	CM030001	X-Small
SAI316	CM030002	Small

Order No.	Mfg. No.	Size
SAI317	CM030003	Medium
SAI318	CM030004	Large
SAI319	CM030005	X-Large

## UNLINED 11 MIL GREEN NITRILE GLOVES

- Lightweight unlined nitrile gloves
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture and abrasion
- Accepted for use in Canadian food processing facilities
- 13" length, 11-mil thick
- Case Qty: 144
- Sold per pair

**Applications:** Food processing, plant maintenance, chemical processing, automotive and printing

Order No.	Size
SEF222	7
SEF223	8
SEF224	9
SEF225	10
SEF226	11



## SOL-VEX® UNSUPPORTED NITRILE 37-175 GLOVES

- Embossed, flock-lined
- Good protection against snags, punctures, abrasions and cuts
- Outstanding combination of strength and chemical resistance, when exposed to aromatic and petroleum solvents, as well as caustics and animal fats, they will not swell, weaken or degrade
- Superior choice over rubber or neoprene
- Accepted for use in Canadian food processing facilities
- 13" length, 15-mil thick
- Case Qty: 144
- Sold per pair

**Applications:** Food processing (red meat, poultry, vegetables, fruit, dairy and canning), automotive assembly and painting, aerospace and automotive degreasing, chemical processing, oil refining, petrochemicals, machining operations using cutting oil and coolants, metal fabrication, graphic arts, printing cleanup, furniture manufacturing, electronics (semiconductors, circuit board manufacturing)



Order No.	Size
SAW941	6
SAW942	7
SAW943	8

Order No.	Size
SAW944	9
SAW945	10
SAW946	11

## FLOCK-LINED GREEN NITRILE GLOVES

- Cotton flock lined
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture and abrasion
- Accepted for use in Canadian food processing facilities
- 13" length, 13-mil thick
- Case Qty: 120
- Sold per pair

**Applications:** Food processing, plant maintenance, chemical processing, automotive and printing

Order No.	Size
SEF083	7
SEF084	8
SEF085	9
SEF086	10
SEF087	11



## UNLINED 15-MIL GREEN NITRILE GLOVES

- Double dipped unlined nitrile gloves
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture, and abrasion
- Accepted for use in Canadian food processing facilities
- 13" length, 15-mil thick
- Case Qty: 144
- Sold per pair

**Applications:** Food processing, plant maintenance, chemical processing, automotive and printing



Order No.	Size
SEF227	7
SEF228	8
SEF229	9
SEF230	10
SEF231	11



# Chemical Resistant Gloves

## NITRI-SOLVE® GLOVES

- Nitri-Solve® provides excellent protection against abrasion, punctures, cuts and snags
- Resistant to a broad range of solvents, animal fats and other chemicals
- Case-hardened finish enhances both chemical and abrasion resistance and makes it easy to pull on and off
- Non-slip grip makes wet work easier and safer
- Available in flock lined and unlined styles in varying thickness and lengths
- Each hand is embossed with glove size for ease of pairing after laundering
- Accepted for use in Canadian food processing facilities
- Made of FDA compliant materials
- **Sold per pair**

SA580



SA808



SA568



**SHOWA**  
Always innovating. Never imitating.

Order No.	Mfg. No.	Description	Size
<b>CASE QTY: 144</b>			
SA578	730-7	Flock Lined,	7
SA579	730-8	13"	8
SA580	730-9	15 mil	9
SA576	730-10		10
SA577	730-11		11
SA566	717-7	Unlined,	7
SA567	717-8	13"	8
SA568	717-9	11 mil	9
SA564	717-10		10
SA565	717-11		11
<b>CASE QTY: 72</b>			
SA0807	737-8	Unlined,	8
SA0808	737-9	15"	9
SA0809	737-10	22-mil	10
SA0810	737-11	Heavy-duty	11

## NATURAL RUBBER LATEX GLOVES

- Cotton flock lined
- Embossed diamond pattern provides superior grip
- Chlorinated for easy donning
- 12" length
- Accepted for use in Canadian food processing facilities
- Case Qty: 120
- **Sold per pair**

**Applications:** Food processing, plant maintenance and janitorial applications

Order No.	Size
<b>15-MIL</b>	
SEF204	7
SEF205	8
SEF206	9
SEF207	10
<b>18-MIL</b>	
SEF005	7
SEF006	8
SEF007	9
SEF008	10



**ZENITH**  
Safety Products

## UNLINED GREEN NITRILE GLOVES

- Unlined for improved dexterity
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture and abrasion
- 15" length, 22-mil thick
- Case Qty: 144
- **Sold per pair**

**Applications:** Food processing, plant maintenance, chemical processing, automotive and printing

Order No.	Size
SEF080	8
SEF081	9
SEF082	10

**ZENITH**  
Safety Products



## ALPHATEC™ 58-535 GLOVES

- Nitrile with Ansell Grip Technology™
- New anatomical hand shape
- Easier donning • Good grip
- Excellent chemical protection, repel oils and other lubricants
- Provides dexterity, comfort and touch sensitivity without any compromise in chemical protection
- Reducing hand fatigue and carpal tunnel syndrome related injuries
- Fully coated with 14" knitted seamless liner
- Accepted for use in Canadian food processing facilities
- Case Qty: 72
- **Sold per pair**

**Applications:** Chemical handling, agriculture, automotive / OEM, mining, aerospace, printing

Order No.	Size	Order No.	Size
SAY030	8	SAY032	10
SAY031	9	SAY033	11



**Ansell**

## NATURAL RUBBER 200 SERIES GLOVES

- Medium-duty natural rubber unsupported latex
- Cotton flock-lined, pebble-embossed
- Increased snag, puncture, abrasions and cut resistance
- High degree of tensile strength
- Excellent sensitivity
- Added wrist and forearm protection
- Improved grip on wet or dry objects
- 12" length, 20-mil thick
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- **Sold per pair**

**Applications:** Canning and food processing, agriculture, automotive assembly, chemical plants, janitorial, petroleum refineries, plant maintenance, pharmaceutical manufacturing

**Caution:** These products contain natural rubber latex which may cause allergic reactions in some individuals.

Order No.	Size
SAW947	7
SAW948	8

Order No.	Size
SAW949	9
SAW950	10



**Ansell**



# Chemical Resistant Gloves

## NATURAL RUBBER LATEX CANNERS

- Unlined
- Embossed diamond pattern provides superior grip
- Chlorinated for easy donning
- Beaded cuff for added tear resistance
- 12" length, 15-mil thick
- Accepted for use in Canadian food processing facilities
- Case Qty: 120
- Sold per pair

**Applications:** Food processing, plant maintenance and janitorial applications

Order No.	Size	Order No.	Size
<b>15-MIL</b>		<b>18-MIL</b>	
SEI696	7	SEI692	7
SEI697	8	SEI693	8
SEI698	9	SEI694	9
SEI699	10	SEI695	10



**ZENITH**  
Safety Products

## CANNERS & HANDLERS 392 GLOVES

- Pebble-embossed, pinked cuff
- Medium-duty unsupported, unlined, natural rubber latex
- Excellent dexterity, tensile strength and elasticity
- Excellent grip on wet or dry surfaces
- Good choice for snag, punctures, abrasion and cut resistance
- Protection against chemical hazards
- Accepted for use in Canadian food processing facilities
- 12" length, 20-mil thick
- Case Qty: 144
- Sold per pair

**Applications:** Food processing, poultry, small parts assembly, pharmaceutical manufacturing, janitorial and plant maintenance

**Caution:** These products contain natural rubber latex which may cause allergic reactions in some individuals.

Order No.	Size	Order No.	Size
SAX939	6.5	SAX944	9
SAX940	7	SAX945	9.5
SAX941	7.5	SAX946	10
SAX942	8	SAX947	11
SAX943	8.5		



**Ansell**

## NATURAL RUBBER LATEX HEAVYWEIGHT GLOVES

- Provides superior protection from water-based chemicals such as acids, alkalis, alcohols and caustics
- Heavy rolled bead cuff for excellent tear resistance
- Smooth finish resists punctures and snags
- Unlined for less risk of product contamination
- 30-mil thick
- Case Qty: 72
- Sold per pair

**Applications:** Chemical handling, plating, sandblasting, plant maintenance and laboratories

Order No.	Length"
SAP220	14
SAP221	18



**ZENITH**  
Safety Products

## ORANGE HEAVYWEIGHT 208 SERIES GLOVES

- 29-mil palm is 50% thicker than most standard flock-lined glove
- Increased tensile strength and puncture/cut protection against chemical and physical hazard
- 100% cotton flock lining increases user comfort
- Recessed diamond design provides grip on wet or dry objects
- 13" length, 29-mil thick
- Case Qty: 144
- Sold per pair

**Caution:** This product contains natural rubber latex which may cause allergic reactions in some individuals

Order No.	Size
SAX914	Small
SAX915	Medium
SAX916	Large
SAX917	X-Large
SAX918	2X-Large

**Ansell**



## ORANGE SUPAWEIGHT GLOVES

- High resistance to water-based chemicals
- Tough general purpose 13", 30-mil thick natural rubber latex glove
- Roughened finish for excellent grip in damp conditions
- Beaded cuff for tear resistance and easy pull on
- Extra length fluted cuff for ventilation and maximum protection
- Ideal for laboratories and a broad range of chemical applications
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- Sold per pair

**Mangold**  
Industrial

Order No.	Mfg. No.	Size
SAJ545	G02T/450-S	Small
SAJ546	G02T/450-M	Medium
SAJ547	G02T/450-L	Large
SAJ548	G02T/450-XL	X-Large



## PROFLEX® 14-660 GLOVES

- Jersey lining provides cushioned comfort and moderate insulation
- Excellent wet grip
- Optimum abrasion resistance
- Excellent chemical resistance to petrochemicals and acids
- Case Qty: 72
- Sold per pair

**Applications:** Fisheries, petrochemicals refining, handling equipment and abrasive materials coated with acids, caustics, solvents, grease and oil

Order No.	Size
SAX959	8
SAX960	9
SAX961	10
SAX962	11

**Ansell**



# Chemical Resistant Gloves

## NEOPRENE/NATURAL RUBBER LATEX GLOVES

- Cotton flock lined
- Natural rubber latex with blue neoprene over-dip
- Raised diamond pattern provides superior grip
- Superior chemical resistance
- Accepted for use in Canadian food processing facilities
- 12" length, 28-mil thick
- Case Qty: 120
- **Sold per pair**

**Applications:** Food processing, plant maintenance, chemical processing, automotive and printing



**ZENITH**  
Safety Products

Order No.	Size
<b>SAM650</b>	7
<b>SAM651</b>	8
<b>SAM652</b>	9
<b>SAM653</b>	10

## NEOPRENE 29-865 GLOVES

- Flock-lined unsupported neoprene, embossed
- Increase chemical and abrasion resistance over standard neoprene gloves
- Broad-spectrum protection
- Excellent resistance to a wide range of chemicals, including oils, acids, caustics and solvents
- Accepted for use in Canadian food processing facilities
- 13" length, 18-mil thick
- Case Qty: 144
- **Sold per pair**

**Applications:** Petrochemicals, degreasing, electronics, refining, handling oils, acids, caustics, alcohols and solvents



**Ansell**

Order No.	Size	Order No.	Size
<b>SAX979</b>	7	<b>SAX981</b>	9
<b>SAX980</b>	8	<b>SAX982</b>	10

## PVC ROUGH FINISH GLOVES

- Bright yellow PVC on cotton interlock lining
- Resistant to most oils, acids, greases and solvents
- Rough coating provides optimal grip
- Colour: Yellow
- Case Qty: 120
- **Sold per pair**

**Applications:** Fisheries, petrochemical industry, mining



**ZENITH**  
Safety Products

Order No.	Description
<b>SEE797</b>	12" Gauntlet
<b>SEE798</b>	14" Gauntlet
<b>SEE799</b>	Knit Wrist

## CHLOROFLEX® NEOPRENE GLOVES

- Unsupported neoprene gloves
- Pattern finish assures a firm grip, wet or dry
- Flock lined embossed grip
- Chloroflex® delivers excellent protection in applications for the petrochemical industry, refining, electronics, lab use, degreasing and handling materials in acids, alcohols, caustics and oils
- 12" length, 24-mil thick
- Case Qty: 72
- **Sold per pair**

Order No.	Mfg. No.	Size
<b>SAK074</b>	723-7	7
<b>SAK075</b>	723-8	8
<b>SAK076</b>	723-9	9
<b>SAK077</b>	723-10	10



**SHOWA**  
Always Protecting. Never Imitating.

## PVC WINTER LINED GLOVES

- Bright orange PVC on jersey liner
- Resistant to most oils, acids, greases and solvents
- Foam fleece lining offers added warmth
- Colour: Orange
- **Sold per pair**

**Applications:** Fisheries, petrochemical industry, mining, outdoor winter conditions



Order No.	Description	Qty /Case
<b>SAN383</b>	12" Gauntlet	120
<b>SO104</b>	Knit Wrist	120
<b>SAP922</b>	Safety Cuff	60

**ZENITH**  
Safety Products

## PVC DOUBLE DIPPED GLOVES

- Double dipped PVC offers superior durability, abrasion and chemical resistance
- Cotton jersey lining
- Rough coating provides optimal grip
- Resistant to most oils, acids, greases and solvents
- Colour: Green
- **Sold per pair**

**Applications:** Fisheries, petrochemical industry, mining



**ZENITH**  
Safety Products

Order No.	Description	Qty /Case
<b>SEE800</b>	12" Gauntlet	120
<b>SEE801</b>	14" Gauntlet	60
<b>SEE802</b>	18" Gauntlet	60
<b>SEE803</b>	Knit Wrist	120

## ULTRA FLEXIBLE PVC GLOVES

- Premium ultra flexible PVC coating
- Seamless 13-gauge liner
- Pre-formed shape for ultimate dexterity and comfort
- Double dipped for added durability
- 12" length
- Rough finish provides superior grip
- Case Qty: 120
- **Sold per pair**

**Applications:** Fishery, automotive, maintenance, and petrochemical



Order No.	Size
SAP878	9
SAP879	10



## SILVER SHIELD® 4H SERIES GLOVES

- Resistant to over 290 different chemicals: alcohols, aliphatics, aromatics, chlorines, ketones, esters
- Low cost, disposable gloves: can be made readily available to workers, no recycling
- Does not contain chemical accelerators that can cause allergic reactions
- Flexible Norfoil laminate
- Ambidextrous
- Can be used as a secondary glove
- Allows workers maximum protection in heavy-duty jobs where the dangers of mechanical damage to gloves are high
- Case Qty: 50
- **Sold per pair**

Order No.	Mfg. No.	Length"	Size
SAJ958	SSG/6XS	14 1/2	X-Small
SAJ959	SSG/7S	14 1/2	Small
SAJ960	SSG/8M	14 1/2	Medium
SAJ961	SSG-9L	14 1/2	Large
SAJ962	SSG/10XL	14 1/2	X-Large
SAJ963	SSG/11XXL	14 1/2	2X-Large



## LSB SAND BLASTER GLOVES

- Extended sleeve provides added protection on the arms
- Supported cotton glove and sleeve absorbs perspiration
- Heavy PVC sleeve
- Rough surface finish provides added grip
- Available in smooth or wrinkle finish
- Case Qty: 24
- **Sold per pair**

SAJ762



Order No.	Mfg. No.	Description	Finish	Length"
SAJ760	T14413230	Neoprene Glove, 30" Opening	Smooth	32
SAJ762	T65FW2228	Natural Rubber Glove, 28" Opening	Wrinkle	32



## PVC SMOOTH FINISH GLOVES

- Bright red PVC on cotton interlock lining
  - Resistant to most oils, acids, greases and solvents **SEE804**
  - Ideal for general chemical handling
  - Colour: Red
  - Case Qty: 120
  - **Sold per pair**
- Applications:** Fisheries, general maintenance, petrochemical industry



Order No.	Description
SEE804	12" Gauntlet
SEE805	14" Gauntlet
SEE806	Knit Wrist



## BEMAC PETROCHIEF® GLOVES

- Red PVC/NBR blended coating designed to handle petroleum products
- Resists most oils, acids, fats, alcohols and glycol ethers
- Performs well in temperature ranging from 25°F to 150°F
- Available in 10 1/2" gauntlet and safety cuff jersey lined
- **Sold per pair**

SAI404



Order No.	Mfg. No.	Description	Qty /Case
SAI404	PC830	Safety Cuff Jersey Lined	72
SAI405	PC893	Safety Cuff Jersey/Foam Lined	36
SAL117	PC889L	10 1/2" Gauntlet/Foam Lined	36

## "TRAWLER KING" PVC LONG SLEEVE GLOVES

- Rough sandy finish provides superior grip
- Curved hand design provides maximum comfort
- Extended sleeve provides added protection on the arms
- Available with elastic closure or suspender straps
- Case Qty: 24
- **Sold per pair**



SAJ972



SAJ973

Order No.	Mfg. No.	Description	Size
SAJ972	1812FWG24	24", Elastic Closure	X-Large
SAJ973	1812FWG01	30", Suspender Straps	X-Large



# Disposable Gloves

## TOUCH N TUFF® 92-600 GLOVES

- Nitrile with smooth fingertips
- Contains absolutely no fillers, silicones or plasticizers
- Provide three times the puncture resistance of competitive latex or vinyl gloves
- Durable yet soft for improved comfort
- Smooth fingertips for exceptional grip
- Powder-free
- Rolled cuff
- 5 mils, AQL 1.5
- Accepted for use in Canadian food processing facilities
- Case Qty: 10 boxes
- **Sold per box of 100 gloves**

**Applications:** Manufacturing, maintenance and cleanup, intricate parts handling, laboratory analysis/technical work, HazMat



**Ansell**

Order No.	Size
SAW927	Small
SAW928	Medium

Order No.	Size
SAW929	Large
SAW930	X-Large

## EXAMINATION GRADE NITRILE GLOVES

- Pure 100% premium nitrile
- Textured surface provides superior wet and dry grip
- Exceptional tactile sensitivity
- Latex-free
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Protects against oil, grease and organic solvents
- Superior puncture resistance
- Ambidextrous design
- 4 mils, AQL 1.5
- 9.5" in length
- Accepted for use in Canadian food processing facilities
- **Not for medical use**
- Case Qty: 10 boxes
- **Sold per box of 100 gloves**

**Applications:** Manufacturing, maintenance, small parts handling, laboratory applications and automotive



**ZENITH®**  
Safety Products

Order No.	Size
<b>POWDERED</b>	
SEA916	X-Small
SAP320	Small
SAP321	Medium
SAP322	Large
SAP323	X-Large
SEA917	2X-Large

Order No.	Size
<b>POWDER-FREE</b>	
SEA918	X-Small
SAP324	Small
SAP325	Medium
SAP326	Large
SAP327	X-Large
SEA919	2X-Large

## TNT® BLUE 92-675 GLOVES **Ansell**

- Nitrile with textured fingertips
- Provides three times the puncture resistance of competitive latex or vinyl gloves
- Durable yet soft for improved comfort
- Textured fingertips for exceptional grip
- Powder-free
- Rolled cuff
- 5 mils, AQL 1.5
- Accepted for use in Canadian food processing facilities
- Case Qty: 10 boxes
- **Sold per box of 100 gloves**

**Applications:** Automotive, manufacturing, maintenance and cleanup, intricate parts handling, laboratory analysis/technical work



Order No.	Size
SAW937	Small
SAW938	Medium

Order No.	Size
SAW939	Large
SAW940	X-Large

## BLACK NITRILE GLOVES

- Textured fingertips provide superior wet and dry grip
- Beaded cuff for added strength
- Superior puncture and tear resistance
- Excellent tactile sensitivity and dexterity
- Latex-free
- Ambidextrous design
- 4 mils, AQL 1.5
- Powder-free
- Accepted for use in Canadian food processing facilities
- Case Qty: 10 boxes
- **Sold per box of 100 gloves**

**Applications:** Manufacturing, maintenance, small parts handling, laboratory and automotive, law enforcement

**ZENITH®**  
Safety Products



Order No.	Size
SEB085	Small
SEB086	Medium
SEB087	Large
SEB088	X-Large
SED981	2X-Large

## HEAVYWEIGHT BLACK NITRILE GLOVES

- Fully textured diamond pattern provides maximum wet and dry grip
- Exceptional tactile sensitivity
- Beaded cuff for added strength
- Protects against oil, grease and organic solvents
- Superior puncture and tear resistance
- Latex and powder-free
- 8 mils, AQL 1.5
- Accepted for use in Canadian food processing facilities
- Case Qty: 10 boxes
- **Sold per box of 50 gloves**

**Applications:** Manufacturing, maintenance, small parts handling, laboratory, painting and janitorial

**ZENITH®**  
Safety Products



Order No.	Size
SEK261	Small
SEK262	Medium
SEK263	Large
SEK264	X-Large
SEK265	2X-Large

## N-DEX®

- N-DEX®'s low-modulus formulation reduces hand fatigue caused by elastomeric stress
- Provides much greater puncture resistance than natural rubber and vinyl disposables

- Available in both lightly powdered, USP vegetable starch and powder-free styles
- Acceptable for food and pharmaceutical applications
- Extremely puncture resistant, once violated N-DEX® gloves readily tear so the wearer knows the glove should be replaced

## N-DEX® ORIGINAL 7005 INDUSTRIAL GRADE GLOVES

- Intended for occupational safety and health use only, **not for medical use**
- 100% nitrile, non-latex utility grade
- Ambidextrous
- Lightly powdered
- 9.5" long
- 4 mils, AQL 4.0
- Made of FDA compliant materials
- Accepted for use in Canadian food processing facilities
- Case Qty: 20 boxes
- Sold per box of 100 gloves



## N-DEX® ORIGINAL 8005 INDUSTRIAL GRADE GLOVES

- Intended for occupational safety and health use only, **not for medical use**
- 100% nitrile, non-latex utility grade
- Ambidextrous
- Powder-free
- 9.5" long
- 8 mils, AQL 4.0
- Made of FDA compliant materials
- Accepted for use in Canadian food processing facilities
- Case Qty: 20 boxes
- Sold per box of 50 gloves



Order No.	Mfg. No.	Description	Size
SAL254	7005XS		X-Small
SA561	7005S	9 1/2"	Small
SN581	7005M	4 mil.	Medium
SN582	7005L		Large
SAF954	7005XL		X-Large

Order No.	Mfg. No.	Description	Size
SAK070	8005PF-S		Small
SAK071	8005PF-M	9 1/2"	Medium
SAK072	8005PF-L	8 mil.	Large
SAK073	8005PF-XL		X-Large

## N-DEX® NIGHTHAWK™ GLOVES

- Powder-free textured fingertips
- Patented accelerator-free nitrile formulation
- Low-modulus comfort and feel
- Static-dissipative properties (ESD)
- Ideal for automotive, electronic assembly, laboratory, law-enforcement and security environments
- 4 mils, AQL 1.5 • 9" length
- Case Qty: 20 boxes
- Sold per box of 50 gloves



Order No.	Mfg. No.	Size
SAL084	7700PFTS	Small
SAL085	7700PFTM	Medium
SAL086	7700PFTL	Large
SAL087	7700PFTXL	X-Large



## GREEN-DEX™ GLOVES

- Biodegradable disposable nitrile glove
- Eco Best Technology™ accelerates the biodegradation of nitrile in biologically active landfills and anaerobic digesters as validated by independent certified laboratories using internationally recognized test methods
- Maintains the same physical properties (shelf life, texture, appearance) as regular nitrile gloves and can be used in the same applications with no loss of performance
- Ambidextrous
- 4 mils, AQL 1.5
- Case Qty: 20 boxes
- Sold per box of 100 gloves



Order No.	Mfg. No.	Size
SEH065	6105PF-XS	X-Small
SEH066	6105PF-S	Small
SEH067	6105PF-M	Medium
SEH068	6105PF-L	Large
SEH069	6105PF-XL	X-Large

## PURPLE NITRILE\* EXAM GLOVES

- Latex-free
- Powder-free
- Textured fingertips
- Ambidextrous
- Beaded cuff
- 5.9 mils, AQL 1.5
- Case Qty: 10 boxes
- Sold per box



Order No.	Mfg. No.	Size	Qty /Box
<b>9.5" LENGTH</b>			
SAQ782	55080	X-Small	100
SAQ783	55081	Small	100
SAQ784	55082	Medium	100
SAQ785	55083	Large	100
SAQ786	55084	X-Large	90
<b>12" LENGTH</b>			
SAQ787	55090	X-Small	50
SAQ788	50601	Small	50
SAQ789	50602	Medium	50
SAQ790	50603	Large	50
SAQ791	50604	X-Large	50

# Disposable Gloves

## BLUE VINYL EXAMINATION GRADE GLOVES

- Pure 100% premium vinyl
- Exceptional fingertip sensitivity
- Soft and stretchable for comfortable wear
- Beaded cuff for added strength
- Ambidextrous design
- 4 mils, AQL 1.5
- USP grade corn starch powdered gloves
- **Not for medical use**
- Case Qty: 10 boxes
- **Sold per box of 100 gloves**
- Accepted for use in Canadian food processing facilities



Order No.	Size
<b>POWDERED</b>	
<b>SAQ700</b>	Small
<b>SAQ701</b>	Medium
<b>SAQ702</b>	Large
<b>SAQ703</b>	X-Large
<b>POWDER-FREE</b>	
<b>SEI484</b>	Small
<b>SEI485</b>	Medium
<b>SEI486</b>	Large
<b>SEI487</b>	X-Large

## EXAMINATION GRADE VINYL GLOVES

- Pure 100% premium vinyl
- Exceptional fingertip sensitivity
- Soft and stretchable for comfortable wear
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Ambidextrous design
- 4 mils, AQL 1.5
- 9.5" length
- Accepted for use in Canadian food processing facilities
- **Not for medical use**
- Case Qty: 10 boxes
- **Sold per box of 100 gloves**



**Applications:** Light manufacturing, maintenance, food processing, laboratory applications, painting and janitorial



Order No.	Size
<b>POWDERED</b>	
<b>SAP328</b>	X-Small
<b>SAP329</b>	Small
<b>SAP330</b>	Medium
<b>SAP331</b>	Large
<b>SAP332</b>	X-Large

Order No.	Size
<b>POWDER-FREE</b>	
<b>SAP333</b>	X-Small
<b>SAP334</b>	Small
<b>SAP335</b>	Medium
<b>SAP336</b>	Large
<b>SAP337</b>	X-Large

## EXAMINATION GRADE NITRILE/VINYL GLOVES

- Blend of premium nitrile and vinyl
- Strength and durability of nitrile with the comfort and affordability of vinyl
- Latex-free
- Exceptional tactile sensitivity
- Powder-free
- Beaded cuff for added strength
- Ambidextrous design
- 4-mils, AQL 1.5
- **Not for medical use**
- Case Qty: 10 boxes
- **Sold per box of 100 gloves**

**Applications:** Manufacturing, maintenance, small parts handling, laboratory, painting and janitorial



Order No.	Size
<b>SEH163</b>	Small
<b>SEH164</b>	Medium
<b>SEH165</b>	Large
<b>SEH166</b>	X-Large
<b>SEH167</b>	2X-Large

## CONFORM® XT 69-318 GLOVES

- Textured latex
- Low protein
- Contains no silicone-based materials in formulation
- Powder-free
- Rolled cuff
- 5 mils, AQL 1.5
- Accepted for use in Canadian food processing facilities
- Case Qty: 10 boxes
- **Sold per box of 100 gloves**

**Applications:** Food processing and handling, laboratory analysis/technical work, Quality control, Electronics assembly, Light-duty maintenance and cleanup

**Caution:** This product contains natural rubber latex which may cause allergic reactions in some individuals.



Order No.	Size
<b>SAY727</b>	Small
<b>SAY728</b>	Medium

Order No.	Size
<b>SAY729</b>	Large
<b>SAY730</b>	X-Large

## EXAMINATION GRADE LATEX GLOVES

- Pure 100% premium Malaysian natural latex
- Textured surface on powder-free provides superior wet and dry grip
- Exceptional tactile sensitivity
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Ambidextrous design
- 4 mils, AQL 1.5
- 9.5" length
- Accepted for use in Canadian food processing facilities
- **Not for medical use**
- Case Qty: 10 boxes
- **Sold per box of 100 gloves**

**Applications:** Light manufacturing, maintenance, food processing, laboratory applications and quality control



Order No.	Size
<b>POWDERED</b>	
<b>SAP338</b>	X-Small
<b>SAP339</b>	Small
<b>SAP340</b>	Medium
<b>SAP341</b>	Large
<b>SAP342</b>	X-Large

Order No.	Size
<b>POWDER-FREE</b>	
<b>SAP343</b>	X-Small
<b>SAP344</b>	Small
<b>SAP345</b>	Medium
<b>SAP346</b>	Large
<b>SAP347</b>	X-Large



## CONFORM® 69-210 GLOVES

- Smooth finish latex
- Low protein
- Highest degree of dexterity
- Strength and comfort
- Powdered
- Rolled cuff
- 5 mils, AQL 1.5
- Accepted for use in Canadian food processing facilities
- Case Qty: 10 boxes
- **Sold per box of 100 gloves**

**Ansell**



**Applications:** Food processing and handling, laboratory analysis/technical work, intricate parts handling, quality control, electronics assembly, light-duty maintenance and cleanup

**Caution:** This product contains natural rubber latex which may cause allergic reactions in some individuals.

Order No.	Size	Order No.	Size
SAY723	Small	SAY725	Large
SAY724	Medium	SAY726	X-Large

## BEST® LATEX GLOVES

- Class 2 medical device
- Natural colour latex features a textured finish that ensures excellent barrier protection without compromising tactile sensitivity
- Lightly powdered
- 5-mils, 9.5" length
- Accepted for use in Canadian food processing facilities
- Case Qty: 10 boxes
- **Sold per box of 100 gloves**

**Applications:** Auto body, clinical laboratory and critical environments

**SHOWA**  
Always Innovating. Never Imitating.

Order No.	Mfg. No.	Size	Order No.	Mfg. No.	Size
SAJ735	5005XS	X-Small	SA544	5005L	Large
SA546	5005S	Small	SAJ736	5005XL	X-Large
SA545	5005M	Medium			



## DERMATHIN® GLOVES

- Unsupported natural rubber glove
- Ambidextrous, surgical type disposable glove with strength, unsurpassed sensitivity and optimum dexterity
- Lightly powdered with USP-grade corn starch
- 5-mils, AQL 1.5, 9.5" length
- Accepted for use in Canadian food processing facilities
- Case Qty: 20 boxes
- **Sold per box of 100 gloves**

**Applications:** Manufacturing, light-duty maintenance and cleanup, intricate parts handling, laboratory analysis/technical work, automotive

Order No.	Mfg. No.	Size
SAP316	1005S-06	Small
SAP317	1005M-07	Medium
SAP318	1005L-08	Large



**SHOWA**  
Always Innovating. Never Imitating.

## DISPOSABLE POLYETHYLENE GLOVES

- Most economical glove
- Short term use
- Talc-free
- Offers mild chemical resistance
- Thin enough for fingertip sensitivity
- 0.02 mm, ambidextrous
- Accepted for use in Canadian food processing facilities

**ZENITH**  
Safety Products

**Sold per bag of 100 gloves, 100 bags per case**

Order No.	Size
SAQ704	Small
SAQ705	Medium
SAQ706	Large
SAQ707	X-Large

**Sold per box of 500 gloves, 20 boxes per case**

Order No.	Size
SEB043	Small
SEK353	Medium
SEK354	Large
SEB046	X-Large



## ACCUTECH® STERILE GLOVES

- A low particle glove with a low level of extractable materials and particles
- Powder-free
- 100% natural rubber, free of pigments or fillers
- Ergonomically-designed, hand-specific glove provides exceptional dexterity
- Beaded cuff make donning easier and stays in position on the arm
- Gamma-irradiated to 10-6 Sterility Assurance Level (SAL)
- 8 mils, AQL 1.0
- Case Qty: 6
- **Sold per box of 20 gloves**

**Ansell**



**Caution:** This product contains natural rubber latex which may cause allergic reactions in some individuals

Order No.	Mfg. No.	Size	Colour
SED410	87011060	6	White
SED411	87011065	6.5	White
SED412	87011070	7	White
SED413	87011075	7.5	White
SED414	87011080	8	White
SED415	87011085	8.5	White

## DELUXE TRIPLE GLOVES DISPENSERS

- Constructed of clear crystal acrylic
- Mounted horizontally allowing to change one box without affecting the others
- Will hold most disposable glove boxes
- Dispenser dimensions: 20" W x 4" D x 11 13/16" H

**Order No. SA0743**

**Mfg. No. GD03DL**

**BRADY**

*Gloves not included*



# Performance Gloves

## ZM100 MECHANIC GLOVES

- Ergonomic style and superior comfort
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Improved dexterity, grip and durability
- Case Qty: 12
- Sold per pair

**Applications:** Automotive, small parts handling, maintenance, manufacturing, most industrial applications

Order No.	Size
SEB047	Medium
SEB048	Large
SEB049	X-Large
SEB050	2X-Large



**ZENITH**  
Safety Products

## ZM200 MECHANIC GLOVES

- Ergonomic style combined with stylish look
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Stretchable nylon on knuckles improves dexterity and comfort
- Textured patches on palm and thumb permits superior grip and durability
- Case Qty: 12
- Sold per pair

**Applications:** Automotive, small parts handling, maintenance, manufacturing, most industrial applications

Order No.	Size
SEB051	Medium
SEB052	Large
SEB053	X-Large
SEB054	2X-Large



**ZENITH**  
Safety Products

## ZM300 MECHANIC GLOVES

- Ergonomic style and superior comfort
- Grain leather palm and fingers improve tactility and protection
- Hook and loop cuff permits an adjustable fit
- Leather reinforced thumb and fingers offer increased durability
- Improved dexterity and grip
- Case Qty: 12
- Sold per pair

**Applications:** Automotive, small parts handling, maintenance, manufacturing, most industrial applications

Order No.	Size
SEB228	Medium
SEB229	Large
SEB230	X-Large
SEB231	2X-Large



**ZENITH**  
Safety Products

## ZM400 PREMIUM MECHANIC GLOVES

- Ergonomic style combined with stylish look and premium features
- Hook and loop cuff permits an adjustable and secure fit
- Reinforced Kevlar stitching for maximum strength and durability
- PVC dots on palm and fingers for an enhanced grip
- Stretchable nylon on knuckles improves dexterity and comfort
- Ventilation holes between fingers for maximum breathability
- Textured patches on palm, finger tips and thumb crotch increase protection and durability

**Applications:** Automotive, small parts handling, maintenance, manufacturing, most industrial applications

Order No.	Size
SEH739	Medium
SEH740	Large
SEH741	X-Large
SEH742	2X-Large



**ZENITH**  
Safety Products

## PROFLEX 925F(X) DORSAL IMPACT-REDUCING GLOVES

- Reinforced flex zones for high dexterity
- Molded TPR armor on knuckles, fingers and carpal bone for great protection
- Armor "flex zones" for high dexterity
- Abrasion-resistant PVC on palm and three fingers limits liquid penetration
- Non-slip reinforcement zones on thumb saddle and index for enhanced grip and durability
- Reinforced Kevlar® palm stitching for extended wear and durability
- Reflective accents and colorful scheme for optimal hand visibility
- Sold per pair

SED154



**ergodyne**  
WORK GEAR

Order No.	Mfg. No.	Size
<b>WATERPROOF</b>		
SED154	16192	Small
SED155	16193	Medium
SED156	16194	Large
SED157	16195	X-Large
SED158	16196	2X-Large
SED159	16197	3X-Large

## MEN'S UTILITY GLOVES

- All purpose glove with unlimited household and shop uses
- Easy entry, elastic cuff designed with TPR (Thermal Plastic Rubber) hook and loop closure provides a secure fit
- Two-way form fitting Spandex top increases ventilation, comfort and fit
- Reinforced Dura-Fit™ synthetic leather thumb, index and middle fingertips provide strength and protection
- Dura-Fit™ synthetic palm offers maximum durability and breathes like leather
- Lycra®, panels between fingers add comfort and ventilation
- Sold per pair

Order No.	Mfg. No.	Size
SAN720	H15-05-008	Small
SAN721	H15-05-009	Medium
SAN722	H15-05-010	Large
SAN723	H15-05-011	X-Large



**MACHINE WASHABLE**

**M MECHANIX WEAR**

## IMPACT PRO GLOVES

- Two-way stretch mesh top with tricot interior lining increases comfort, fit and breathability
- Molded TPR (Thermal Plastic Rubber) rib panels provide a pliable layer of protection on hand, knuckles and fingertips
- Non-slip, dual-layered, padded Zeus™ Clarino® panel on upper palm, thumb, index and middle fingers increase grip, comfort and durability
- Lycra® panels between fingers add comfort and ventilation
- Contoured, dual-layered, padded palm heel increases flexibility while providing greater protection
- Dura-Fit™ synthetic leather palm offers maximum comfort, durability and breathes like leather
- Molded Thermal Plastic Rubber (TPR) cuff tab with hook and loop closures provides secure fit
- **Sold per pair**



Order No.	Mfg. No.	Size
<b>SAN864</b>	H30-05-008	Small
<b>SAN865</b>	H30-05-009	Medium
<b>SAN866</b>	H30-05-010	Large
<b>SAN867</b>	H30-05-011	X-Large

## PROFLEX® 817 THERMAL UTILITY GLOVES

- 40-g 3M™ Thinsulate™ insulation
- Low-profile closure with woven elastic cuff
- Padded spandex back and neoprene knuckle pad
- Double reinforced Amara palm
- Terry thumb brow wipe
- Case Qty: 6
- **Sold per pair**



**Applications:** Cold storage, marine, winter work, construction, hunting/fishing and outdoor recreation

Order No.	Mfg. No.	Size
<b>SAK292</b>	16332	Small
<b>SAK293</b>	16333	Medium
<b>SAK294</b>	16334	Large
<b>SAK295</b>	16335	X-Large
<b>SAK296</b>	16336	2X-Large

## M-PACT® GLOVES

- Molded Thermal Plastic Rubber (TPR) provides impact protection to the fingers and knuckles
- Poron® XRD™ palm padding absorbs shock and vibration
- Form-fitting TrekDry® top material helps keep hands dry and comfortable
- Rubberized grip material on the thumb and index finger provides durable gripping power
- TPR hook and loop closure for a secure fit to the wrist
- Machine washable
- **Sold per pair**



SED998

Order No.	Mfg. No.	Order No.	Mfg. No.	Size
<b>Grey</b>		<b>Covert</b>		
<b>SED998</b>	MPT-58-008	<b>SEE013</b>	MPT-55-008	Small
<b>SED999</b>	MPT-58-009	<b>SEE014</b>	MPT-55-009	Medium
<b>SEE000</b>	MPT-58-010	<b>SEE015</b>	MPT-55-010	Large
<b>SEE001</b>	MPT-58-011	<b>SEE016</b>	MPT-55-011	X-Large
<b>SEE002</b>	MPT-58-012	<b>SEE017</b>	MPT-55-012	2X-Large

## FASTFIT® GLOVES

- Elastic cuff provides easy on/off flexibility
- Durable and dexterous synthetic leather palm
- TrekDry® material top helps keep hands dry and comfortable
- TPR (Thermal Plastic Rubber) hook and loop closure for a secure fit to the wrist
- Machine washable
- **Sold per pair**



SAR873



Order No.	Mfg. No.	Order No.	Mfg. No.	Size
<b>Black</b>		<b>Blue</b>		
<b>SAR878</b>	MFF-05-008	<b>SAR873</b>	MFF-03-008	Small
<b>SAR879</b>	MFF-05-009	<b>SAR874</b>	MFF-03-009	Medium
<b>SAR857</b>	MFF-05-010	<b>SAR875</b>	MFF-03-010	Large
<b>SAR880</b>	MFF-05-0011	<b>SAR876</b>	MFF-03-011	X-Large
<b>SAR881</b>	MFF-05-0010	<b>SAR877</b>	MFF-03-012	2X-Large
Order No.	Mfg. No.	Order No.	Mfg. No.	Size
<b>Red</b>		<b>Hi-Viz Orange</b>		
<b>SAR868</b>	MFF-02-008	<b>SAR882</b>	MFF-09-008	Small
<b>SAR869</b>	MFF-02-009	<b>SAR883</b>	MFF-09-009	Medium
<b>SAR870</b>	MFF-02-010	<b>SAR884</b>	MFF-09-010	Large
<b>SAR871</b>	MFF-02-011	<b>SAR885</b>	MFF-09-011	X-Large
<b>SAR872</b>	MFF-02-012	<b>SAR886</b>	MFF-09-012	2X-Large

## PROFLEX® 710 TRADES GLOVES

Full-fingered trades gloves: superb dexterity, function, and protection for the skilled professional

- Visco-elastic gel polymer to damper shock and impact
- Abrasion resistant, textured PVC on palm and fingers
- Breathable, 3-layer stretch Spandex with neoprene knuckle pad
- Synthetic leather palm and fingers
- Terry thumb brow wipe
- Flex zones for added comfort
- Reinforced fingertips for optimal durability
- Full-finger design
- Case Qty: 6 • **Sold per pair**



Order No.	Mfg. No.	Size
<b>SAI228</b>	16152	Small
<b>SAI229</b>	16153	Medium
<b>SAI230</b>	16154	Large
<b>SAI231</b>	16155	X-Large
<b>SAI232</b>	16156	2X-Large

## ORIGINAL GLOVES

- New and improved fingertip design
- Ultra-thin molded TPR (thermal plastic rubber) hook and loop cuff closure
- Easy-entry, elastic cuff
- Two-way, form-fitting stretch Spandex top
- Index finger knuckle reinforcement band
- Lycra® insert panels between fingers
- Smooth surface thumb and index finger
- Tapered Clarino® synthetic leather on index, middle and ring fingertips
- Long-life Clarino® synthetic leather palm
- Concealed interior seam stitching
- Easy-on, easy-off pull-tab



SAN421

Order No.	Mfg. No.	Size
<b>SAN421</b>	MG-05-007	X-Small
<b>SAN422</b>	MG-05-008	Small
<b>SAN423</b>	MG-05-009	Medium
<b>SAN424</b>	MG-05-010	Large
<b>SAN425</b>	MG-05-011	X-Large
<b>SAN497</b>	MG-05-012	2X-Large





# Thermal Gloves - Cold

## HYD-TUF® 52-590 GLOVES

- Medium to heavy-duty A.C.P. impregnated winter gloves
- Outperforms standard cotton and leather gloves
- Nitrile coating resists snags, punctures, abrasions and cuts
- Excellent dry grip and repels oil, grease and grime
- Safety cuff
- Accepted for use in Canadian food processing facilities
- Case Qty: 72
- Sold per pair

**Applications:** Operating machinery and equipment, shipping and receiving, maintenance



Order No.	Size
SEA275	9
SEA276	10

## WINTER MONKEY GRIP® 23-193 GLOVES

- PVC coated foam insulated
- Tough PVC coating stays soft when cold
- Keep hands warm and dry
- Protect from abrasion
- Curved fingers, wing thumb, and soft jersey lining
- Fully coated
- Accepted for use in Canadian food processing facilities
- Case Qty: 72
- Sold per pair

**Applications:** Cold storage, winter transportation, yard and field work, unheated warehouses, construction



Order No.	Description	Size
SBA993	Safety Cuff	10
SBA992	Knit Wrist	10
SEE953	Raised Finish, Safety Cuff	10

## INSULATOR® 78-101/78-150 GLOVES

- Hand warmer in cold, damp working environments
- May be used as an under glove
- Ambidextrous
- Case Qty: 144
- Sold per pair

**Applications:** Handling chilled or refrigerated products, fishing industry, utilities, construction, general maintenance

SEA277



Order No.	Colour	Size
SEA277	Blue	One Size
SEA308	White	One Size

## HAND WARMERS

- Perfect for people who work in the cold for long hours
- Air-activated and will provide up to 10 hours of heat (130°F)
- Environmentally friendly, contains all natural ingredients
- Non-toxic, non-flammable
- Sold per pair

**HOT HANDS**  
POWERED BY MONTAGU

Order No.	Mfg. No.	Description
SAR429	HH-26	Hand Warmers



## ATLAS® TEMRES 282 GLOVES

- Breathable polyurethane coating
- Insulated acrylic liner for cold applications
- Excellent wet/dry grip
- Provides protection from liquids in cold conditions
- Nitrile-coated fingertips for added protection

**Applications:** Outdoor work, cold weather construction, transportation, maintenance, janitorial, cold storage, highway work and freight handling



**SHOWA**  
Always innovating. Never imitating.

Order No.	Mfg. No.	Size
SEG975	282M-08	Medium
SEG976	282L-09	Large
SEG977	282XL-10	X-Large
SEH643	282XXL-11	2X-Large

## HI-VIZ THERMAL WATERPROOF GLOVES

- 40-g 3M™ Thinsulate™ insulation
- Hipora breathable waterproof and windproof liner
- 3M™ Scotchlite™ reflective zones on back and wrist
- Abrasion-resistant textured PVC on palm and fingers
- Durable synthetic leather palm and fingers
- Padded knuckle for added protection
- Breathable neoprene cuff with hook and loop closure
- Machine washable
- Case Qty: 6
- Sold per pair

**Applications:** Lifting, packing, shipping and traffic directing

Order No.	Mfg. No.	Size
SAP871	16412	Small
SAP872	16413	Medium
SAP873	16414	Large
SAP874	16415	X-Large
SAP875	16416	2X-Large



**ergodyne**  
WORK GEAR  
EST. 1981

## THERMAL WATERPROOF GLOVES

- 40-g 3M™ Thinsulate™ insulation
- Hipora waterproof and windproof liner
- 500D nylon back and gauntlet cuff
- Amara synthetic leather palm
- EVA knuckle pad with reflective dots
- Machine washable

**Applications:** For all workers who demand products built to withstand the toughest jobs, used everywhere work demands extra protection

Order No.	Mfg. No.	Size
SAP866	16042	Small
SAP867	16043	Medium
SAP868	16044	Large
SAP869	16045	X-Large
SAP870	16046	2X-Large

**ergodyne**  
WORK GEAR  
EST. 1981



## SQUIDS® GRABBERS™

- Easy to use with a comfortable feel
- Keeps gloves close at hand
- Clips to clothing, belts, tool belts and D-rings
- Breakaway feature
- Dielectric/non-conductive material



SAO182



SAO184

Order No.	Mfg. No.	Colour
<b>GRABBERS™</b>		
SAO180	19112	Black
SAO181	19117	Blue
SAO182	19118	Orange
SAO183	19119	Yellow

Order No.	Mfg. No.	Colour
<b>GRABBERS™ W/BELT CLIP</b>		
SAO184	19122	Black
SAO185	19127	Blue
SAO186	19128	Orange
SAO187	19129	Yellow

**ergodyne**  
WORK GEAR  
EST. 1981

## HOT MILL GLOVES

- Top quality heavy cotton fabric construction
- Heavy cotton-lined palm provides superior heat resistance
- **SA0167** 32-oz. lined palm for increased heat protection
- 4" gauntlet cuff provides extra protection
- Case Qty: 144
- **Sold per pair**

**Applications:** Forging, foundries, plastic extrusions and other operations that require heat protection



Order No.	Description	Size
<b>SEF067</b>	24-oz. Yellow Palm	X-Large
<b>SEF068</b>	32-oz. Green Palm	X-Large

## ALUMINIZED GLOVES

- Designed with a combination of heat-resistant palm and an aluminized back to deflect heat
- Fully aluminized style
- For extreme situations where temperatures are higher and molten splash and flame is present
- 14" overall length
- **Sold per pair**

Order No.	Description
<b>SA509</b>	Aluminized Back
<b>SA510</b>	Aluminized Back, One-Finger Mitt
<b>SA507</b>	Fully Aluminized
<b>SA508</b>	Fully Aluminized, Mitt



## WOOL-LINED KEVLAR® SEAMLESS GLOVES

- 100% Kevlar® outer shell with seamless wool liner
- Flame resistant and self-extinguishing
- Cut resistant
- Excellent dexterity
- Protects up to 700°F (371°C)
- Colour: Yellow
- Case Qty: 12
- **Sold per pair**

**Applications:** Foundries, castings and steel mill work



Order No.	Mfg. No.	Size
<b>SQ154</b>	1863	Large

## HOT MILL TOP QUALITY GLOVES

- Exceptional comfort, insulation and superior heat protection
- 24-oz., gauntlet cuff
- Provides protection up to 400°F (204°C)
- Colour: White
- Case Qty: 120
- **Sold per pair**

**Applications:** Tire manufacturing, plastic extrusions, heat treating and metal industries



Order No.	Mfg. No.	Size
<b>SAI321</b>	436G	Large

## CARBO-KING™ HEAT PROTECTIVE MITTS & GLOVES

- Special composition of aramid, glass and Preox® provides amazing heat protection
- For applications up to 900°F
- Fully melton-lined
- Lightweight and pliable
- Fabric does not fray like conventional fibreglass products
- Excellent direct heat resistance
- Case Qty: 24
- **Sold per pair**

**Note:** The degree of heat resistance a glove may offer is directly related to the duration of exposure and weight of the object being handled

Order No.	Mfg. No.	Description	Size
<b>SAP573</b>	M340CA-L	Mitt	Large
<b>SAP574</b>	436CA-L	Glove	Large
<b>SAP575</b>	H-280-CA	Cover Mitt	Large

**SAP574**



**SAP573**

**SAP575**

# Foot Protection

## SUREFLEX™ BOOTS

- Designed with high chemical and abrasion resistance properties
- 100% waterproof, high molecular weight PVC/nitrile sole and soft flexible, high performance PVC compound upper
- Steel toe complies with ASTM F2413-05
- Resists animal fats, petroleum, oils, grease and chemicals
- Orange slip-resistant Safety-Loc™ outsole
- Removable insole for added comfort
- Steel shank for firm arch support
- Kick-off lug for easy removal
- Excellent for use in chemicals, farming and food processing
- Plain toe also available




Order No.	Mfg. No.	Size
<b>6" WORK SHOE – STEEL TOE</b>		
SAP805	87981-6	6
SAP806	87981-7	7
SAP807	87981-8	8
SAP808	87981-9	9
SAP809	87981-10	10
SAP810	87981-11	11
SAP811	87981-12	12
SAP812	87981-13	13

Order No.	Mfg. No.	Size
<b>16" KNEE BOOT – STEEL TOE</b>		
SAP795	87982-6	6
SAP796	87982-7	7
SAP797	87982-8	8
SAP798	87982-9	9
SAP799	87982-10	10
SAP800	87982-11	11
SAP801	87982-12	12
SAP802	87982-13	13
SAP803	87982-14	14
SAP804	87982-15	15

## EXPRESS

- Economical compound
- Self-cleaning outsole
- Slip resistant
- Certified to CSA standard Z195

### RECOMMENDED APPLICATIONS:



Order No.	Mfg. No.	Size
<b>STEEL TOE</b>		
SAL027	8057-001-7	7
SAL028	8057-001-8	8
SAL029	8057-001-9	9
SAL030	8057-001-10	10
SAL031	8057-001-11	11
SAL032	8057-001-12	12
SAL033	8057-001-13	13

Order No.	Mfg. No.	Size
<b>STEEL TOE/STEEL PLATE</b>		
SAL034	8059-001-7	7
SAL035	8059-001-8	8
SAL036	8059-001-9	9
SAL037	8059-001-10	10
SAL038	8059-001-11	11
SAL039	8059-001-12	12
SAL040	8059-001-13	13

Other sizes available

## 16" ECONOMY BOOTS

- Excellent underfoot protection
- Designed to provide exceptional puncture resistance
- Injected molded seamless construction
- Full steel midsole
- Replaceable cushion insoles
- Pull-ups and kick off lug for easy on and off
- Cut off band for height adjustment
- Excellent for use in orchards, construction, vegetables fields, citrus groves, and agriculture
- Steel toe complies with ASTM F2413-05 and CSA Z195
- CSA Green Patch (sole protection and Grade 1 protective toe)



Order No.	Mfg. No.	Size
SAJ689	86622-6	6
SAJ690	86622-7	7
SAJ691	86622-8	8
SAJ692	86622-9	9
SAJ693	86622-10	10
SAJ694	86622-11	11
SAJ695	86622-12	12
SAJ696	86622-13	13

## WHITE PVC STEEL TOE BOOTS

- Designed for use where mild chemical resistance is required
- Designed to help processing plants comply with HACCP guidelines
- Injected molded seamless construction
- Steel toe style complies with ASTM F2413-05
- Safety-Lok outsole
- Reinforced steel shank for added safety and comfort
- Replaceable cushion insoles
- Cut-off bands for height adjustment
- Pull-up and kick-off lugs for easy on and off
- Plain toe also available



Order No.	Mfg. No.	Size
SC573	81012-6	6
SC574	81012-7	7
SC575	81012-8	8
SC576	81012-9	9
SC577	81012-10	10
SC578	81012-11	11
SC579	81012-12	12
SC580	81012-13	13

## BULLY

- Acid and oil-resistant Ultraflex™ compound
- Generous wider fit
- Self-cleaning outsole
- GelFlex fatigue resistant mid sole
- Slip resistant first impact heel strike design
- Also available in white
- Certified to CSA standard Z195

### RECOMMENDED APPLICATIONS:



Order No.	Mfg. No.	Size
<b>STEEL TOE</b>		
SAL013	9677-587-7	7
SAL014	9677-587-8	8
SAL015	9677-587-9	9
SAL016	9677-587-10	10
SAL017	9677-587-11	11
SAL018	9677-587-12	12
SAL019	9677-587-13	13

Order No.	Mfg. No.	Size
<b>STEEL TOE/STEEL PLATE</b>		
SAL020	9679-587-7	7
SAL021	9679-587-8	8
SAL022	9679-587-9	9
SAL023	9679-587-10	10
SAL024	9679-587-11	11
SAL025	9679-587-12	12
SAL026	9679-587-13	13

Other sizes available



## PVC OVERSHOES/BOOTS

- Four-Way cleated outsole
- Heavy Flex-O-Thane PVC construction for added durability
- Premium overshoe and overboot protection
- Excellent cold weather flexibility
- Self-cleaning, slip resistance outsole
- Kick off lug for easy on and off
- Fits over most work shoes and boots

### APPLICATIONS:

Construction, farming, utilities and food processing.



SAO188



### 4" OVERSHOE

Order No.	Mfg. No.
SED420	86010-XS
SAP584	86010-S
SAP585	86010-M
SAP586	86010-L
SAP587	86010-XL
SED421	86010-X2L

### 10" OVERBOOT

Order No.	Mfg. No.
SED424	86020-XS
SAS322	86020-S
SAS323	86020-M
SAS324	86020-L
SAS325	86020-XL
SED425	86020-X2L

### 17" OVERBOOT

Order No.	Mfg. No.	Size
SED422	86030-XS	X-Small
SAO188	86030-S	Small
SAO189	86030-M	Medium
SAO190	86030-L	Large
SAO191	86030-XL	X-Large
SED423	86030-X2L	2X-Large

## HUNTER

- Lightweight and flexible TR compound
- -40°C/-40°F felt inner boot system
- Longwearing self-cleaning outsole
- 1" snow cuff
- Certified to CSA standard Z195
- ESR/EH rated



SAL009



### RECOMMENDED APPLICATIONS:



Order No.	Mfg. No.	Size
<b>STEEL TOE</b>		
SAK998	8563-394-7	7
SAK999	8563-394-8	8
SAL001	8563-394-9	9
SAL002	8563-394-10	10
SAL003	8563-394-11	11
SAL004	8563-394-12	12
SAL005	8563-394-13	13
<b>STEEL TOE/STEEL PLATE</b>		
SAL006	8564-033-7	7
SAL007	8564-033-8	8
SAL008	8564-033-9	9
SAL009	8564-033-10	10
SAL010	8564-033-11	11
SAL011	8564-033-12	12
SAL012	8564-033-13	13

Other sizes available

## EXPLORER OVERSHOES

- Extremely lightweight and offer durable long lasting overshoes
- Provide warmth to feet, are 100% waterproof and windproof
- Very quick and snug fit adjustment
- Nylon upper fabric, Superlite outsole
- For temperatures up to -20° F (-28.9° C)



SED280



Order No.	Mfg. No.	Size	Fits Size
SED280	EXPGBLKXSM	X-Small	3 - 4.5
SED281	EXPGBLKSM	Small	5 - 6.5
SED282	EXPGBLKMED	Medium	7 - 8.5
SED283	EXPGBLKLGR	Large	9 - 10.5
SED284	EXPGBLK1XL	X-Large	11 - 12.5
SED285	EXPGBLK2XL	2X-Large	13 - 14.5
SED286	EXPGBLK3XL	3X-Large	14 - 16.5

## ANTI-SLIP SNOW SHOES

- Special non-split studs offer excellent traction on ice and snow
- Non-slip flexible snow shoes
- Includes 10 durable spikes
- Made from thermoplastic elastomer
- Flexible up to -40°C



Boot not included



Order No.	Size	Fit Sizes
SEA004	Medium	5 - 8
SEA005	Large	8 - 11
SEA006	X-Large	11 - 13

## DIELECTRIC STEEL TOED BOOTS

### ULTRAGRIP SIPE OUTSOLE

- Electric shock resistant footwear is tested to meet or exceed ASTM standard F-2413-05 EH
- Electric shock resistant footwear will withstand 18 000 volts of AC current for one minute, showing no leakage in excess of 3.0 milliamperes
- Steel toed, injected molded seamless construction
- Replacement cushion insoles
- Cut-off bands and kick off lug
- Steel toe complies with ASTM F2413-11

### APPLICATIONS:

Utilities, municipalities engineers, construction workers.



Order No.	Mfg. No.	Size
SAR442	88722-6	6
SAR443	88722-7	7
SAR444	88722-8	8
SAR445	88722-9	9
SAR446	88722-10	10
SAR447	88722-11	11
SAR448	88722-12	12
SAR449	88722-13	13

SAR442



# Foot Protection

## BOOT COVERS

### 12" LATEX HAZMAT

- Made of 0.60 mm, high visibility yellow latex rubber, the Hazmat boot cover offers protection from a broad range of materials
- Seamless covers provide a snug fit over existing footwear for an added layer of protection
- The ribbed and textured sole provides traction on a variety of slippery surfaces
- Strong enough to be worn many times, yet economical enough to be disposed of after a single use
- 100% waterproof

### 15" PVC BOOT/SHOE COVER

- Made of a strong 0.20 mm PVC upper, heat-welded to a hard, embossed 0.50 mm PVC sole for superior slip resistance
- Completely waterproof, equipped with an elastic top for easy pullover comfort and a secure snug fit
- 100% waterproof



SD638



Order No.	Mfg. No.	Size	Fits Size
-----------	----------	------	-----------

### 12" LATEX HAZMAT

SD588	97591-L	Large	7 - 9
SD589	97591-XL	X-Large	10 - 12
SAP794	97591-2X	2X-Large	13 - 16

### 15" PVC BOOT/SHOE COVER

SD636	97590-M	Medium	6 - 8
SD637	97590-L	Large	9 - 11
SD638	97590-XL	X-Large	12 - 14

## TURBOTOE SAFETY TOE CAPS

- 100% waterproof, will not harden, stiff or crack
- Perfect for visitors, casual or temporary workers, management, clerical staff and sales people
- Can be comfortably worn over low-heel, dress and running shoes, and most boots
- Ideal for many working environment that carry a risk of toe damage, or has a steel toe cap requirement
- Certified to CSA standard Z195-09 Protective Footwear Grade 1 protection



Order No.	Mfg. No.	Size	Fits Size	Colour
SED175	TTXS	X-Small	4 - 5	Grey
SED176	TTS	Small	6 - 7	White
SED177	TTM	Medium	8 - 9	Yellow
SED178	TTL	Large	10 - 11	Red
SED179	TTXL	X-Large	12 - 13	Blue
SED180	TTXXL	2X-Large	13 - 14	Green

## HAZMAX® 16" KNEE BOOTS

- Steel toe complies with ASTM F2413-11 and CSA Z195
- CSA Green Patch (sole protection and Grade 1 protective toe)
- Steel toe, steel shank and steel mid-sole for complete protection
- One-piece injection molded construction, eliminates seams
- Boots are constructed of high viscosity and flexible PVC alloy
- Non-absorbent polyester lining for easy cleaning and quick drying
- Replaceable cushioned insoles
- Cut off bands
- Kick off lug
- For use in situations involving dangerous chemicals, gasses or biological hazards and waste
- Exceeds CSA standards for dielectric footwear
- Certified by SEI to meet the requirements of NFPA 1991, 2005 edition



SC620



Order No.	Mfg. No.	Size
SC620	87012-6	6
SC621	87012-7	7
SC622	87012-8	8
SC623	87012-9	9
SC624	87012-10	10
SC625	87012-11	11
SC626	87012-12	12
SC627	87012-13	13
SAP837	87012-14	14
SAP838	87012-15	15

## TOE GUARDS

- Resistant 15-gauge carbon steel construction for maximum toe protection
- 75-lb. impact rating
- Adjustable straps permit adjustability and optimal fit
- 4.5" W
- Weight: 14 oz. per pair
- One size fits all

Order No. SEE903



Shoe not included



## FOOT GUARDS

- Lightweight and resistant plastic construction
- 30-lb. impact rating
- Rubber straps on heel and sole permit adjustability and optimal fit
- 4.5" W
- Weight: 12 oz. per pair
- Colour: Green
- One size fits all

Order No. SEE902



Shoe not included

## METATARSAL GUARDS

- Lightweight and resistant aluminum construction
- Designed to fit on work boot laces
- Spring fasteners permit adjustability and optimal fit
- Weight: 8 oz. per pair
- One size fits all

Order No. SEE904



Boot not included

## THE ABC'S OF FALL PROTECTION

A typical Person Fall Arrest System (PFAS) incorporates three components, often described as the ABC's of fall protection. The anchorage connector, body support, and connecting device, when used together, form a complete system for maximum worker protection. But don't forget about another required component of any fall protection program – descent, rescue, and retrieval of a fallen worker.



**A**nchorage is a secure point of attachment. They must be able to hold fast under more than a ton of force generated in a fall.



**B**ody support harnesses distribute fall forces over the upper thighs, pelvis, chest, and shoulders. They provide a connection point on the worker for the PFAS.



**C**onnectors such as shock absorbing lanyards or self retracting lifelines connect a workers harness to the anchorage.



**D**escent and rescue devices are used to retrieve an injured worker or lower him to the ground.

## FULL BODY HARNESS APPLICATIONS

CSA STANDARD Z259.10-12 DIVIDES HARNESES IN TO 5 CLASSES:



### CLASS A

#### PERSONAL FALL ARREST

Class A full body harnesses are designed to support the body during and after the arrest of a fall.



### CLASS D

#### SUSPENSION & CONTROLLED DESCENT

Class D full body harnesses are designed for suspension or controlled descent from a height.



### CLASS E

#### LIMITED ACCESS (EVACUATION)

Class E full body harnesses are designed to support a worker in a position that reduces the worker's profile during passage through a limited access area.



### CLASS L (LADDER)

#### LADDER CLIMBING

Class L full body harnesses are designed for use with fall restrict systems involving the use of a fall arrester that travels on a vertical lifeline or rail.



### CLASS P

#### WORK POSITIONING

Class P full body harnesses are designed to position a worker during a work operation.



# Fall Protection

## EXOFIT™ NEX HARNESSES

- Soft, lightweight, water repellent webbing reduces attraction of mold and dirt, and has up to 5 times more abrasion resistance
- Spring-loaded stand-up dorsal D-ring with impact indicator
- Comfortable design dons without tangling
- Duo-Lok™ quick-connect buckles provide one-handed operation
- Revolver™ vertical torso adjusters eliminate loose ends and lock into place
- Tech-Lite™ aluminum D-Rings
- Lightweight, moisture wicking, breathable hybrid comfort padding won't move or slip
- Soft edging moves with you, preventing uncomfortable rubbing or chafing
- Molded lanyard keepers prevent dangerous entanglements
- Shoulder caps provide protection and comfort when carrying heavy materials
- Reflective piping enhances visibility in low-light conditions
- Built-in carrying pocket conveniently protects a cell phone, camera, or other items
- Integrated trauma straps help minimize suspension trauma post fall
- i-Safe™ enabled providing the ability to track inspections, control inventory, and manage information
- Certified to CSA standard Z259.10-12



SEB594

SER747



Order No.	Mfg. No.	D-Rings	Hip Pad and Body Belt	Size	CSA Class
SEB598	1113001C	Back	No	Small	A
SEB599	1113004C	Back	No	Medium	A
SEB600	1113007C	Back	No	Large	A
SEB601	1113010C	Back	No	X-Large	A
SEB592	1113121C	Back and Side	Yes	Small	A, P
SEB593	1113124C	Back and Side	Yes	Medium	A, P
SEB594	1113127C	Back and Side	Yes	Large	A, P
SEB596	1113130C	Back and Side	Yes	X-Large	A, P
SER747	1113151C	Back, Front, and Side	Yes	Small	A, D, L, P
SER746	1113154C	Back, Front, and Side	Yes	Medium	A, D, L, P
SEP881	1113157C	Back, Front, and Side	Yes	Large	A, D, L, P
SEP879	1113160C	Back, Front, and Side	Yes	X-Large	A, D, L, P

## EXOFIT NEX™ ROPE ACCESS & RESCUE HARNESS

- Ideal for professionals performing rescue and emergency services, industrial rope access and rigging, wind energy and tower maintenance, as well as arborist activities
- Combines specialized designs, components and hardware to optimize rope rescue and industrial rope access work
- Soft, lightweight, water repellent webbing reduces attraction of mold and dirt and has up to 5 times more abrasion resistance
- Spring-loaded stand-up dorsal D-ring with impact indicator
- Comfortable design dons without tangling
- Duo-Lok™ quick-connect buckles provide one-handed operation
- Revolver™ vertical torso adjusters eliminate loose ends and lock into place
- Tech-Lite™ aluminum D-Rings
- Lightweight, moisture wicking, breathable hybrid comfort padding won't move or slip
- Soft edging moves with you, preventing uncomfortable rubbing or chafing
- Molded lanyard keepers prevent dangerous entanglements
- Shoulder caps provide protection and comfort when carrying heavy materials
- Reflective piping enhances visibility in low-light conditions
- Built-in carrying pocket conveniently protects a cell phone, camera, or other items
- Integrated trauma straps help minimize suspension trauma post fall
- i-Safe™ enabled providing the ability to track inspections, control inventory and manage information
- Certified to CSA standard Z259.10-12



SES066



Order No.	Mfg. No.	Size	CSA Class
SES066	1113345C	Small	A,D,L,P
SEP874	1113346C	Medium	A,D,L,P
SER775	1113347C	Large	A,D,L,P

## EXOFIT™ XP HARNESSES

- Soft, lightweight webbing is strong, but not stiff or coarse
- Spring-loaded stand-up dorsal D-ring with impact indicator
- Comfortable design dons without tangling
- Quick-connect buckles provide one-handed operation
- Complete 5-point adjustment with easy-grip end tabs
- Removable padding is easily cleaned in the washing machine
- Breathable 3D mesh lining
- Soft edging moves with you, preventing uncomfortable rubbing or chafing
- Integrated lanyard keepers prevent dangerous entanglements
- Reflective piping enhances visibility in low-light conditions
- i-Safe™ enabled
- Certified to CSA standard Z259.10-12



SEB415



Order No.	Mfg. No.	D-Rings	Size	CSA Class
SEB414	1110100C	Back	Small	A
SEB415	1110101C	Back	Medium	A
SEB416	1110102C	Back	Large	A
SEB417	1110103C	Back	X-Large	A

**SEE PAGES 152-156  
FOR HEAD PROTECTION**



## DELTA™ HARNESSSES

- Patented triangular no-tangle design creates a frame that allows the harness to fall into place when donned
- Repel™ webbing is water repellent to reduce the attraction of mold and dirt, and has more abrasion resistance
- Revolver™ vertical torso adjusters eliminate loose ends and lock into place
- Lanyard keepers hold your unused snap hooks and help reduce trip hazards
- Spring-loaded stand-up dorsal D-ring
- Impact indicators provide a visual alert that the harness has been involved in a fall
- Vest style harnesses are the most universal
- Construction style harnesses have excellent tool-carrying capability, a sewn in hip pad, and a removable body belt
- Cross-over style harnesses have a front-mounted D-ring, making them ideal for ladder climbing and rescue applications
- Certified to CSA standard Z259.10-12



SEB399  
(Front)



SEB399  
(Back)



SEB391



SEB402



Order No.	Mfg. No.	D-Rings	Leg Connections	Size	CSA Class
<b>VEST</b>					
SEB391	1110600C	Back	Quick-Connect	Universal	A
SEB406	1102000C	Back	Tongue Buckle	Universal	A
SEB403	1103321C	Back	Pass-Thru	Universal	A
SEB401	1102008C	Back and Side	Tongue Buckle	Universal	A, P
SEB392	1110602C	Back and Shoulder	Quick-Connect	Universal	A, E
SEB409	1101254C	Back and Shoulder	Tongue Buckle	Universal	A, E
SEP796	1102090C	Back and Front	Quick-Connect	Universal	A, D, L
<b>CONSTRUCTION</b>					
SEB397	1102201C	Back and Side	Tongue Buckle	Small	A, P
SEB398	1101654C	Back and Side	Tongue Buckle	Medium	A, P
SEB399	1101655C	Back and Side	Tongue Buckle	Large	A, P
SEB400	1101656C	Back and Side	Tongue Buckle	X-Large	A, P
SEB418	1102526C	Back	Tongue Buckle	Universal	A
<b>CROSS-OVER</b>					
SEB402	1102010C	Back and Front	Pass-Thru	Universal	A, D, L
SEB405	1103270C	Back, Front and Side	Pass-Thru	Universal	A, D, L, P

## EXOFIT™ FULL BODY HARNESSSES

- Constructed from abrasion-resistant anti-tear ballistic nylon
- Comfortable design dons without tangling
- Quick-connect buckles provide one-handed operation
- Complete 5-point adjustment with easy-grip end tabs
- Built-in shoulder, leg, and hip padding
- Breathable lining guarantees you'll stay dry and comfortable
- Soft edging moves with you, preventing uncomfortable rubbing or chafing
- Reflective piping enhances visibility in low-light conditions
- i-Safe™ enabled
- Certified to CSA standard Z259.10-12




Order No.	Mfg. No.	D-Rings	Size	CSA Class
SEB393	1107975C	Back	Small	A
SEB394	1107976C	Back	Medium	A
SEB395	1107977C	Back	Large	A
SEB396	1107981C	Back	X-Large	A
SEB410	1108600C	Back, Front and Side	Small	A, D, L, P
SEB411	1108601C	Back, Front and Side	Medium	A, D, L, P
SEB412	1108602C	Back, Front and Side	Large	A, D, L, P
SEB413	1108606C	Back, Front and Side	X-Large	A, D, L, P

SEB396



SEB413



# Fall Protection

## PRO™ HARNESES

- Harness design provides greater comfort and added safety
- High quality alloy steel dorsal D-ring is adjustable for worker convenience
- Spring-loaded torso buckles provide fast and easy adjustment on the job
- Lightweight hardware reduces fatigue and increases comfort and productivity
- Lanyard keepers provide a place to "park" a lanyard when not in use, to prevent accidental entanglements
- Built-in impact indicators allow for easy inspection
- Certified to CSA standard Z259.10-12

SEB360



SEB369



SEB366



Order No.	Mfg. No.	Style	D-Rings	Leg Connections	Additional Features	Size*	CSA Class
SEB363	1191201C	Vest - Standard	Back	Pass-Thru	-	Medium/Large	A
SEB366	1191237C	Vest - Standard	Back	Tongue Buckle	-	Medium/Large	A
SEB369	1191253C	Vest - Standard	Back	Quick-Connect	Back, Shoulder, and Leg Padding	Medium/Large	A
SEB360	1191209C	Construction	Back and Side	Tongue Buckle	Hip Pad and Belt	Medium/Large	A, P
SEC036	1191257C	Retrieval	Back and Shoulder	Quick-Connect	Back, Shoulder, and Leg Padding	Medium/Large	A, E

\*Small and X-Large sizes are also available

## FIRST™ HARNESES

- Fundamental fall protection with exceptional value
- One adjustable dorsal D-Ring
- Supple back plaque
- 1.75" wide polyester web for durability
- Zinc-plated stamped steel hardware
- Pass-thru leg and chest closures
- Universal size
- Certified to CSA standard Z259.10-12

SEB372 (Front)



SEB372 (Back)



Order No.	Mfg. No.	D-Rings	Description	CSA Class
SEB371	AB17510C	Back	3-Point Adjustment	A
SEB372	AB17530C	Back	5-Point Adjustment	A

## PRO™ WELDERS HARNESES

- Heat and flame resistant webbing made from modacrylic over Kevlar and polyester
- High durability and resistance to abrasion
- Alloy steel connectors and D-rings
- Specifically designed for welding applications to provide char resistance
- Lightweight design to improve comfort
- Web and lanyard storage keepers reduce potential entanglement hazards
- Char temperature: 700°F
- 420-lb. user weight capacity (including tools and equipment)
- Pass-thru chest connectors
- Certified to CSA standard Z259.10-12
- Size: Medium/Large\*

SEJ400



SEJ415



Order No.	Mfg. No.	D-Rings	Leg Connections	CSA Class
SEJ400	1191379C	Back	Pass-Thru	A
SEJ403	1191381C	Back and Side	Pass-Thru	A, P
SEJ406	1191389C	Back, Side and Shoulder	Pass-Thru	A, P, E
SEJ409	1191383C	Back	Tongue Buckle	A
SEJ412	1191385C	Back and Side	Tongue Buckle	A, P
SEJ415	1191392C	Back, Side and Shoulder	Tongue Buckle	A, P, E

\*Small and X-Large available on request



## MILLER® AIRCORE™ HARNESSSES

- Designed with breathable, open-core padding technology that provides optimal air flow, while reducing heat and moisture entrapment, keeping a worker drier and cooler
- Patented Miller DuraFlex® stretchable webbing provides greater flexibility and increased comfort
- Easy adjustment with cam buckles on shoulder straps
- Contoured ergonomic padding design minimizes contact around a worker's neck, lower back, and inner thighs to reduce chaffing and irritation
- Stand-up back D-ring
- Quick-connect chest strap buckles for easy donning
- Lightweight materials and components reduce fatigue for all-day endurance and increased productivity
- Durable knitted mesh back shield minimizes moisture absorption and maintains optimal air circulation
- Certified to CSA standard Z259.10-12



**MILLER**  
by Honeywell

SEJ647



SEJ644

Order No.	Mfg. No.	D-Rings	Leg Connections	Additional Features	CSA Class
<b>STEEL HARDWARE</b>					
SEJ642	AC-TB/UGN	Back	Tongue Buckle	-	A
SEJ643	AC-TB-D/UGN	Back and Side	Tongue Buckle	-	A, P
SEJ644	AC-TB-BDP/UGN	Back and Side	Tongue Buckle	Lumbar Pad and Removable Belt	A, P
SEJ645	AC-QC/UGN	Back	Quick Connect	-	A
SEJ646	AC-QC-D/UGN	Back and Side	Quick Connect	-	A, P
SEJ647	AC-QC-BDP/UGN	Back and Side	Quick Connect	Lumbar Pad and Removable Belt	A, P
<b>ALUMINUM HARDWARE</b>					
SEJ648	ACA-TB/UGN	Back	Tongue Buckle	-	A
SEJ649	ACA-TB-D/UGN	Back and Side	Tongue Buckle	-	A, P
SEJ650	ACA-TB-BDP/UGN	Back and Side	Tongue Buckle	Lumbar Pad and Removable Belt	A, P
SEJ651	ACA-QC/UGN	Back	Quick Connect	-	A
SEJ652	ACA-QC-D/UGN	Back and Side	Quick Connect	-	A, P
SEJ653	ACA-QC-BDP/UGN	Back and Side	Quick Connect	Lumbar Pad and Removable Belt	A, P

## MILLER® REVOLUTION™ HARNESSSES

- Donning made easy with two-sided, Dualtech™ webbing with contrasting colours and textures
- Easy, one-hand cam buckle adjustment/release allows simultaneous adjustment of shoulder straps
- Clip-on design safely organises webbing after proper adjustment
- ErgoArmor™ semi-flexible back shield minimises impact from sharp/heavy snap hooks and self-retracting lifelines
- PivotLink™ hip connections unique rotary design provides greater comfort in bending/mobility
- Integrated pack encapsulates labels minimising damage and loss
- Integrated accessory system with modular attachment design provides connection points for belts/tools/accessories
- Rated to 400 lbs. (181.4kg) capacity
- Certified to CSA standard Z259.10-12



**MILLER**  
by Honeywell

SAN124



**MILLER REVOLUTION**  
HARNESS

Order No.	Mfg No.	D-Rings	Leg Connections	Removable Belt	CSA Class
SAN124	RDT-QC/UBKC	Back	Quick-Connect	No	A
SAN125	RDT-TB/UBKC	Back	Tongue Buckle	No	A
SAN126	RDT-QC-B/UBKC	Back	Quick-Connect	Yes	A
SAN127	RDT-TB-B/UBKC	Back	Tongue Buckle	Yes	A
SAN128	RDT-QC-DP/UBKC	Back, Side	Quick-Connect	No	A, P
SAN129	RDT-TB-DP/UBKC	Back, Side	Tongue Buckle	No	A, P
SAN130	RDT-QC-BDP/UBKC	Back, Side	Quick-Connect	Yes	A, P
SAN131	RDT-TB-BDP/UBKC	Back, Side	Tongue Buckle	Yes	A, P

**MILLER**

by Honeywell

### MILLER® REVOLUTION™ HARNESS ACCESSORIES

Order No.	Mfg. No.	Description
<b>ACCESSORIES</b>		
SAN133	RIA-T2	Cell Phone/Jobsite Radio Holder w/Snap-On Connector
SAN134	RIA-T3	Water Bottle Holder, 1 Qt.
SAN135	RIA-T4	Open Bolt and Bull Pin Bag w/Quick Release Tool Snap
SAN137	RIA-T6	2-Pocket Nail and Tool Pouch
SAN138	RIA-T7	Large Multi Pouch Tool Bag w/2 Steel Hammer Loops
<b>OPTIONAL PADDING</b>		
SAN142	RIA-P1	Shoulder/Leg Pads (2/pack)
SAN143	RIA-P2	Seat Pad
<b>BELTS (FITS SIZES 32" TO 54")</b>		
SAN146	RIA-B1	Belt w/PivotLink™ Attachments, 5-Accessory Connectors
SAN147	RIA-B2	Padded belt w/PivotLink™ Attachments, 5-Accessory Connectors

**Note:** Inquire about individual accessories.



SAN133



SAN142



SAN134



SAN137



SAN138

# Fall Protection

## MILLER® ULTRA HARNESSES

- The new line of Ultra Harnesses is designed with patented DuraFlex® stretchable webbing that provides greater comfort, increases productivity and improves safety
- In addition, the DuraFlex® Python™ Ultra Harness also features cushioned tubular webbing in the shoulder straps to minimize possible discomfort around the neck and shoulders when required to wear a tool belt
- Comfort-touch back D-ring pad is designed with woven, breathable material for greater comfort; orients harness for quick tangle-free donning
- Sleek, quick-connect buckles for chest and leg straps for easy donning and feature a dual-tab release mechanism to prevent accidental opening
- Friction shoulder strap buckles stay firmly in place
- Universal fit • Certified to CSA standard Z259.10-12



Order No.	Mfg. No.	D-Rings	CSA Class	Additional Features
<b>DURAFLEX® ULTRA HARNESSES</b>				
SAK309	E650QC/UGN	Back	A	-
SAK310	E650-7QC/UGN	Back and Side	A, P	-
SAK311	E650-77QC/UGN	Back and Side	A, P	Body Belt
<b>DURAFLEX™ PYTHON™ ULTRA HARNESSES</b>				
SAK142	P950QC/UGN	Back	A	-
SAK307	P950-7QC/UGN	Back and Side	A, P	-
SAK308	P950-77QC/UGN	Back and Side	A, P	Body Belt

SAK309



SAK308



## TITAN™ CONTRACTOR'S HARNESSES

- Full-body harnesses made from lightweight durable polyester webbing for all-day comfort and dependability
- Fully adjustable design • Sliding back D-ring
- Sub-pelvic strap • Universal fit (other sizes available upon request)
- Colour: Orange • Certified to CSA standard Z259.10-12



Order No.	Mfg. No.	D-Rings	Shoulder Connections	Leg Connections	Chest Connections	CSA Class
SN064	T4000/UAK	Back	Mating	Mating	Mating	A
SN065	T4007/UAK	Back & Side	Mating	Mating	Mating	A, P
SN066	T4500/UAK	Back	Mating	Tongue Buckle	Mating	A
SN067	T4507/UAK	Back & Side	Mating	Tongue Buckle	Mating	A, P



## T-FLEX TITAN™ STRETCHABLE HARNESSES

- Durable, stretch polyester webbing construction for improved comfort and greater mobility
- Fully adjustable design for maximum comfort
- Non-slip chest strap assures proper fit
- Sub-pelvic strap for added safety and support
- Mating shoulder and chest strap buckles stay firmly in place
- Pull-free lanyard rings for added convenience
- Sliding back D-ring and pad ensure correct back D-ring position
- Universal fit • Certified to CSA standard Z259.10-12



Order No.	Mfg. No.	D-Rings	Chest Connections	CSA Class
SAK297	TF4000/UAK	Back	Mating	A*
SAK298	TF4500/UAK	Back	Tongue Buckle	A*
SAK299	TF4007/UAK	Back and Side	Mating	A,P*
SAK300	TF4507/UAK	Back and Side	Tongue Buckle	A,P*

\* CSA Class D and L when optional front D-Ring is added



SAK300

## NON-STRETCH HARNESSES

- Non-stretch nylon webbing is lightweight and durable
- Fall indicator/warning flag indicates that the harness has been involved in a fall and should be removed from service
- Back strap prevents user from falling out of the harness
- Lanyard ring allows user to attach lanyard when not in use
- Most harnesses include sub pelvic strap
- Universal fit unless specified (other sizes available upon request)
- Also available in polyester webbing for greater chemical resistance
- Colour: Yellow • Certified to CSA standard Z259.10-12



Order No.	Mfg. No.	D-Rings	Shoulder Connections	Leg Connections	Chest Connections	CSA Class	Special Feature
SC965	650/UYK	Back	Friction	Mating	Mating	A	Belt Loops
SC967	650-3/UYK	Back and Shoulder	Friction	Mating	Mating	A, E	Belt Loops
SC961	650-4/UYK	Back	Friction	Tongue Buckle	Mating	A	Belt Loops
SC962	650FD4/UYK	Back and Front	Friction	Tongue Buckle	Mating	A, D, L	Belt Loops
SC963	650-64/UYK	Back and Shoulder	Friction	Tongue Buckle	Mating	A, E	Belt Loops
SC964	650FD64/UYK	Back, Front, and Shoulder	Friction	Tongue Buckle	Mating	A, D, E, L, P	Belt Loops
SC977	552/UYK	Back and Front	Mating	Mating	-	A, D, L	-
SC969	751S/M	Back	-	Mating	Mating	A	Small/Medium
SC970	751L/X	Back	-	Mating	Mating	A	Large/X-Large



## DURAFLEX® STRETCHABLE HARNESES

- Allows greater freedom of movement and offer improved comfort and overall safety
- Synthetic elastomer webbing stretches with the worker for maximum comfort
- Fall indicator/warning flag indicates that the harness has been involved in a fall and should be removed from service
- Back strap prevents user from falling out of the harness
- Injection-molded Santoprene® D-ring back pad is soft and flexible, enhancing comfort
- Pull-free lanyard ring allows user to attach lanyard when not in use
- Labelling includes inspection tag and space for personal identification
- Belt loops to accommodate belts, back pads and other accessories
- Universal fit (other sizes available upon request)
- Colour: Lime green
- Certified to CSA standard Z259.10-12



Order No.	Mfg. No.	D-Rings	Shoulder Connections	Leg Connections	Chest Connections	CSA Class
SC978	E552/UGN	Back, Front & Side	Mating	Mating	-	A, L, P
SC973	E650/UGN	Back	Friction	Mating	Mating	A
SC975	E650-4/UGN	Back	Friction	Tongue Buckle	Mating	A



SC978

## DURAFLEX® PYTHON™ HARNESES

- Shoulder straps are constructed of soft, cushioned tubular webbing
- Lower torso straps are constructed of specially-formulated DuraFlex® stretchable webbing
- Leg straps are constructed of lightweight, non-stretch webbing
- Injection-molded Santoprene® D-ring back pad is soft and flexible, enhancing comfort
- Pull-free lanyard ring allows user to attach lanyard when not in use
- Belt loops to accommodate belts, back pads and other accessories
- Universal fit (other sizes available upon request)
- Colour: Lime green
- Certified to CSA standard Z259.10-12



Order No.	Mfg. No.	D-Ring	Shoulder Connections	Leg Connections	Chest Connections	CSA Class
SAH525	P950/UGN	Back	Friction	Mating	Mating	A
SAH526	P950-4/UGN	Back	Friction	Tongue Buckle	Mating	A
SAH527	P950-7/UGN	Back and Side	Friction	Mating	Mating	A, P
SAH528	P950-58/UGN	Back and Side	Friction	Tongue Buckle	Mating	A, P



SAH525

## WELDER'S HARNESES

- Blue, flame-retardant Nomex® webbing to protect against weld splatter
- The special inner Kevlar® core adds strength and high-temperature resistance
- Features one back D-ring, friction shoulder straps and mating leg and chest connections
- Contrasting webbing colours make inspection easier
- Rated to 400-lb (181.4 kg) capacity when using a SofStop® shock absorber
- Includes unique, durable Lexan® labeling with inspection grid for easy tracking
- Universal fit (other sizes available upon request)
- Certified to CSA standard Z259.10-12

Order No. SAK325

Mfg. No. 850K/UBL



SAK325

## RELIEF STEP™ SAFETY DEVICES

- Allows the user to "stand up" in their harness, permitting the ability to move and flex leg muscles
- Provides support and enhances blood circulation until rescue
- Small and lightweight, can be attached to any brand of full-body harness
- Utilizing two devices per harness (one for each leg/foot) is recommended to assure greater user comfort

Order No. SAK162

Mfg. No. 9909X/12





# Fall Protection

## RITE-ON™ HARNESSES

Designed with two things in mind: Simplicity and Comfort. It's constructed to shape around the user with ease. The harnesses are engineered with a lumbar support to make the donning of a harness a breeze. The comfort pad also eliminates the tangling of the straps which are common with traditional harnesses. The bayonet style connectors allow users to connect their chest and legs straps in a single action.

### RITE-ON™ HARNESSES

- Integrated back and shoulder pad – Conforms to the wearers' shape to provide all-day comfort
- Fast-action bayonet style connectors – Allow quick and easy donning
- Extended D-ring option – Makes lanyard connection easier and safer
- Sweat wicking pad fabric – Keeps wearers comfortable in hot conditions
- Tangle-free pad design – Harness keeps its shape between use, aiding quick and easy donning
- Lightweight polyester webbing – Offers superior UV and chemical resistance
- Universal size with full adjustability – One size fits most
- Certified to CSA standard Z259.10-12

Order No.	Mfg. No.	D-Rings	CSA Class
SAK490	FP81F/1DBA	Back	A
SAO631	FP81F/1EDBA	Extended-back	A
SAO632	FP81F/3DDA	Back and Side	A, P
SAO633	FP81F/3EDDA	Extended-back and Side	A, P
SAO634	FP81F/4DLA	Back, Side and Front	A, P, L
SAO635	FP81F/4EDLA	Extended-back, Side and Front	A, P, L



### RITE-ON™ II HARNESSES

- Designed for more simplicity and comfort, this series is constructed to shape around the user with ease
- Open cell foam padding wicks sweat away from the body, keeping workers cool and dry throughout the day, and improving productivity
- Integral back and shoulder pad eliminates tangling of the harness's straps
- Lumbar pad decreases back injuries
- Removable 11" comfort leg pad reduces of pinch point and strain while in work position
- Quick-connect buckles allow easy, single action secure connection
- Protective label pouch makes identification and inspection easier
- Fall arrest indicator makes it easier for a worker to identify if a large load has been applied to the harness
- Certified to CSA standard Z259.10-12



Order No.	Mfg. No.	D-Rings	Belted	Size	CSA Class
SEA288	FP81T/1DBASM	Back	No	Small/Medium	A
SEA287	FP81T/1DBALXL	Back	No	Large/X-Large	A
SEA290	FP81T/1EDBASM	Extended-back	No	Small/Medium	A
SEA289	FP81T/1EDBALXL	Extended-back	No	Large/X-Large	A
SEA296	FP81V/6D3ASM	Back, Front, Side and Shoulder	Yes	Small/Medium	A, P, L, E
SEA295	FP81V/6D3ALXL	Back, Front, Side and Shoulder	Yes	Large/X-Large	A, P, L, E
SEA298	FP81V/6ED3ASM	Extended-Back, Front, Side and Shoulder	Yes	Small/Medium	A, P, L, E
SEA297	FP81V/6ED3ALXL	Extended-Back, Front, Side and Shoulder	Yes	Large/X-Large	A, P, L, E



## VEST-STYLE UNIVERSAL HARNESSES

- Adjustable shoulder straps and chest strap can be positioned in the optimum location for the user, eliminating the need for stretchable webbing
- Proven polyester webbing provides added UV protection and chemical resistance
- Sub-pelvic strap adds comfort and helps distribute the forces generated in a fall
- Universal fit (X-Large available upon request)
- Certified to CSA standard Z259.10-12



Order No.	Mfg. No.	D-Rings	Leg Connections	CSA Class	Special Feature
SN128	FP759/1DP	Back	Quick-Connect	A	-
SN129	FP759/1DGP	Back	Tongue Buckle	A	-
SAK493	FP769/3DGPUL	Back and Side	Tongue Buckle	A, P	Lumbar Support and Tool Belt



## TREND-X CROSS-CHEST HARNESSSES

- Lightweight, slip-on convenience and form fitting comfort
- No chest strap means comfort and mobility are enhanced while allowing access to breast pockets
- D-Stop strap in the back helps keep you in the harness in case of a fall
- Polyester webbing
- Universal sizing
- Certified to CSA standard Z259.10-12



**NORTH**

by Honeywell

Order No.	Mfg. No.	D-Rings	Leg Connections	CSA Class
SAH757	FP721/1DP	Back	Quick-Connect	A
SAO543	FP722/2DP	Back and Front	Quick-Connect	A, D, L
SAO562	FP722/4DP	Back, Front and Side	Quick-Connect	A, P, D, L



## VEST-STYLE HARNESSSES

- Lightweight comfort and durability
- Tough nylon webbing and forged hardware for long-term wear and safety
- Sub-pelvic strap to help evenly distribute the forces generated in a fall
- Pass-thru leg and chest straps
- Certified to CSA standard Z259.10-12



**NORTH**

by Honeywell

Order No.	Mfg. No.	D-Rings	Size	CSA Class
SAJ266	FP700/1DS	Back	Small	A
SN088	FP700/1DM	Back	Medium	A
SN089	FP700/1DL	Back	Large	A
SN090	FP700/1DXL	Back	X-Large	A
SAJ268	FP700/1EDS	Extended-Back	Small	A
SN091	FP700/1EDM	Extended-Back	Medium	A
SN092	FP700/1EDL	Extended-Back	Large	A
SN093	FP700/1EDXL	Extended-Back	X-Large	A



## HIGH-VISIBILITY VEST HARNESSSES

- Class 2 traffic vest with integral harness combines high visibility with fall protection in one, easy-to-wear garment
- Leg strap pocket – When not in use as a harness, the leg straps can be conveniently tucked into a pocket in the rear of the vest and then quickly released when needed
- Certified to CSA standard Z259.10-12



**NORTH**

by Honeywell

Order No.	Mfg. No.	D-Rings	Size	CSA Class
SAK510	FP700/3DTV84M	Back and Side	Medium	A, P
SAK511	FP700/3DTV84L	Back and Side	Large	A, P
SAK512	FP700/3DTV84XL	Back and Side	X-Large	A, P



## HEAVY-DUTY HARNESSSES

- Rated for 440 lbs. – Exceeds the requirements of CSA and ANSI to provide reliable fall protection for workers above the CSA/ANSI limit of 310 lbs. (total weight of person plus tools and equipment)
- Back and side D-rings with 2" polyester webbing, extra wide for strength and wearer comfort
- Features an integrated back and shoulder pad which conforms to the wearer's shape to provide all-day comfort
- Integrated 440-lb rated, Soft-Pak lanyard – Permanently attached lanyard ensures that both lanyard and harness are correctly rated to 440 lbs.
- Tongue and buckle leg straps – Provide faster and easier donning and adjustment
- Universal size with full adjustability – One size fits most
- Certified to CSA standard Z259.10-12



**NORTH**

by Honeywell

Order No.	Mfg. No.	D-Rings	CSA Class
SAO636	FP80K/3DYQ320	Extended-Back and Side	A, P



# Fall Protection

## GRAVITY™ CROSS-OVER HARNESSSES

- Multi-purpose full body harness
- Unique cross-over design allows for adjustment of both the back and chest D-rings
- Suitable for controlled descent, positioning, ladder climbing, rescue, and fall arrest
- All harnesses have Qwik-Fit™ chest straps and leg buckles
- Nylon webbing
- Reflective yellow nylon webbing also available
- Standard sizing
- Other sizes available upon request
- Certified to CSA standard Z259.10-12



Order No.	Mfg. No.	D-Rings	CSA Class
SAM395	SSH70920000	Back	A
SAM396	SSH80920000	Back, Front and Side	A, D, L, P
SAM397	SSH90920000	Back and Front	A, D, L

### REFLECTIVE YELLOW NYLON WEB

SAM398	SSH80920006	Back, Front and Side	A, D, L, P
--------	-------------	----------------------	------------

MSA



SAM396

## WORKMAN™ HARNESSSES

- Economical
- Abrasion-resistant, strong, durable webbing
- Yellow polyester webbing for high visibility
- Web retainer collars to keep excess webbing neat
- Easy to don and adjust
- Qwik-Fit™ chest strap
- Certified to CSA standard Z259.10-12

SAP167



MSA

Order No.	Mfg. No.	Size	D-Rings	CSA Class
<b>TONGUE BUCKLE LEG STRAPS</b>				
SAP206	10072486	X-Small	Back	A
SAP167	10072487	Standard	Back	A
SAP168	10072491	Standard	Back and Side	A, D, P
SAP207	10072488	X-Large	Back	A
SAP208	10072489	2X-Large	Back	A
<b>QWIK-FIT™ LEG STRAPS</b>				
SAP202	10072478	X-Small	Back	A
SAP203	10072479	Standard	Back	A
SAP166	10072483	Standard	Back and Side	A, D, P
SAP204	10072480	X-Large	Back	A
SAP205	10072481	2X-Large	Back	A

## ARCSAFE™ HARNESSSES

- Back Kevlar® web loop reduces overall harness weight and reduces potential of electrical arc to harness (up to 40 cal/cm²)
- Hardware is located low on the harness
- A 9500-lb pound nylon webbing has been put into place for added security
- Front attachments loops are also available for climbing systems, personal riding systems or for rescue applications
- The Y-shaped back web loop locator pad provides additional comfort and allows for effortless adjustment
- ASTM standard F887-04 compliant

Order No. SAP209  
Mfg. No. 10070439



MSA

## TECHNACURV™ FULL BODY HARNESSSES

- Curvilinear comfort system
- Viscoelastic shoulder padding does not have memory and will not break down over time, offering superior comfort throughout the life of the harness
- Sorbtek™ fabric on shoulder and sub-pelvic pads
- Soft, flexible webbing allows the harness to move with you as you work for increased comfort
- Secure-Fit™ buckle designed to ease donning, doffing, and adjustment with single-hand operation
- Standard sizing
- Other sizes available upon request
- Certified to CSA standard Z259.10-12



TechnaCurv™ Back Pad



Secure-Fit™ Buckle



MSA

Order No.	Mfg. No.	Style	D-Ring(s)	Chest Connections	Leg Connections	Pads	CSA Class
SAM096	10041517	Vest	Back	Qwik-Fit™	Qwik-Fit™	—	A
SAM098	10041591	Vest	Back	Qwik-Fit™	Tongue Buckle	—	A
SAM100	10041595	Vest	Back and Side	Qwik-Fit™	Tongue Buckle	—	A, P
SAM102	10041599	Vest	Back	Qwik-Fit™	Tongue Buckle	Shoulder	A
SAM103	10041601	Pullover	Back	—	Tongue Buckle	Shoulder	A
SAM104	10041603	Vest	Back and Side	Qwik-Fit™	Tongue Buckle	Shoulder	A, P
SAM106	10041607	Vest	Back, Front and Side	Qwik-Fit™	Tongue Buckle	—	A, D, P
SAM108	10041611	Vest	Back, Front and Side	Qwik-Fit™	Tongue Buckle	Shoulder	A, D, P
SAM110	10041615	Vest	Back, Front and Side	Qwik-Fit™	Secure-Fit™	Shoulder, Sub-Pelvic	A, D, P
SAM111	10041617	Pullover	Back, Front and Side	—	Secure-Fit™	Shoulder, Sub-Pelvic	A, D, P



## GRAVITY™ TOWER HARNESSSES

- Designed for the telecommunication and tower industries
- Universal harness made of black nylon webbing with saddle for increased harness comfort
- Cross-chest design
- Padded shoulders and belt with integral tool loops
- Suitable for fall arrest, rescue, controlled descent, work positioning and ladder climbing
- Back, front and side D-rings
- Pass-thru leg connections
- Certified to CSA standard Z259.10-12



Order No.	Mfg. No.	Belt Waist"	CSA Class
<b>SAM380</b>	SSH91725C001	36- 44	A, D, P
<b>SAM381</b>	SSH91725D001	40- 48	A, D, P



## GRAVITY™ RIGGER/RESCUE HARNESSSES

- Incorporates a sit harness design which allows the user a much higher degree of comfort while in the sit position
- Suitable for rappelling/controlled descent, work positioning, ladder climbing, rescue and fall arrest
- Cross-chest design
- Standard 1 3/4" (45 mm) all black polyester webbing
- Back, front and side D-rings
- Mating leg connections
- Certified to CSA standard Z259.10-12



Order No.	Mfg. No.	Description	CSA Class
<b>SAM382</b>	SSH60930001	Integral Belt	A, D, L, P



## GRAVITY™ VEST STYLE HARNESSSES

- Back D-ring ensures the user is in an upright position, eliminating the need for shoulder D-rings and a spreader bar for confined space applications
- Available in nylon or polyester
- Qwik-Fit™ leg buckles and chest straps
- Standard sizing
- Other sizes available upon request
- Certified to CSA standard Z259.10-12



Order No.	Mfg. No.	Webbing	CSA Class
<b>SAM391</b>	SSH30420060	Nylon	A
<b>SAM392</b>	SSH30430064	Polyester	A



SAM391

# Fall Protection

## EZ-STOP SHOCK ABSORBING LANYARDS

- Features the lightest, smallest, and strongest shock absorber in the world; 66% smaller and 40% lighter than previous EZ-stop models
- Lightest and strongest rebar hooks on the market
- Thinnest-ever webbing using HI-10™ Vectran® energy management material for reduced weight and bulk
- Vectran® is a multifilament high tenacity performance yarn spun from liquid crystal polymer that is five times stronger than steel
- Repel™ webbing repels water to reduce the attraction of mold and dirt
- High abrasion resistance
- Excellent chemical and cut resistance
- High impact resistance
- High visibility accents keep you safe in low-light conditions
- Protected labels for durability and longevity
- Rugged and durable soft shock absorber cover is designed to last
- Certified to CSA standard Z259.11-05, Class E4



Order No.	Mfg. No.	Length'	No. of Legs	Harness Connection	Anchorage Connections
SEJ418	1246012C	3	One	Snap Hook	Snap Hook
SEJ419	1246017C	4	One	Snap Hook	Snap Hook
SEJ420	1246011C	6	One	Snap Hook	Snap Hook
SEJ421	1246102C	6	One	Snap Hook	Rebar Hook
SEJ422	1246022C	6	Two	Snap Hook	Snap Hooks
SEJ423	1246024C	6	Two	Snap Hook	Rebar Hooks
SEJ424	1246195C	6	Two, Elastic	Snap Hook	Rebar Hooks
SEJ480*	1246193C	6	Two, Elastic	Snap Hook	Rebar Hooks

\*Made with lightweight aluminum snap and rebar hooks

## SHOCKWAVE™ 2 LANYARDS

- Tubular core style lanyards uniquely designed to expand and contract in reaction to a workers movements
- Stays out of your way when not in use, avoiding trips and snags
- Built in impact indicator provides visual evidence if the lanyard has been involved in a fall
- Length: 6'
- Certified to CSA standard Z259.11-05, Class E4



Order No.	Mfg. No.	No. of Legs	Harness Connection	Anchorage Connections
<b>STANDARD LANYARDS</b>				
SEB868	1244306C	One	Snap Hook	Snap Hook
SEB869	1242450C	Two	Snap Hook	Snap Hooks
<b>NOMEX/KEVLAR ARC FLASH RATED LANYARDS</b>				
SEP841	1244610C	One	Snap Hook	Snap Hook

## ADJUSTABLE POSITIONING LANYARDS

- Ideal for work positioning or restraint
- Abrasion resistant polyester webbing
- Built-in wear indicator
- User friendly self locking snap hooks at each end
- Length: 6'
- Certified to CSA standard Z259.11-05, Class B

Order No. SEP822  
Mfg. No. 1231016C



## PRO™ PACK SHOCK ABSORBING LANYARDS

- Pack-type shock absorber limits fall arrest forces to 900 lbs. for added safety
- Durable 1" polyester web construction
- Durable alloy steel, zinc-plated hardware
- Certified to CSA standard Z259.11-05



Order No.	Mfg. No.	Length'	No. of Legs	Harness Connection	Anchorage Connections	CSA Class
SEB871	1341004C	4	One	Snap Hook	Snap Hook	E4
SEB872	1341001C	6	One	Snap Hook	Snap Hook	E4
SEB384	1340125C	6	One	Snap Hook	Rebar Hook	E4
SEB377	1340180C	6	Two	Snap Hook	Rebar Hook	E4
SES801	1360180C	6	Two	Snap Hook	Rebar Hook	E6

## PRO-STOP™ SHOCK ABSORBING LANYARDS


- Tubular web shock absorber limits fall arrest forces to 900 lbs. for added safety
- Durable 1" polyester web construction
- Durable alloy steel, zinc-plated hardware
- Certified to CSA standard Z259.11-05, Class E4



Order No.	Mfg. No.	Length'	No. of Legs	Harness Connection	Anchorage Connections
SEB874	1340221C	4	One	Snap Hook	Snap Hook
SEB875	1340240C	6	Two	Snap Hook	Snap Hooks

## FP5K™ TIE-BACK SHOCK-ABSORBING LANYARDS


- Uses the FP5K™ carabiner, a new tie-back lanyard connector with a 5000-lb gate strength and a 1" gate opening, as well as a HL2000 snap hook with a 3/4" gate opening
- Available in web or cable version, 6' length (6' adjustable length on web version)
- Web version utilizes Monster-Edge™ webbing with increased abrasion resistance
- Utilises the Sure-Stop™ shock absorber
- Available in both single and twin-leg configurations
- Locking snap hook harness connection
- Carabiner anchorage connections
- Certified to CSA standard Z259.11-05, Class E4



Order No.	Mfg. No.	Number of Legs
<b>NYLON WEB</b>		
SAM459	10047084	One
SAM460	10047085	Two
<b>CABLE</b>		
SAM461	10047086	One
SAM462	10047087	Two

## FP DIAMOND™ SHOCK-ABSORBING LANYARDS

- Available in a single or twin-leg configuration
- Durable polyester sheath for increased abrasion and UV resistance
- Locking snap hook harness connection
- Certified to CSA standard Z259.11-05, Class E4



Order No.	Mfg. No.	Number of Legs	Anchorage Connections	Length'
SAM463	10023932	One	Snap Hook	6
SAM464	10023970	Two	Snap Hooks	6
SAM465	10023971	Two	Rebar Hooks	6
SAM466	10023936	One	Snap Hook	5
SAM467	10023937	Two	Snap Hooks	5

## SURE-STOP™ SHOCK-ABSORBING LANYARDS

- Uses a tear tape design
- 1" nylon webbing
- Available in single or twin-leg configurations
- Locking snap hook connections
- Certified to CSA standard Z259.11-05, Class E4



Order No.	Mfg. No.	Number of Legs	Length'
SAM471	SWL4068704LS	One	4
SAM473	SWL40400206LS	Two	6

## WORKMAN™ ENERGY-ABSORBING LANYARDS

- Lightweight with a low-profile body
- Shock absorber includes a clear, durable protective cover over the labels to increase service life and allow for easy inspection
- Choice of single-leg or twin-leg configuration
- Choice of adjustable or tie-back configuration
- Certified to CSA standard Z259.11-05, Class E4



Order No.	Mfg. No.	Number of Legs	Special Features	Length'
SAP195	10072472	One	Tie-Back	6
SAP196	10072474	One	Adjustable	6
SAP197	10072475	Two	Adjustable	6

## ARCSAFE™ SHOCK-ABSORBING LANYARDS

- Nylon webbing
- Adjustable in length from 4' to 6'
- Sewn loop on shock absorber end
- Locking snap hook connections
- SEI-certified to the requirement of the ASTM F887-05 standard for electrical arc flash protection up to 40 cal/cm²



Order No.	Mfg. No.	Number of Legs
SAP198	10060139	One
SAP199	10060140	Two



# Fall Protection

## MILLER® MANYARD® SHOCK-ABSORBING LANYARDS

- Unsurpassed in the market for safety, comfort and mobility
- Special woven shock-absorbing inner core reduces fall arrest forces
- Heavy-duty tubular outer jacket serves as a back-up web lanyard
- Unique warning flag provides visual proof that a lanyard has been involved in a fall and should be removed from service
- Locking snap hook harness connection
- Certified to CSA standard Z259.11-05, Class E4



by Honeywell



SC980

Order No.	Mfg. No.	Length'	No. of Legs	Anchorage Connections
SC980	216WLS-Z7/4FTYLC	4	One	Locking Snap Hook
SEI549	216WLS-Z7/5FTYLC	5	One	Locking Snap Hook
SC982	216WLS-Z7/6FTYLC	6	One	Locking Snap Hook
SC983	216WLS-Z7/8FTYLC	8	One	Locking Snap Hook
SC984	219WRS-Z7/4FTYLC	4	One	Locking Rebar Hook
SC985	219WRS-Z7/5FTYLC	5	One	Locking Rebar Hook
SC986	219WRS-Z7/6FTYLC	6	One	Locking Rebar Hook
SC987	219WR-Z/8C	8	One	Locking Rebar Hook
SAH529	231WRS-Z7/6FTYLC	6	Two	Locking Rebar Hooks

## MILLER® POSITIONING & RESTRAINT LANYARDS

- Nylon rope lanyards are recommended for "work positioning" and "restraint" only
- Locking snap hook harness connection
- Certified to CSA standard Z259.11-05, Class A



by Honeywell



SA012


Order No.	Mfg. No.	Length'	Anchorage Connections
SA012	201RLS-2-Z7/4FTWH	4	Locking Snap Hook
SA013	201RLS-2-Z7/6FTWH	6	Locking Snap Hook
SA014	201RLS-2-Z7/8FTWH	8	Locking Snap Hook
SD512	202RRS-2-Z/4FTWH	4	Locking Rebar Hook
SD513	202RRS-2-Z/6FTWH	6	Locking Rebar Hook

## TITAN™ TIE-BACK LANYARDS

- Pack-type shock absorber is designed for tie-back use, eliminating the need for a separate anchorage connector
- Special polyester webbing (9800 lbs.) for greater abrasion resistance
- Forged sliding D-ring for ease of use
- Pack type shock-absorber that keeps fall forces at or below 900 lbs.
- Locking snap hook harness connection
- Auto-locking carabiner anchorage connectors
- Length: 6'
- Certified to CSA standard Z259.11-05, Class E4



by Honeywell




SAK301

Order No.	Mfg. No.	No. of legs
SAK301	T6111TB-Z7/6FTAFC	One
SAK302	T6121TB-Z7/6FTAFC	Two

## MILLER® MANYARD® II STRETCHABLE SHOCK-ABSORBING LANYARDS

Manyard® II shock-absorbing lanyards offer the same features as the Manyard® lanyards, with additional value-added features:

- Unique stretchable design offers greater manoeuvrability and safety
- Integral bright red core makes visual inspection easier and more reliable
- Locking snap hook harness connection
- Length: 6'
- Certified to CSA standard Z259.11-05, Class E4



SAH530



by Honeywell

Order No.	Mfg. No.	Length'	No. of Legs	Anchorage Connections
SAH530	216M-Z7/6FTGNC	6	One	Locking Snap Hook
SAH531	219M-Z7/6FTGNC	6	One	Locking Rebar Hook
SAH532	231M-Z7/6FTGNC	6	Two	Locking Rebar Hooks

## MILLER® SOFSTOP® SHOCK-ABSORBING LANYARDS

- Features the versatile Miller® SofStop® shock absorber pack
- Specially-woven inner core smoothly expands to reduce fall arrest forces
- Locking snap hook connection
- Certified to CSA standard Z259.11-05, Class E4



by Honeywell



SA036

Order No.	Mfg. No.	Length'	Material
SA033	901RS-2-Z/4C	4	5/8" Rope
SA035	901RS-2-Z/6C	6	5/8" Rope
SA036	913WS-Z/4C	4	Webbing
SA037	913WLS-Z7/5FTYLC	5	Webbing
SA038	913WLS-Z7/6FTYLC	6	Webbing

## TITAN™ SHOCK-ABSORBING LANYARDS

- Made of lightweight, durable polyester webbing
- Tubular built-in core lanyards feature a built-in woven inner core which smoothly expands to reduce fall arrest forces, while the outer jacket serves as a back-up web lanyard
- Pack-type style includes the shock absorber pack that expands to reduce fall forces while a back-up safety strap deploys
- Length: 6'
- Locking snap hook harness connection
- Certified to CSA standard Z259.11-05, Class E4



by Honeywell



SN069

Order No.	Mfg. No.	No. of Legs	Shock-Absorber Type	Anchorage Connections
SN069	T5111-Z7/6FTAFC	One	Tubular Built-In Core	Locking Snap Hook
SN070	T5112-Z7/6FTAFC	One	Tubular Built-In Core	Locking Rebar Hook
SN071	T5121-Z/6C	Two	Tubular Built-In Core	Locking Snap Hooks
SN072	T5122-Z7/6FTAFC	Two	Tubular Built-In Core	Locking Rebar Hooks
SN073	T6111-Z7/6FTAFC	One	Pack-Type	Locking Snap Hook
SN074	T6121-Z/6C	Two	Pack-Type	Locking Snap Hooks
SN075	T6122-Z7/6FTAFC	Two	Pack-Type	Locking Rebar Hooks

## BACKBITER® TIE-BACK LANYARDS

- Made with the Miller® 5K snap hook (gate load capacity of 5000 lbs.), which is designed especially for wrapping around objects and snapping back onto the lanyard
- Offers a solution to the common, yet unsafe, practice of workers wrapping a regular lanyard around their anchor point
- All models come with the SofStop® shock absorber
- Harness connects with a locking snap hook
- Length: 6'
- Certified to CSA standard Z259.11-05, Class E4



SH005

Order No.	Mfg. No.	Description	Colour
SH005	913B/6FTGNC	Nylon	Green
SH007	913BD/6FTBLC	Polyester	Blue

## ARC-RATED SHOCK-ABSORBING LANYARDS

- Arc-rated Kevlar® webbing available in both single and double-legged models upon request
- Also available with choke-off loop upon request
- Locking snap hook harness connection
- Length: 6'
- Certified to CSA standard Z259.11-05, Class E4



SAR475

Order No.	Mfg. No.	Style	Anchorage Connections
SAR475	216MK-Z7/6FTBKC	Manyard II	Locking Snap Hooks
SAR476	219MK-Z7/6FTBKC	Manyard II	Locking Rebar Hook
SAR477	913K-Z7/6FTBKC	w/SofStop®	Locking Snap Hooks
SAR478	913KR-Z7/6FTBKC	Shock Absorber w/SofStop®	Locking Rebar Hook

## DECELERATOR ENERGY-ABSORBING LANYARDS

- Simple design – Limits complexity and keeps down cost
- Proven performance – Effectively limits maximum arrest force to less than 900 lbs.
- Flagging system – Even partial deployment causes a flag to become visible, indicating that the lanyard has been subjected to a fall equivalent load and should be withdrawn from service
- Nylon webbing – Offers superior resistance to abrasion and alkaline chemicals
- Two-leg lanyards available – Provide 100% tie-off
- Snap hook harness connection
- Certified to CSA standard Z259.11-05, Class E4



SN112

Order No.	Mfg. No.	Length'	No. of Legs	Anchorage Connections
SN107	FP28822/4	4	One	Snap Hook
SN108	FP28822/6	6	One	Snap Hook
SN109	FP28829/4	4	One	Rebar/Ladder Hook
SN110	FP28829/6	6	One	Rebar/Ladder Hook
SN111	FP28929/4	4	Two	Rebar/Ladder Hook
SN112	FP28929/6	6	Two	Rebar/Ladder Hook

## WELDER'S SHOCK-ABSORBING LANYARDS

- Blue, flame-retardant Nomex® webbing to protect against weld splatter
- The special inner Kevlar® core adds strength and high-temperature resistance
- Features Sofstop® shock-absorber and two locking snap hooks
- Contrasting webbing colours make inspection easier
- Length: 6'
- Certified to CSA standard Z259.11-05, Class E4



Order No. SAK326  
Mfg. No. 913K-Z76FTBLC

## SOFT PAK ENERGY-ABSORBING LANYARDS

- Shock-absorbing design – Proven over years of service, the Soft Pak effectively limits maximum arrest force to less than 900 lbs.
- Easily visible deployment – The slightest deployment of the Soft Pak is clearly visible, aiding equipment inspection and identification of lanyards that have been subjected to a fall equivalent load and should be withdrawn from service
- Lightweight polyester webbing – Offers superior UV and chemical resistance
- Two-leg lanyards available – Provide 100% tie-off
- Snap hook harness connection
- Certified to CSA standard Z259.11-05, Class E4



SN113

Order No.	Mfg. No.	Length'	No. of Legs	Anchorage Connections
SN113	FP26322/6	6	One	Snap Hook
SAK515	FP2562GG/6	6	Two	Scaffold Hooks

## DURABUILT LANYARDS

- Energy absorbing lanyard
- Durable polyester construction
- Variety of constructions and configurations available
- Double locking snap hook harness connection
- Certified to CSA standard Z259.11-05, class E4

SAK520



Order No.	Mfg. No.	Length'	No. of Legs	Anchorage Connections
SAK520	FPD26311/4	4	One	Double Locking Snap Hook
SAK521	FPD26311/6	6	One	Double Locking Snap Hook

### CONTINUOUS WEB

Order No.	Mfg. No.	Length'	No. of Legs	Anchorage Connections
SAH537	FPD29811/4	4	One	Double Locking Snap Hook
SAH750	FPD29811/6	6	One	Double Locking Snap Hook
SAH761	FPD29819/6	6	One	Double Locking Rebar Hook
SAK524	FPD2981G/4	4	One	Scaffolding Hook
SAK525	FPD2981G/6	6	One	Scaffolding Hook

### DOUBLE-LEG DECELERATOR

Order No.	Mfg. No.	Length'	No. of Legs	Anchorage Connections
SAK526	FPD299111/4	4	Two	Double Locking Snap Hooks
SAK527	FPD299111/6	6	Two	Double Locking Snap Hooks
SAK528	FPD2991GG/4	4	Two	Scaffolding Hooks
SAK529	FPD2991GG/6	6	Two	Scaffolding Hooks

# Fall Protection

## NANO-LOK™ EDGE SELF-RETRACTING LIFELINES

- Specifically designed for foot level tie-off and sharp edge applications
- Uses an innovative combination of lifeline material, energy absorption, and harness connection to reduce forces on both the worker and the sharp edge
- Backpack design stays tight to the harness and evenly disperses the units weight
- The direct-to harness connection provides 360° of rotation and leaves the D-ring open for rescue or other equipment
- Tough and flexible 3/16" galvanized cable lifeline provides maximum range of motion, durability, and cut resistance
- Durable, lightweight, impact resistant thermoplastic housing
- Certified to CSA standard Z259.2.2-98, Type 1 SRL



Order No.	Mfg. No.	No. of Legs	Anchorage Connection
SEJ600	3500217	1	Snap Hook
SEJ601	3500218	1	Swivel Snap Hook
SEJ607	3500251	1	Rebar Hook
SEJ604	3500238	1	Aluminum Carabiner
SEJ608	3500232	2	Snap Hooks
SEJ609	3500233	2	Swivel Snap Hooks
SEJ615	3500250	2	Rebar Hooks
SEJ614	3500221	2	Aluminum Rebar Locking Hooks

## SEALED BLOK™ SELF-RETRACTING LIFELINES

- New sealed design keeps the critical working components free of dirt, grease, water and chemicals
- Built-in carrying handle makes transport and anchoring safe and easy, and provides a secondary "dropped objects protection" attachment point
- Large pivoting anchorage handle stays in line with load for added security
- Anti-ratcheting brake stops falls within inches
- Cast aluminum housing and heavy gauge steel end plates resist damage and provide corrosion resistance
- Self-locking swivel hook with impact indicator makes connections easy, and provides a visual means of inspection
- Certified to CSA standard Z259.2.2-98, Type 3 RSRL

Order No. **SEB341**  
Mfg. No. 3400853C



## REBEL™ WEB SELF-RETRACTING LIFELINES

- Web lifeline
- Self-locking hooks
- Great value with superior features
- Compact and lightweight
- Durable aluminum housing
- Swivel carabiner anchorage connection
- Certified to CSA standard Z259.2.2-98, Type 1 SRL



Order No.	Mfg. No.	Length'	Harness Connection	Lifeline
SEB349	AD110BC	10	Swivel Snap Hook	Web
SEP792	AD115BC	10	Swivel Snap Hook	Galvanized Cable
SEB350	AD120BC	20	Rebar Hook	Web
SEE717	3590502	33	Swivel Snap Hook	Galvanized Cable
SEE718	3590552	50	Swivel Snap Hook	Galvanized Cable

SEB349



## NANO-LOK™ SELF-RETRACTING LIFELINES

- Automatic quick-activating arrestor stops a falling worker within inches
- 6' retractable lifeline provides continuous fall protection without restrictions
- Extremely compact and lightweight; at just 1.6 lbs. this unit is 15% lighter and 30% smaller than other units in its class
- 420-lb. weight capacity – higher capacity for operator and tools
- Integrated shock absorber provides a visual indication of a fall
- Anchorage connectors install to web, leaving dorsal D-ring open for other equipment or rescue
- Swiveling anchorage loop eliminates lifeline twisting for smoother operation
- Wide variety of configurations provides complete jobsite versatility and flexibility
- Twin-leg configurations replace twin-leg lanyards and provide 100% tie-off continuous fall protection and improved mobility
- Certified to CSA standard Z259.2.2-98, Type 1 SRL



SEE928

Order No.	Mfg. No.	Number of Legs	Harness Connection	Anchorage Connection
SEE926	3101242	1	Bracket	Steel Swivel Snap Hook
SEE927	3101233	1	Single Leg Connector	Steel Snap Hook
SEE928	3101258	1	Single Leg Connector	Steel Swivel Snap Hook
SEP794	3101232	1	Single Leg Connector	Aluminum Rebar Hook
SEE929	3101230	1	Single Leg Connector	Aluminum Carabiner
SEE930	3101286	2	Twin Leg Connector	Steel Rebar Hooks
SEE931	3101283	2	Twin Leg Connector	Aluminum Rebar Hooks

## ULTRA-LOK™ SELF-RETRACTING LIFELINES

- Galvanized wire rope lifeline
- Maximum durability with minimal weight
- Stainless steel working components for corrosion resistance
- Durable polyurethane housing and aluminum side plates
- Anti-ratcheting, twin disc brake system limits arresting forces to 900 lbs. (4kN) or less
- Swivel snap hook harness connection and steel hook anchorage connection
- Certified to CSA standard Z259.2.2-98, Type 2 SRL



SEB345

Order No.	Mfg. No.	Length'
SEB347	3504433C	20
SEB345	3504430C	30
SEB348	3504450C	50

## TALON™ WEB SELF-RETRACTING LIFELINE

- 8' (2.4 m) nylon web self-retracting lifeline
- Extremely lightweight design, under 3 lbs. (1.3 kg)
- Direct harness attachment option
- Built-in anchorage connector
- Greater freedom of movement without compromising safety
- Certified to CSA standard Z259.2.2-98, Type 1 SRL

Order No. **SEB337**  
Mfg. No. 3101001C





## WORKMAN PERSONAL FALL LIMITERS

- Fast acting braking mechanism
- Rugged, impact-absorbing protective bumpers for added durability
- 400-lb. working capacity for increased versatility
- Web lifeline offers excellent abrasion resistance and flexibility
- Certified to CSA standard Z259.2.2-98, Type 1 SRL



SDL520



SDL517



Order No.	Mfg. No.	Length'	Harness Connection	Anchorage Connection
<b>SINGLE LEG</b>				
SDL517	10093356	10	None	Snap Hook
SDL518	10093357	10	1" Steel Carabiner	Snap Hook
SDL519	10093358	10	Back D Connector	Snap Hook
<b>TWIN LEG</b>				
SDL520	10120052	6	Back D Connector	Snap Hook

## WORKMAN SELF-RETRACTING LIFELINES

- Lightweight design
- Durable thermoplastic housing
- Impact-absorbing bumpers for added durability
- 400-lb. working capacity for increased versatility
- Integral ergonomic carrying handle for easy transport and installation
- Swivel snap hook with load indicator greatly limits twisting of cable and alerts users when the device has been involved in a fall
- Certified to CSA standard Z259.2.2-98, Type 2 SRL



SDL521



Order No.	Mfg. No.	Length'	Lifeline Material
SDL521	10119507	30	Galvanized Cable
SDL522	10120724	30	Stainless Steel
SDL523	10121834	50	Galvanized Cable
SDL524	10121778	50	Stainless Steel

## DYNA-LOCK® SELF-RETRACTING LIFELINES

- Fast-acting fall arresters that limit free-fall distance, deceleration distance and fall arrest forces while allowing user freedom of movement
- 4.5' per second locking speed
- Built-in shock absorber
- 3 independent braking mechanisms prevent freezing in icy or corrosive conditions
- Certified to CSA standard Z259.2.2-98, Type 2 SRL



SAM506



Order No.	Mfg. No.	Lifeline	Length'
<b>DYNA-LOCK® SRL WITH HL2000 SNAP HOOK</b>			
SAM506	10006470	Galvanized Wire Rope	30
SAM507	10006468	Galvanized Wire Rope	50
SAM508	10006466	Galvanized Wire Rope	70
SAM509	10006464	Galvanized Wire Rope	95
SAM510	10006447	Dyna-Lock® Nylon Web	20
<b>BACKPACKER™ SRL WITH RL20 DOUBLE LOCKING SMALL SNAP HOOK</b>			
SAM511	10006446	Dyna-Lock® Nylon Web	20

## APTURA LT 30 SELF-RETRACTING LIFELINE

- Solid design yet lightweight and versatile
- Durable, high-impact thermoplastic housing increases service life
- Rugged, impact-absorbing protective bumpers for added durability
- 400-lb. working capacity
- Integral load indicator lets you know when it is time to remove the product from service
- Certified to CSA standard Z259.2.2-98, Type 2 SRL



SDL525



Order No.	Mfg. No.	Length'	Harness Connection	Anchorage Connection
SDL525	10053558	30	None	Snap Hook
SDL526	10053559	30	1" Steel Carabiner	Snap Hook
SDL527	10058886	30	None	Swivel Snap Hook

# Fall Protection

## MINILITE™ FALL LIMITERS

- Lightweight, compact design – only 2.5 lbs.
- Corrosion-resistant interior, frame and components
- Visual load indicator
- Quick-activating, high-strength stainless steel braking system
- High-impact protective outer cover
- Prominent reflective labeling
- Snap hook harness connection
- Length: 11'
- Certified to CSA standard Z259.2.2-98, Type 1 SRL



Order No.	Mfg. No.	Anchorage Connection
SG987	FL11-3-Z7/11FT	Twist Lock Carabiner
SG988	FL11-Z7/11FT	Not Included
SG989	FL11-1-Z7/11FT	Twist Lock Carabiner

## MILLER® SCORPION™ PERSONAL FALL LIMITERS


- Small, lightweight design: 2.9 lbs. (1.3 kg)
- Quick-activating, high-strength stainless steel braking system - arrests free falls within inches
- Visual load indicator - indicates when the unit must be removed from service
- 400-lb. (181.4 kg) capacity models available upon request
- Locking snap hook harness collection
- Length: 9'
- Certified to CSA standard Z259.2.2-98, Type 1 SRL



Order No.	Mfg. No.	Anchorage Connection
SAK314	PFL-4-Z7/9FT	Carabiner and Swivel Shackle

## BLACK RHINO™ SELF-RETRACTING LIFELINES

- Ideal for concrete construction, welding, steel erection and warehouse applications
- Quick-activating, high-strength stainless steel braking system
- Variety of integral anchorage connectors available
- Integral load indicator - indicates when the unit must be removed from service
- Extended service life - corrosion-resistant stainless steel and aluminum components
- Integral internal shock absorber - consistently reduces fall forces to 900 lbs./f (4 kN) or less for greater safety
- Length: 9'
- Certified to CSA standard Z259.2.2-98, Type 1 SRL



Order No.	Mfg. No.	Harness Connection	Anchorage Connection
SAK313	CFL-5-Z7/9FT	Locking Swivel Snap Hook	Locking Swivel Rebar Hook
SEJ614	CFL-4-Z7/9FT	Swivel and Twist Lock Carabiner	Locking Swivel Snap Hook

## MILLER® TURBOLITE™ & TWIN TURBO™ PERSONAL FALL LIMITERS

- Extremely compact and lightweight 1.9 lbs. (0.86 kg)
- Engineered webbing for greater abrasion resistance and long service life
- High-strength, impact-resistant nylon housing for maximum durability
- Built-in swivel prevents lifeline from twisting
- Rated for up to a 400 lbs. (181.4 kg) user
- No annual factory recertification required
- Quick-activating, high-strength stainless steel braking system
- Twin-Turbo™ models feature a G2 connector and 2 legs for 100% tie off
- Certified to CSA standard Z259.2.2-98, Type 1 SRL



Order No.	Mfg. No.	Length'	Harness Connection	Anchorage Connection
<b>TURBOLITE™</b>				
SAR481	MFL-1-Z7/6FT	6	Steel Twist-Lock Carabiner	Locking Snap Hook
SAR482	MFL-3-Z7/6FT	6	None	Swivel Snap Hook
SAR483	MFL-11/6FT	6	Aluminum Twist-Lock Carabiner	Aluminum Locking Snap Hook
SEJ629	MFL-12-Z7/6FT	6	Aluminum Twist-Lock Carabiner	Aluminum Locking Rebar Hook
SEJ633	MFL-1-Z7/9FT	9	Steel Twist-Lock Carabiner	Locking Snap Hook
SEJ634	MFL-5-Z7/9FT	9	None	Swivel Snap Hook
SEJ635	MFL-11-Z7/9FT	9	Aluminum Twist-Lock Carabiner	Aluminum Locking Snap Hook
SEJ636	MFL-12-Z7/9FT	9	Aluminum Twist-Lock Carabiner	Aluminum Locking Rebar Hook
<b>TWIN TURBO™</b>				
SEJ630	MFLC-3-Z7/6FT	6	G2 Connector	Locking Snap Hooks
SEJ631	MFLC-4-Z7/6FT	6	G2 Connector	Locking Rebar Hooks
SEJ632	MFLC-12-Z7/6FT	6	G2 Connector	Aluminum Locking Rebar Hooks

## FALCON™ SELF-RETRACTING LIFELINES

Pound for pound the strongest, most durable retractable lifeline available.

- Corrosion-resistant stainless steel and aluminum internal components
- Engineered spring retraction tension designed not to pull or drag on a worker to improve productivity and reduce fatigue
- Dual swivels (unit top and snap hook) to prevent lifeline from twisting
- Improved load indicator on the snap hook identifies when the unit needs to be removed from service
- Maximum Working Load: 310 lbs. (148 kg)
- Maximum Arresting Force: <900 lbs/f (4 kN)
- Swivel snap hook harness connection and swivel carabiner anchorage connection
- Certified to CSA standard Z259.2.2-98, Type 2 SRL



### LIFETIME HOUSING GUARANTEE\*

\* When used under typical working conditions



Order No.	Mfg. No.	Length'
SAK316	MP20G-Z7/20FT	20
SAK317	MP50G-Z7/50FT	50

## MIGHTYLITE SELF-RETRACTING LIFELINES

Perfect solution for an array of construction, industrial, warehouse, utility, telecommunications, agriculture, mining and confined space applications.

- Ideal for hard-to-mount locations
- Corrosion-resistant stainless steel and aluminum components extend service life
- Carabiner and tagline included
- Locking snap hook harness connection and carabiner anchorage connection
- Length: 20'
- Rated to 310 lbs. (140.6 kg) capacity
- Certified to CSA standard Z259.2.2-98, Type 1 SRL



Order No.	Mfg. No.	Lifeline
SD001	RL20P-Z7/20FT	1" Polyester Webbing
SD002	RL20G-Z7/20FT	3/16" Galvanised Cable
SD003	RL20SS-Z7/20FT	3/16" Stainless Steel Cable

## MIGHTEVAC™ SELF-RETRACTING LIFELINES

- Combines the MightyLite self-retracting lifeline series with a quick-activating retrieval mechanism for emergency evacuation
- 20% lighter than competitive models
- Provides quick and easy rescue with a 4:1 mechanical advantage (average speed of 25 feet per minute)
- Durable, field-tested construction
- Corrosion-resistant stainless steel/aluminum components
- Convenient, heavy-duty carrying handle
- Galvanised wire rope
- Locking snap hook harness connection
- 310 lbs. weight capacity
- Certified to CSA standard Z259.2.2-98, Type 3 RSRL



SAH522



Order No.	Mfg. No.	Length'
<b>W/O MOUNTING BRACKET</b>		
SAH519	MR50G-Z7/50FT	50
SAH520	MR100G-Z7/100FT	100
SAH521	MR130G-Z7/130FT	130
<b>W/MOUNTING BRACKET</b>		
SAH522	MR50GB-Z7/50FT	50
SAH523	MR100GB-Z7/100FT	100
SAH524	MR130GB-Z7/130FT	130

## SELF-RETRACTING LIFELINES

- Corrosion-resistant alloy housing
- Stainless steel cables, ideal for the food industry and environments involving chemicals
- Load indicator triggers to show the unit has been subjected to a severe force
- High corrosion resistance, high strength and relatively low weight
- Lifeline retracts under light tension
- Easy to use and install
- 3/16" (5 mm) stainless cable with swivel load-indicating snap hook
- Snap hook harness connection
- Length: 50'
- Certified to CSA standard Z259.2.2-98, type 1 SRL

Order No. SAO556

Mfg. No. FP2/3155



## DURALITE II SELF-RETRACTING LIFELINES

- 20' in length
- Lightweight alternative to SRL's equipped with heavy metallic housings or internal mechanisms
- Made with a tough polymer housing
- 3/4" (20 mm) nylon webbing
- Variety of connectors available
- Ideal for a vast variety of applications
- Locking snap hook harness connection
- Length: 20'
- Certified to CSA standard Z259.2.2-98, Type 1 SRL

Order No. SAJ444

Mfg. No. FP1/306W



## DURALITE III SELF-RETRACTING LIFELINES

- This lightweight unit, weighing 2.4 lbs. (1.1 kg), is a favourite of workers using a telescopic pole or a first-man-up system
- One of the few CSA Type 1 units on the market that is serviceable, reducing cost of ownership
- Superior braking system – Unit will sense the worker has fallen and lock up only when required; the unit will not lock up when the worker is travelling to or away from the anchor
- Dyneema®/polyester webbing is up to 15 times stronger than quality steel and up to 40% stronger than aramid fibres, both on weight-for-weight basis
- Load indicator built into snap hook reveals when fall has occurred allowing the worker to quickly see if the unit requires servicing
- Swivelling anchor prevents the webbing from twisting and tangling
- Locking snap hook harness connection and carabiner anchorage connection
- Certified to CSA standard Z259.2.2-98



SAO680

Order No.	Mfg. No.	Length'	Life Line	CSA Type
SAO680	FP1/303W	10	3/4" (20 mm) Webbing	1
SAP408	FP1/304W	12	3/4" (20mm) Webbing w/Shock Absorber	2



# Fall Protection

## DURABILT HARNESSES

- Basic lightweight universal harness for everyday use
- User friendly, cost effective
- Polyester webbing for greater resistance to chemicals
- Universal style, one size fits most
- ISO 9001 manufacturing facility
- Certified to CSA standard Z259.10-06



**NORTH**

by Honeywell

Order No.	Mfg. No.	D-Rings	Leg Connections	Size	CSA Class
SAH533	FPD698/1DP	Back	Pass-thru	Universal	A
SAH535	FPD698/1DPXL	Back	Pass-thru	XL	A
SAH534	FPD698/1DGP	Back	Tongue Buckle	Universal	A
SAH536	FPD698/1DGPXL	Back	Tongue Buckle	XL	A
SAH762	FPD698/3DGP	Back and Side	Tongue Buckle	Universal	A, P
SAH764	FPD698/3DGPXL	Back and Side	Tongue Buckle	XL	A, P

### ACCESSORIES

Order No.	Mfg. No.	Description
SAR472	FB780L	Leg or Shoulder Pad w/Velcro Enclosure



SAH533

## TITAN™ AERIAL LIFT FALL PROTECTION KITS

- Full-body Titan™ construction harness with permanently attached 6' (1.8 m) tubular shock-absorbing lanyard
- Universal fit
- Harness certified to CSA standard Z259.10-06, Class A
- Lanyard certified to CSA standard Z259.11-05, Class E4



**MILLER**

by Honeywell

Order No.	Mfg. No.	Lanyard Anchorage Connection	Carrying Bag
SAH515	TK4051/U/6FTAKC	Locking Snap Hook	No
SAH517	TK4052/U/6FTAKC	Locking Rebar Hook	No



SAH515

## TITAN™ CONSTRUCTION & GENERAL MAINTENANCE FALL PROTECTION KITS

- One full body universal sized harness with tongue buckle leg straps (SN066)
- One 6' (1.8 m) tubular shock-absorbing lanyard (SN069)
- One 6' (1.8 m) cross arm strap
- Harness certified to CSA standard Z259.10-06, Class A
- Lanyard certified to CSA standard Z259.11-05, Class E4

Order No. SR532

Mfg. No. TCK4500/U16FTAKC



**MILLER**

by Honeywell



SR532

## TITAN™ READYROOFER® FALL PROTECTION KITS

### LIGHTWEIGHT, FULL-BODY HARNESS

- Fully adjustable, non-stretch harness
- Certified to CSA standard Z259.10-06, Class A

### SHOCK-ABSORBING LANYARD

- 3' ft (0.9 m) polyester web lanyard with integral shock absorber and two locking snap hooks
- Certified to CSA standard Z259.11-05, Class E4

### COMPACT TRAILING ROPE GRAB

- Lightweight, easy-to-use design with hands-free operation
- Durable, corrosion-resistant, stainless steel construction
- Attaches anywhere on the lifeline

### HIGH-STRENGTH ROPE LIFELINE

- 5/8" (16 mm) diameter polyester/polypropylene construction with loop and locking snap hook
- 9300-lb tensile strength, treated to combat ultraviolet rays

### VERSATILE, REUSABLE ROOF ANCHOR WITH ATTACHMENT D-RING

- Easily installs on steep-pitched or flat surface roofs
- Reusable roof anchor

### WATER-PROOF CONTAINER

- Ideal for equipment storage

**MILLER**

by Honeywell



Order No.	Mfg. No.	Description
SAK303	BRFK25/25FTC	25' (7.6 m) Rope Lifeline
SAK304	BRFK50/50FTC	50' (15 m) Rope Lifeline

## HARNESS/LANYARD KITS

- Harness with permanently attached 4' or 6' decelerator energy absorbing lanyard
- Harness certified to CSA standard Z259.10-06, Class A,P
- Lanyard certified to CSA standard Z259.11-05, Class E4



Order No.	Mfg. No.	Anchorage Connection	Lanyard Length'	Harness Size
SAH769	FPDCOMBO1/4	Double Locking Snap Hook	4	Universal
SAH771	FPDCOMBO1/6	Double Locking Snap Hook	6	Universal
SAH772	FPDCOMBO1XL/6	Double Locking Snap Hook	6	X-Large
SAH540	FPDCOMBO2/4	Double Locking Rebar Hook	4	Universal
SAH542	FPDCOMBO2/6	Double Locking Rebar Hook	6	Universal
SAH543	FPDCOMBO2XL/6	Double Locking Rebar Hook	6	X-Large



SAH540



## AERIAL FALL PROTECTION KITS

- Polyester full body harness
- Permanently attached polyester decelerator energy absorbing lanyard with double locking snap hook
- Carrying bag included
- Harness certified to CSA standard Z259.10-06, Class A
- Lanyard certified to CSA standard Z259.11-05, Class E4



**NORTH**  
by Honeywell

Order No.	Mfg No.	Lanyard Length'	Harness Size
SAH777	FPDKIT1/4	4	Universal
SAH778	FPDKIT1XL/4	4	X-Large
SAH779	FPDKIT1/6	6	Universal
SAH780	FPDKIT1XL/6	6	X-Large



SAH777

## CONSTRUCTION FALL PROTECTION KITS

- Polyester full body universal harness
- Polyester decelerator energy absorbing lanyard with double locking snap hook
- Carrying bag included
- Harness certified to CSA standard Z259.10-06, Class A
- Lanyard certified to CSA standard Z259.11-05, Class E4



**NORTH**  
by Honeywell

Order No.	Mfg No.	Lanyard Length'
SAH794	FPDKIT2/4	4
SAH797	FPDKIT2/6	6



SAH794

# Fall Protection

## SCAFFOLDING/FORMING FALL PROTECTION KITS

- Polyester full body universal harness
- Polyester decelerator energy absorbing lanyard with double locking snap hook and 2 1/2" stamped scaffolding hook
- Carrying bag included
- Harness certified to CSA standard Z259.10-06, Class A
- Lanyard certified to CSA standard Z259.11-05, Class E4



**NORTH**  
by Honeywell



Order No.	Mfg No.	Lanyard Length'	Harness Size
SAJ339	FPDKIT3/4	4	Universal
SAJ340	FPDKIT3XL/4	4	X-Large
SAJ341	FPDKIT3/6	6	Universal
SAJ342	FPDKIT3XL/6	6	X-Large

## ROOFER'S FALL PROTECTION KITS

- Lightweight universal harness
- Soft pack energy absorbing lanyard and rope grab, permanently attached
- Three-strand copolymer 5/8" (16 mm) rope
- One roof bracket
- One carabiner connector
- Ten 4" (100 mm) Ardox spiral nails
- Durable storage bucket
- Harness certified to CSA standard Z259.10-06, Class A
- Lanyard certified to CSA standard Z259.11-05, Class E4



**NORTH**  
by Honeywell



Order No.	Mfg No.	Rope Length'
SAJ347	FPD90/25	25
SAJ348	FPD90/50	50

## COMPLIANCE IN A CAN™ FALL PROTECTION KITS

- A complete CSA compliant fall protection system in one handy container
- Harnesses are certified to CSA standard Z259.10-06, Class A
- Lanyards are certified to CSA standard Z259.11-05, Class E4



capital  
safety

**PROTECTA**

Order No.	Mfg. No.	Kit Contains
SEB356	2199825	Vest style harness with pass-thru connections Reusable Roof Anchor 50' x 5/8" polyester/polypropylene lifeline 2' shock absorbing lanyard
SEB357	2199820	Vest style harness with pass-thru connections 6' shock absorbing lanyard with 2 locking snap hooks

## WORKMAN FALL PROTECTION KITS

- Includes vest-style harness, energy absorbing lanyard, anchor strap and duffle bag
- Harness certified to CSA standard Z259.10-06, Class A
- Lanyard certified to CSA standard Z259.11-05, Class E4



**MSA**

Order No.	Mfg. No.	Leg Connections	Harness Size
SDL511	10092166	Quick-Connect	Universal
SDL512	10092167	Tongue-Buckle	Universal
SDL513	10092168	Quick-Connect	X-Large
SDL514	10092169	Tongue-Buckle	X-Large



## CABLE LADDER SAFETY SYSTEMS

- The Lad-Saf™ flexible cable system consists of a top and bottom bracket that act as anchors for a steel cable that runs the length of the climbing area
- A Lad-Saf™ sleeve connects the worker to the system, automatically follows the user during the climb, and locks on to the cable in the event of a fall
- Designed for ease of use, economy, and versatility
- Integrated tension indicating bottom brackets take the guess work out of installation
- Galvanized and stainless steel construction stands up to harsh environments for added longevity
- Integrated shock absorbing top bracket reduces forces imposed on ladder during a fall
- Intermediate cable guides prevent cable wear against the ladder and permit the climber to bypass without disconnecting
- Complete system includes both top and bottom brackets, cable and cable guides. They do not include a sleeve, carabiner, or harness
- System is also customizable, call today to learn more



Order No.	Mfg. No.	Length'
SEE810	LADSAF-20	20
SEE811	LADSAF-30	30



## LAD-SAF™ FLEXIBLE CABLE SLEEVES

- Sleeve for Lad-Saf™ fixed ladder safety system
- Automatically follows the user for hand-free climbing and fall protection
- Easy to install and detach anywhere along lifeline
- Secure locking system stops falls within inches
- Built-in gravity lock prevents incorrect installation
- Saflok™ steel carabiner for secure connection to harness
- Extremely rugged and corrosion resistant construction
- Compact, lightweight design
- Fits 3/8" and 5/16" diameter 1 x 7 or 7 x 19 solid core cable



Order No.	Mfg. No	Description
SEB467	6166540	Lad-Saf™ Flexible Cable Sleeve
SDK982	6160030	Lad-Saf™ X2 Flexible Cable Sleeve

## ROLLGLISS™ R500 RESCUE & DESCENT DEVICES

- Choice of controlled descent rescue, evacuation, or the versatility of assisted rescue with lifting capabilities
- Fully automatic controlled descent feature, at 2-3 ft. per second (0.6-0.9 m)
- Ideal for rescue and evacuation from heights up to 1000' (300 m) for one user 310 lbs. or 330' (100 m) for two users totaling 550 lbs.
- Unique bidirectional design allows one end of the lifeline to descend while the other ascends, ready for another rescue

Order No. SEJ616  
Mfg. No. 3320100



## ROPE GRABS

- Constructed of high impact resistant steel
- Operates in automatic or manual mode
- Can be used on approved horizontal rope systems
- Can be removed and reattached to rope at any point during traverse
- Designed for use with nylon or polyester rope
- Accommodates 5/8" (16 mm) rope
- Total weight: 1.75 lbs. (0.79 kg)
- Certified to CSA standard Z259.2.1-98 (R2004)




Order No.	Mfg. No.	Description
SEB385	AC202C	Cobra Rope Grab
SEB386	AC203C-SA2	Cobra Rope Grab with built-in 2' (0.61 m) Shock Absorber and Lanyard
SEB387	AC203C-2SL	Cobra Rope Grab with built-in 2 3/4' Polyester Web Lanyard

## ROPE LIFELINES

- 16 mm (5/8") diameter, polyester sheath with polypropylene core
- Tensile strength: 5600 lbs. (2540 kg)
- Zinc plated stamped steel hook

SEB381

Order No.	Mfg. No.	Length'
SEB381	SSR100-50	50
SEB382	SSR100-100	100



## ROPE LIFELINES

- 30' lifeline
- 5/8" diameter
- Snap hook at one end
- Features additional abrasion and UV resistance, for added durability, longevity, and safety

Order No. SEC130  
Mfg. No. 1202754C



## LAD-SAF™ ROPE GRABS

- Mobile design automatically follows users for hands-free operation
- Detachable design can be attached or removed anywhere along lifeline
- Inertia and cam locking systems for safety and to prevent "panic-grab"
- For use on 5/8" (16 mm) polyester/polypropylene rope lifeline
- Use with 3' shock absorbing lanyard

Order No. SEB433  
Mfg. No. 5000335C



# Fall Protection

## ANCHORAGE CONNECTING CARABINERS

- Zinc plated, 5000-lb. anchorage point
- Easy one-hand operation
- Self-locking
- 3/4" gate opening
- Meets OSHA 1926 and ANSI SZ359 standards

Order No. **SEB926**

Mfg. No. AJ514A



## SAFLOK™ CARABINERS

- Steel carabiners
- Self locking/closing
- 3600-lb. gate

SEH168

SEE719



Order No.	Mfg. No.	Gate Opening"
SEH168	2000117	1 1/16
SEE719	2000113	1 3/16

## CABLE TIE-OFF ADAPTORS

- 1/4" coated galvanized cable
- Lightweight and extremely durable
- Stands up to harsh environments
- Snap hook at one end, O-ring at the other
- Length: 6'

Order No. **SEB470**

Mfg. No. AJ408CG-6



## TIE-OFF ADAPTORS

- Pass-thru style polyester web tie-off adaptor



Order No.	Mfg. No.	Length'
SEB389	1003000	3
SEB390	1003006	6



## CONCRETE ANCHOR STRAPS

- Loop slips over rebar for fast installation
- Durable polyester construction
- Abrasion resistant polyester wear pad
- High strength D-ring
- Compact and lightweight design
- Economical disposable design
- Length: 42"

Order No. **SEK053**

Mfg. No. 2100050



## CONCRETE DETENT ANCHORS

- Reusable detent pin assembly allows a user to tie-off anywhere a socket is pre-installed with a push of a button
- Lightweight and portable
- Socket can be installed vertically or overhead into a concrete wall, floor, or ceiling
- Rugged, corrosion resistant stainless steel

Order No. **SEJ623**

Mfg. No. 2101004



## D-RING ANCHORAGE PLATES

- Can be bolted or welded to a structure, offering a compact, reliable connection point
- Two 1/2" diameter attachment holes
- 304 stainless steel anchorage plate
- Plate size: 1/4" x 2" x 4 1/2"



Order No.	Mfg. No.	D-Ring Material
SEB449	2101630	Cadmium Plated Steel
SEP808	2101636	Stainless Steel

## CONCRETE D-RING ANCHORS

- Reusable D-ring assembly
- Rugged design for harsh environments
- Safe "hook-up" indicator notifies user of proper installation
- Install into 11/16" or 3/4" holes - only standard drill bits needed



Order No.	Mfg. No.	Description
SEB438	2104568	Bolt & D-Ring Assembly
SEP882	2100066	10-Pack Replacement Bolts

## SAFLOK® MINING ANCHORS


- Designed to be used with friction rock bolts in a variety of mining applications
- The hybrid swivel anchor is designed to stay in one spot, while the bolt anchor offers the flexibility to move from location to location
- Durable, lightweight, and easy to install



Order No.	Mfg. No.	Description	Bolt Width mm
SEJ619	2100153	Bolt Anchor w/Swivel O-Ring	39
SEJ620	2100154	Bolt Anchor w/Swivel O-Ring	47
SEJ621	2100155	Hybrid Swivel Anchor	39
SEJ622	2100156	Hybrid Swivel Anchor	47

## FIXED BEAM ANCHORS

- Installs in seconds to the beam structure in any orientation
- Final tightening using a built-in adjustment handle



Order No.	Mfg. No.	Fits Beams
SEE808	2108406	1 1/2" Thick, 2 1/2" to 12" Wide
SER656	2108407	1 1/2" Thick, 2 1/2" to 18" Wide

## FREESTANDING COUNTERWEIGHT ANCHORS

- Freestanding system is easily placed on top of the roof surface to provide tie-off point for one worker

Order No. SEE809  
Mfg. No. 7200439



## WORKING IN CONFINED SPACES? SEE PAGE 257 FOR OUR BLOWERS



## ROOF ANCHORS

- 5000-lb anchorage point can be reused
- Forged alloy D-ring
- Painted steel construction
- Includes twenty 16D nails for single use
- Total weight: 3 lbs.

Order No. SEB388  
Mfg. No. AJ730A



## GLYDER™ 2 SLIDING BEAM ANCHORS

- Wear pads eliminate metal-to-metal contact, for smooth operation
- Easy installation
- Dual beam grip adjustment prevents twisting and turning
- Extremely light weight at only 3.7 lbs.
- User capacity of 420 lbs.
- Fits flange 3 1/2" to 14" wide and up to 1 1/4" thick

Order No. SEB435  
Mfg. No. 2104700



## DOOR/WINDOW JAMB ANCHORS

- Fits door or window sizes ranging from 21 1/2" to 51 1/2" in width
- Non-penetrating design ensures no damage to structure
- Fast and easy installation with built-in adjustment knob – no tools or drilling are required
- Lightweight and extremely portable design

Order No. SEJ618  
Mfg. No. 2100080



## BEAM TROLLEY ANCHORAGE CONNECTORS

- Installs easily and quickly overhead with no tools necessary at ends or midpoint on beams
- Non-corrosive double-shielded wheel bearings provide smooth and effortless operation
- Trolley guards protect the wheels from damage and keep the beam ahead of the trolley clear of debris
- Provides added maneuverability, improved safety, and increased productivity
- Fits flat or tapered beam flanges 3" to 8" wide, and up to 11/16" thick

Order No. SEJ617  
Mfg. No. 2103143





# Fall Protection

## SECURASPAN™ HORIZONTAL LIFELINE ASSEMBLY

- Incorporates a modular design that accommodates a wide range of steel and concrete beams
- Rugged 3/8" 7 x 19 galvanized cable lifeline
- Built-in turnbuckle type tensioner
- Saflok™ carabiners at each end for fast and safe attachment
- Lightweight and portable design
- Includes cable lifeline, tensioner, termination and mounting hardware, and Zorbit™ energy absorber

Order No. SEP788  
Mfg. No. 7403060



## CYNCH-LOK™ POLE CLIMBING DEVICE

- Lightweight pole climbing design
- For distribution pole sizes 5 1/2" dia./17 1/2" circ. minimum, 18 1/2" dia./58" circ. maximum
- Extremely durable pole strap with wear indicator
- Abrasion resistant sleeve
- One-handed effortless adjustment
- Pinch-free ergonomic grips
- Stopping cleat and carabiner
- Modular design with field replaceable straps
- Protected labels

Order No. SEP793  
Mfg. No. 1204057



## RETRIEVAL WRISTLETS

- Designed for confined space rescue, wristlets attach to the victims wrists
- Ideal for narrow extractions
- Integral D-ring connection point for winch/SRL
- Durable polyester construction
- Compact lightweight design
- Length: 2'

Order No. SEP942  
Mfg. No. 1001220



## ZORBIT™ ENERGY ABSORBERS

- For use with horizontal lifeline systems to limit fall arrest forces
- Allows for use of standard 5000-lb. anchors
- Configure systems of up to 60 feet with one device, or 100 feet with two
- Light weight and portable design
- Extremely durable stainless steel

Order No. SEP787  
Mfg. No. 7401013



## PRO™ D-RING EXTENSIONS

- Extends dorsal harness D-rings or overhead anchor points
- Abrasion resistant polyester webbing
- User friendly self-locking snap hook
- High strength D-ring tie-off point
- Length: 1 1/2'

Order No. SEJ955  
Mfg. No. 1385000C



## SUSPENSION TRAUMA SAFETY STRAPS

- They are deployed when needed, hook together in seconds, and let a suspended worker stand up in harness, relieving downward pressure
- You can quickly attach them to most harness brands right in the field
- Compact, lightweight design stays out of your way

Order No. SEB436  
Mfg. No. 9501403C



**FOR SAFETY GLOVES,  
SEE PAGES 186-219**



## POINTGUARD™ ANCHORAGE STRAPS

- Durable polyester webbing is economical, quick and easy to install
- When anchorage connector is no longer needed, simply cut strap and throw away
- Available in two models:
  - Residential construction (3' length)
  - Concrete construction (4' length, includes protective sheath)
- 400-lb. (182 kg) capacity



SAM476

**MSA**

Order No.	Mfg. No.	Type	Anchorage Connector	Length'
SAM476	10042792	Residential	D-Ring	3
SAM477	10042793	Residential	Web Loop	3
SAM478	10042794	Concrete	D-Ring	4
SAM479	10042795	Concrete	Web Loop	4

## D-PLATE ANCHORAGE CONNECTORS

- Provides permanent anchorage point
- Bolts to beams or columns



SAM483

**MSA**

Order No.	Mfg. No.	Material
SAM483	506632	Zinc-Plated Steel
SAM484	506672	Anodized Aluminum Back-Plate

## BOSUN CHAIRS

- Best method to sit suspended for long durations
- Padded seat ensures comfort during use
- Adjustable web assembly ensures security
- Designed to be used in conjunction with full body harnesses
- Bosun chair, attached to D-ring, will keep the user in upright position
- 5" x 16 1/2" padded seat, black nylon straps, 2 carabiners

Order No. SAM399  
Mfg. No. SSH3505017



**MSA**

## ANCHORAGE STRAPS

- D-ring on one end and a sewn loop on the other end
- Length: 5'



SAM474

**MSA**

Order No.	Mfg. No.	Material
SAM474	505282	Nylon
SAM475	505298	Polyester

## FP STRYDER BEAM ANCHORS

- Easy, single hand installation
- Lightweight 4.5 lbs. unit
- Low friction wear pads with Teflon® allows the anchor to glide effortlessly along the beam flange
- Integral load indicator alerts the user if the unit has been exposed to a fall
- Versatile design allows for mounting overhead or at worker's feet
- Easy to use, push-button adjustment with 1/4" adjustment intervals
- Standard version fits beam flange widths from 4" to 14" and the X-Large fits beam flange from 14" to 23.5"
- 400-lb work capacity



**MSA**

Order No.	Mfg. No.	Description	Fits Beams"
SAO684	10051961XL	X-Large	14 to 23.5

## CARABINERS

ALL CARABINERS HAVE A MINIMUM BREAKING STRENGTH OF 5000 LBS.

**MSA**



- 2" (50 mm) gate opening
- Auto-locking
- Steel

Order No. SAM502  
Mfg. No. 506308



- 2.1" (52 mm) gate opening
- Auto-locking
- Steel

Order No. SAM503  
Mfg. No. SRCC734G



- 7/8" (22 mm) gate opening
- Auto-locking
- Aluminum

Order No. SAM499  
Mfg. No. 506259



- 1" (25 mm) gate opening
- Auto-locking
- Steel

Order No. SAM500  
Mfg. No. SRCC643



- 1.2" (32 mm) gate opening
- Auto-locking
- Steel

Order No. SAM501  
Mfg. No. SRCC642

## ANCHORAGE CONNECTORS

Designed as the intermediary for securing a connecting device to an anchorage, careful consideration should be given to selecting a proper anchorage for ultimate safety. The anchorage should be easily accessible, located a safe distance above any lower obstacles and support 5000 lbs. (22 kN) per worker.

### REBAR HOOK ANCHORS

- Facilitates anchoring to scaffolding, pipe or angle iron
- Features a locking rebar hook
- 400-lb. maximum capacity

Order No.	Mfg. No.	Description
SD538	485-Z7/221NYLC	w/Shock Absorber
SD008	480-Z7/19INGN	w/o Shock Absorber



# MILLER

by Honeywell

### CROSS-ARM STRAPS

- Web cross-arm strap wraps around I-beams and other structures
- Attaches with a 2" D-ring that slips through a 3" D-ring
- Forms a secure attachment point for lanyards and other connecting devices
- Length: 6'
- 400-lb. maximum capacity

Order No.	Mfg. No.	Length'	Description
SD009	8183/6FTGN	6	w/Shock Absorber
SAR479	8185K/3FTBK	3	Arc-Rated Kevlar
SAR480	8185K/6FTBK	6	Arc-Rated Kevlar



### D-BOLT PERMANENT ANCHORAGE CONNECTORS

- 1/2" diameter D-bolt anchor
- One-piece unit with lockwasher and nut
- 400-lb. maximum capacity

Order No. SD005  
Mfg. No. 415



### BEAM TROLLEYS

- Steel anchor point that can be attached to horizontal I-beams
- Adjustable beam trolley slides along with the worker to provide maximum mobility
- 400-lb. maximum capacity

Order No.	Mfg. No.	Description	Beam Width"
SD010	9065/BK	Beam Trolley	3 - 4 1/2
SAK435	9065-1	Adapter Kit for SD010	3 - 8 1/2



### BEAM CLAMPS

- Steel anchor point that can be attached to horizontal I-beams, S-beams or W-beams
- Swivel attachment ring prevents twisting of the worker's connecting device
- 400-lb. maximum capacity

Order No.	Mfg. No.	Max Beam Width"
SD006	450	9
SD007	455	12 1/2



## ANCHORAGE CONNECTORS

A variety of wrap around anchorage connectors and other connectors for beams will suit most applications. All anchorage connectors have a minimum breaking strength of 22 kN (5000 lbs.), unless otherwise stated.

# NORTH

by Honeywell

### PASS-THROUGH WEB ANCHOR SLINGS

- 2" heavy-duty nylon web
- Small D-ring passes through large D-ring to form a loop around the anchorage point

Order No.	Mfg. No.	Length'
SAK491	FP03/4	4
SN136	FP03/6	6



SAK491

### BOLT-ON D-RING ANCHORAGE CONNECTORS

- Gate opening of 4 1/4" (10.8 cm)
- Reduces roll-out possibilities
- Mounting hardware required

Order No. SAK492  
Mfg. No. FP3730



### SPECTRA® WEB ANCHOR SLINGS

- Made of revolutionary Spectra® webbing for lightweight, small size, and exceptional strength
- 1" web can be used without additional protective materials in concrete forming

Order No.	Mfg. No.	Length'
SAK501	FP242/2	2
SAK502	FP242/3	3




SAJ446

### CABLE ANCHOR SLINGS

- 1/4" (6.35 mm) galvanized steel cable
- Swaged eyes at each end
- PVC coated against corrosion

Order No.	Mfg. No.	Length'
SN137	FP02/3	3
SN138	FP02/6	6



SN137



## CARABINERS

- Made of steel
- Auto-locking
- 1" (25 mm) gate opening

Order No. SEB610  
Mfg. No. FP88



## CARABINERS

- Twist-lock gates
- 400-lb. (181.4 kg) maximum capacity.



Order No.	Mfg. No.	Material	Gate Opening"
SAK327	17D-1	Steel	1
SAK328	17D-2-Z7/	Aluminum	1
SAK330	18D-1	Steel	2
SAK331	18D-2-Z7/	Aluminum	2 1/4

## MILLER® ROPE GRABS & VERTICAL LIFELINES

Miller® rope grabs move easily up and down vertical lifelines to provide continuous fall protection. Trailing models offer complete hands-free operation for increased productivity. In the event of a fall, Miller® rope grabs lock quickly.

- Compact design; corrosion-resistant stainless steel construction
- Lightweight and easy to use
- Certified to CSA standard Z259.2.1-98 (R2004)



Order No.	Mfg. No.	Description
SAK318	8175/C	Stainless Steel Trailing Rope Grab For Use With 5/8" (16 mm) Rope
SC995	8175SLS-Z7/3FTYLC	SC994 w/SofStop® Shock Absorber w/Locking Snap Hook

Note: Locking snap hook – 3/4" (19 mm) gate opening.

### VERTICAL LIFELINES

Order No.	Mfg. No.	Description
SC996	300C/25FTBL	25' Polyester/Polypropylene Blend Rope Lifeline w/Carabiner
SC998	300L-2/25FTBLC	5/8" dia. Polyester/Polypropylene Blend Rope w/Snap Hook, 25'
SC999	300L-5/50FTBLC	5/8" dia. Polyester/Polypropylene Blend Rope w/Snap Hook, 50'

## LIFTING YOKES & SPREADER BARS

- To be used with the harness equipped with shoulder D-rings for confined space rescue
- Nylon webbing

Order No. SAR485  
Mfg. No. FP4017B



## CARRYING BAGS

- Convenient carrying bag with North logo

Order No. SAH539  
Mfg. No. FPD1011



## ROPE GRABS & VERTICAL LIFELINES

Rope grab and lifeline combinations still provide some of the most cost-effective solutions for fall protection needs. North offers you the widest assortment of rope implements in the market ranging from automatic rope grabs to rope adjusters.

- Constructed from quality, corrosion-resistant materials for long service life
- Match the device with the lifeline product that most suits your needs
- Certified to CSA standard Z259.2.1-98 (R2004)



Order No.	Mfg. No.	Description		
AUTOMATIC ROPE GRAB				
SN114	FP541	Automatic Panic Lock - Rope Grab		
SAG159	FP542	Automatic Panic Lock with 2' Lanyard, Energy Absorber with Snap Hook		
AUTOMATIC ROPE GRAB WITH PARK FEATURE				
SN117	FP564	Includes 2' (0.6 m) Soft Pak Energy Absorbing Lanyard with Snap Hook		
VERTICAL LIFELINES				
Order No.	Mfg. No.	Description	Composition	Tensile Strength
SN118	FP16E/SP50	5/8" (16 mm) 3-Strand, 50'	Polyolefin Fibre	8100 lbs. (3680 kg)
SN119	FP16E/SP100	5/8" (16 mm) 3-Strand, 100'	Polyolefin Fibre	8100 lbs. (3680 kg)
SEC448	195R-2/50FTWH	5/8" (16 mm) Kernmantel, 50'	Nylon	12570 lbs. (5700 kg)
SEC449	195R-2/100FTWH	5/8" (16 mm) Kernmantel, 100'	Nylon	12570 lbs. (5700 kg)

# Fall Protection

## CONFINED SPACE RESCUE SYSTEMS

- DBI Sala has an extensive line of rescue and retrieval systems to suit your confined space entry and rescue needs
- High-quality, rugged systems meet applicable industry standards, and can be customized to suit your needs
- Ease-of-use ensures you have the ability to handle a crisis simply, flawlessly, and immediately
- Made from quality materials strong enough to endure rough handling and exposure to the elements
- Systems are adjustable and adaptable to extreme environments and uneven terrain
- Modular design allows you to add to the system over time
- Portable systems are easy to transport, set-up, and store



## DAVIT ARM SYSTEM COMPONENTS

### ADVANCED ADJUSTABLE OFFSET DAVIT MAST

- Adjustable length of Davit ensures lifelines are always centred over confined space
- Combine with up to two lower mast extensions to increase anchorage height

Order No.	Mfg. No.	Description
SEB442	8518001	Davit Mast, 11 1/2" - 27 1/2" Adjustable Offset
SEE775	8518006	Davit Mast, 23 1/2" - 42 1/2" Adjustable Offset
SEE776	8518509	Mast Extension, 21"
SEE777	8518002	Mast Extension, 33"
SEE778	8518003	Mast Extension, 45"
SEE779	8518004	Mast Extension, 57"

### ADVANCED PORTABLE BASES

- Work with a variety of advanced davit arm and mast extensions
- Ideal when you need to move and access various confined space areas
- Lightweight, easy to transport, set-up, and use

Order No.	Mfg. No.	Description
SEE780	8518005	For 27 1/2" Maximum Offset Davit Mast
SEE781	8518008	For 42 1/2" Maximum Offset Davit Mast

### ADVANCED PERMANENT FIXED BASES

- Works with a variety of advanced davit arm and mast extensions
- Fixed bases are ideal for work areas where frequent set-up and tear-down is required
- Base can be permanently installed to an existing structure

Order No.	Mfg. No.	Description	Material	Mounts to
SEJ393	8516190	Floor Mount	Zinc Plated Steel	Concrete or Steel
SEJ394	8510316	Floor Mount	Steel	Concrete or Steel
SEJ395	8512831	Center Mount	Zinc Plated Steel	Welding, or Bolting
SEJ396	8518348	Wall Mount	Stainless Steel	Concrete or Steel
SEJ397	8510109	Core Mount	Zinc Plated	Concrete or Steel
SEJ398	8515162	Deck Mount	Zinc Plated	Flooring



SEB442



SEE780



SEJ393

## ADVANCED 5-PIECE HOIST SYSTEM

- Davit arm and base system includes adjustable offset upper mast, 33" lightweight lower mast, and 3-piece lightweight base
- Includes winch mounting bracket
- Winch and self-retracting lifelines sold separately



SEB441



Order No.	Mfg. No.	Description
SEB441	8518000	5-Piece System with 27 1/2" Maximum Offset Davit Mast
SEE782	8518040	5-Piece System with 42 1/2" Maximum Offset Davit Mast

## PRO™ CONFINED SPACE SYSTEMS

- Complete confined space systems
- Easily transportable
- Can be set-up by one worker
- All kits include 8' aluminum tripod, 50' galvanized winch, pulley for confined space entry, quick-mount bracket, and Rebel™ 50' galvanized self retracting lifeline
- Tripod features locking legs, simple adjustment, quick-mount mechanical device bracket, skid resistant tread plate soles on feet, and safety chain to prevent movement



Order No.	Mfg. No.	Additional Inclusions
SEL080	8308052	-
SEL081	8308051	Class A Harness w/Pass-Thru Buckles
SEL082	8308053	Tripod Carrying Bag and Class A Harness w/Pass-Thru Buckles

## BANTAMLIFT™ DAVIT SYSTEMS

### ANCHORAGE CONNECTORS & DAVITS

- Ideal for applications where a temporary anchorage is required
- Assemble and disassemble quickly with the ability to transport from site to site
- Built tough to provide a safe and secure anchorage for confined space entry, exit, rescue and/or suspension work
- Components are made of strong aluminum alloy (except for the bases)
- Rated for working loads up to 450 lbs. (204.5 kg)
- Provide a proof-tested 5000 lbs. (2273 kg) anchor (in most configurations) or at least a 2:1 safety factor when used with approved fall arrest devices
- Booms reach up to 48" (122 cm)
- Various masts to meet your requirements
- Comply with current OSHA requirements for confined space entry and egress

Order No.	Mfg. No.	Description	Application
SAK562	FP6660/00	Davit Fixed Base	General Purpose Base
SAK563	FP6663/00	Portable Davit Base for Davit System	Where Temporary Anchorage is Required
SAK564	FP6670/24	Davit mast 12" to 24"	Standard Davit Mast
SAK565	FP6680/24	Davit boom 12" to 24"	Standard Boom



SAK565



SAK562



SAK564

Sold Separately




by Honeywell

## INNOVA™ XTIRPA™ CONFINED SPACE RESCUE SYSTEMS

- Versatile system can be configured to meet many confined space/rescue applications
- Made of lightweight aluminum composite
- Maximum capacity of 4200 lbs.
- Ergonomic design allows this system to be easily transported and installed by one person; set-up within five minutes for one person
- Easy storage - No vehicle modifications required
- Corrosion resistant, durable system is built to last
- Meets or exceeds applicable CSA, ANSI, OSHA and CSST requirements

### DAVIT ARMS

- Fall protection and retrieval davit arm will facilitate your access to underground chambers and any other confined space
- Equipped with a 5000 lbs. anchor point
- Capacity is 360 lbs. when used with a mast system, and 420 lbs. when used with a manhole guard: safety factor of 10:1
- Weighs just 23 lbs.
- Meets or exceeds applicable CSA, ANSI, OSHA and CSST requirements



Mast (SAQ159)

Base (SAQ161)

**XTIRPA**

**Innova**  
Produits de Services Public - Public Utility Products inc.

### MASTS

- Designed to be used in conjunction with davit arm (SAQ158) and fits all of the permanent or mobile adapters
- Made of aircraft industry aluminum and is very light and durable
- Weighing only 22 lbs., the unit can be used in confined spaces where a versatile and reliable rescue entry/retrieval system is needed

### MANHOLE GUARDS

- Portable barricades have an integrated mast for use with davit arms
- Can be transformed very quickly into a confined space rescue, entry/retrieval system
- Meets or exceeds applicable CSA, ANSI, OSHA and CSST requirements



Order No.	Mfg. No.	Description
SEC112	IN2210	Davit Arm
SAQ159	IN-2003	Mast
SAQ160	IN-2013	Stainless Steel Wall Base
SAQ161	IN-2005	Stainless Steel Base
SAQ157	IN-2001	Manhole Guard



# Fall Protection

## ALUMINUM TRIPODS

- Lightweight and portable
- Ideal for manhole entry and retrieval applications
- Easily set-up by one worker
- Adjustable locking legs
- Will span a 5' diameter hole
- Height: 7'

Order No. **SEB437**  
Mfg. No. 8000000



## SALALIFT II WINCHES

- Lightweight and easy to use
- Manually operated by simply rotating the handle to raise or lower personnel or materials
- Quick-mount bracket which mates with all DBI Sala® support structures
- Housing made of durable medium-density polyethylene
- Features a self-locking swivel snap hook
- 60' x 1/4" galvanized cable

Order No. **SEB445**  
Mfg. No. 8102001



## MILLER® TRIPODS

- Lightweight, high-strength aluminum construction
- Adjustable legs with integral push pins, ideal for uneven surfaces
- Safety chain and tripod feet with rubber skid pads and serrated edge prevent slippage in icy conditions
- Independent leg locking feature holds legs securely in place
- Withstands up to 5000 lbs. (22 kN) of vertical pull
- Height: 7'


Order No. **SAK436**  
Mfg. No. 51/7FT



## MANHANDLER® HOISTS/WINCHES

- Compact, durable steel construction
- Smooth, controlled winding action
- Effortless lifting and lowering with 5:1 gear ratio
- Anti-backlash crank handle braking system prevents freewheeling
- Digital indicating system which counts drum turns in order to determine maintenance periodicity
- Built-in mounting bracket
- 65' x 3/16" galvanized steel cable
- 350 lbs. (1.6 kN) working capacity

Order No. **SAR489**  
Mfg. No. 8442-Z7/65FT



SAR489

## SEALED SELF-RETRACTING LIFELINE W/RETRIEVAL WINCH

- Patented concept that separates all dynamic components from foreign elements such as grease, moisture and dirt
- Self contained bi-directional retrieval winch suitable for raising and lowering personnel in emergency rescue/retrieval situations
- Overload device reduces the possibility of injury should the worker become entangled during retrieval
- Input crank handle brake will prevent movement of the load if the handle is accidentally released
- Self adjusting disk brake will stop a fall and limit the arresting forces to 900 lbs. or less
- Quick-mount bracket that enables the user to attach it to a DBI/SALA support structure (tripod, davit arm, etc.) with ease
- Swiveling anchorage loop to prevent twisting of lifeline
- Self-locking swivel snap hook with impact indicator
- Reserve lifeline retention system for added safety
- 50' x 3/16" galvanized steel wire rope
- Stainless steel and cast aluminum housing for corrosion resistance



Order No.	Mfg. No.	Description
<b>SEB336</b>	3400115C	50' Sealed SRL
<b>SEH133</b>	8301000	50' Sealed SRL w/7' Tripod

## ADVANCED DIGITAL SERIES WINCHES


- Performs both descent and retrieval functions
- Removable aluminum crank handle
- Utilizes both 9:1 and 4:1 drives
- Capable of average speeds from 4 m/min (13 ft/min) up to 9 m/min (30 ft/min)
- Manually operated by simply rotating the handle to raise or lower personnel or materials
- Features a self-locking swivel snap hook
- 60' x 1/4" galvanized cable

Order No. **SEJ417**  
Mfg. No. 8518560



## CONFINED SPACE RESCUE KITS

- Ready-to-use combination of North equipment for rescue, entry/egress
- 7' portable tripod with safety chain around legs
- 3-way self-retracting lifeline with cast aluminum housing – 50' stainless steel cable 3/16"
- Capacity: 310 lbs. (140 kg)
- Kit includes: Tripod, 3-Way SRL, Mounting Bracket, and Carrying Bag
- Workload winch and winch mounting bracket sold separately



by Honeywell

Order No.	Mfg. No.	Description
<b>SN130</b>	FP664155R	Confined Space Kit
<b>SAO558</b>	FP2/7155R	Retrieval Winch
<b>SAH548</b>	FP6610/15	Winch Mounting Bracket

## WORKMAN TRIPODS & CONFINED SPACE ENTRY KITS

- Automatic hinge lock legs with incremental adjustment
- Skid resistant feet
- Tripods feature maximum height indicator, cut-resistant leg pin retention chains, recessed product labels, reduced weight, and integral carrying strap
- Can be set up and dismantled without the use of tools
- Kits allow for non-entry rescue of a confined space entrant and great portability
- Kit with winch allows workers to lift and lower materials and personnel while having the ability to use an SRL



SDL533

**MSA**

Order No.	Mfg. No.	Description
SDL531	10102002	Tripod
SDL532	10117244	Tripod with Lynx Rescuer SRL
SDL533	10105271	Tripod with Lynx Hoist and Rescuer SRL

## DYNEVAC® II SELF-RETRACTING LIFELINE

- Self retracting lifeline with emergency retrieval capabilities
- Allows user to reset device from retrieval mode to fall arrest mode
- Can be used in the field for training situations
- Provides fall arrest and emergency lifting and lowering for confined space entry



SDL534

**MSA**

Order No.	Mfg. No.	Length'
SDL534	10007782	50
SDL535	10007783	95

## LYNX PERSONNEL /MATERIAL HOISTS

- Rugged, economical, and versatile hoist for listing, lowering, and positioning of personnel and materials in confined space applications
- Anti-backlash crank handle with a lifting/lowering speed of 25' per minute
- Load limiting clutch prevents overloading of hoist
- Designed for a maximum workload of 310 lbs. for personnel, or 620 lbs. for materials
- All steel construction with an internal energy absorber that operates even when usable length of line is fully extracted
- Galvanized wire rope and locking swivel snap hook
- Emergency drive allows manual bypass of load-limiting clutch for extra lifting capacity in an emergency
- Primary gear backed up by two independent secondary brakes

Order No. SDL544  
Mfg. No. 10016569

**MSA**



## FOLDING DAVIT & BASE

- Portable and economical anchorage connector used where a tripod will not work
- Zinc-plated alloy-steel davit arm
- Provides a 24" reach and 77" of head clearance
- Pivots 360°
- Readily maneuvers personnel and materials between spaces that are below the deck where it is mounted
- May be carried from base to base and installed within minutes
- Davit arms, bases, mounting brackets and pulleys sold separately



SDL539

**MSA**

Order No.	Mfg. No.	Description
SDL539	506613	Davit Arm
SDL540	506614	Base
SDL541	506622	Mounting Bracket for 30' and 50' SRLs
SDL542	506362	Mounting Bracket for 70' and 95' SRLs
SDL543	506222	Pulley

# Fall Protection

## SQUIDS® TOOL LANYARDS

- Nylon tubular elastic material stretched to allow flexibility in use and to help absorb the impact of a dropped tool
- Lightweight aluminum carabiner quickly attaches to a wide range of locations
- Reflective stitching runs the length of the product for added visibility
- All lanyards have a maximum working capacity of 10 lbs., sewn directly on to the product



SEE100



SEE101



SEE104



Order No.	Mfg. No.	Colour	Length"	Anchorage Connection	Tool Connection
SEE100	19008	Lime	28-35	Locking Carabiner	Adjustable Barrel Lock
TEP213	19002	Black	35-42	Carabiner	Adjustable Barrel Lock
SEE102	19003	Lime	35-42	Carabiner	Adjustable Barrel Lock
SEE103	19022	Black	35-42	Carabiner	Carabiner
SEE104	19023	Lime	35-42	Carabiner	Carabiner
SEJ654	19009	Lime	35-42	Triple Locking Carabiner	Adjustable Barrel Lock
SEJ655	19007	Lime	35-42	Screw-Lock Carabiner	Adjustable Barrel Lock

## ARSENAL LEATHER BOTTOM CANVAS TOOL BUCKETS

- High wall, heavy-duty construction with leather reinforced base
- Molded plastic top ring
- Interior pocket
- Size: 12.5" dia. x 17" H
- Maximum safe working capacity: 150 lbs.
- Available with safety tops to prevent tools and equipment from falling when hoisting them to an at-heights job site



SEE106

SEE105



SEE109  
Optional  
Safety Top



Order No.	Mfg. No.	Description
SEE105	14430	Bucket w/Rope Handle
SEE106	14440	Bucket w/Rope Handle and Swivel Snap Hook
SEE109	14438	Safety Top for 12.5" dia.

## ARSENAL PLASTIC BOTTOM CANVAS TOOL BUCKETS

- High wall, heavy-duty construction
- Molded plastic base and top ring
- Interior pocket
- Size: 12.5" dia. x 15" H
- Maximum safe working capacity: 150 lbs.
- Available with safety tops to prevent tools and equipment from falling when hoisting them to an at-heights job site



SEE107



SEE108



SEE109  
Optional  
Safety Top



Order No.	Mfg. No.	Description
SEE107	14433	Bucket w/Rope Handle
SEE108	14443	Bucket w/Rope Handle and Swivel Snap Hook
SEE109	14438	Safety Top for 12.5" dia.

## HARD HAT LANYARDS

- Easily secures hard hat to the worker to prevent the hat from falling, causing a hazard and lost-time
- Comfortably attaches to hard hats and other headwear
- High stretch elastic material
- Available with double lock plastic buckle or easy-release clamp



SED573



SED574



Order No.	Mfg. No.	Description
SED573	19150	Buckle
SED574	19155	Clamp