

## NOVA EMERGENCY LIGHTING UNITS

- 120/277/347 VAC input
- Push button test switch
- Dual diagnostic LEDs indicate AC-ON and CHARGE
- Solid state transfer charger
- Brownout and low voltage protection
- Two top mounted high impact thermoplastic PAR18 9 W tungsten heads
- 20-gauge steel construction with baked powder coat white paint finish
- Pre-stamped universal mounting and keyhole slots
- Output 6 VDC or 12 VDC at rated wattage for 30 minutes

XA439



XA440



XA190



Order No.	Mfg. No.	Replacement Batteries	Voltage Output	Watts Output			
				1/2 hr.	1 hr.	1 1/2 hr.	2 hr.
XA190	NV-636/2SR	XA604	6	36	18	12	9
XA438	NV-650/2SR	XB921	6	50	25	17	12
XA439	NV-680/2SR	XA605	6	80	40	26	20
XA440*	NV1272/2SR	XA604	12	72	36	24	18
XA441	NV12120/2SR	XB922	12	120	80	65	25
XA442*	NV12150/2SR	XA605	12	150	80	65	40
XA443*	NV12180/2SR	XB922	12	180	100	60	45
XA444**	NV12250/2SR	XA606	12	250	125	83	62
XA445	NV12360/2SR	XA606	12	360	180	120	90

REPLACEMENT BULB	Description
XB338	LP104 9 W Tungsten

\* Two batteries required  
\*\* Three batteries required

## NEMA12 EMERGENCY LIGHTING UNITS

- NEMA12 rated – water and dust tight units
- 120/277/347 VAC input
- Push button test switch
- Dual diagnostic LEDs indicate AC-ON and CHARGE
- Solid state transfer charger
- Brownout and low voltage protection
- Two top mounted, high impact thermoplastic PAR36 9 W weatherproof heads
- 20-gauge steel housing in industrial grey fibreglass finish
- Pre-stamped mounting holes
- Output 6 V or 12 VDC at rated wattage for 30 minutes
- Certified for sale in Canada by an accredited certification body



SEG853



Order No.	Mfg. No.	Replacement Batteries	Voltage	Watts Output			
				1/2 hr.	1 hr.	1 1/2 hr.	2 hr.
SEG853	LDT-636/2LR-9W	XA604	6 VDC	36	18	9	0
SEG854	LDT-680/2LR-9W	XA605	6 VDC	80	40	20	10
SEG855*	LDT-1272/2LR-9W	XA604	12 VDC	72	36	18	9

REPLACEMENT BULB	Description
XB338	LP104 9 W Tungsten

\* Two batteries required

## SEALED LEAD ACID BATTERIES



Order No.	Mfg. No.	Description
XA604	BA-6-5.0BB	6 V, 5 Ampere-Hour
XA605	BA-6-12.0BB	6 V, 12 Ampere-Hour
XA606	BA-12-32.0BB	12 V, 32 Ampere-Hour
XB921	BA-6-7.2BB	6 V, 7.2 Ampere-Hour
XB922	BA-12-7.2BB	12 V, 7.2 Ampere-Hour

## MOTION SENSOR SECURITY LIGHTS

- Pre-wired outdoor lighting comes with a motion sensor to discourage intruders
- Can be wall or ceiling mounted
- Hidden controls
- Electric photocell allows unit to function at night only
- Detection area: 80' L x 40' W
- 125 V
- Bulbs sold separately
- Certified for sale in Canada by an accredited certification body



Order No.	Mfg. No.	Description
XC366	79100	Brown
XA458	79101	White

REPLACEMENT BULB	Description
XB134	14515 75W PAR 38 Flood light

## ILLUMINA® BS100 SERIES IP66 VAPOR-TIGHT

- Lightweight, durable 100% corrosion, flame and vandal resistant polycarbonate construction
- Designed to be resilient, highly efficient and easy to install
- For ceiling, wall, suspension and pendant installations
- UV stabilized to reduce the yellowing index
- Liquid silicone memory retention gasket allows for installations in wet locations
- Incorporates a "dual concave" parabolic high-output, metallized reflector
- Also approved for through wiring application
- Certified for sale in Canada by an accredited certification body



Order No.	Mfg. No.	Volts
XC441	BS10048T8232AC120V	120
XC442	BS10048T8232AC347V	347

# Emergency Lights

## STELLA EXIT SIGNS

- C860 approved
- All LED versions feature 120/347 VAC dual input (hardwire) and universal DC; 6-24 VDC
- EXIT and SORTIE signs use a 2 watt LED source
- Long life LED light source, 20-year life expectancy
- Knock-out chevrons
- 20-gauge steel construction with white baked powder coat paint finish
- Pre-stamped universal mounting and keyhole slots on backplate
- Certified for sale in Canada by an accredited certification body

**Order No. XB930** EXIT  
**Mfg. No.** SLE-SP-L-R-U-M  
**Order No. XB933** SORTIE  
**Mfg. No.** SLS-L-R-U-M

Beghelli

XB930



XB933



## STELLA COMBINATION SIGNS

- C860 approved
- LED EXIT and SORTIE models 120/347 VAC dual input (hardwire)
- Push button test switch
- Self-powered for minimum 30 minutes – 6 VDC 36 W
- Solid state transfer charger
- Dual diagnostic LEDs indicate AC-ON and CHARGE
- Brownout and low voltage protection
- Two top mounted high impact thermoplastic PAR18 9-watt tungsten heads
- Knock-out chevrons
- 20-gauge steel construction with white baked powder coat paint finish
- Certified for sale in Canada by an accredited certification body

**REPLACEMENT BULB:** 9-watt tungsten  
**Order No. XB338**  
**Mfg. No.** LP104



Beghelli

XB929



## STELLA RUNNING MAN EXIT SIGNS

- Feature 120/347 VAC dual input (hardwire), universal DC; 6-24 VDC or self-powered
- Running Man sign uses a 2 watt LED source
- Long life LED light source, 20-year life expectancy
- Universal pictograms included showing left indicators, right indicators and no indicators
- 20-gauge steel construction with white baked powder coat paint finish
- Pre-stamped universal mounting and keyhole slots on backplate
- Certified for sale in Canada by an accredited certification body

**Order No. XE661**  
**Mfg. No.** SL-RM-L-U-0LR-M (AC)  
**Order No. XE662**  
**Mfg. No.** SL-RM-SP-L-U-0LR-M (Self-powered)  
**Order No. XE663**  
**Mfg. No.** SL-RM-L-U-0LR-M-UDC (6-24 VDC)



XE661

Beghelli

Order No.	Mfg. No.	Description
XB929	SLE-6-36-L-R-U-M-2SR/9W	Combination EXIT Sign and Battery Unit
XB932	SLS-6-36-L-R-U-M-2SR/9W	Combination SORTIE Sign and Battery Unit

## EMERGENCY SECURITY LIGHTS

- 2-head plug-in fully rechargeable emergency light is ideal for both residential and commercial use
- Turns on automatically when the power goes out
- Can operate for up to two hours when both lights are engaged (four hours if one light is engaged)
- Choice of either shelf or wall mounting
- Certified for sale in Canada by an accredited certification body

**Order No. XA456**  
**Mfg. No.** 32602

**REPLACEMENT BULB:**  
**Order No. XB339**  
**Mfg. No.** 88909



## STELLA RUNNING MAN COMBO EXIT SIGNS

- Running Man models are supplied with 120/347 VAC dual input (hardwire)
- Push button test switch
- Self-powered for minimum 30 minutes – 6V DC 36W
- Solid state transfer charger
- Dual diagnostic LEDs indicate AC-ON and CHARGE
- Brownout and low voltage protection
- Two top mounted high impact thermoplastic PAR18 9-watt tungsten heads
- Universal pictograms included showing left indicators, right indicators and no indicators
- 20-gauge steel construction with white baked powder coat paint finish
- Certified for sale in Canada by an accredited certification body

**Order No. XE664**  
**Mfg. No.** SL-RM-6-36-L-U-0LR-M-2SR/9W



Beghelli

XA387



XA679



XA389



## MAGLITE® MINI



### MINI MAGLITE® AA-CELL

- High-strength aluminum alloy case
- 1/2 turn, twist focus, spot-to-flood
- Candle mode for convenient hands free light
- Spare lamp safely secured in the tail cap
- O-ring sealed for water resistance
- Super-Bright Xenon Lamp™
- **Includes:** 2 AA alkaline batteries in all package types

### MINI MAGLITE® AAA-CELL

- High-strength aluminum alloy case
- Twist focus, spot-to-flood
- Spare lamp safely secured in the tail cap
- O-ring sealed for water resistance
- **Includes:** Pocket clip and 2 AAA alkaline batteries

### SOLITAIRE® AAA-CELL

- High-strength aluminum alloy case
- Less than 1 oz. and about 3" in length
- Spare lamp safely secured in the tail cap
- **Includes:** 1 AAA alkaline battery and key lead lanyard

Order No.	Description	Lumens
<b>MINI MAGLITE® AA-CELL</b>		
XA669	Blister Pack	14
XA387	Presentation Box	14
XA678	Holster Pack	14
XA679	Combo Pack	14
<b>MINI MAGLITE® AAA-CELL &amp; MINI MAGLITE LED</b>		
XA680	Blister Pack	9
XD004	LED Black, Blister Pack	87
XA388	Presentation Box	9
<b>SOLITAIRE® &amp; SOLITAIRE® LED</b>		
XA681	Black, Blister Pack	2
XD003	LED Black, Blister Pack	37
XA389	Black Presentation Box	2
XA683	Blue Presentation Box	2
<b>REPLACEMENT BULBS</b>		
XA701	Solitaire® Replacement Bulb	-
XA703	Replacement Bulb, fits AA and AAA	-
<b>BATTERIES</b>		
XB872	Replacement Batteries, AA-Cell, 24/Pkg.	-
XB873	Replacement Batteries, AAA-Cell, 24/Pkg.	-

## MAGLITE® D-CELL

- Cam driven beam changes from flood to spot with a turn of the head
- Anodized aircraft aluminum with knurled grip enhances conductivity, increases durability, reduces oxidation and battery damage
- White Star krypton lamp provides 70% more light than a standard PR2 lamp
- Spare krypton lamp included in tail cap
- Rubber O-rings ensure resistance to water and shock
- Batteries not included



Order No.	Description	Lumens
XA384	2 D-Cell Flashlight	27
XA385	3 D-Cell Flashlight	45
XA386	4 D-Cell Flashlight	98
<b>REPLACEMENT BULBS</b>		
XC955	Bi-Pin Xeon Bulb for 2 Cell	-
XC956	Bi-Pin Xeon Bulb for 3 Cell	-
XC940	Bi-Pin Xeon Bulb for 4 Cell	-
<b>BATTERIES</b>		
XB875	Replacement Batteries, D-Cell, 12/Pkg.	-

## MINI MAGLITE® LED & PRO™

- Powerful projecting LED beam that focuses simply by rotating the head
- Balanced Optics™ combines a highly refined reflector with a performance enhanced LED yielding high output intensity
- Intelligent Energy Source Management allows the user choose the power level
- Multi-mode electronic switch: 100% power, 25% power, blink, SOS (XC238 only)
- Length: 6.6"
- Maglite® Pro™ offers latest generation LED
- **Includes:** 2 AA size alkaline batteries and belt holster



## MAGLITE® LED

- Powerful projecting LED beam that focuses spot to flood simply by rotating the head
- Balanced Optics™ combines a highly refined reflector with a performance enhanced LED, for a brilliant adjustable beam
- Intelligent Energy Source Management balances high brightness with extended battery life
- Rugged, machined aluminum construction with knurled design
- Anodized inside and out for improved corrosion resistance
- Water and shock resistant
- Batteries not included



Order No.	Description	Lumens
XC238	Mini Maglite® LED Flashlight, 2 AA Cells	97
XC814	Mini Maglite® LED Pro™ Flashlight, 2 AA Cells	272
XC239	Maglite® LED Flashlight, 2 D Cells	168
XC240	Maglite® LED Flashlight, 3 D Cells	168
<b>BATTERIES</b>		
XB872	Replacement Batteries, AA-Cell, 24/Pkg.	-
XB875	Replacement Batteries, D-Cell, 12/Pkg.	-

# Flashlights & Work Lights

## MAG CHARGER® LED SYSTEM FLASHLIGHTS

- High-tech metallic reflector, combined with a tempered glass lens that delivers superior optical performance
- Durable sleek black finish, hard-anodizing inside and out for improved durability
- O-ring sealed throughout for resistance to weather and harsh environmental conditions
- Precision machined high-strength aluminum alloy case
- Individually serial numbered for identification
- NiMH rechargeable battery offers 434 m powerful projecting LED adjustable beam
- 643 lumens lasting 17 hours at low setting or 4 hours at high setting
- Quick access to your preferred functions: Full power, Power save (25%), Strobe (5/sec), SOS (Int'l Morse code), Momentary On/Off
- Length: 12 1/2"
- Weight: 2 lbs.



**XD007 System (V4) Includes:** Mag Charger® flashlight, charging cradle, NiMH rechargeable battery pack, two mounting brackets, 120 V converter, mobile power adapter (12 V)

## MAGLITE® LED

Use the **XD007** rechargeable system just as it is (see Function Set #1 Standard) or personalize it to meet your own needs by choosing one of the other function sets in the chart shown below.

	Function Set 1 (standard)	Function Set 2	Function Set 3	Function Set 4
<b>1 Click</b>	Full Power	Full Power	Momentary	Momentary
<b>2 Clicks</b>	Power Save	Power Save	Full Power	Full Power
<b>3 Clicks</b>	Strobe	SOS Signal	Power Save	Strobe

Order No.	Mfg. No.	Description	Lumens
<b>XD007</b>	RL1019	Rechargeable LED System	643
<b>XC849</b>	ARXX235	Replacement NiMH Battery Pack	-

## STEALTHLITE™ 2400

- 4 AA-cell flashlight is water resistant with an unbreakable corrosion proof ABS body and hi-impact polycarbonate lens
- Xenon® lamp module gives an unsurpassed 45 lumens white collimated beam
- One handed on/off locking switch plus a heavy-duty lanyard
- Safe to be used in gaseous or electrical hazardous environments



### APPROVALS

FM	Class I; Div 2; Group ABCD, T3A
MSHA	10C-633-0
CSA	Class I; Div 2; Group ABCD, T3C Class II; Div 2; Group G
UL	Class I; Div 1; Group D, Zone 1, IIA, T3
Ex (CE)	II 3 GD EEx nL IIC T5 sni 135°C

**Order No. XA026**

**Order No. XA019**  
Replacement bulb

**Order No. XB872**  
Replacement batteries, AA-cell, 24/pkg.

## MITYLITE® 2340

- 6 1/4" in length and equipped with a handy tail button switch
- Made of an unbreakable chemical resistant resin with a polycarbonate lens and thermoplastic rubber shroud
- Lumens: 10
- Includes a pre-focused Xenon® lamp module, shirt clip and 2 AA-cell Energizer® alkaline batteries
- Non-submersible



### APPROVALS

CSA	Class I; Div 2; Group ABCD, T3C Class II; Div 2; Group G
FM	Class I; Div 2; Groups ABCD, T3A
MSHA	10C-637-0
IEC Ex	Ex ib e IIC T4 IP67 IEC EX TSA 06.0021x

**Order No. XB349** Black

**Order No. XB350** Yellow

**Order No. XB351** Replacement bulb

**Order No. XB872** Replacement batteries, AA-cell, 24/pkg.

## MITYLITE® 1900

- Made of unbreakable space age hi-impact polycarbonate resin
- Xenon® lamp module provides 7.0 lumens of power
- Equipped with a shirt clip, making it easy to fit into pockets, purses, tool kits, camera bags or glove compartments
- Submersible with a twist-on shroud
- Length: 4.09"
- Includes 2 AAA alkaline batteries



### APPROVALS

CSA	Class I, Div 2: Group ABCD, T3C Class II; Div 2; Group G
IEC Ex	Ex ib e IIC T4 IP67 IEC EX TSA 06.0021x

**Order No. XA027**

**Order No. XA018** Replacement bulb

**Order No. XB873** Replacement batteries, AAA-cell, 24/pkg.

## SABRELITE® 2000

- Watertight to 500 feet
- Made out of unbreakable ABS material with a hi-impact polycarbonate lens
- Exclusive state-of-the-art Xenon® lamp module that produces a tightly focused collimated white light beam with 33 lumens of power
- Safe to be used in gaseous or electrical hazardous environments
- 3 C-cell batteries not included
- Length: 7.79"
- **Includes:** Belt spring clip, stainless steel split ring and black lanyard



### APPROVALS

FM	Class I, II; Div 2; Group ABCD/G, T3C
MSHA	10C-629-2
CSA	Class I; Div 2; Group ABCD,T3C Class II; Div 2; Group G
IEC Ex	Ex ib e IIC T4 IP67
UL	Class I, Div I, Group CD Class I, Zone I, Group IIA, IIB,T3C

**Order No. XA129** Yellow

**Order No. XA130** Black

**Order No. XA012** Replacement bulb

**Order No. XB874** Replacement batteries, C-cell, 12/pkg.



## PENLIGHTS

- Compact, high-powered C4® LED penlights provide a super bright beam
- Constructed of corrosion proof, machined aircraft-grade aluminum alloy with Type II MIL-Spec anodized plating
- 30000 hour lifetime 0.5 watt LED never needs to be replaced
- Water resistant per code IPX4; in accordance with specification EN 60529:1992
- Tail switch features momentary blink and constant "on" modes
- Matte black finish

XC395



XC394



### MICROSTREAM®

- Produces up to 35 lumens
- Run time: Up to 2.25 hours
- Includes: One AAA alkaline battery, pocket clip and lanyard

Order No. XC395

### STYLUS PRO®

- Produces up to 65 lumens
- Run time: Up to 6.5 regulated hours
- Includes: Two AAA alkaline batteries, nylon holster and pocket clip

Order No. XC394

## STYLUS® PENLIGHTS

- High intensity LED lasts 100000 hours
- Up to 24 hours of continuous run time
- **XB942** and **XC245** have a flexible cable making it possible to see anywhere
- **XD450**: Intrinsic safety for hazardous location, Class I, Div. 1, Groups A, B, C, D, T3C
- Powered by 3 AAAA alkaline batteries (included)
- Black casing with pocket clip

XB943



XC245



Order No.	Description	Lumens
<b>XB943</b>	Stylus® Penlight, 1.1 oz.	11
<b>XB942</b>	Stylus Reach® Penlight - 7" Cable, 1.7 oz.	11
<b>XC245</b>	Stylus Reach® Penlight - 18" Cable, 3.5 oz.	11
<b>XD450</b>	Stylus® cUL, 1.1 oz.	11
<b>XC001</b>	Replacement Batteries, AAAA-Cell, 2/Pkg.	-

## E-SPOT® LITEBOX® RECHARGEABLE LANTERNS

- Uses three C4® LEDs and deep-dish parabolic reflectors to produce a large spot pattern
- Run Times: High - up to 7 continuous hours; Low - up to 15 continuous hours
- Produces up to 50000 candelas and has 540 lumens on high power
- IPX4 rated design for weather resistant operation
- Fits existing Streamlight LiteBox® racks
- Includes 6 V, 12 Ah sealed lead acid rechargeable battery; rechargeable up to 500 times



XC759

Order No.	Description	Colour	Lumens
<b>XC759</b>	E-Spot® LiteBox® Rechargeable Lantern	Orange	540
<b>XC760</b>	E-Spot® LiteBox® Rechargeable Lantern	Yellow	540

## WAYPOINT® PISTOL-GRIP SPOTLIGHTS

- C4® LED technology, with a 50000 hour lifetime
- Three modes of lighting: High, low and emergency signal
- IPX4 rated design for water resistant operation
- High power: 210 lumens
- Low power: 20 lumens
- Integrated stand for hands-free scene lighting
- Unbreakable polycarbonate lens
- Powered by 4 "C" batteries (not included) or 12 V DC power cord (included)
- Run time: 4 "C" alkaline batteries 8.6 hours; 12 V DC power cord unlimited

XC764



XC765



Order No.	Colour	Lumens
<b>XC764</b>	Yellow	210
<b>XC765</b>	Black	210
<b>XC874</b>	Replacement Batteries, C-Cell, 12/Pkg.	-

## PROPOLYMER® FLASHLIGHTS

- Waterproof, non-conductive polymer casings
- Easy to use push button momentary or constant "on-off" switching
- **XC051** and **XC054** feature super bright, 100000 hour lifetime LEDs
- **XC052** and **XC055** contain a powerful Xenon® bulb
- **XC053**, **XC056** and **XC477** contain a super high flux LED with a 10000 hour lifetime
- **XC051**, **XC052** and **XC053** have a spring loaded clip
- **XC051**, **XC054**, **XC052** and **XC055** are cUL Listed Class I, II, Div. 2, Class III and MSHA approved
- **XC477** is cUL Listed for Class I, II, Div. 1, Class III and MSHA approved
- **XC053** and **XC056** are cUL Listed for Class I, II, Div. 2, Class III

XC051



XC055



XC477



Order No.	Description	Lumens
<b>XC051</b>	3 C-Cell LED, 336 Hours of Continuous Run Time	85
<b>XC052</b>	3 C-Cell Xenon®, 5.5 Hours of Continuous Run Time	50
<b>XC053</b>	3 C-Cell Lux LED, Up to 5.5 Hours at Full Intensity	44
<b>XC054*</b>	4 AA-Cell LED, 155 Hours of Continuous Run Time	67
<b>XC055*</b>	4 AA-Cell Xenon®, 4 Hours of Continuous Run Time	34
<b>XC056*</b>	4 AA Lux LED, Div. 2, 6 Hours of Continuous Run Time	100
<b>XC477*</b>	4 AA Lux LED, Div. 1, 6 hours of Continuous Run Time	100

\* Includes batteries

# Flashlights & Work Lights

## THE SIEGE® HAND LANTERN

- **White LED (four C4® LEDs) with cover removed:**  
High Mode: Brightest light; 340 lumens; runs 30 hours  
Medium Mode: Bright light and longer run times;  
175 lumens; runs 70 hours  
Low Mode: Provides extended run times when less light is required; 33 lumens; runs 295 hours
- **Red LED (one red LED):**  
Red LED High Mode: Steady (night vision preserving mode); 10 lumens; runs 235 hours  
Flash SOS Mode: Emergency signaling; 10 lumens; runs 430 hours  
Night Vision Mode: Preserving mode extends run time for emergency preparedness
- Polycarbonate glare-reducing cover provides soft, even 360° light distribution; cover is removable to illuminate large areas
- Stand it upright or use as an overhead light or hang it with D-ring on base of lantern
- Uses three "D" cell alkaline batteries (not included)
- Battery level indicator changes from green, to yellow, to red, then to flashing red when batteries reach the end of their useable life
- IPX7 waterproof to 1 m submersion; it floats; 2 m impact resistance tested
- 7.25 in. (18.41 cm); 1 lb. 15 oz. (878.83 grams) with batteries



Order No. **XD340**

Mfg. No. 44931

Order No. **XB875** Batteries, D-Cell, 12/pkg.



## HARD CASE PROFESSIONAL™ 2 AA LED FLASHLIGHTS

- 250 lumens
- Survives 30' drop test
- Weatherproof
- Shatterproof lens
- Impact resistant steel plate bolted sides
- 3-hour run time on high power, 50-hour run time on low power
- **Includes:** 2 AA Energizer® alkaline batteries



Order No. **XC234**

Mfg. No. TUF2AAPE

Order No. **XB872**

Replacement batteries, AA-cell, 24/pkg.

## CONTRACTOR® SERIES INTRINSICALLY SAFE LIGHTS

- Designed to meet the needs of hazardous work environments by combining the major performance advantages of LED without sacrificing brightness
- Chemical-resistant, anti-static polyethylene construction
- Carabiner belt hook on tall cap
- Survives 7' drop test
- CUL 913 Certified Intrinsically Safe for Class I, Groups A, B, C and D; Class II, Groups E, F and G; Class III
- CAN/CSA C22.2 No. 157-92
- IEC 60529 waterproof and dustproof
- 2 AA alkaline batteries not included



Order No.	Description	Avg life	Lumens
<b>XC324</b>	Three White Nichia CS	20 hrs	40
<b>XB872</b>	Replacement Batteries, AA-Cell 24/Pkg.	-	-

## BATTERIES



Order No.	Mfg. No.	Description	Qty/Pkg.
<b>ALKALINE INDUSTRIAL</b>			
<b>XB873</b>	EN92	AAA/1.5 V	24
<b>XB872</b>	EN91	AA/1.5 V	24
<b>XB874</b>	EN93	C/1.5 V	12
<b>XB875</b>	EN95	D/1.5 V	12
<b>XB876</b>	EN22	9 V	12
<b>ALKALINE</b>			
<b>XC001</b>	E96BP2	AAAA/1.5 V/ E2	2
<b>XA430</b>	529	Lantern, 6 V, Spring	1
<b>XB996</b>	A76BP2	1.5 V, Instruments	2
<b>SILVER OXIDE</b>			
<b>XB992</b>	357BP	1.5 V, 11.6 mm x 5.4 mm	1
<b>XB993</b>	377BP	1.5 V, 6.8 mm x 2.6 mm	1
<b>XB994</b>	392BP2	1.5 V, 7.9 mm x 3.6 mm	1
<b>XB944</b>	EPX76P2	1.55 V, 11.6 mm x 5.4 mm	1
<b>LITHIUM</b>			
<b>XC002</b>	ECR2016BP	Coin Type, 3 V	1
<b>XC003</b>	ECR2025BP	Coin Type, 3 V	1
<b>XC004</b>	ECR2032BP	Coin Type, 3 V	1
<b>XC005</b>	ECR2450BP	Coin Type, 3 V	1
<b>XC006</b>	EL123APBP	Photo, 3 V	1
<b>XC007</b>	EL1CR2BP	Photo, 3 V	1
<b>XC008</b>	EL223APBP	Photo, 6 V	1
<b>XC009</b>	EL2CR5BP	Photo, 6 V	1
<b>XC987</b>	EA522BP	Advanced Lithium™ 9 V	1
<b>XC988</b>	LA522	Advanced Lithium™ 9 V	1
<b>XC012</b>	L91BP2	AA/1.5 V	2
<b>XC013</b>	L91BP4	AA/1.5 V	4
<b>XC015</b>	L92BP2	AAA/1.5 V	2
<b>NIMH RECHARGEABLE</b>			
<b>XC016</b>	NH12BP2	AAA	2
<b>XC017</b>	NH15BP4	AA	4
<b>XC018</b>	NH22NBP	9 V	1
<b>XC019</b>	NH35BP2	C	2
<b>XC020</b>	NH50BP2	D	2
<b>GARAGE DOOR</b>			
<b>XB995</b>	A23BP	12 V	1

## BATTERY CHARGERS

- Comes with 4 AA NiMH batteries
- Can charge AA or AAA batteries
- Ideal for travelling and digital cameras
- Certified for sale in Canada by an accredited certification body



Order No.	Mfg. No.	Description	Estimated Charge Time
<b>XB997</b>	CH15MNCC4	Wall and Car	15 Minutes

## WEATHERPROOF FLOATING LANTERNS

- Weatherproof
- 6 V spring battery or 4 D batteries not included

Order No. **XA405**

Order No. **XB875** Batteries, D-Cell, 12/pkg.

Order No. **XA430** Battery, 6V spring



## INDUSTRIAL TROUBLE LIGHTS

- 75 watts
- Lightweight design
- Rugged impact resistant housing
- Grounded 25' cord
- On/Off switch handle
- **Includes:** Hanging hook and electric outlet
- Certified for sale in Canada by an accredited certification body

Order No. XC660



## MINI MOBI LED INSPECTION LIGHTS

- 20 LEDs deliver 55 lumens
- Wide spread beam of clean white light
- Tough ABS body, rubber over-mold and shatterproof lens
- Integrated floor stand, hanging hook and magnet offer multiple working positions
- Run time: 3 hours (high) – 8 hours (70% power)
- Includes 3 AA batteries
- Ideal for: Construction, industrial, maintenance industries

Order No. XD067



### REPLACEMENT BATTERIES

- AA, alkaline batteries, 24/pkg.
- Order No. XB872

## RECHARGEABLE SPOTLIGHT & LANTERN

- 19 LED spotlight and 24 LED lantern
- Warning lamp and multi-functional handle
- Lightweight design
- Rugged impact resistant housing
- 2.5 million candle power
- 8-10 hour run time with full charge
- **Includes:** 110 V adaptor and 12 V car plug
- Certified for sale in Canada by an accredited certification body

Order No. XC666



## RECHARGEABLE SPOTLIGHTS

- 27-LED spotlight and 12-LED lights on the rim
- Lightweight design
- Rugged impact resistant housing
- 4.5 million candle power
- Foldable stand
- 4-5 hour run time with full charge
- **Includes:** 110 V adaptor and 12 V car plug
- Certified for sale in Canada by an accredited certification body

Order No. XC667



## INDUSTRIAL FLUORESCENT WORK LIGHTS

- Cool running fluorescent bulb included
- Shatter resistant polycarbonate lamp shield
- **Includes:** Full length reflector, switch and hook
- **XB907** also has a magnet mount and outlet
- Certified for sale in Canada by an accredited certification body



Order No.	Description	Length"
<b>COMPACT TWIN-TUBE</b>		
<b>XB907</b>	13 W, 50' Cord, 16/3 SJT	13
<b>XA251</b>	Replacement Bulb, 13 W Fluorescent	-
<b>LINEAR FLUORESCENT</b>		
<b>XB968</b>	15 W, 25' Cord, 18/2 SJT	26
<b>XA572</b>	Replacement Bulb, 15 W Fluorescent, 24/Case	-

## INDUSTRIAL WORK LIGHTS

### INCANDESCENT WORK LIGHTS

- Grounded convenience outlet
- On/Off switch handle
- **XA175, XA918, XB987** and **XB988** feature a circuit breaker
- **XB987** and **XB988** feature a cord that stays flexible in cold temperature
- Certified for sale in Canada by an accredited certification body

XB987

XA175



Order No.	Description
<b>100 WATTS</b>	
<b>XA175</b>	25' Cord, 14/3 SJWT, 15 A
<b>XA918</b>	50' Cord, 14/3 SJWT, 15 A
<b>XB987</b>	25' Cord, 16/3 SJWTWO, All Temperature, 13 A
<b>XB988</b>	50' Cord, 16/3 SJWTWO, All Temperature, 13 A
<b>XB123</b>	Replacement Bulb, 100 W

### VAPOUR-PROOF INCANDESCENT WORK LIGHTS

- Suitable for areas where water vapour is present
- Rated for a 100 W bulb
- Impact-resistant glass globe and metal guard
- Oil-resistant yellow rubber handle
- 16/3 SOOW cord
- Not submersible
- Certified for sale in Canada by an accredited certification body

Order No.	Cord Length'
<b>XA270</b>	25
<b>XA267</b>	50
<b>XB123</b>	Replacement Bulb, 100 W



XA270

### HEAVY-DUTY FLUORESCENT WORK LIGHTS

- Cool running and protected by a rugged, shatter-proof polycarbonate tube
- Includes an enclosed starter switch, rubber end caps, full-length reflector and hanging hook
- Moisture and dust resistant
- Yellow 18/2 SJTOW cord
- Vapour-proof work lights suitable for areas where water vapour is present
- Certified for sale in Canada by an accredited certification body



XA146

Order No.	Description	Cord Length'
<b>TWIN-TUBE, COMPACT</b>		
<b>XA146</b>	13 W, 900 Lumens	25
<b>XB971</b>	13 W, 900 Lumens	50
<b>XA251</b>	Replacement Bulb, Rough Service	-
<b>LINEAR TUBE</b>		
<b>XA149</b>	15 W, 920 Lumens	25
<b>XB972</b>	15 W, 920 Lumens	50
<b>XB973</b>	25 W, 2200 Lumens	25
<b>XB974</b>	25 W, 2200 Lumens	50
<b>VAPOUR-PROOF</b>		
<b>XC330</b>	13 W, 900 Lumens	25
<b>XC331</b>	13 W, 900 Lumens	50
<b>XA251</b>	Replacement Bulb, Rough Service	-

# Flashlights & Work Lights

## LED WORK LIGHTS

- Latest in LED technology brings bright, long-lasting and energy-efficient lighting to your toughest tasks
- Cool running, cold-temperature operable and highly energy efficient
- Bright white LED's provide extremely long lamp life (100000 hours average)
- 50 LED, 15' 16/3 SJT cord, 13 A grounded outlet, removable magnet mount and dual hooks
- **Includes:** On/off switch, hanging hook and focused reflector
- Certified for sale in Canada by an accredited certification body

Order No. **XC413**



LIND EQUIPMENT



## RECHARGEABLE LED WORK LIGHTS

- Cool running, cold-temperature operable, and highly energy efficient
- Bright white LED's provide extremely long lamp life (100000 hours average)
- Dual-stage switch provides two brightness levels
- NiMH battery operates 3-4 hours on high, and 7-8 hours on low setting
- **Includes:** Low-battery indicator and charging cradle with battery monitor
- Certified for sale in Canada by an accredited certification body



XC417


LIND EQUIPMENT



## HAND-HELD FLOODLIGHTS

- 500-watt, weatherproof fixture
- 8', 16-gauge heavy-duty cord
- Comfortable foam grip
- Lights up to 5000 sq. ft.
- Certified for sale in Canada by an accredited certification body

XA145



XA143

Order No.	Description
XA143	Screw-type clamp mounts light anywhere you need it, including ladders or scaffolding
XA145	Powerful 40 lbs. pull strength magnet quickly attaches to metal surfaces
XC464	Replacement Bulb, 500 W

## RECHARGEABLE LED WORK LIGHTS

- 26 super bright LED lights
- 3-4 hour run time with full charge
- **Includes:** 110 V adaptor and 12 V car plug
- Certified for sale in Canada by an accredited certification body

Order No. **XC663**



## PORTABLE HALOGEN WORK LIGHTS

- 500-watt halogen work light
- Heat resistant tempered glass face
- Adjustable tilting head
- Colour: Black and yellow
- Halogen bulb included
- Certified for sale in Canada by an accredited certification body

Order No. **XC949**

Order No. **XC951** Replacement bulb

*aurora tools*



## XP300LED INTRINSICALLY SAFE RECHARGEABLE LED WORK LIGHTS

No need for long runs of cords or expensive explosion-proof plugs. The XP300LED is a rechargeable LED work light that is approved for Class 1 Division 1 Groups C & D locations giving you the freedom to work confidently in hazardous locations.

**Bulb:** Three x 3 W LEDs, rated for 50000 hours

**Lens:** adjustable polycarbonate lens allows the light to go from work light beam to flood light beam

**Battery:** 4.8 V NiMH rechargeable lasts 7 hours on single charge.

**Construction:** Rugged hard plastic handle, special polycarbonate lens (resistant to MEK and MPK), aluminum heat sinks, stainless steel hanging hook, soft bumpers to provide impact protection

**Length:** 13" (with battery pack)

**Diameter:** 4.5"

**Weight:** 4.3 lbs. (with battery)

**Includes:** Hanging hook, wrist strap and protective lens

**Approvals:** cETLus approved for Class I, Division 1, Groups C & D

Order No. **XC733**

Order No. **XC734** Spare battery pack

Order No. **XC735** Carrying case



LIND EQUIPMENT



## ENERGY EFFICIENT FLUORESCENT FLOODLIGHTS

- 65 W cool-running, energy efficient fluorescent floodlight
- Light output equivalent to 300 W incandescent but with much less energy use
- Aluminum frame, tempered glass lens
- Energy Star® certified

Order No. **XC469**

LIND EQUIPMENT



## RECHARGEABLE LED WORK LIGHTS

- 90, and 160 super bright LED lights
- Lightweight design
- Rugged impact resistant housing
- **Includes:** Hanging hook, powerful magnet, 110 V adaptor and 12 V car plug
- 3-4 hour run time on full charge
- Certified for sale in Canada by an accredited certification body

Order No.	# of LED
XC661	90
XC662	160



XC661

## WOBBLELIGHT® SELF-RIGHTING WORK LIGHTS

Bright and dependable, the self righting Wobblelight® delivers maximum light output in a highly durable and portable package with no hot surfaces.

- Ideal anywhere temporary high-output lighting is needed, such as indoor and outdoor construction sites, manufacturing, plant maintenance, fire and rescue
- Floating shock system protects bulb from impact
- Counter-weighted self righting design
- 360° lighting out put adjustable to 180° with optional reflector
- Optional nylon reflector shield allows you to maintain 100% light source and focus it
- Internal ventilation system keeps light cool to the touch
- No set up – plugs into 120 VAC supply
- **XC332** and **XC334** include receptacle for connecting units in a series
- Certified for sale in Canada by an accredited certification body



**WOBBLELIGHT**

**ProBuilt** Professional Lighting, LLC

Order No.	Mfg. No.	Description	Light Output Lumens	Lighting Area
<b>XC746*</b>	WL85F	85 W Fluorescent, 27" High	5000	15'-25'
<b>XC332</b>	WL175MH	175 W Metal Halide, 36" High	15000	30-42'
<b>XC334</b>	WL400MH	400 W Metal Halide, 36" High	40000	78-110'

### ACCESSORIES

Order No.	Mfg. No.	Description
<b>XC747</b>	WL62230	180° Arc Reflector Shield for XC746
<b>XC335</b>	WL52230	180° Arc Reflector Shield for XC332 and XC334
<b>XC749</b>	111810	Replacement Transparent Dome w/Cap for XC746
<b>XC453</b>	111801	Replacement Transparent Dome w/Cap for XC332 and XC334

### REPLACEMENT BULBS

<b>XC748*</b>	WL62260	Replacement Bulb for XC746
<b>XB213</b>	M175/U	Replacement Bulb for XC332
<b>XC454</b>	M400/U/ET18	Replacement Bulb for XC334

\*Energy efficient



Arc Reflector Shield

## HEAVY-DUTY MOLDED STRINGLIGHTS

- Rugged 12/3 or 12/2 STW cable is high visibility yellow
- Can be linked together for longer runs
- Sockets are rated for a max. 120 V, 150 W A23 bulbs
- Available with plastic lamp guards or heavy-duty grounded metal guards
- Certified for sale in Canada by an accredited certification body



LINDE EQUIPMENT

Order No.	Length'	Wire Type	No. of Sockets	Guard Style
<b>XB979</b>	50	12/3	5	Plastic Cage
<b>XB980</b>	50	12/3	5	Metal Cage
<b>XB981</b>	100	12/3	10	Plastic Cage
<b>XB982</b>	100	12/3	10	Metal Cage
<b>XD062</b>	100	12/2	10	Plastic Cage

### ACCESSORIES

Order No.	Description
<b>XB119</b>	Standard Coat Replacement Bulb
<b>SA0746</b>	Replacement Plastic Head
<b>SA0747</b>	Replacement Metal Head

## HANG-A-LIGHT® WORK LIGHTS

The Hang-A-Light® is a high-output temporary lighting fixture that gives 360° light with low-cost operation.

### HANG-A-LIGHT® FLUORESCENT

- Energy efficient 105 watt fluorescent bulb
- Self-ballasted CFL bulb, lightweight and flicker-free
- Lumens: 6900
- Lighting area: 20-30'
- Electrical receptacle, interconnect up to 8 units on a 120 V/15 A service
- 5' integrated power cord
- Certified for sale in Canada by an accredited certification body

### HANG-A LIGHT®

- Modifiable for 120/208/240/277 V
- Heavy-gauge steel construction
- Lumens: 42000
- Lighting area: 50-100'
- Spring-loaded steel safety hook for fast installation
- Welded wire safety cage with bottom guard
- Lights 60' radius when mounted 15' above work area
- NEC/OSHA compliant
- Suitable for damp location use
- 6' integrated power cord
- Certified for sale in Canada by an accredited certification body



XC754

Order No.	Mfg. No.	Description
<b>XC754</b>	111105F	Hang- A Light®, 105 W Fluorescent
<b>XD065</b>	111400PS	Hang- A Light®, 400 W Pulse Start Metal Halide
<b>XC755</b>	111915	Replacement Bulb for XC754
<b>XD066</b>	111903PS	Replacement Bulb for XD065



**ProBuilt** Professional Lighting, LLC

**HANG-A-LIGHT**



LIND EQUIPMENT

## HEAVY-DUTY WORK LIGHTS

- 500-watt, weatherproof fixture
- Tempered glass lens
- Chrome-plated, solid steel guard
- Shock-resistant double insulated wiring
- 500-watt colour-corrected quartz halogen bulb included
- Powder-coated steel construction
- Rubber leg tips protect floors and surfaces
- Certified for sale in Canada by an accredited certification body

### 1' TO 3' TELESCOPIC

- 8', 16-gauge heavy-duty chemical and abrasion resistant cord
- Collapsible steel base
- Lights up to 6000 sq. ft.

Order No. XA150

### 4' TO 8' TELESCOPIC

- Double-reinforced sandbaggage steel base expands to 48"
- 15', 16-gauge heavy-duty chemical and abrasion resistant outdoor cord
- Lights up to 7000 sq. ft.

Order No. XA140

### 4' TO 8' TELESCOPIC TWIN

- Twin 500-watt, weatherproof fixtures, 500 watt each head
- Fixtures independently adjustable 360°
- Two 10-A switches
- Double-reinforced sandbaggage steel base expands to 48"
- 15', 16-gauge heavy-duty chemical and abrasion resistant cord
- Lights up to 14 000 sq. ft.

Order No. XA141

### REPLACEMENT 500 W HALOGEN BULB

Order No. XC464

## POWER TOWER FLOODLIGHTS

- Rugged and powerful enough to light up large construction sites
- Sets up in only a couple of minutes and collapses to fit in any truck or SUV
- Removable mast adjusts to position the fixture from 19" to 12 1/2' from the ground
- Fits any standard generator on its base, or can be run directly from a power outlet
- 1000 W metal halide bulb(s) included
- Certified for sale in Canada by an accredited certification body



LIND EQUIPMENT

Order No.	Fixtures	Light Output Lumens	Max. Area Illuminated	Power Requirement
<b>XB369</b>	Single 1000 W	110 000	82 000 Sq. ft.	120 V 8.4 A
<b>XB370</b>	Double 1000 W	220 000	164 000 Sq. ft.	120 V 16.7 A
<b>XB217</b>	Replacement 1000 W Metal Halide Bulb			

## TWIN HEAD HALOGEN WORK LIGHTS

- Twin 500-watt halogen lights
- Heat resistant tempered glass face
- Adjustable tripod for desired height
- Extendable tripod legs provide greater stability
- Colour: Black and yellow
- Halogen bulbs included
- Certified for sale in Canada by an accredited certification body

Order No. XC950

Order No. XC951

Replacement halogen bulb

aurora tools




## HEAVY-DUTY LED DOCK LIGHT

- 40" full extension arm with five pivot points
- Cool to the touch, even if left running for extended lengths of time
- Instant start-up, at full output, even in cold temperatures
- Rugged cast aluminum housing, tempered glass lens
- Low energy usage at 22 W
- LED array lasts for 50,000 hours
- Rated for outdoor use
- 10' power cord with 5-15P plug
- Certified for sale in Canada by an accredited certification body

Order No. XD022

LIND EQUIPMENT



## HALOGEN DOCKLIGHTS

- 40" full extension
- Tempered glass lens with protective wire guard
- Light fixture can pivot up and down
- Arm has spare bulb holder built in
- Suitable for wet areas
- On/Off toggle switch
- 6' cord with ground
- Includes two 500 W quartz halogen bulbs
- Certified for sale in Canada by an accredited certification body

LIND EQUIPMENT



Order No.	Description	Wt. lbs.
<b>XA673</b>	40" Arm Length	15
<b>XC464</b>	Replacement 500 W Halogen Bulb	-

## INDUSTRIAL CORD REELS

- Mounting bracket and hardware included provide secure wall or ceiling mounting
- A release tab on the mounting bracket quickly and easily converts the reel from stationary to portable use
- Large, comfortable carrying handle
- The non-metallic composite housing ensures a prolonged, corrosion-free service life
- Certified for sale in Canada by an accredited certification body

DB978



Fluorescent Work Light



Incandescent Work Light



Order No.	Mfg. No.	Cable Length'	Cable Type	Termination	Outlet Rating
DB978	8040-T	40	12/3 SJTW	Triple Outlet	15 A, Breaker Protected
DB979	8050-T	50	14/3 SJTW	Triple Outlet	13 A, Breaker Protected
DB980	8050-103	50	14/3 SJTW	Incandescent Light	13 A, Breaker Protected
DB981*	8050-DPL	50	16/3 SJTW	26 W Fluorescent Light	7 A

\*Energy efficient

## EXTENSION REELS

- Triple outlet extension reel accommodates three tools
- Circuit breaker protects against power overloads, which can cause electrical fires
- Certified for sale in Canada by an accredited certification body



XA154



Order No.	Mfg. No.	Cable Length'	Cord	Rating
XA154	LE2630B	30	16/3 SJT	10 A
XB281	LE2630B14	30	14/3 SJT	13 A

## INCANDESCENT WORK LIGHT REELS

- Incandescent work light is rated for a 75 W bulb
- Includes switch and circuit breaker protected outlet
- Grounded metal guard with reflector protects the bulb
- Certified for sale in Canada by an accredited certification body

XA155



Order No.	Mfg. No.	Cable Length'	Cord	Rating
XA640	LE2520B	20	18/3 SVT	7 A
XA155	LE2530B	30	16/3 SJT	10 A
XA921	LE2550B	50	18/3 SVT	7 A

Replacement bulb XB122

## FLUORESCENT WORK LIGHT REELS

- 13 W compact fluorescent work light is cool running
- Polycarbonate shield allows tool-free lamp replacement
- Light output is 900 lumens
- Includes switch, hanging hook and full-length reflector
- Certified for sale in Canada by an accredited certification body

XA289



Order No.	Mfg. No.	Cable Length'	Cord
XA289	LE2840	40	18/2 SJT

## LED WORK LIGHT REELS

- Reach your light to where you need it most, with 30' or 50' of cable
- 50 or 60 bright white LED's on lights last for an average of 100000 hours
- Tough metal reel housing stands up to abuse
- Certified for sale in Canada by an accredited certification body

XC414



Order No.	Mfg. No.	Cable Length'	Description
XC414	LE2430L50	30	16/3 SJTW Cord, 50-LED Work Light w/10 A Outlet
XC415	LE2450L60	50	18/2 SVT Cord, 60-LED Work Light

## INDUSTRIAL 15A CORD REELS

- Four 5-20R grounded outlets providing a full 15 A of power
- Power "ON" light indicator
- 20' of 12/3 SJTW oil resistant and cold weather flexible cable
- Strong steel housing and epoxy finish enable the reel to be used in most industrial environments
- Circuit breaker protection against power overloads, which have the potential to cause electrical fires
- Hardware for ceiling or wall mounting included
- Certified for sale in Canada by an accredited certification body



Order No. XD052  
Mfg. No. LE2620B12Q

## THE PRO-TEC-TOR™ CIRCUIT BREAKER EXTENSION CORDS

- The only extension cord with a circuit breaker that can be reset right at the outlet end
- Protects cord set from equipment overload which can cause electrical fires
- Safety yellow SJTW cord • Certified for sale in Canada by an accredited certification body

Order No.	Mfg. No.	Description	Wire Ga/Cond.	Voltage	Cord Length'	Rating Amps
<b>14-GAUGE EXTENSION CORDS</b>						
<b>XB983</b>	LE14-T6	Triple Outlet	14/3	125	6	15
<b>XA054</b>	LE14-T25	Triple Outlet	14/3	125	25	15
<b>XA059</b>	LE14-T50	Triple Outlet	14/3	125	50	15
<b>12-GAUGE EXTENSION CORDS</b>						
<b>XC057</b>	LE12-T25	Triple Outlet	12/3	125	25	15
<b>XA055</b>	LE12-T50	Triple Outlet	12/3	125	50	15
<b>XA056</b>	LE12-T100	Triple Outlet	12/3	125	100	15



LIND  EQUIPMENT

## CLASS A, GROUND FAULT CIRCUIT INTERRUPTERS

Class A, GFCI, by standards definition, must trip the circuit if a ground fault occurs with a maximum of 6 mA of current loss to ground. If a ground fault is sensed, a Class A GFCI will trip in less than 25 ms, protecting you and your workers.

Rule 76-016 of the Canadian Electrical Code (2006 & 2009) states that, on demolition and construction projects, all 15 A and 20 A temporary receptacles (e.g. extension cords) MUST be protected with a Class A type GFCI.

Many provinces also require that ALL receptacles used to power portable tools and equipment MUST be protected with a Class A GFCI. Certified for sale in Canada by an accredited certification body.

### GFCI PROTECTED TRI-CORD

- Features three NEMA 5-15R receptacles at the end of a heavy-duty molded T-head
- Perfect for outdoor, rugged, construction type environments
- 2' 12/3 SJTW cord
- 120 V/15 A
- Available with right angle plug (XA468) or with in-line plug (XC519)

Order No. XA468

Order No. XC519



XA468

### PLUG & CORD SET

- Ideal for use with any equipment used in or around wet areas
- Rainproof rated with booted test and reset buttons
- 9" 14/3 SJTW cord
- NEMA 5-15 P & R, 120 V/15 A

Order No. XA463



XA463

### IN-LINE GFCI CORD SETS

- Excellent for use with high pressure washers, power drain snakes, submersible pumps and any equipment used in or around wet areas
- Rainproof rated with booted test and reset buttons
- Standard 14" length (other lengths available upon request)
- XA466 includes 120 V/20 A straight blade ends
- XA464 includes 120 V/30 A twist-lock ends

Order No.	Cord Type	NEMA P & R	Volts/ Amps
<b>XA465</b>	14/3 SJTW	5-15	120 V/15 A
<b>XA466</b>	12/3 SJTW	5-20	120 V/20 A
<b>XA464</b>	10/3 SJTW	L5-30	120 V/30 A



XA465

XA466

XA464

LIND  EQUIPMENT

## GFCI DOUBLE OUTLET BOX

- Two GFCI protected NEMA 5-15R outlets enclosed in an impact resistant case
- Spring-loaded cover protects the duplex outlet
- 6' 12/3 SJTW cord
- 120 V/15 A
- Certified for sale in Canada by an accredited certification body

Order No. XA237

LIND  EQUIPMENT



## 6000-25G WIND-UP EXTENSION CORDS

- Rated for 10 A, 125 V
- 25' 16/3 SJT cable
- Includes 4-grounded outlets, circuit breaker and carrying handle

Order No. XC011

LIND  EQUIPMENT



## SHOCKSAFE® INLINE GFCI TRIPLE-TAP ADAPTER

- Triple lighted tap
- 3' 12/3 SJTW cord
- 125 V/15A

Order No. XC614



PRIME 

## OUTDOOR TRIPLE TAP VINYL EXTENSION CORDS W/LIGHT INDICATOR

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals, and moisture
- Ultra flexible cord
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- Water-resistant and flame retardant
- Features a lighted triple tap connector



**aurora tools**

3-CONDUCTOR SJTOW, 300 V GROUNDING, OIL RESISTANT

Order No.	Length'	AWG	Amps	Watts	Colour
<b>EXTRA HEAVY-DUTY</b>					
<b>XC497</b>	25	12/3	15	1875	Yellow
<b>XC498</b>	50	12/3	15	1875	Yellow
<b>XC499</b>	100	12/3	15	1875	Yellow

XC497



## INDOOR/OUTDOOR STANDARD-DUTY EXTENSION CORDS

- Designed for light industrial, contractor, and home use
- Durable SJTW jacket protects against ultraviolet rays, chemicals and moisture
- Extremely flexible jacket
- Molded-on and bonded plugs and connectors resist breaking



**aurora tools**

3-CONDUCTOR SJTW, 125 V GROUNDING

Order No.	Length'	AWG	Amps	Watts	Colour
<b>XC630</b>	10	16/3	13	1625	Orange
<b>XC631</b>	15	16/3	13	1625	Orange
<b>XC632</b>	25	16/3	13	1625	Orange
<b>XC633</b>	50	16/3	13	1625	Orange

XC630



## OUTDOOR VINYL EXTENSION CORDS

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals, and moisture and provides added flexibility
- Molded-on and bonded plugs and connectors resist breaking



**aurora tools**

3-CONDUCTOR SJTW, 300 V GROUNDING

Order No.	Length'	AWG	Amps	Watts	Colour
<b>HEAVY-DUTY</b>					
<b>XC482</b>	25	14/3	15	1875	Orange
<b>XC483</b>	50	14/3	15	1875	Orange
<b>XC484</b>	100	14/3	13	1625	Orange
<b>EXTRA HEAVY-DUTY</b>					
<b>XC485</b>	25	12/3	15	1875	Yellow
<b>XC486</b>	50	12/3	15	1875	Yellow
<b>XC487</b>	100	12/3	15	1875	Yellow

XC485



## ALL WEATHER TPE-RUBBER EXTENSION CORDS W/LIGHT INDICATOR

- Designed for industrial and contractor use
- All-weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water-resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking



**aurora tools**

3-CONDUCTOR SJEOW, 300 V GROUNDING

Order No.	Length'	AWG	Amps	Watts	Colour
<b>HEAVY-DUTY</b>					
<b>XC500</b>	25	14/3	15	1875	Blue/Orange
<b>XC501</b>	50	14/3	15	1875	Blue/Orange
<b>XC502</b>	100	14/3	15	1625	Blue/Orange
<b>EXTRA HEAVY-DUTY</b>					
<b>XC503</b>	25	12/3	15	1875	Blue/Orange
<b>XC504</b>	50	12/3	15	1875	Blue/Orange
<b>XC505</b>	100	12/3	15	1875	Blue/Orange

XC500



# Locks & Lockouts

## SOLID STEEL HASPS & LOCKS

### SAO687 HASP

- Ideal for vans, trucks, gates and vending machines
- To be used with the SAO688 lock only
- Defeats attempts to pry and cut
- 9" (23 cm) wide x 4 1/2" (11 cm) high

### SAO688 LOCK

- Hardened solid steel lock body withstands forcible attacks
- Complete with high security 6-pin Pro Series® cylinder
- Keyed different



**Master Lock**

Order No.	Mfg. No.	Description
SAO687	770	Hasp
SAO688	6270	Lock

## SOLID STEEL PADLOCKS

- Resists cutting, sawing and corrosion
- Dual ball bearing locking mechanism resists pulling and prying attacks
- 5-pin Pro Series® cylinders provide tens of thousands of key changes
- Special spool pin tumblers are virtually impossible to pick
- Rekeyable - replaceable cylinder and shackle




**Master Lock**

Order No.	Mfg. No.	Body Width"	Shackle Clearance Width" Height	Dia.	Weight lbs.
SN708	6230	2 1/2 Round	7/8 1 1/8	7/16	1.40
SEJ510	7050	2	29/32 1 1/2	3/8	0.85
SAL442	7040	1 3/4	29/32 1 3/16	5/16	0.75

## PRO SERIES® BRASS PADLOCKS

- Solid brass body construction resists corrosion - ideal for harsh environments
- Hardened boron alloy steel shackles offer superior cut resistances while dual ball bearing locking mechanism resists pulling and prying attacks
- 5-pin Pro Series® cylinders provide tens of thousands of key changes
- Rekeyable - replaceable cylinder and shackle




**Master Lock**

Order No.	Mfg. No.	Body Width"	Shackle Clearance			Weight lbs.
			A"	B"	C"	
SAL507	6840	1 3/4	29/32	1 3/16	5/16	0.80
SAL508	6830	1 9/16	25/32	1 1/16	1/4	0.70

## RESETTABLE BRASS COMBINATION LOCKS

- Set-your-own combination convenience
- Resettable to any of 10 000 personalised combinations



**Master Lock**

Order No.	Mfg. No.	Body Width"	Shackle Dimensions		
			A"	B"	C"
SAS366	175	2	5/16	1	1
SAG162	175LH	2	5/16	2 1/4	1


## ECONOMY V-LINE BRASS PADLOCKS

- Solid brass body and cylinder construction resists corrosion - ideal for harsh environments
- Case hardened shackle resists sawing and filing
- Pin tumbler cylinder provides greater pick resistance
- Locks come with two keys

**Master Lock**

Order No.	Mfg. No.	Key Type	Body Width"	Shackle Clearance			Weight lbs.
				A"	B"	C"	
SAS395	4120	Different	3/4	9/16	5/8	5/32	0.10
SAS396	4120KA	Alike	3/4	9/16	5/8	5/32	0.10
SAS397	4130	Different	1 1/8	9/16	9/16	3/16	0.20
SAS398	4130KA	Alike	1 1/8	9/16	9/16	3/16	0.20
SAS015	4140	Different	1 1/2	13/16	13/16	1/4	0.30
SAS400	4140KA	Alike	1 1/2	13/16	13/16	1/4	0.30
SAS401	4150	Different	1 7/8	1	15/16	9/32	0.40
SAS402	4150KA	Alike	1 7/8	1	15/16	9/32	0.40

SAS395



## COMMERCIAL LAMINATED LOCKS


- Greater strength against attacks than competitive alternatives
- Laminated steel body for superior strength
- Hardened steel and boron alloy shackles for extra cut resistance
- Multiple layered steel plates with countersunk rivets repel attacks on the lock body
- Hardened steel bottom plate with hourglass-shaped keyhole opening protects against drills and plug-pullers
- Superior cylinder-and-key protection versus off-brand substitutes
- Cylinder design and production results in a greater range of unique cylinder-and-key cuts
- Cover all edges, preventing scratches to paint and finished surfaces
- Includes 2 keys

### No. 1 & No. 3

- Hardened steel shackle for extra cut resistance
- 4-pin cylinder helps prevent picking
- Dual locking levers provide extra pry resistance
- Thousands of key changes maximize key integrity
- Proprietary rust proofing for longer life



No. 1



No. 3

### No. 5

- Hardened boron alloy shackle for superior cut resistance
- 4-pin cylinder helps prevent picking
- Dual locking levers provide extra pry resistance
- Thousands of key changes maximize key integrity
- Proprietary rust proofing for longer life



No. 5


### No. 7

- Steel shackle provides strong cut resistance
- 4-pin cylinder helps prevent picking
- Hundreds of key changes maximize key integrity
- Proprietary rust proofing for longer life



No. 7

**Master Lock**



Order No.	Mfg. No.	Security Level	Key Type	Body Width"	Shackle Dimensions			Wt. lbs.
					A"	B"	C"	
SA898	1	High	Different	1 3/4	5/16	15/16	3/4	0.6
SA899	1KA	Alike	Alike	1 3/4	5/16	15/16	3/4	0.6
SA900	1LJ	High	Different	1 3/4	5/16	2 1/2	3/4	0.6
SA901	1LJKA	Alike	Alike	1 3/4	5/16	2 1/2	3/4	0.6
SA894	3	High	Different	1 9/16	9/32	3/4	5/8	0.5
SA895	3KA	Alike	Alike	1 9/16	9/32	3/4	5/8	0.5
SA896	3LH	High	Different	1 9/16	9/32	2	5/8	0.5
SA897	3LHKA	Alike	Alike	1 9/16	9/32	2	5/8	0.5
SR890	5D	High	Different	2	3/8	1	15/16	0.8
SR867	5KA	Alike	Alike	2	3/8	1	15/16	0.8
SAL432	5LJ	High	Different	2	3/8	1	15/16	0.8
SA890	7	Medium	Different	1 1/8	3/16	9/16	1/2	0.2
SA891	7KA	Alike	Alike	1 1/8	3/16	9/16	1/2	0.2
SA892	7LJ	Medium	Different	1 1/8	3/16	2 1/2	1/2	0.2
SA893	7LJKA	Alike	Alike	1 1/8	3/16	2 1/2	1/2	0.2
SA886	22	Medium	Different	1 1/2	1/4	5/8	9/16	0.3
SA887	22KA	Alike	Alike	1 1/2	1/4	5/8	9/16	0.3
SA888	500	Medium	Different	1 3/4	9/32	13/16	13/16	0.5
SA889	500KA	Alike	Alike	1 3/4	9/32	13/16	13/16	0.5

### No. 22 & No. 500

- Steel shackle provides strong cut resistance
- Warded locking mechanism minimizes jamming from dirt and grime
- No. 500 is rust proofed for extended wear



No. 22



No. 500

## WEATHER TOUGH® & HIGH SECURITY PADLOCKS

- Laminated steel body for superior strength
- Hardened boron alloy shackle for superior cut resistance
- High security solid iron shackle shroud resists harsh physical attacks
- 5-spool pin tumbler cylinder for added pick resistance
- Removable cylinder can be replaced or repinned
- Dual ball bearing locking mechanism resists pulling and prying
- Body and cylinder covers on Weather Tough® padlocks protect locks from water, dirt and grime

**Master Lock**



SAL433

SA904

Order No.	Mfg. No.	Security Level	Key Type	Body Width"	Shackle Dimensions			Wt. lbs.
					A"	B"	C"	
<b>WEATHER TOUGH® PADLOCKS</b>								
SAL433	6121	High	Different	2 1/8	5/16	1 1/8	7/8	1.1
SAL434	6121LJ	High	Different	2 1/8	5/16	2 1/2	29/32	1.1
SA902	6125	High	Different	2 3/8	3/8	1 3/8	7/8	1.3
SA903	6125KA	-	Alike	2 3/8	3/8	1 3/8	7/8	1.3


### HIGH-SECURITY PADLOCKS

SA904	6325	High	Different	2 3/8	3/8	3/4	7/8	1.6
SA905	6325KA	-	Alike	2 3/8	3/8	3/4	7/8	1.6

### ECONOMY WEATHER RESISTANT PADLOCKS

SEJ518*	312D	-	Different	1 9/16	1/2	1	3/8	0.55
---------	------	---	-----------	--------	-----	---	-----	------

\*Does not include a removable cylinder




SEJ518

# Locks & Lockouts

## COMBINATION LOCKS

- World's best selling combination lock
- Hardened steel shackle for extra cut resistance
- Combination security for keyless convenience
- Double-armored stainless steel body
- 3-digit dialing and 1500 combinations for maximum security
- **SAX608** has key control override for supervisory access (key sold separately)
- Different combinations

Order No.	Mfg. No.	Body Width"	Shackle Dimensions		
			A"	B"	C"
<b>SR914</b>	1500	1 7/8	9/32	3/4	13/16
<b>SAL506</b>	1500LH	1 7/8	9/32	2	13/16
<b>SAX608</b>	1525	1 7/8	9/32	3/4	13/16
<b>SAX609</b>	K1525	-	Control Key for SAX608		



SR914



**Master Lock**



SAX608

## ZENEX™ SAFETY LOCKOUT PADLOCKS

- Designed exclusively for lockout/tagout
- Durable, lightweight, non-conductive Zenex™ lock body is easy to carry
- Customised on-site with permanent, write-on "Danger" and "Property of" labels in English, French and Spanish
- High security, 6-pin tumbler cylinder; up to 40 000 key changes
- Key retaining, ensures that padlocks are not left unlocked
- Laser engraving service available for an additional charge
- Compliance with OSHA "one employee, one lock, one key" directive
- Keyed different
- One key included, additional keys optional

**Master Lock**

Order No.	Mfg. No.	Colour	Vertical Shackle Clearance"	Body Width"	Body Height"	Shackle Diameter"
<b>SAL134</b>	410BLK	Black	1 1/2	1 1/2	1 3/4	1/4
<b>SAL135</b>	410BLU	Blue	1 1/2	1 1/2	1 3/4	1/4
<b>SAL136</b>	410GRN	Green	1 1/2	1 1/2	1 3/4	1/4
<b>SAL137</b>	410ORJ	Orange	1 1/2	1 1/2	1 3/4	1/4
<b>SAL138</b>	410RED	Red	1 1/2	1 1/2	1 3/4	1/4
<b>SAL139</b>	410YLW	Yellow	1 1/2	1 1/2	1 3/4	1/4
<b>SAL140</b>	411BLK	Black	1 1/2	1 1/2	3	1/4
<b>SAL141</b>	411BLU	Blue	1 1/2	1 1/2	3	1/4
<b>SAL142</b>	411GRN	Green	1 1/2	1 1/2	3	1/4
<b>SAL143</b>	411ORJ	Orange	1 1/2	1 1/2	3	1/4
<b>SAL144</b>	411RED	Red	1 1/2	1 1/2	3	1/4
<b>SAL145</b>	411YLW	Yellow	1 1/2	1 1/2	3	1/4



SAL134



SAL135



SAL142



SAL137




SAL144



SAL145

## STEEL BODY SAFETY LOCKOUT PADLOCKS

- Reinforced laminated steel construction
- Hardened steel shackle for extra cut resistance
- 4-pin cylinder helps prevent picking
- Six bumper colours for easy identification
- Up to 1100 unique key codes
- Extra length 2" high shackle available
- Two keys included



**Master Lock**

SAL146



SAL156



Order No.	Mfg. No.	Colour	Body Width"	Shackle Dimensions		
				A"	B"	C"
<b>SAL146</b>	3BLU	Blue	1 9/16	9/32	3/4	5/8
<b>SAL147</b>	3RED	Red	1 9/16	9/32	3/4	5/8
<b>SAL148</b>	3YLW	Yellow	1 9/16	9/32	3/4	5/8
<b>SAL149</b>	3GRN	Green	1 9/16	9/32	3/4	5/8
<b>SAL150</b>	3BLK	Black	1 9/16	9/32	3/4	5/8
<b>SAL151</b>	3WHT	White	1 9/16	9/32	3/4	5/8

Order No.	Mfg. No.	Colour	Body Width"	Shackle Dimensions		
				A"	B"	C"
<b>SAL152</b>	3LHBLU	Blue	1 9/16	9/32	2	5/8
<b>SAL153</b>	3LHRED	Red	1 9/16	9/32	2	5/8
<b>SAL154</b>	3LHYLW	Yellow	1 9/16	9/32	2	5/8
<b>SAL155</b>	3LHGRN	Green	1 9/16	9/32	2	5/8
<b>SAL156</b>	3LHBLK	Black	1 9/16	9/32	2	5/8
<b>SAL157</b>	3LHWHT	White	1 9/16	9/32	2	5/8

## MASTER LOCK ALUMINUM SAFETY PADLOCKS

- Lightweight solid aluminum body
- Durable, baked on powder-coat colour finish stays bright in all UV conditions
- 1/4" diameter boron steel shackle with plated finish for corrosion resistance
- Over 10 000 unique key changes available
- Key retaining option available, includes two keys per lock
- Optional shackle heights of 1", 1 1/2" or 3" are available upon request
- Your facility's padlocks can be key charted to ensure no key duplication on site....ask about this service
- For keyed alike options or master keying, please call us



**Master Lock**

Order No.	Mfg. No.	Colour
SN709	6835RED	Red
SN710	6835BLU	Blue
SN711	6835GRN	Green

Order No.	Mfg. No.	Colour
SN712	6835YLW	Yellow
SN713	6835ORJ	Orange
SN714	6835BLK	Black



## AMERICAN LOCK® ALUMINUM SAFETY PADLOCKS

- Lightweight solid aluminum body for lockout/tagout
- Durable, anodized colour finish is suitable for lockout/tagout procedures in the food and pharmaceutical manufacturing
- Uses FDA approved lubricants safe for use in food processing
- 1/4" diameter boron steel shackle with plated finish for corrosion resistance
- Over 10 000 unique key changes available
- Removable 5-pin cylinder can be replaced or repined
- Safety colour recognition, plus high security
- Key retaining option available, includes two keys per locks

- Your facility's padlocks can be key charted to ensure no key duplication on site....ask about this service
- Keyed different
- For keyed alike options or master keying, please call us
- Steel shackle 1 1/2" wide solid body, with 1/4" dia. x 1" long shackle

Order No.	Mfg. No.	Colour
SAO712	A1105BLK	Black
SAO713	A1105BLU	Blue
SAO714	A1105GRN	Green
SAO715	A1105ORJ	Orange
SAO716	A1105RED	Red
SAO717	A1105YLW	Yellow
SAO718	A1105BRN	Brown
SAO719	A1105CLR	Clear
SAO720	A1105PRP	Purple

**AMERICAN LOCK®**



## ELECTRICAL POUCH LOCKOUT KITS

- Easy to carry pouch holds lockout essentials
- Holds one worker's personal padlocks, tags and circuit breaker devices

### KIT CONTAINS:

- 1 Padlock. SAL138 for SAL515 and SED603, and SAL147 for SAL516
- 1 Pouch SAL538
- 1 Breaker switch padlock SAL525
- 1 Hasp SA875
- 2 Circuit breaker lockouts SAO595
- 1 Circuit breaker lockouts SAO594
- 12 "DO NOT OPERATE" tags - See SBD042 for English and SEC862 for French replacement tags (25/pkg)



**Master Lock**



Order No.	Mfg. No.	Description
SAL515	1456E410	Large Pouch w/Zenex™ Padlock
SAL516	1456E3BLU	Large Pouch w/Steel Padlock
SAL538	1456	Large Pouch Only
SED603	S1010E410	Compact Pouch w/Zenex™ Padlock
SED602	S1010	Compact Pouch Only

# Locks & Lockouts

## SAFETY LOCKOUT HASPS

- Keeps equipment inoperative while repairs or adjustments are made
- Attach device to energy disconnect switch
- Control cannot be turned on until last worker's padlock is removed
- Up to six workers at each lockout point
- Heavy gauge steel jaws resist prying against unauthorized access
- Lockout hasp has vinyl coated handles and is plated to resist rust
- Compatible with nos. 3, 410, 411, 6835 and 6836 safety lockout padlocks with shackle diameters as large as 3/8"
- Aluminum hasps are spark resistant

**Master Lock**

Order No.	Mfg. No.	Description
<b>RED W/O LOCKING TABS</b>		
SA875	420	1" Steel
SA876	421	1 1/2" Steel
SEA314	416	1" Aluminum
SEA315	417	1 1/2" Aluminum
<b>YELLOW (ECONOMY) W/LOCKING TABS</b>		
SAN507	422	1
SAN508	424	1 1/2
<b>DUAL JAW</b>		
SAO703	429	1" and 1 1/2" Aluminum



## LABELED SNAP-ON HASPS

- Combines multiple-person lockout and tagout identification
- Features an easy-to-apply "snap-on" advantage with its spring-loaded locking arm
- Fits more lockout points than alternative rivet-hinge labeled lockout hasps
- Anodised aluminum and stainless steel construction for combined corrosion resistance and strength
- Up to five workers can apply their personal safety locks
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job

**Master Lock**



Order No.	Mfg. No.	Colour
SAL541	427	Red
SAP994	427BLK	Black
SAP995	427BLU	Blue
SAP998	427GRN	Green
SAQ002	427YLW	Yellow
SAQ003	427AST	Assorted 6/pk

## STEERING WHEEL COVERS

- Bilingual warning notifies employees not to start or move vehicle
- Lock in place with a SA876 hasp and a safety padlock (see pages 313 to 316 for padlocks)
- For added security, use SED597 lockout cable around the steering wheel and foot pedals
- Three sizes available for various diameter steering wheels

**ACCUFORM SIGNS**

Order No.	Mfg. No.	Steering Wheel Diameter"
SED181	KDD712	16
SED182	KDD723	20
SED183	KDD734	24



## LOCKOUT HASPS

Multiple lockouts provide a means of locking control devices for machinery or electrical power sources, while maintenance or repairs are being carried out. Designed for use on fuse and switchboxes, air, steam, or acid valves. Accommodates padlock shackles up to 3/8" diameter and hasp is 1" diameter.



Order No.	Mfg No.	Description	Dimensions"
SC703	RSE66	Dual Scissor, Steel Polyester-Coated	5 1/4
XA231	RAE60	Single Scissor, Aluminum Polyester-Coated	4 3/8 x 3/8
SC706	MS01	Nylon Dielectric Single Vertical Line Lock	1 5/8 x 6 7/8
SAO703	429	Dual Jaw Aluminum	2 x 5 7/8
SAO704	418	4-Lock Heavy-Duty Steel	2 3/8 x 3 1/4
SAO705	419	8-Lock Heavy-Duty Steel	2 3/8 x 6 5/8
SED601	S430	4 mm Steel Hasp	2 1/4 x 3

## LOCKOUT STATIONS

VIRTUALLY INDESTRUCTIBLE,  
THE STRONGEST STATIONS AVAILABLE!

- Integrated, one-piece molded construction eliminates loose parts
- Resilient polycarbonate material provides twice the heat resistance and quadruples the impact strength of typical stations
- Reinforced snap-lock clips provide easy padlock and hasp storage and removal
- Exclusive translucent lockable cover protects contents and prevents loss of valuable safety lockout padlocks
- Innovative hinge holds cover open for easy product selection
- Available with your choice of safety lock design with highly visible red locks keyed different of Zenex™, aluminum or laminated steel in 4, 10 or 20 lock format
- Zenex™ locks available with up to 100000 key changes available to fit even the largest lockout systems
- Compliant with OSHA "One employee, One lock, One key" directive
- Lockout stations are bilingual with English/ French labels and lockout tags

### 4-LOCK STATION INCLUDES:

- Four Master Lock® Safety Series™ padlocks
- Two Safety Series™ hasps for lockouts by up to six workers
- 12 Safety Series™ heavy-duty bilingual **Do Not Operate** lockout I.D. tags with brass grommets
- Dimensions: 12 1/4" x 16" x 1 3/4"

Order No.	Mfg. No.	Description
SAO598	1482BFRC	Base Only
SAO601	1482BP3FRC	Station with Laminated Padlock
SAO602	1482BP410FRC	Station with Zenex™ Padlock
SAO603	1482BP1106FRC	Station with American Lock® Aluminum Padlock

### 10-LOCK STATION INCLUDES:

- 10 Master Lock® Safety Series™ padlocks
- Two Safety Series™ hasps for lockouts by up to six workers
- 24 Safety Series™ heavy-duty bilingual **Do Not Operate** lockout I.D. tags with brass grommets
- Dimensions: 15 1/2" x 22" x 1 3/4"

Order No.	Mfg. No.	Description
SAO599	1483BFRC	Base Only
SAO604	1483BP3FRC	Station with Laminated Padlock
SAO605	1483BP410FRC	Station with Zenex™ Padlock
SAO606	1483BP1106FRC	Station with American Lock® Aluminum Padlock

### 20-LOCK STATION INCLUDES:

- 20 Master Lock® Safety Series™ padlocks
- Four Safety Series™ hasps for lockouts by up to six workers
- 48 Safety Series™ heavy-duty bilingual **Do Not Operate** lockout I.D. tags with brass grommets
- Dimensions: 22" x 22" x 1 3/4"

Order No.	Mfg. No.	Description
SAO600	1484BFRC	Base Only
SAO607	1484BP3FRC	Station with Laminated Padlock
SAO608	1484BP410FRC	Station with Zenex™ Padlock
SAO609	1484BP1106FRC	Station with American Lock® Aluminum Padlock

# Master Lock®

SAO601



SAO605



SAO609



## ELECTRICAL & VALVE GROUP LOCKOUT KITS

- Modular lockout/tagout organizers
- Lightweight safety lockout carrying case with modular, translucent storage compartments for improved organization and fast component selection
- Separate compartments for effective grouping of (1) padlocks and hasps, (2) valve lockout and (3) electrical lockout components
- Kits include high-use components, satisfying most applications
- Group kits are for multiple workers; padlocks supplied are keyed-different, so that no unwanted key interchange occurs
- Include permanent write-on labels (English, French and Spanish) that allow instant on-site customisation for each worker

### KIT CONTAINS:

- 6 Padlocks **SAL138** for **SAL517** and **SAL147** for **SAL518**
- 1 Portable safety organizer **SAL543**
- 2 Breaker switch padlocks **SAL525**
- 1 Hasp **SA875**
- 1 Snap-on hasp **SAL541**
- 1 Adjustable cable lockout **SAL534**
- 1 Plug cover lockout **SAL520**
- 1 Plug cover lockout **SAL521**
- 1 **SAL526**, **SAL527** and **SAL528** gate valve cover
- 2 Ball valve covers - see **SA0596** for replacement covers
- 6 Circuit breaker lockouts **SA0595**
- 3 Circuit breaker lockouts **SA0594**
- 2 Wall switch covers - see **SC912** for replacement cover
- 24 "DO NOT OPERATE" tags - see **SBD042** - English and **SEC862** - French for replacement tags (25/pkg.)



**Master Lock**

Order No.	Mfg. No.	Description
<b>SAL517</b>	1458VE410	w/Zenex™ Padlocks
<b>SAL518</b>	1458VE3BLU	w/Steel Padlocks
<b>SAL543</b>	1458	Portable Safety Organizer Only

## ELECTRICAL LOCKOUT KITS

### (KEYED ALIKE PADLOCKS)

- Safety lockout carrying case keeps important lockout devices and padlocks together
- Personal kits are for the individual worker; padlocks supplied are keyed-alike for added worker convenience
- Kits include high-use components, satisfying most applications

### KIT CONTAINS:

- 3 Zenex™ Padlocks
- 1 Portable safety carrying case **SAL539**
- 1 Breaker switch padlock **SAL525**
- 1 Hasp **SA875**
- 1 Snap-on hasp **SAL541**
- 3 Circuit breaker lockouts **SA0595**
- 2 Circuit breaker lockouts **SA0594**
- 1 Wall switch cover - see **SC912** for replacement cover
- 12 "DO NOT OPERATE" tags - **SBD042** - English and **SEC862** - French for replacement tags (25/pkg.)



**Master Lock**

Order No.	Mfg. No.	Description
<b>SAL536</b>	1457E410KA	w/Zenex™ Padlocks
<b>SAL537</b>	1457E3KA	w/Steel Padlocks
<b>SEC446</b>	S1017	Carrying Case Only

## LOCKOUT TOOL BOXES WITH COMPONENTS

A crucial part of any lockout/tagout program is to prevent worker injury by cutting the power on a piece of equipment that is being serviced. The Lockout Tool Box, 17" W x 5" D x 4 1/2" H, has what you need to lock and mark your equipment preventing its use until repairs have been completed.

### KIT CONTAINS:

- |                                   |                                       |
|-----------------------------------|---------------------------------------|
| 1 Plastic lockout tool box w/tray | 5 Lockout tags                        |
| 1 1" to 2.5" gate valve lockout   | 1 Universal multi-pole lockout        |
| 1 Small ball valve lockout        | 1 277 V "No Hole" breaker lockout     |
| 1 3/4" blue padlock               | 1 480/600 V "No Hole" breaker lockout |
| 1 2" blue padlock                 | 1 Small plug lockout                  |
| 1 Wall switch lockout             |                                       |
| 1 Labeled lockout hasp            |                                       |

Order No. SG946

Mfg. No. 65289



## COMBINATION LOCKOUT STARTER KITS

Protect your employees and comply with OSHA standards with the Combination Lockout Starter Kit. Whether you want to secure breakers, wall switches, plugs or gate and ball valves, this kit has the lockout devices to get you started.

### KIT CONTAINS:

- |   |                                       |
|---|---------------------------------------|
| 6 Single pole breaker lockouts          | 2 Small ball valve lockouts           |
| 6 227 V "No Hole" breaker lockouts      | 2 Large ball valve lockouts           |
| 6 Universal multi-pole breaker lockouts | 5 Red labeled lockout hasps           |
| 6 Wall switch lockouts                  | 6 3/4" blue padlocks                  |
| 1 Small plug lockout                    | 6 2" blue padlocks                    |
| 1 Large plug lockout                    | 25 Lockout tags                       |
| 2 1" to 2.5" gate valve lockouts        | 2 Yellow canvas locking carrying bags |
| 2 2.5" to 5" gate valve lockouts        |                                       |

Order No. SG947

Mfg. No. 65779



## ELECTRICAL LOCKOUT TOOLBOXES

All the basics for locking out breakers, electrical plugs, wall switches and fuses.

### KIT CONTAINS:

- 2 Mini cable lockouts
- 2 120 V snap-on breaker lockouts
- 2 120 V/277 V clamp-on breaker lockouts w/cleats
- 2 480 V/400 V Clamp-On Breaker Lockouts w/cleats
- 2 Universal multi-pole breaker lockouts
- 1 Oversized breaker lockout
- 1 3-in-1 plug lockout
- 1 Wall switch lockout
- 1 Small fuse blockout
- 1 Large fuse blockout
- 1 Extra-large lockout toolbox



Order No.	Mfg. No.	Description
SEC369	99310	Electrical Lockout Toolbox Kit
SEC370	99312	Kit w/2 Safety Padlocks & 2 Tags

## PERSONAL BREAKER LOCKOUT POUCHES

- Pouch contains one each of the most popular circuit breaker lockouts
- Covers 120 V/277 V and 460 V/600 V breakers in single- and multi-pole configurations

### KIT CONTAINS:

- 1 120 V/277 V clamp-on breaker lockout w/cleat
- 1 480 V/600 V clamp-on breaker lockout w/cleat
- 1 Universal multipole breaker lockout
- 2 1" group lockout hasps
- 2 Heavy-duty lockout tags w/nylon cable ties
- 1 Lockout belt pouch



Order No.	Mfg. No.	Description
SEC367	105966	Personal Breaker Lockout Pouch Kit
SEC368	105967	Kit w/2 Keyed-Alike Safety Padlocks

# Locks & Lockouts

## GRIP TIGHT™ CIRCUIT BREAKER LOCKOUTS

- Exclusive design accommodates virtually all styles of breaker toggles
- Fits all American Lock® and Master Lock® safety padlocks and hasps
- Two products replace at least 5; SAO595 is used for single and double breaker toggles, while SAO594 is appropriate for tall and wide breaker toggles
- Grips tight with a simple thumb turn and clamping handle
- Narrow profile permits side-by-side breaker lockout
- Made of powder coated steel and reinforced polymer to operate in harsh conditions




**Master Lock**

Order No.	Mfg. No.	Description
SAO594	491B	Tall and Wide Toggles
SAO595	493B	Standard Single and Double Toggles
SAO707	506	Set of Each SAO594 and SAO595

## CIRCUIT BREAKER SWITCH PADLOCKS

- Provides the flexibility to effectively lock out breaker switches
- Flexi-cable allows the lock body to be moved out of the way and panel door to be closed properly
- Fits the tight space constraints within a circuit breaker shutoff boxes
- Numerous key changes are available to minimize the possibility of unwanted key duplication
- 1 1/8" wide steel body; 4-pin cylinder; 5" flexible steel cable

Order No. SAL525  
Mfg. No. 7C5RED



**Master Lock**

## UNIVERSAL WALL SWITCH LOCKOUTS

- Prevent unintentional toggling of wall switch to "ON" position
- One-time installation uses the existing wall plate screws
- Hinges open for unobstructed normal operation switch
- Lock the switch in either the "ON" or "OFF" position by closing the cover over the switch, then applying padlock
- Locks out both toggle and Decor Paddle wall switches

Order No. SAO708  
Mfg. No. 496B



**Master Lock**

## MINIATURE CIRCUIT BREAKER LOCKOUTS

- Locks out miniature ISO/DIN circuit breakers found throughout the world



**Master Lock**

Order No.	Mfg. No.	Description
SAR843	S2390	Narrow Switches: 11 mm or Less
SAR844	S2391	Wide Switches: 11 mm to 13 mm

## COMPACT PLUG PRONG LOCKOUTS

- Compact design locks out 110 V – 120 V electrical plugs
- Works with two-prong or two-prong with ground plugs
- Can be used with safety padlocks or lockout hasps, no key needed
- New design can now accommodate larger shackle locks and safety hasps

Order No. SAR841  
Mfg. No. S2005



Padlock not included

**Master Lock**

## ROTATING ELECTRICAL PLUG LOCKOUTS

- Outward/inward rotation allows for easier installation and storage
- Unique outward rotation allows for easier installation in confined space applications
- Surrounds the electrical plug; protects against accidental reconnection
- Each size rotates into itself to fit effectively into safety tool boxes
- Tough, lightweight, dielectric Zenex™ thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C))
- Complete with high-visibility permanent safety labels (English, French and Spanish)
- SAL521 labels can be written-on to identify the responsible person and then erased for the next job



SAL520

Padlock not included




SAL521

**Master Lock**

Order No.	Mfg. No.	For Electrical Plugs Sizes Up To
SAL520	487	2 1/4" Dia. x 3 1/4" w/cord dia. up to 3/4" (Most 110- and many 220-Volt plugs)
SAL521	488	3" Dia. x 6" w/cord dia. up to 3/4" (Most 220- and 550-Volt plugs)

## ADJUSTABLE CABLE LOCKOUTS

- Infinitely adjustable for a secure fit every time
- Integrated, single-piece safety hasp and cable for ease-of-use
- Ideal for both multiple circuit breaker panel and side-by-side gate valve lockouts
- Tough, lightweight, Zenex™ thermoplastic body withstands chemicals; performs effectively in extreme conditions
- Tough flexible multistranded steel cable is insulated with a clear plastic coating
- Up to four workers can apply their personal safety locks
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job
- Custom cable lengths available



Order No.	Mfg. No.	Description
SED596	S806CBL3	Cable Lockout w/3' Cable
SED597	S806	Cable Lockout w/6' Cable
SED598	S806BL15	Cable Lockout w/15' Cable

**Master Lock**

## ROTATING GATE VALVE LOCKOUTS

- Outward/inward rotation allows for easier installation and storage
- Unique, patent-pending outward rotation allows for easier installation in confined space applications
- Surrounds the valve operating handle, protects against accidental valve opening
- Each size rotates into itself to fit effectively into safety tool boxes
- Each size nests within the next larger size to save space in storage
- Tough, lightweight, dielectric Zenex™ thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C))
- Up to four workers can apply their personal safety locks
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job



Order No.	Mfg. No.	Description
SAL526	480	Fits 1" to 3" Diameter Valve Handle
SAL527	481	Fits 2" to 5" Diameter Valve Handle
SAL528	482	Fits 4" to 6 1/2" Diameter Valve Handle
SAL529	483	Fits 6" to 10" Diameter Valve Handle
SAL530	484	Fits 8" to 13" Diameter Valve Handle
SAL531	485	1 Set Consists of 1 x SAL526, SAL527, SAL528, SAL529 and SAL530

**Master Lock**

## SEAL TIGHT™ BALL VALVE LOCKOUTS

- Compact, lightweight, flexible and easy to use, the Seal Tight™ valve lockout works on virtually every valve size and applications
- Eliminates the risk of accidentally moving a handle by removing it and concealing the stem
- Effectively locks out all valves from 3/8" to 4", thus eliminating specific valve lockout systems
- Simple to apply, with an intuitive wrapping strap and locking mechanism
- Works on virtually all valves; metal and PVC, insulated pipes, ceiling or wall-mounted pipes and hard to reach valves
- Made of PVC polyester fabric and HDPE plastic, it withstands corrosive environments and operates in temperatures from -40°F to 300°F

Order No. SA0596  
Mfg. No. 468L

**Master Lock**



## PRESSURISED GAS VALVE LOCKOUTS

- Fits pressurised gas valves
- Surrounds the valve handle to protect against accidental valve opening
- Patent pending design works with or without valve guard in place
- Fits virtually all pressurised gas valves up to 3" diameter
- Compact size easily stored when not being in use
- Accepts both locks and safety hasps for multiple worker lockout
- Includes: trilingual danger labels in English, French and Spanish

Order No. SAR842  
Mfg. No. S3910

**Master Lock**



# Locks & Lockouts

## CINCH SACS - LARGE ELECTRICAL CONNECTORS

- Offers broad application solutions sized at 7" diameter by 17" tall
- Insert PVC tubing to block access to control buttons for hoist control lockout
- Flexible and durable rip-stop nylon bag fits easily in safety tool boxes
- Lock out with up to six padlocks or hasps
- Trilingual lock out warning printed on bag

Order No. SA0706  
Mfg. No. 453L



Padlocks and key not included

**Master Lock**

## PADLOCK CADDIES

- Durable plastic construction
- Allows user to carry or store safety locks to address all lockout points
- Can be customised to the number of padlocks needed by user for lockout points (maximum 12 locks)
- Can be carried, mounted on belt or hung at lockout site
- Collated key holder ensures user's key is with the locks
- Ergonomic carry handle
- Dimensions: 7 1/4" W x 19/32" D x 5 1/8" H

Order No. SAR846  
Mfg. No. S125



Padlocks and key not included

**Master Lock**

## LATCH TIGHT™ PORTABLE LOCK BOXES

- With new Latch Tight™ locking mechanism
- English, Spanish, French message on box
- Accepts 12 padlocks or lockout hasps
- Complements SA0597 and SA0628 wall mount lock box (call for more info)

Order No SAL519  
Mfg. No. 498A

**Master Lock**

Padlocks and key not included



## LATCH TIGHT™ LOCK BOXES

- Integrated storage organizes up to 12 keys or hundreds of bulk keys
- Can only release when no padlocks are fastened to the lock box
- Works with all safety padlock shackle sizes and lengths
- Traditional bulk key storage is also possible through the key slot in front of the lock box lid
- Has lockout points for 14 padlocks or hasps
- Unit can be mounted to a wall or carried with the comfortable form fitted handle
- Powder coat finish on heavy-duty steel box and stainless steel handle withstand harsh industrial environments

**Master Lock**

Padlocks and key not included



Order No.	Mfg. No.	Colour
SA0597	503RED	Red
SA0628	503YEL	Yellow

## HEAVY-DUTY PADLOCK RACK STATIONS

- Locate padlocks near lockout point
- Heavy gauge steel with durable powder coat finish ensures long life in manufacturing environment
- Includes labels in English, French and Spanish

**Master Lock**

Padlocks and key not included



Order No.	Mfg. No.	Dimensions"	Padlock Capacity
SAP985	S1506	6 1/4 x 1 1/2	6 to 8
SAP986	S1518	17 1/2 x 1 1/2	18 to 22

## SAFETY TAGS

Header style tags meet Occupational Safety and Health Administration requirements. Choose from a variety of common styles and legends that apply to a variety of situations. 25 per package. Tags are available in two materials: **PF-cardstock** and **RV-plastic**.

### PF-CARDSTOCK

- 5 7/8" x 3 1/8" with 3/8" hole
- Pliable, 10-mil plastic
- Pulp-free, no wood-paper content
- Waterproof, tear-resistant for short-term use

### RV-PLASTIC

- 5 7/8" x 3 3/8" with 3/8" hole, reinforced with metal grommet
- 15-mil tear-resistant plastic
- Weather and chemical-resistant

## LOCKOUT TAGS




Material									
PF-Cardstock	SAU778	SAU782	SAU786	SAU790	SAU794	SAU798	SAU802	SAU806	SAU810
RV-Plastic	SAU779	SAU783	SAU787	SAU791	SAU795	SAU799	SAU803	SAU807	SAU811

## STANDARD SAFETY TAGS



Material						
PF-Cardstock	SAT022	SAU606	SAU610	SAU614	SAU618	SAU626
RV-Plastic	SAT045	SAU607	SAU611	SAU615	SAU619	SAU627



## FRENCH TAGS

### LOCKOUT



Material					
PF-Cardstock	SAU866	SAU870	SAU874	SAU878	SAU882
RV-Plastic	SAU867	SAU871	SAU875	SAU879	SAU883



### STANDARD SAFETY



Material						
PF-Cardstock	SAU834	SAU838	SAU842	SAU846	SAU858	SAU862
RV-Plastic	SAU835	SAU839	SAU843	SAU847	SAU859	SAU863



Material	Dimensions"
PF-Cardstock	5 7/8 x 3 1/8
RV-Plastic	5 7/8 x 3 3/8



# Safety Tags

## EQUIPMENT STATUS & INSPECTION TAGS

- 25 per package



Front Back



Front Back



Front Back



Front Back



Front Back

Material	SAU702	SAU698	SAU706	SAU714	SAU718
PF-Cardstock	SAU702	SAU698	SAU706	SAU714	SAU718
RV-Plastic	SAU703	SAU699	SAU707	SAU715	SAU719

## TAGS BY-THE-ROLL: NEVER RUN OUT OF TAGS AGAIN!

- Tag dimensions: 6 1/4" x 3", with 3/8" hole
- 10-mil PF-Cardstock tags
- Tear-resistant, waterproof 'pulp-free' material
- Writable matte surface
- Dispenser dimensions: 9 1/4" x 9 1/4" x 3 1/2"
- Available in rolls of 100 or 250 tags



SAS784

### ENGLISH TAGS



Front Back

100/Roll 250/Roll  
SAS755 SAS449



Front Back

100/Roll 250/Roll  
SAS757 SAS782



Front Back

100/Roll 250/Roll  
SAS783 SAS784



Front Back

100/Roll 250/Roll  
SAS785 SAS764



Front Back

100/Roll 250/Roll  
SEI937 SEI938



Front Back

100/Roll 250/Roll  
SEI939 SEI940

### FRENCH TAGS (ROLLS OF 250 TAGS)

Order No.	Mfg. No.	Description
SAS452	TAR123	Danger; Ne pas faire fonctionner
SAS453	TAR127	Danger; Ne pas faire fonctionner (w/stripes)
SAS454	TAR425	Danger; Verrouillé; Ne pas faire fonctionner (w/stripes)

## ENGLISH LOCKOUT IDENTIFICATION TAGS

- Durably tags designed to create visibility and awareness
- All tags have 3/8" grommets and dimensions are 2 3/4" x 6 1/2"
- For use indoor or outdoor
- Tags can be written on with most types of markers and pens
- Colour: Yellow on red
- 25 per package
- Sold per package



SC935



SC937



SC938



SC939




SC940

Order No.	Mfg. No.	Description
SC935	32669	This Equipment Locked Out
SC937	32668	Do Not Operate
SC938	32663	Do Not Operate-Maintenance Dept
SC939	32667	Locked Out
SC940	32665	Do Not Start-Electrician At Work


## BLANK TAGS

We offer tags available blank so that you can write any message in pen, pencil, or marker. Use for coding, marking, quick identification, production status, or inventory.



## MANILA BLANK CARDSTOCK TAGS

- 13 pt. manila cardstock tags have patch-reinforced 3/16" hole
- Available plain hole, looped with 12" galvanised steel wire, or looped with 12" cotton string
- Available in pack of 100 or box of 1000




Hole Only Size No.	Dimensions"	100	1000
1	2 3/4 x 1 3/8	SI966	SAG441
2	3 1/4 x 1 5/8	SAW514	SAG442
3	3 3/4 x 1 7/8	SI968	SAG443
4	4 1/4 x 2 1/8	SI969	SAG444
5	4 3/4 x 2 3/8	SI970	SAG445
6	5 1/4 x 2 5/8	SI971	SAG446
7	5 3/4 x 2 7/8	SAW515	SAG447
8	6 1/4 x 3 1/8	SAW516	SAG448

Hole w/Wire Size No.	Dimensions"	100	1000
1	2 3/4 x 1 3/8	SAW517	SAG449
2	3 1/4 x 1 5/8	SAW518	SAG450
3	3 3/4 x 1 7/8	SAW519	SAG451
4	4 1/4 x 2 1/8	SBB051	SAG452
5	4 3/4 x 2 3/8	SBB053	SAG453
6	5 1/4 x 2 5/8	SAW522	SAG454
7	5 3/4 x 2 7/8	SAW523	SAG455
8	6 1/4 x 3 1/8	SAW524	SAG456

Hole w/String Size No.	Dimensions"	100	1000
1	2 3/4 x 1 3/8	SAW525	SAG457
2	3 1/4 x 1 5/8	SAW526	SAG458
3	3 3/4 x 1 7/8	SAW527	SAG459
4	4 1/4 x 2 1/8	SAW528	SAG460
5	4 3/4 x 2 3/8	SAW529	SAG461
6	5 1/4 x 2 5/8	SAW530	SAG462
7	5 3/4 x 2 7/8	SAW531	SAG463
8	6 1/4 x 3 1/8	SAW532	SAG464

## STANDARD COLOUR BLANK CARDSTOCK TAGS

- 13 pt. coated color cardstock tags have a patch-reinforced 3/16" hole
- Available plain hole, looped with 12" galvanised steel wire, or looped with 12" cotton string
- Available in pack of 100 or box of 1000



Hole Only Size No.	Dimensions"	Blue		Green		Red		White		Yellow	
		100	1000	100	1000	100	1000	100	1000	100	1000
1	2 3/4 x 1 3/8	SAW536	SAG501	SAW560	SAG486	SAW584	SAG479	SAW608	SAG465	SAW632	SAG472
2	3 1/4 x 1 5/8	SAW537	SAG502	SAW561	SAG487	SAW585	SAG480	SAW609	SAG466	SAW633	SAG473
3	3 3/4 x 1 7/8	SAW538	SAG503	SAW562	SAG488	SAW586	SAG481	SAW610	SAG467	SAW634	SAG474
4	4 1/4 x 2 1/8	SAW539	SAG504	SAW563	SAG489	SAW587	SAG482	SAW611	SAG468	SAW635	SAG475
5	4 3/4 x 2 3/8	SAW540	SI978	SAW564	SI977	SAW588	SI976	SAW612	SI974	SAW636	SI975
6	5 1/4 x 2 5/8	SAW541	SAG505	SAW565	SAG490	SAW589	SAG483	SAW613	SAG469	SAW637	SAG476
7	5 3/4 x 2 7/8	SAW542	SAG506	SAW566	SAG491	SAW590	SAG484	SAW614	SAG470	SAW638	SAG477
8	6 1/4 x 3 1/8	SAW543	SAG507	SAW567	SAG492	SAW591	SAG485	SAW615	SAG471	SAW639	SAG478

Hole w/Wire Size No.	Dimensions"	Blue		Green		Red		White		Yellow	
		100	1000	100	1000	100	1000	100	1000	100	1000
1	2 3/4 x 1 3/8	SAW552	SAG555	SAW576	SAG539	SAW600	SAG531	SAW624	SAG515	SAW648	SAG523
2	3 1/4 x 1 5/8	SAW553	SAG556	SAW577	SAG540	SAW601	SAG532	SAW625	SAG516	SAW649	SAG524
3	3 3/4 x 1 7/8	SAW554	SAG557	SAW578	SAG541	SAW602	SAG533	SAW626	SAG517	SAW650	SAG525
4	4 1/4 x 2 1/8	SAW555	SAG558	SAW579	SAG542	SAW603	SAG534	SAW627	SAG518	SAW651	SAG526
5	4 3/4 x 2 3/8	SAW556	SAG559	SAW580	SAG543	SAW604	SAG535	SAW628	SAG519	SAW652	SAG527
6	5 1/4 x 2 5/8	SAW557	SAG560	SAW581	SAG544	SAW605	SAG536	SAW629	SAG520	SAW653	SAG528
7	5 3/4 x 2 7/8	SAW558	SAG561	SAW582	SAG545	SAW606	SAG537	SAW630	SAG521	SAW654	SAG529
8	6 1/4 x 3 1/8	SAW559	SAG562	SAW583	SAG546	SBB093	SAG538	SAW631	SAG522	SAW655	SAG530

Hole w/String Size No.	Dimensions"	Blue		Green		Red		White		Yellow	
		100	1000	100	1000	100	1000	100	1000	100	1000
1	2 3/4 x 1 3/8	SAW544	SAG611	SAW568	SAG595	SAW592	SAG587	SAW616	SAG571	SAW640	SAG579
2	3 1/4 x 1 5/8	SAW545	SAG612	SAW569	SAG596	SAW593	SAG588	SAW617	SAG572	SAW641	SAG580
3	3 3/4 x 1 7/8	SAW546	SAG613	SAW570	SAG597	SAW594	SAG589	SAW618	SAG573	SAW642	SAG581
4	4 1/4 x 2 1/8	SAW547	SAG614	SAW571	SAG598	SAW595	SAG590	SAW619	SAG574	SAW643	SAG582
5	4 3/4 x 2 3/8	SAW548	SAG615	SAW572	SAG599	SAW596	SAG591	SAW620	SAG575	SAW644	SAG583
6	5 1/4 x 2 5/8	SAW549	SAG616	SAW573	SAG600	SAW597	SAG592	SAW621	SAG576	SAW645	SAG584
7	5 3/4 x 2 7/8	SAW550	SAG617	SAW574	SAG601	SAW598	SAG593	SAW622	SAG577	SAW646	SAG585
8	6 1/4 x 3 1/8	SAW551	SAG618	SAW575	SAG602	SAW599	SAG594	SAW623	SAG578	SAW647	SAG586

# Safety Tags

## TIES

### LADDER TIES

- Lightweight, low cost nylon ties are strong yet flexible
- Natural colour
- Bags of 1000 • Sold per bag



Order No.	Mfg. No.	Length"	Bundle Dia. Min" - Max"	Tensile Strength lbs.
PA876	8470	7	1/16 - 1 3/4	40
PA877	8471	11	1 1/16 - 3	40

### WIRE TIES

- 26 gauge • 12" long
- 1000 per package • Sold per package

Order No. SC960



### PLASTIC TAG FASTENERS

- 5" long
- 200 per package
- Sold per package

Order No. SI980



## BRASS TAGS



### BLANK BRASS TAGS

- Identify equipment, materials and pipes by stamping description directly onto tag
- 18-gauge brass tags • 100 per package
- Sold per package

Order No.	Mfg. No.	Shape	Tag Size"	Hole Size"	Wt. lbs.
SA963	1098B	Round	1 1/2	3/16	2.2
SA961	916B	Square	1 1/4	3/16	1.9
SA962	947B	Octagon	1 1/4	3/16	1.9

Other sizes, styles available upon request.

### NUMBERED BRASS TAGS

Black filled numbers. 18-gauge brass. 1 1/2" diameter tags with 3/16" hole. Available only in unbroken series of 25. Weight: 0.5 lbs per series. Sold per series.

Order No.	Mfg. No.	Number Series	Order No.	Mfg. No.	Number Series
SA949	40023	001 - 025	SA953	40027	101 - 125
SA950	40024	026 - 050	SA954	40028	126 - 150
SA951	40025	051 - 075	SA955	40029	151 - 175
SA952	40026	076 - 100	SA956	40030	176 - 200

## LEAD SECURITY SEALS & SEALING PRESS

Provides security in a wide variety of situations. Slip twisted wire through the hole in lead seal disc and crush with sealing press. Can't be opened or tampered with, without detection. 7/16" diameter lead seals with 10" two-ply annealed steel wires. Lead sealing press comes with two blank dies. Engraved dies available.



Order No.	Mfg. No.	Description
SA947	27905	Sealing Press
SA948	27911	Seals, 100/pkg.



## S HOOKS

- For quick, permanent fastening of checks and tags
- Easily closed with pliers
- Available in nickel in three sizes
- 100 per package
- Sold per package

Order No.	Mfg. No.	Size"
SC945	41003	7/8
SC944	41004	1 1/8
SAG889	41005	1 1/2



## SPLIT KEY RINGS

Designed for holding and preventing the loss of metal checks and tags. Sold per package.



Order No.	Mfg. No.	Description	Qty /Pkg.
SA957	40082	1" Ring	100
SA958	40084	1 1/2" Ring	50
SA959	40085	2" Ring	50
SA960	40087	Spring Sleeve	100



## BEADED CHAIN

- For quick, permanent fastening of checks and tags
- Easily closed by hand
- Flexible for hard to fasten places
- Available in 4 1/2" nickel or brass plated or 6" brass plated
- Packages of 100
- Sold per package

Order No.	Mfg. No.	Description	Length"
SAG886	40096	Nickel Plated	4 1/2
SAG887	40097	Brass Plated	4 1/2
SAG888	40098	Brass Plated	6

