

Everything you need in one package to install your own strip curtain door and save money!

ORDERING INFORMATION

Every strip curtain door comes complete with PVC strips and universal hardware for mounting strip curtain. Simple-to-follow installation instructions are included in every package.

- Determine inside width and height of door opening.
NOTE: If mounting on door above lintel, measure from floor to mounting height.
- Select type of PVC material required: **STANDARD** or **LOW TEMP.**
Standard recommended for temperatures from -23°C to 66°C.
Low Temp. recommended for interior use only for temperatures from -40°C to 66°C.
- Select from the standard sizes listed in the chart below.
NOTE: If required size is not available, order the next largest size.
Installation instructions describe how simple trimming can custom fit almost any door opening.
- Special size doors and hanging applications are available upon request.
- For overhead doors, please call one of our sales representatives for assistance.

Every strip curtain door comes complete with PVC strips and universal hardware for door or wall mounting. Simple-to-follow installation instructions included in every package.



Other materials available



INTERIOR DOORS




Save energy costs

- The optimal solution to open door heat/cooling loss

Reduce noise pollution

- Provides the ideal acoustical barrier around noisy equipment

CONVEYORS




Provide extra safe passage

- People can see and be seen so there is less chance of accidents

Control smoke, dust and sprays

- Strip curtains can control in-plant contaminants to improve employee environment

DOCKS



Low maintenance

- Clear flexible vinyl resists stretching and stands up to abrasion
- All aluminum hardware is used for maximum durability
- May be quickly and easily cleaned with detergents or cleansing agents that are free from abrasives
- Deep stains and ingrained dirt can be removed by carefully applying ethanol

IN-STOCK DELIVERY

We have the strip curtain package you need, in-stock, ready to be delivered to your door.

EASY TO ORDER

It is easy to order the strip curtain that fits your door exactly because seven standard sizes can be made to fit 95% of most door openings. Special sizes are available.

STANDARD DOOR SIZES

| Order No. Standard | Order No. Low Temp. | Strip Dimensions | Door Opening W' x H' | Wt. lbs. |
|--------------------|---------------------|------------------|----------------------|----------|
| KF022 | KF004 | 8" | 4 x 7 | 25 |
| KF023 | KF005 | (8" x 0.080) | 5 x 8 | 35 |
| KF024 | KF006 | | 6 x 8 | 40 |
| KF026 | KF008 | 12" | 8 x 8 | 80 |
| KF025 | KF007 | (12" x 0.120) | 8 x 10 | 100 |
| KF020 | KF002 | | 10 x 10 | 125 |
| KF021 | KF003 | | 12 x 12 | 175 |

NOTE: Doors with 8" strips have 2" standard overlap
Doors with 12" strips have 4" standard overlap

REPLACEMENT STRIPS - 5 PER CARTON

| Order No. Standard | Order No. Low Temp. | Strip Dimensions | Wt. lbs. |
|--------------------|---------------------|-------------------|----------|
| KF032 | KF013 | 8" x 0.080 x 8' | 15 |
| KF029 | KF011 | 12" x 0.120 x 12' | 45 |


BULK ROLLS

| Order No. Standard | Order No. Low Temp. | Colour | Strip Dimensions | Roll' | Wt. lbs. |
|--------------------|---------------------|------------|------------------|-------|----------|
| KF033 | KF014 | Clear | 8" x 0.080 | 300 | 99 |
| ML959* | - | Dark Amber | 8" x 0.080 | 300 | 105 |
| KF030 | KF012 | Clear | 12" x 0.120 | 200 | 150 |
| KF031 | - | Clear | 16" x 0.160 | 100 | 140 |

*For welding applications

FIXED MOUNTING SYSTEM

| Order No. | Description |
|-----------|----------------------------------|
| KF001 | Complete 4' Aluminum Angle Mount |



Customize it to your specifications.

FREE-STANDING CROWD CONTROL BARRIERS

- 4-way connection permits all posts to receive up to three tapes from any direction
- Slow retracting tape cassette insures tape will retract safely
- Specially designed locking mechanism prevents accidental release
- Receiver post without tape cassette for use at the end of a line of posts
- Height: 35"
- Recommended post spacing: 7' Tape = 6'6"
12' Tape = 11'6"

STANDARD FREE-STANDING BARRIERS



**Locking mechanism
prevents accidental
release!**



ZENITH®
Safety Products

| Order No. | Description | Tape Colour | Tape Length' |
|---------------|---------------------------------|-------------|--------------|
| SAS226 | Stainless Steel Post w/Cassette | Red | 7 |
| SAS227 | Black Post w/Cassette | Black | 7 |
| SDL100 | Stainless Steel Post w/Cassette | Red | 12 |
| SDL101 | Black Post w/Cassette | Black | 12 |
| SAS230 | Stainless Steel Receiver Post | - | - |
| SAS231 | Black Receiver Post | - | - |

WITH WHEELS

| | | | |
|---------------|---------------------------------|-------|----|
| SEI760 | Stainless Steel Post w/Cassette | Red | 7 |
| SEI762 | Black Post w/Cassette | Black | 7 |
| SDL103 | Stainless Steel Post w/Cassette | Red | 12 |
| SDL104 | Black Post w/Cassette | Black | 12 |
| SEI761 | Stainless Steel Receiver Post | - | - |
| SEI763 | Black Receiver Post | - | - |

SAFETY FREE-STANDING BARRIERS




| Order No. | Description | Tape Colour | Tape Length' |
|---------------|---------------------------|-------------|--------------|
| SAS228 | Yellow Post w/Cassette | Yellow | 7 |
| SAS229 | Yellow Post w/Cassette | Yellow | 7 |
| | (Caution Do Not Enter) | | |
| SEE818 | Yellow Post w/Cassette | Yellow | 7 |
| | (Attention Ne Pas Entrer) | | |
| SDL102 | Yellow Post w/Cassette | Yellow | 12 |
| SAS232 | Yellow Receiver Post | - | - |

WITH WHEELS

| | | | |
|---------------|------------------------|--------|----|
| SEI764 | Yellow Post w/Cassette | Yellow | 7 |
| SDL105 | Yellow Post w/Cassette | Yellow | 12 |
| SEI765 | Yellow Receiver Post | - | - |

WALL MOUNT BARRIERS

- Wall mount barrier is ideal where floor space is essential
- Slow retracting tape cassette insures tape will retract safely
- Specially designed locking mechanism prevents accidental release
- Wall mount barrier includes one wall receiver and hardware
- Dimensions: 3 5/8" L x 3" W x 5 5/8" H
- Tape length: 7'



| Order No. | Description | Tape Colour |
|---------------|----------------------------|-------------|
| SAS233 | Black Wall Mount | Black |
| SED813 | Stainless Steel Wall Mount | Black |
| SAS234 | Replacement Wall Receiver | - |

ZENITH®
Safety Products

BUILD YOUR OWN CROWD CONTROL BARRIERS

- Slow retracting tape cassette insures tape will retract safely
- Specially designed locking mechanism prevents accidental release
- Tape length: 7'




FREE-STANDING CROWD CONTROL BARRIERS:

- 4-way connection permits all posts to receive up to three tapes from any direction
- Receiver post without tape cassette for use at the end of a line of posts
- Assembled height: 35"
- Recommended post spacing: 6'6"

TO BUILD YOUR OWN FREE-STANDING CROWD CONTROL BARRIER FOLLOW THESE INSTRUCTIONS:

1. Select a post style.
2. Select a base style. You will need one base for every post ordered
3. Select a Tape Cassette. The quantity required will depend on your setup.
4. Order an Empty Cassette for any posts that will be used as a receiver or a wall receiver if mounting to a wall.




WALL MOUNT BARRIERS:

- Ideal where floor space is essential
- Wall mount barrier includes one wall receiver and hardware
- Dimensions: 3 5/8" L x 3" W x 5 5/8" H

TO BUILD YOUR OWN WALL MOUNT BARRIER FOLLOW THESE INSTRUCTIONS:

1. Select a Wall Mount style. You only need one Wall Mount since the receiver for the other side is included.
2. Select a Tape Cassette.



COMPONENTS FOR FREE-STANDING & WALL MOUNT BARRIERS

POSTS

| Order No. | Style |
|-----------|-----------------|
| SEC868 | Stainless Steel |
| SEC869 | Black |
| SEC870 | Yellow |

BASES

| Order No. | Style |
|-----------|--------------------------|
| SAS312 | Stainless Steel, Tapered |
| SAS314 | Black, Tapered |
| SAS316 | Yellow, Flat |

BASES W/WHEELS

| Order No. | Style |
|-----------|-----------------|
| SEI757* | Stainless Steel |
| SEI758** | Black |
| SEI759 | Yellow |

WALL MOUNTS

| Order No. | Style |
|-----------|-----------------|
| SEC360 | Black |
| SEC497 | Stainless Steel |

EMPTY CASSETTES

| Order No. | Description |
|-----------|--------------------|
| SEC361 | For Receiver Posts |
| SAS234 | Wall Receiver |

TAPE CASSETTES

| Order No. | Colour | Tape Length' |
|-----------|----------------------------------|--------------|
| SAW917 | Red | 7 |
| SAW918 | Black | 7 |
| SAW995 | Yellow | 7 |
| SEB179 | Yellow w/Caution Do Not Enter | 7 |
| SEC956 | Yellow w/Attention Ne Pas Entrer | 7 |
| SEC362 | Blue | 7 |
| SEC363 | Green | 7 |
| SEC364 | Black w/White Stripe | 7 |
| SEC365 | Yellow and Black Stripes | 7 |
| SEK981 | Red | 12 |
| SEK982 | Black | 12 |
| SEK983 | Yellow | 12 |

*For use with SEC868 post. Outer rim is black steel. **For use with SEC869 post.

Crowd Control

ADVANCE TENSABARRIER®

- Use for indoor and outdoor applications
- Design ensures easy setup and quick storage
- Smooth 2.5" post contains the SlowRetract® belt cassette for a seamless look and maximum safety
- Locking belt receivers prevent accidental release of the belt
- 4-way connecting system allows up to three receivers to attach to a post
- Dimensions: 36" H, tube dia. 2.5", base dia. 14", belt: 7.5' L x 2" W
- Material: Steel
- Receiver post without cassette also available
- Additional tape colour and size options and custom printing available upon request



TENSATOR®

POST/TAPE COMBINATION

| Order No. | Mfg. No. | Tube Colour | Tape Colour | Message |
|-----------|-------------------------|-------------|------------------------------|----------------------|
| SEH483 | 889B-33-21-STD-NO-RGX-C | Red | Red/White | Caution Do Not Enter |
| SEH484 | 889B-33-33-STD-NO-B9X-C | Black | Black/Yellow | Caution Do Not Enter |
| SEH485 | 889B-33-35-STD-NO-YAX-C | Yellow | Black/Yellow | Caution Do Not Enter |
| SEH486 | 889B-33-21-STD-NO-D4X-C | Red | Black/Yellow Diagonal Stripe | - |
| SEH487 | 889B-33-33-STD-NO-D4X-C | Black | Black/Yellow Diagonal Stripe | - |
| SEH488 | 889B-33-35-STD-NO-D4X-C | Yellow | Black/Yellow Diagonal Stripe | - |
| SEH489 | 889B-33-35-STD-NO-Y5X-C | Yellow | Yellow | - |

RECEIVER POSTS

| Order No. | Mfg. No. | Tube Colour |
|-----------|----------------|-------------|
| SEH490 | 889B-21-21-RCV | Red |
| SEH491 | 889B-32-33-RCV | Black |
| SEH492 | 889B-35-35-RCV | Yellow |

OUTDOOR TENSABARRIER®

- Tube constructed of UPVC in white, red or yellow mounted on PVC grey base
- Lightweight when empty for easy transportation
- Fill base with water or sand for stability
- Weather resistant
- Post: 37" H; tube O.D.: 2.5"; base: 15" diameter
- 4-way retractable tape cassette
- Additional tape colour options and custom printing available upon request

TENSATOR®

| Order No. | Mfg. No. | Tube Colour | Tape Colour | Tape Length |
|--------------------------------------|---------------------|-------------|---|-------------|
| POST/TAPE COMBINATION | | | | |
| SAM967 | 885-35-STD-NO-D4X-C | Yellow | Yellow/Black Diagonal | 7'6" |
| SAM968 | 885-32-STD-NO-D4X-C | White | Yellow/Black Diagonal | 7'6" |
| SAM969 | 885-21-STD-NO-D4X-C | Red | Yellow/Black Diagonal | 7'6" |
| SF979 | 885-35-STD-NO-YAX-C | Yellow | Yellow w/Black Message - Caution Do Not Enter | 7'6" |
| POST/TAPE COMBINATION STRIPED | | | | |
| SF980 | 885-32-MAX-NO-D3X-C | Red | Red/White Diagonal | 13' |
| SF981 | 885-21-MAX-NO-D3X-C | White | Red/White Diagonal | 13' |
| SF982 | 885-35-MAX-NO-D4X-C | Yellow | Yellow/Black Diagonal | 13' |
| RECEIVER POSTS | | | | |
| SF983 | 885-32-32-RCV | Red | - | - |
| SF984 | 885-21-21-RCV | White | - | - |
| SF985 | 885-35-35-RCV | Yellow | - | - |



STOWAWAY® POST KITS

- The take-it-anywhere, store-it-anyplace TensaBarrier®
- Multi-purpose, for indoor or outdoor use
- Quick and easy set-up/break-down
- Compact, lightweight and portable; four posts to a bag
- Each post is 36" high with a base width of 22 3/4"; belt length is 13'
- Safety yellow UPVC tube and black powder coated legs with yellow and black safety striped belt
- Storage bag included

TENSATOR®

| Order No. | Mfg. No. | Tube Colour | Tape Colour |
|-----------|---------------------|-------------|-----------------------|
| SAQ143 | SA1-4PK-MAX-NO-B9-C | Yellow | Yellow/Black Diagonal |



REPLACEMENT CASSETTES FOR ADVANCE, OUTDOOR & STOWAWAY® TENSABARRIER®

- Cassettes are 4-way and quick retracting
- Includes tape, spring mechanism, receiver and tape end piece

| Order No. | Mfg. No. | Description | Tape Colour | Tape Length |
|-----------|-----------------------|----------------------|------------------------|-------------|
| SAM970 | CASSETTE-STD-NO-D4X-C | Striped | Yellow/Black Diagonal | 7'6" |
| SF987 | ADV144-YA | Caution Do Not Enter | Yellow w/Black Message | 7'6" |
| SF988 | CASSETTE-MAX-NO-D3X-C | Striped | Red/White Diagonal | 13' |
| SF989 | CASSETTE-MAX-NO-D4X-C | Striped | Yellow/Black Diagonal | 13' |

TENSABARRIER® WALL MOUNTED UNITS

SF959 Wall
Receptacle

- Handsomely styled wall-mounted TensaBarrier®
- Designed for indoor use where only a limited area of traffic control is necessary
- Available in chrome or impact resistant ABS plastic casing with tape
- Wall receptacle is in black only
- Magnetic case recommended for warehouses
- Wall receptacle included with all TensaBarrier® wall-mounted units

TENSATOR®

| Order No. | Mfg. No. | Description | Tape Colour | Tape Length |
|-----------|----------------------|-------------------------------|---------------------------|-------------|
| SF968 | 897-15-S-1P-NO-L5X-C | Black and Chrome Case | Blue | 15' |
| SF969 | 897-15-S-21-NO-R5X-C | Black and Red Case | Red | 15' |
| SF970 | 897-15-S-33-NO-S3X-C | Black Case | Black w/White Stripe | 15' |
| SEI733 | 897-15-M-33-NO-D4-C | Black Case w/Magnetic Backing | Black w/Yellow Dia Stripe | 15' |
| SEI734 | 896-STD-33-NO-D4-C | Black Case | Black w/Yellow Dia Stripe | 7.5' |
| SEI735 | 896-MAX-33-NO-D4-C | Black Case | Black w/Yellow Dia Stripe | 13' |
| SF959 | 898CLIP | Wall Receptacle | - | - |



SF970
Case



SEI733

STANCHIONS

- Effective for crowd control, defining walkways, and brings awareness to potential hazards
- Use indoors/outdoors
- Suitable for manufacturing facilities, schools, churches, restaurants, military bases, office buildings, events, parks and much more
- Made of high density polyethylene containing UV inhibitors
- Will not rust and resists fading
- Recyclable
- Base can be filled with sand for additional stability
- Medium and heavy-duty options available
- **Medium-duty:** The chain can be attached on the enclosed C-hook or be ran in a continuous length through the top of the stanchion
- **Heavy-duty:** Attach the chain to the stanchion with the enclosed C-hook and base can be attached to floor



SEI664



SEI668



SEI666

Mr.Chain

| Order No. | Mfg. No. | Colour | Base Diameter" | Pole Diameter" | Overall Height" | Empty Weight lbs. | Filled with Sand lbs. |
|--------------------|----------|--------|----------------|----------------|-----------------|-------------------|-----------------------|
| MEDIUM-DUTY | | | | | | | |
| SEI663 | 96402 | Yellow | 14 | 2.5 | 40 | 2.6 | 6.6 |
| SEI664 | 96403 | Black | 14 | 2.5 | 40 | 2.6 | 6.6 |
| SEI665 | 96401 | White | 14 | 2.5 | 40 | 2.6 | 6.6 |
| HEAVY-DUTY | | | | | | | |
| SEI666 | 99902 | Yellow | 16 | 3 | 41 | 3.1 | 12 |
| SEI667 | 99903 | Black | 16 | 3 | 41 | 3.1 | 12 |
| SEI668 | 99905 | Red | 16 | 3 | 41 | 3.1 | 12 |

CHAINS

- Durable 2" link plastic chain
- Connects to stanchion or post with master links or S-hooks
- Use indoors/outdoors
- Made of high density polyethylene containing UV inhibitors
- Will not rust and resists fading
- Lightweight, strong and durable
- Recyclable
- **Sold per foot**



SEI672



SEI675



SEI677

MASTER LINKS

- Used to connect two lengths of plastic chain and to repair chain
- Made of acetal plastic containing UV inhibitors

S-HOOKS

- Allows you to hang or connect plastic chain in a variety of applications
- Made of acetal plastic containing UV inhibitors

Mr.Chain

| Yellow Order No. | Mfg. No. | Black Order No. | Mfg. No. | White Order No. | Mfg. No. | Red Order No. | Mfg. No. | Description | Size" |
|------------------|-----------|-----------------|-----------|-----------------|-----------|---------------|-----------|------------------|-------|
| SG197 | 50002-100 | SEI669 | 50003-100 | SEI670 | 50001-100 | SEI671 | 50005-100 | Chain (per foot) | 2 |
| SG200 | 50702 | SEI672 | 50703 | SEI673 | 50701 | SEI674 | 50705 | Master Link | 2 |
| SG203 | 50302 | SEI675 | 50303 | SEI676 | 50301 | SEI677 | 50305 | "S" Hook | 2 |

Mirrors


Use furniture polish to clean mirrors. Glass cleaner will damage surface.

DOME MIRRORS

- Prevent accidents and increase surveillance due to blind corners
- Constructed of acrylic for added durability
- All mirrors have a black protective edge and hanging clips
- Full dome mirrors come with hanging chains and hooks

IDEAL LOCATIONS:

| | |
|------|----------------------|
| 360° | 4-way intersections |
| 180° | T-intersections |
| 90° | Corner intersections |



FULL DOME

Comes with hanging hardware

| Order No. | Mirror Dia." * | Wt lbs. |
|-----------|----------------|---------|
| SEJ875 | 20 | 1.5 |
| SEJ876 | 24 | 2 |
| SEJ877 | 31 | 3 |
| SEJ878 | 47 | 6.5 |

HALF DOME

| Order No. | Mirror Dia." * | Wt lbs. |
|-----------|----------------|---------|
| SEJ879 | 20 | .75 |
| SEJ880 | 24 | 1 |
| SEJ881 | 31 | 1.5 |
| SEJ882 | 47 | 3.25 |

QUARTER DOME

| Order No. | Mirror Dia. " * | Wt lbs. |
|-----------|-----------------|---------|
| SEJ883 | 20 | .35 |
| SEJ884 | 24 | .5 |

* The dimensions listed are that of a full dome

DROP-IN CEILING PANEL DOME MIRRORS

- Attractive 24" dome mirror for 360° viewing
- One-piece drop-in dome includes a mirrored ceiling panel to fit a standard 2' x 2' drop-ceiling tile
- Can also fit a standard 2' x 4' drop-ceiling tile (simply cut the ceiling tile in half)

Order No. SAR052

Mfg. No. 2000DD22-M1

RALSTON MIRRORS

Manufacturers of SureWay™ Safety & Security Acrylic Mirrors



CONVEX MIRRORS

- Prevent accidents and increase surveillance with a lightweight acrylic convex mirror
- Adjustable mounting hardware included with each mirror
- 100° viewing angle and mounted ball and swivel
- Telescoping arm adjusts from 15" to 21"
- For indoor or outdoor use



RALSTON MIRRORS

Manufacturers of SureWay™ Safety & Security Acrylic Mirrors

| Order No. | Mfg. No. | Dia." | Wt. lbs. |
|---------------|----------|-------|----------|
| INDOOR | | | |
| SA725 | 1000CI12 | 12 | 2 |
| SA726 | 1000CI18 | 18 | 3 |
| SA727 | 1000CI26 | 26 | 6 |
| SA728 | 1000CI30 | 30 | 7 |
| SA729 | 1000CI36 | 36 | 9 |

| Order No. | Mfg. No. | Dia." | Wt. lbs. |
|----------------|----------|-------|----------|
| OUTDOOR | | | |
| SA720 | 1100CE12 | 12 | 4 |
| SA721 | 1100CE18 | 18 | 5 |
| SA722 | 1100CE26 | 26 | 9 |
| SA723 | 1100CE30 | 30 | 11 |
| SA724 | 1100CE36 | 36 | 15 |

ROUNTAGULAR CONVEX MIRRORS

- The top and bottom of these convex mirrors have been rimmed or "cropped" to fit into smaller spaces
- Provides the same larger view as the full sized convex, but takes up less space
- Use when mounting space is limited such as lower ceilings or overhangs
- Exteriors models are enclosed



RALSTON MIRRORS

Manufacturers of SureWay™ Safety & Security Acrylic Mirrors

| Order No. | Mfg. No. | Dim." | Wt. lbs. |
|---------------|----------|---------|----------|
| INDOOR | | | |
| SAQ971 | 1300TM18 | 12 x 18 | 3.5 |
| SAQ972 | 1300TM26 | 18 x 26 | 4.75 |
| SAQ973 | 1300TM30 | 20 x 30 | 6.7 |
| SAQ974 | 1300TM36 | 24 x 36 | 9.3 |

| Order No. | Mfg. No. | Dim." | Wt. lbs. |
|----------------|-----------|---------|----------|
| OUTDOOR | | | |
| SAQ975 | 1300TME18 | 12 x 18 | 4.7 |
| SAQ976 | 1300TME26 | 18 x 26 | 8 |
| SAQ977 | 1300TME30 | 20 x 30 | 12.5 |
| SAQ978 | 1300TME36 | 24 x 36 | 18.3 |

FLAT MIRRORS

- Ideal for locations where accurate depth perception is essential
- Mirrors are made of acrylic and galvanised steel back
- Framed mirrors have an aluminum edge
- Arm adjusts from 15" to 21"
- Ball and swivel, and telescoping arm and bracket are included with each mirror



RALSTON MIRRORS
Manufacturers of SureWay™ Safety & Security Acrylic Mirrors

| Order No. | Mfg. No. | Dim." |
|-----------------|------------|---------|
| UNFRAMED | | |
| SA744 | 3000FL1212 | 12 x 12 |
| SA745 | 3000FL1218 | 12 x 18 |
| SA746 | 3000FL1824 | 18 x 24 |
| SA747 | 3000FL2430 | 24 x 30 |
| SA748 | 3000FL3036 | 30 x 36 |

| Order No. | Mfg. No. | Dim." |
|---------------|------------|---------|
| FRAMED | | |
| SA749 | 3000FF1212 | 12 x 12 |
| SA750 | 3000FF1218 | 12 x 18 |
| SA751 | 3000FF1824 | 18 x 24 |
| SA752 | 3000FF2430 | 24 x 30 |
| SA753 | 3000FF3036 | 30 x 36 |

REAR VIEW MIRRORS

- Designed for use on forklifts, delivery trucks or other transit vehicles
- Helps eliminate dangerous blind spots
- 2 3/4" x 7" rectangular convex mirror
- Complete with mounting bracket
- Adjustable swivel mount

Order No. SED112
Mfg. No. 2100RV2X3



RALSTON MIRRORS
Manufacturers of SureWay™ Safety & Security Acrylic Mirrors

ROUND INSPECTION MIRRORS

- 2 1/4" round inspection mirror
- Telescoping handle: 7", extends to 36"
- Handle has non-slip, black cushion grip

Order No. SED113
Mfg. No. 309S1



MAG-MATE

1 1/2" ROUND GLASS INSPECTION MIRRORS

- 4 1/2" telescoping handle extends to 24"
- Shaft made of chrome-plated brass
- Handle has a pocket clip with a non-slip black cushion grip

Order No. TLV720
Mfg. No. 306TR



MAG-MATE

INSPECTION MIRRORS & MAGNETIC RETRIEVER TOOLS

- 2" x 2" rectangular glass mirror
- 5/16" diameter magnet with 2-lb. lift
- Chrome-plated brass telescoping handle 6 1/4", extends to 28"

Order No. TLV723
Mfg. No. 301G240



MAG-MATE

TRUCK INSPECTION MIRRORS

- Ideal for inspecting top of semi-trailers or rail cars
- One-piece, triple-extension handle made of durable anodised aluminum
- Mirror head is easily detachable and comes with mirror protection cover
- Unit collapses down for easy storage (fits in the trunk of most vehicles)
- Handle adjusts from 4' 3" to over 13'
- Convenient 2-piece grip for easy manoeuvring
- Complete unit weighs less than 5 lbs.




| Order No. | Mfg. No. | Description | Dia." |
|-----------|-----------|-------------|-------|
| SAK284 | P-120FTIM | Flat | 12 |

SECURITY INSPECTION MIRRORS

- 8" convex mirror for wider viewing area
- 40" handle with adjustable angle
- Lightweight

Order No. SAQ807
Mfg. No. 2100ML5086



RALSTON MIRRORS
Manufacturers of SureWay™ Safety & Security Acrylic Mirrors

READ RITE™ INSPECTION MIRRORS

- Allows the user to see a non-inverted image in difficult viewing locations
- 3 1/2" x 2" rectangular stainless steel mirror
- Non-slip, solvent-resistant telescoping handle 15 1/2", extends to 28 1/2"
- Shaft made of stainless steel

Order No. TLV722
Mfg. No. 390SS



MAG-MATE

RECTANGULAR GLASS INSPECTION MIRRORS

- Non-slip, solvent-resistant telescoping handle 6 1/2", extends to 36 1/2"
- Shaft made of stainless steel
- 2" x 1 1/4"

Order No. TLV721
Mfg. No. 315




MAG-MATE

RECTANGULAR INSPECTION MIRRORS

- Facilitates inspection of inaccessible work pieces and machines
- 2" x 3 3/4" rectangular steel mirror
- Telescoping handle: 10 3/4", extends to 26"

Order No. SED114
Mfg. No. 005562



GENERAL

Tape & Markers

AISLE MARKING TAPE

- PVC tape made from a durable 6-mil thick vinyl film with a rubber adhesive system that will adhere to most any clean, dry surface
- Matte smooth conformable tape that is great for marking hazards on floors, walls and equipment
- Commonly used in aisle demarcation, colour coding and pipe banding applications
- 108' per roll

| Order No. | Mfg. No. | Width" | Colour |
|-----------|----------|--------|--------|
| SAL689 | PST221 | 2 | Blue |
| SAL688 | PST218 | 2 | Orange |
| SAL684 | PST211 | 2 | Green |
| SAL685 | PST212 | 2 | Red |
| SAL686 | PST213 | 2 | White |
| SAL683 | PST210 | 2 | Yellow |
| SAL687 | PST215 | 2 | Black |
| SAL696 | PST321 | 3 | Blue |
| SAL695 | PST318 | 3 | Orange |
| SAL691 | PST311 | 3 | Green |
| SAL692 | PST312 | 3 | Red |
| SAL693 | PST313 | 3 | White |
| SAL690 | PST310 | 3 | Yellow |
| SAL694 | PST315 | 3 | Black |

INCOM



RECOMMENDED GUIDELINES

| | | | |
|----------------|------------------------------|-----------------|--------------------------------|
| Blue: | General Information | Green: | Safety and First Aid Equipment |
| White: | Traffic and Housekeeping | Black: | Boundaries |
| Orange: | Warning /Hazardous Biohazard | Red: | Fire Protection /Danger/Stop |
| Yellow: | Caution | Stripes: | Hazard/Warning |

HAZARD WARNING TAPE

NON-LAMINATED

- PVC tape will quickly bring attention to any workplace hazard
- Made from a 6-mil conformable vinyl film with a rubber adhesive system to adhere to most any clean, dry surface
- Smooth semi-matte surface
- Ideal for floors, walls, pipes and equipment
- 108' per roll

LAMINATED

- PVC tape with a durable, clear laminating film over top
- Smooth gloss finish will resist wear and is easily cleaned
- Over lamination improves tape's ability to withstand heavy abrasion
- 108' per roll

RECOMMENDED GUIDELINES

Red/White: Fire Protection Equipment

Yellow/Black: Physical Hazards

Black/White: Traffic and Housekeeping

Green/White: Safety and First Aid Equipment



INCOM

| Order No. | Mfg. No. | Width" | Colour |
|----------------------|----------|--------|--------------|
| NON-LAMINATED | | | |
| SAL701 | WT2300 | 2 | Black/White |
| SAL697 | WT2110 | 2 | Yellow/Black |
| SAL699 | WT2200 | 2 | Red/White |
| SAL702 | WT2310 | 3 | Black/White |
| SAL698 | WT2130 | 3 | Yellow/Black |
| SAL700 | WT2210 | 3 | Red/White |
| LAMINATED | | | |
| SAL668 | LWT221 | 2 | Red/White |
| SAL667 | LWT220 | 2 | Yellow/Black |
| SAL669 | LWT222 | 2 | Black/White |
| SAL670 | LWT223 | 2 | Green/White |
| SAL672 | LWT321 | 3 | Red/White |
| SAL671 | LWT320 | 3 | Yellow/Black |
| SAL673 | LWT322 | 3 | Black/White |
| SAL674 | LWT323 | 3 | Green/White |
| SAL676 | LWT421 | 4 | Red/White |
| SAL675 | LWT420 | 4 | Yellow/Black |
| SAL677 | LWT422 | 4 | Black/White |
| SAL678 | LWT423 | 4 | Green/White |
| SAL680 | LWT621 | 6 | Red/White |
| SAL679 | LWT620 | 6 | Yellow/Black |
| SAL681 | LWT622 | 6 | Black/White |
| SAL682 | LWT623 | 6 | Green/White |

FLOOR TAPE APPLICATORS

- Designed for applying tape accurately and securely to floors and ground in straight line only
- Use with tape rolls up to 4" diameter



INCOM

| Order No. | Mfg. No. | Max. Roll Diameter" | Overall Height" |
|-----------|----------|---------------------|-----------------|
| SED019 | WTD-200 | 4 | 39 |

COLOURED VINYL ARROWS & DOTS

- Great choice for marking direction of travel or demarcation of hazards
- Commonly used for production work flow, inventory management and pedestrian directional aids
- Arrows and dots are all made from a durable solid coloured vinyl so there is no print to wear off
- Adhesive backing
- Custom sizes and colours available upon request

INCOM

| Order No. | Mfg. No. | Colour |
|---------------------------------|----------|--------|
| ARROW 4" - 100 PER ROLL | | |
| SAS533 | VA400W | White |
| SAS534 | VA400K | Black |
| SAS535 | VA400G | Green |
| SAS536 | VA400R | Red |
| SAS537 | VA400B | Blue |
| SAS538 | VA400Y | Yellow |
| CIRCLE 3" - 500 PER ROLL | | |
| SAS539 | VA300W | White |
| SAS540 | VA300K | Black |
| SAS541 | VA300G | Green |
| SAS542 | VA300R | Red |
| SAS543 | VA300B | Blue |
| SAS544 | VA300Y | Yellow |



PREMIUM GRADE ANTI-SKID TAPE & CLEATS

- Constructed from a thick PVC base layer impregnated with an aggressive 60-grit mineral abrasive compound
- Backing has an aggressive acrylic adhesive system for longevity
- Forms a strong, water-proof bond to most any clean, dry surface while still being temporarily repositionable during the application process
- Great choice for both indoor and outdoor environments
- Offers highest wear resistance and weather ability
- Excellent chemical and oil resistance for a wide variety of applications
- Recommended for long term and OEM applications
- Certified by the National Flooring Safety Institute 101-A "High Traction", and meets or exceeds OSHA 1910.24 and 1910.26
- RoHS compliant and lead free
- 60' roll




| Order No. | Mfg. No. | Width" |
|--------------|----------|--------|
| BLACK | | |
| NC910 | SG3101B | 1 |
| NC383 | SG3102B | 2 |
| NC385 | SG3104B | 4 |
| NC386 | SG3106B | 6 |
| NC381 | SG3112B | 12 |
| CLEAR | | |
| NC912 | SG3601CL | 1 |
| NC913 | SG3602CL | 2 |
| NC914 | SG3604CL | 4 |
| NC915 | SG3606CL | 6 |



PREMIUM GRADE TRACTION CLEATS

- Pre-cut to give a finished look to your floor or equipment
- Sold per package



| Order No. | Mfg. No. | Description | Dim. W" x L" | Qty /Pkg. |
|-----------|-----------|--|---------------|-----------|
| NB396 | SG3125BS | Cleat | 3/4 x 24 | 50 |
| SAS551 | SG3132BS | Cleat | 3 x 24 | 50 |
| NB395 | SG3126BS | Cleat | 6 x 24 | 50 |
| SAS552 | SG3134BS | Cleat | 6 x 30 | 50 |
| NB394 | SG3127BS | Squares | 5 1/2 x 5 1/2 | 50 |
| SAS553 | SG3126BHV | Black Cleat w/Yellow Stripe | 6 x 24 | 10 |
| SAS554 | SG3126REF | Black Cleat w/Reflective Yellow Stripe | 6 x 24 | 10 |

ENGINEER GRADE REFLECTIVE TAPE

- Offer vibrant daytime visibility with reflective properties for night time use
- Rated for use outdoors for a 7-year life span
- Aggressive adhesive that will adhere to almost any clean, dry, smooth surface
- Hazard striped products have a protective lamination to ensure the printed stripe will not wear off
- Comes with removable release liner
- Not intended for flexible vehicle graphics
- 30' roll



PREMIUM GRADE COLOURED ANTI-SKID TAPE

- Effective way to offer visual warning of a slip and fall hazard
- Surface is an aggressive mineral abrasive compound on a thick PVC liner
- Adheres to most any clean, dry surface with an acrylic adhesive system
- Tape and adhesive are water, chemical and oil resistant for use in both indoor and outdoor applications
- Effective anti-slip protection on stair nosing
- Tape meets NFSI 101-A "High Traction" and meets or exceeds OSHA 1910.24 and 1910.26
- 60' roll

| Order No. | Mfg. No. | Width" |
|---------------------|----------|--------|
| RED/WHITE | | |
| SI747 | SG3802RW | 2 |
| BLACK/YELLOW | | |
| SI749 | SG3902YB | 2 |
| YELLOW | | |
| SK377 | SG3302Y | 2 |
| RED | | |
| SK379 | SG3502R | 2 |



GLOW IN THE DARK TAPE

- Protect your workers during darkness or evacuation
- Glow in the dark material automatically absorbs energy from any light source
- Vinyl coated on one side with a pressure-sensitive adhesive
- Perfect to locate emergency equipment and identify evacuation routes during emergency situations
- 30' rolls



| Order No. | Mfg. No. | Width" |
|----------------------|----------|--------|
| PLAIN | | |
| NC938 | 523522P | 2 |
| NC939 | 523524P | 4 |
| NC940 | 523526P | 6 |
| BLACK STRIPES | | |
| SAS545 | GT230BK | 2 |
| SAS546 | GT430BK | 4 |
| SAS547 | GT630BK | 6 |
| RED STRIPES | | |
| SAS548 | GT230RD | 2 |
| SAS549 | GT430RD | 4 |
| SAS550 | GT630RD | 6 |



| Order No. | Mfg. No. | Width" | Colour |
|-----------|----------|--------|--------------|
| SN611 | RST106 | 2 | Black/Yellow |
| SN612 | RST107 | 2 | Red/White |
| SAS555 | RST101 | 2 | White |
| SAS556 | RST102 | 2 | Red |
| SAS557 | RST104 | 2 | Yellow |
| SAS558 | RST105 | 2 | Orange |

Tape & Markers

3M™ SAFETY-WALK™ SLIP RESISTANT TAPE

The easy, economical way to help prevent slips and falls, and help meet OSHA and ADA requirements.

GENERAL PURPOSE


- Mineral-coated, slip-resistant material features a highly durable surface
- Low-profile design reduces trip hazard

CONFORMABLE

- High-friction, slip-resistant material has a special aluminum backing that conforms around corners and adheres to irregular surfaces

MEDIUM RESILIENT

- Resilient, non-mineral, slip-resistant material
- Soft surface is suitable for bare feet




| Order No. | Mfg. No. | Colour | Description | Dim. | | |
|------------------|----------------|--------|-------------|------|---|-----|
| | | | | W | x | L |
| GENERAL PURPOSE | | | | | | |
| NG063 | F-610-BLK-1X60 | Black | Roll | 1" | x | 60' |
| NG064 | F-610-BLK-2X60 | Black | Roll | 2" | x | 60' |
| NG065 | F-610-BLK-6X60 | Black | Roll | 6" | x | 60' |
| NG069 | F-630-SYL-1X60 | Yellow | Roll | 1" | x | 60' |
| NG070 | F-630-SYL-2X60 | Yellow | Roll | 2" | x | 60' |
| CONFORMABLE | | | | | | |
| NG073 | F-510-BLK-2X60 | Black | Roll | 2" | x | 60' |
| NG074 | F-510-BLK-4X60 | Black | Roll | 4" | x | 60' |
| NG075 | F-510-BLK-6X60 | Black | Roll | 6" | x | 60' |
| NG077 | F-530-SYL-2X60 | Yellow | Roll | 2" | x | 60' |
| NG078 | F-530-SYL-4X60 | Yellow | Roll | 4" | x | 60' |
| NG079 | F-530-SYL-6X60 | Yellow | Roll | 6" | x | 60' |
| MEDIUM RESILIENT | | | | | | |
| NG081 | F-310-BLK-1X60 | Black | Roll | 1" | x | 60' |
| NG082 | F-310-BLK-2X60 | Black | Roll | 2" | x | 60' |
| NG083 | F-310-BLK-6X60 | Black | Roll | 6" | x | 60' |
| NG085 | F-370-GRY-1X60 | Grey | Roll | 1" | x | 60' |
| NG086 | F-370-GRY-2X60 | Grey | Roll | 2" | x | 60' |
| NG087 | F-370-GRY-6X60 | Grey | Roll | 6" | x | 60' |

SOFT EDGE FLEXIBLE WARNING & PROTECTION SYSTEMS

- Tough, flexible polyurethane foam extrusions reduce the risk of personnel injury at high risk corners
- When applied to machinery, furnishings and walls, *Soft Edge* prevents impact damages by absorbing even the hardest of impacts
- Highly visible black and yellow markings offer permanent warning in dangerous areas
- Simple "peel-away" adhesive installation on grease-free surfaces
- Excellent temperature range from -40°C to 100°C

Knuffi



CORNER ACCESSORIES

Makes a neat corner where two foam bumper guards protection profiles meet.



| Style | 1 Metre Order No. | 5 Metres Order No. |
|-------|-------------------|--------------------|
| A | KH866 | KH865 |
| B* | KH868 | KH867 |
| C | KH870 | KH869 |
| D | KH872 | KH871 |
| E | KH952 | KH953 |
| F | KH954 | KH955 |
| G* | KH956 | KH957 |
| H | KH958 | KH959 |

* Does not have peel-away adhesive. Held by pressure fit.

| Order No. | Description |
|-----------|----------------------------|
| MN379 | 2 Way - Use with Profile A |
| MN380 | 3 Way - Use with Profile A |
| MN381 | 2 Way - Use with Profile E |
| MN382 | 3 Way - Use with Profile E |
| MN383 | 2 Way - Use with Profile H |
| MN384 | 3 Way - Use with Profile H |

MARKING FLAGS


- For surveying, construction and agriculture
- Mark location of underground sprinklers, pipes and lines
- 2 1/2" x 3 1/2"
- Available with 21" and 30" staff
- 100 flags per bundle
- Sold per bundle



| Order No. | Mfg. No. | Colour |
|-----------------------|----------|--------------------|
| WITH 21" STAFF | | |
| SAQ792 | 15079 | Orange Fluorescent |
| SAQ793 | 15080 | Red Fluorescent |
| SAQ794 | 15081 | Pink Fluorescent |
| SAQ795 | 15082 | Lime Fluorescent |
| SAQ796 | 15084 | Yellow |
| WITH 30" STAFF | | |
| SAQ797 | 15042 | Lime Fluorescent |
| SAQ798 | 15064 | Pink Fluorescent |
| SAQ799 | 15089 | Orange Fluorescent |
| SAQ800 | 15093 | Red Fluorescent |

PENNANTS

- Ideal to draw attention to construction sites, work areas and events
- Vinyl-coated with tensile strength of 107 lbs.
- Available with printed legend or solid colours
- With Legend; red background printed "Danger Keep Out"
- Legend pennant dimensions: 12" x 18" on a 60' string
- Solid colours available in red, orange, yellow or multi-coloured
- Solid colour dimensions: 9" x 12" on a 60' string
- Standard 50 pennants per string



| Order No. | Mfg. No. | Message |
|--------------------------|-----------|-----------------------|
| PENNANT W/LEGEND | | |
| NG127 | 03-406 | Red w/Danger Keep Out |
| COLOURED PENNANTS | | |
| NG128 | 03-400-60 | Red |
| NG129 | 03-402-60 | Orange |
| SEI875 | 03-405-60 | Yellow |
| NG132 | 03-403-60 | Multicolour |

**GET YOUR MESSAGE ACROSS!
SEE PAGE 343**



BARRICADE TAPE

- Warn against hazards by restricting entry to dangerous areas
- Ideal for both indoor and temporary outdoor usage
- Made of polyethylene
- Roll size: 3" x 1000'



SEK403



SEK404



SEK405

| Order No. | Message | Colour |
|-----------------------------------|-----------|-----------------|
| STANDARD DUTY - 1.5 MIL | | |
| SEK397 | Caution | Black on Yellow |
| SEK398 | Attention | Black on Yellow |
| SEK399 | Danger | Black on Red |
| HEAVY-DUTY - 2.0 MIL | | |
| SEK400 | Caution | Black on Yellow |
| SEK401 | Attention | Black on Yellow |
| SEK402 | Danger | Black on Red |
| EXTRA HEAVY-DUTY - 2.5 MIL | | |
| SEK403 | Caution | Black on Yellow |
| SEK404 | Attention | Black on Yellow |
| SEK405 | Danger | Black on Red |

FLAGGING TAPE

- Superior visibility when laying out boundaries
- Economical and reusable
- 1 3/16" wide
- Fluorescent colour tape are 150' long, standard colour tape are 300' long



| Order No. | Mfg. No. | Colour |
|-----------------------|----------|--------------------|
| 1 3/16" x 150' | | |
| SAM827 | 17000 | Orange Fluorescent |
| SAM828 | 17001 | Lime Fluorescent |
| SAM829 | 17002 | Red Fluorescent |
| SAM830 | 17003 | Pink Fluorescent |
| SAM831 | 17004 | Green Fluorescent |
| SAM832 | 17005 | Yellow Fluorescent |
| 1 3/16" x 300' | | |
| SAM833 | 17023 | Standard Blue |
| SAM834 | 17027 | Standard Black |

Traffic Cones & Vehicle Safety

PREMIUM TRAFFIC CONES

- 100% PVC construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Available with 6" and 4" 3M™ high intensity collars
- High density interlocking base offers maximum stability
- Meets Minister of Transport regulations for Quebec, Ontario and Alberta

| Order No. | Description | Wt. lbs. |
|---------------------|-------------|----------|
| TRAFFIC CONE | | |
| SEB768 | 12" | 2 |
| SEB769 | 18" | 3.3 |
| SEB771 | 28" | 7 |

| | | |
|------------------------------|--------------------------------------|-----|
| TRAFFIC CONE W/COLLAR | | |
| SEB770 | 18" W/6" Collar (QC, ON, AB) | 3.3 |
| SEB772 | 28" W/6" and 4" Collars (QC, ON, AB) | 7 |
| SEB826 | 28" W/4" Collar (ON, AB) | 7 |

COLOURED CONES

- 1-piece lightweight PVC construction offers flexibility and durability
- Temperature resistance in hot and cold environments
- Ideal for parking lots, sporting events, festivals and crowd delineation
- Choice of six colour coding options
- Height: 18"
- Weight: 3 lbs.

| Order No. | Colour |
|-----------|--------|
| SEK283 | Red |
| SEH135 | White |
| SEH136 | Blue |
| SEH137 | Yellow |
| SEH138 | Orange |
| SEH139 | Green |

TRAFFIC CONE HOLDERS

- Bolts to vehicle bumper
- Conserves valuable inside storage space
- Holds 18" and 28" cones only

Order No. SB832 Mfg. No. 03-500-99

SEB772



ZENITH[®]
Safety Products



SEH139

ZENITH[®]
Safety Products



TRAFFIC CONES

- 100% PVC construction offers excellent flexibility and durability
- Temperature resistance in hot and cold environments
- Fluorescent orange color provides high visibility
- Available with 6" and 4" reflective collars
- High-density interlocking base offers maximum stability
- Meets Minister of Transport regulations for Québec, Ontario and Alberta

| Order No. | Height" | Collar | Wt. lbs. |
|-----------|---------|----------------------|----------|
| SEF026 | 18 | 6" (QC, ON, AB) | 3.15 |
| SEF027 | 28 | 4" (ON, AB) | 6.75 |
| SEF028 | 28 | 6" & 4" (QC, ON, AB) | 6.75 |



ZENITH[®]
Safety Products

RECESSED CONE

- One-piece wide body design and construction
- Easier stacking - no pinch points with collars
- Increased durability for reflective sheeting; recessed collars resist direct wear
- Protected reflective translates into longer service life lowering overall usage costs
- 28" cone with 6" reflective collar on top and 4" reflective collar on bottom
- Weight: 7 lbs.
- Meets MUTCD standards

Order No. SAQ093


Mfg. No. 03-500-100R



PACK & POP™ COLLAPSIBLE CONES

- Constructed of orange waterproof nylon
- Internal light has two settings: steady burn and flashing
- Cone light endures 100000 flashes or 36 hours of steady burn
- Collapses flat for easy storage
- Replaceable lithium battery
- Sold in packs of four with one carrying bag included
- Meets MUTCD standards

| Order No. | Mfg. No. | Height" |
|-----------|-----------|---------|
| SAR385 | 03-501-06 | 18 |
| SAR386 | 03-501-02 | 28 |



TENSACONE™ TOPPERS

- Transforms your line of traffic cones into a cost effective temporary barrier system
- Ideal for use in health and safety, roadside maintenance and engineering applications, or anywhere where a temporary barrier is required
- For use with a base weight and fits most standard traffic cones
- Fits securely to the top of the cone; retracting heavy-duty belt is connected to the next cone providing up to 12' of barrier
- More effective at restricting access than cones alone
- Faster and easier to use than string or traffic tape
- Lighter and easier to set up than rigid barriers
- Less cones are required, saving space and money
- 13' red and white diagonal stripe belt
- Over 40 colour choices or custom printing options available

| Order No. | Mfg. No. | Wt. lbs. |
|-----------|-----------------------|----------|
| SAQ141 | TC114-30-MAX-NO-D3X-C | 2 |

TENSATOR[®]



Cones not included

PREMIUM DELINEATOR POSTS

- Standard 42" high post with indentations for easier grip
- 100% LDPE construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Two pre-applied 4" 3M™ high intensity reflective tape collars
- High density interlocking 16" x 16" base offers maximum stability and durability

ZENITH
Safety Products

SEC153



| Order No. | Description | Wt. lbs. |
|-----------|----------------------|----------|
| SEB773 | Delineator Post Only | 1.5 |
| SEB774 | Rubber Base | 12 |
| SEC153 | Post and Base Kit | 14 |

TRAFFIC CONTROL SIGNS

- Double-sided hand-held traffic sign
- Directs traffic by signaling the desired warning towards oncoming vehicles
- STOP legend red with white legend and border
- SLOW legend fluorescent yellow/green with black legend and border
- Size: 18" x 18"
- Available in hi-intensity or EGR sheeting
- Meets 2001 MTO TC-22 standards for Ontario
- Meets MUTCD regulations for all provinces except ON & QC
- Optional 81" orange plastic handle available



| Order No. | Mfg No. | Description | Type |
|-----------|----------|----------------------------|--------------|
| SEJ662 | 03-835 | Sign – MUTCD Regulated | ERG |
| SEJ663 | 03-836 | Sign – MUTCD Regulated | Hi-intensity |
| SO101 | 03-858ON | Sign – MTO TC-22 Regulated | Hi-intensity |
| SEI644 | 03-824 | 81" Plastic Handle | - |

MUNICIPAL TRAFFIC SIGNS

- Octagon shaped paddle sign
- Engineer grade reflective material
- Ideal for school crossing guards and low speed construction areas
- English version available with a 18" sign and 9" plastic polygrip handle included
- French version available with a 15" sign and a 10" aluminum handle with rubber grip
- Meets MUTCD regulations



| Order No. | Mfg No. | Description |
|-----------|---------|-------------------------------|
| SEI474 | 03-855 | STOP/STOP Sign w/handle |
| SEI475 | 03-852 | STOP/SLOW Sign w/handle |
| SC504 | PTF001P | ARRÊT/ ARRÊT Sign w/handle |
| SC505 | PTF002P | ARRÊT/LENTÉMENT Sign w/handle |

CHANNELIZER CONES

- 42" high channelizer cone is made of high impact orange polyethylene
- Comes with a 4" and 6" reflective collar for improved visibility
- Unique shaped handle makes it easy to transport
- Cone dimensions: 4" at top tapering to 8" at bottom
- Choice of 10-lb. square base or 16-lb. octagon shaped base sold separately

SEE893



SEI476



| Order No. | Mfg. No. | Description |
|-----------|--------------|---------------------|
| SEI476 | 03-770-42-64 | Channelizer Cone |
| SEE893 | 03-752-10 | 10-lb. Square Base |
| SC104 | 03-752-16 | 16-lb. Octagon Base |

TRAFFIC SAFETY FLAGS

- For use as hand or vehicle flags
- Comes with 24" or 36" wooden staff
- Use 36" wooden staff with moving vehicles
- Flag size: 18" x 18"
- Available in knitted, vinyl or throw away vinyl
- Knitted flag: Heavy-duty fluorescent with plastic trim; resists tearing, fraying or snagging
- Vinyl flag: Fluorescent vinyl blend with heat-sealed hem
- Throw away vinyl flags sold as a case of 100
- Colour: Red/Orange



| Order No. | Mfg No. | Description | Wooden Staff" |
|------------------------|-------------|----------------------------------|---------------|
| FLAG WITH STAFF | | | |
| SC140 | 03-229-3406 | Knitted Flag | 24 |
| SC141 | 03-229-3463 | Knitted Flag | 36 |
| SAP711 | 03-229-3417 | Vinyl Flag | 24 |
| SC143 | 03-229-3405 | Vinyl Flag | 36 |
| FLAG ONLY | | | |
| SAI342 | 03-229-3412 | Knitted Flag | - |
| SEI553 | 03-229-3472 | Throw Away Vinyl Flag (100/Case) | - |

SAFETY FLARES

- Visible in fog, rain, or snow
- Easy to ignite with self-contained striker
- 20 or 30-minute duration
- Spike or wire stands available
- UL approved
- Sold per package



| Order No. | Mfg. No. | Description | Qty /Pkg. |
|-------------------|----------|-------------|-----------|
| 20 MINUTES | | | |
| SAI373 | 2720 | Spike | 72 |
| SAI374 | 9240 | Wire Stand | 72 |
| 30 MINUTES | | | |
| SAI375 | 2730 | Spike | 36 |
| SAI376 | 9340 | Wire Stand | 36 |

Traffic Cones & Vehicle Safety

SNOW & SAFETY FENCES

- Made from non-toxic, polyethylene mesh fencing
- Ideal for temporary or permanent enclosures
- Won't rust, rot or corrode
- Strong and long lasting



SC155



SC157

| Order No. | Mfg. No. | Description | Colour | Roll' | Mesh" | Wt. lbs. |
|-----------|----------|----------------------------------|--------|--------|-------|----------|
| SC155 | 64312204 | Sentry HD Diamond Safety Fence | Orange | 4 x 50 | 2.36 | 17 |
| SC157 | 90701804 | Saf-T-Sno Oval Mesh Snow Fence | Orange | 4 x 50 | 3.8 | 21 |
| SEJ114 | 82119006 | Sno-Guard Lightweight Snow Fence | Green | 4 x 50 | 1.8 | 8.5 |

AIRPORT WINDSOCKS


- Made of strong vinyl-coated nylon fabric
- Dayglow orange colour
- Hardware package includes hemi-rings, bolts, nuts, machine screws and half rings (**sold separately**)
- Dimensions: 18" opening x 8' L



| Order No. | Mfg. No. | Description |
|-----------|-----------|-------------------------|
| SEI609 | 03-WS-8 | 8' Airport Windsock |
| SEI610 | 03-WS-8HO | Hardware Package |
| SEI611 | 03-WS-8KT | Windsock & Hardware Kit |

SNOW FLAGS

- Used to locate important fittings that are covered with snow such as fire hydrants, water valves and natural gas valves
- Flags are made out of high visibility 9" x 12" low temperature triangular shaped red flag fabric
- Available with 6' fibreglass poles



| Order No. | Mfg. No. | Description | Pole' |
|-----------|-------------|-------------|-------|
| SH420 | 03-229-3454 | Flag | 6 |

REFLECTIVE WALKWAY STICKS

- Impact resistant and flexible fibreglass construction
- Durable in all types of weather conditions
- Reflective strips provide 360° visibility and stand out during night-time or day-time use
- Tapered end for easy installation, opposite end has a protective cap



DRIVEWAY "T" POSTS

- Strong, durable and reusable posts
- Used for snow clearing, parking lot or roadway markers
- Bright colour and reflective material on both sides offer excellent visibility day or night
- Will not rust
- Tough enough to be driven into the ground with a sledge hammer
- Auto impact resistant
- Standard size: 5'

Reflective Strips On Both Sides!



| Order No. | Mfg. No. | Description | Qty /Pkg. |
|-----------|----------|--|-----------|
| SH409 | RE9712 | 4' Safety Yellow Stick, 6" Reflective Band | 12 |



| Order No. | Mfg. No. | Description | Qty /Pkg. |
|-----------|----------|------------------|-----------|
| SH407 | RE94706 | Lime Strip | 6 |
| SH408 | RE88906 | Red/Silver Strip | 6 |

SLOW MOVING VEHICLE SIGNS

Available in two styles. Heavy duty, aluminum backed triangle mounts easily using screwholes provided. Self-adhesive decal triangle mounts quickly to any smooth, clean surface. Meets all provincial and federal specifications.



| Order No. | Description |
|-----------|--------------------|
| SC153 | Aluminum Sign |
| SC154 | Self-Adhesive Sign |

INDUSTRIAL TRIANGULAR REFLECTOR KITS

- Set of three triangular flares in reusable storage container
- Constructed of molded polypropylene plastic with red acrylic plastic reflectors
- Air-flow design helps reduce wind resistance
- Meets FMVSS-125 standards

Order No. SAV007



PARKING CURBS

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil and weather variations
- Safer and more durable than concrete or plastic; will not chip, crack or deform
- Black with bright yellow reflective stripes for maximum visibility
- Easily installed with 14" rebar spike for permanent or temporary installation
- 6" W x 4" H



SEH141

| Order No. | Length | Spikes Required | Weight lbs. |
|---------------------|--------|-----------------|-------------|
| PARKING CURB | | | |
| SEH140 | 3' | 3 | 20 |
| SEH141 | 6' | 4 | 35 |
| REBAR SPIKE | | | |
| SEH144 | 14" | - | - |

ZENITH
Safety Products

HIGHWAY BANNERS

- Screened "WIDE LOAD" on one side and "OVERSIZE LOAD" on reverse, made of durable material
- Black on yellow 18" x 96", complete with 5' tie down ropes

WIDE LOAD

OVERSIZE LOAD


| Order No. | Description | Dimensions W" x H" |
|-----------|-------------------------|--------------------|
| SC150 | Wide Load/Oversize Load | 96 x 18 |

WHEEL CHOCK ACCESSORIES

SECURITY CHAIN

- 18' steel chain attaches chock to dock
- Prevents misplacement and theft
- Zinc plated for corrosion resistance
- Diameter: 0.14" (3 mm)
- Working load limit: 255 lbs. (116 kg)
- Weight: 4 lbs.
- Includes hook

Order No. KH027



CAUTION SIGN

10" x 14" adhesive vinyl. Black letters on yellow field. Wt. 6 oz.

Order No. SAT137 English

Order No. SEE554 French



SAT137



SEE554

HEAVY DUTY RUBBER WHEEL CHOCKS

- Highly resistant to abrasion, impacts, corrosion, sun, salt, ozone and oil
- Steel ring on back
- Dimensions: 6 1/2" W x 7 1/2" H x 9 1/2" D
- Weight: 12.5 lbs.

Order No. KH032



RUBBER WHEEL CHOCKS

- Constructed of reinforced rubber
- Resists tearing, abrasions, impacts, corrosion, sun, salt, and oil
- Handle on back for easy placement
- 9 7/8" L x 7 1/8" W x 7 1/2" H
- Weight: 9.5 lbs.

Order No. KH893



WHEEL CHOCK WALL BRACKETS

- Sturdy yellow metal construction
- Fits wheel chocks up to 10" wide
- Prevents loss of chock

Order No. KH963



Traffic Cones & Vehicle Safety

BARRICADE LIGHTS

- LED Light source with 3-way photo cell technology
- High clarity polycarbonate lens provides extreme durability
- Attaches to most barricades and channelizers
- Meets all MUTCD and ITE specifications
- Amber coloured

D-CELL BARRICADE LIGHT

- Three modes: flash, steady, off
- Pushing on the mode switch changes the light from a flashing type "A" to a steady burn type "C" and back again
- Requires four easy to install D batteries (not included)

Order No. **SEI701**

Mfg. No. AC4D

SEI701




REPLACEMENT BATTERIES SOLD AS A PACK OF 12

Order No. **XB875**

Mfg. No. EN95

PORTABLE INTERLOCKING BARRIERS

- Ideal for directing people in areas where crowd control is required
- Rugged welded steel construction
- Feet are removable so railing will lay flat for shipping and storage
- Includes connectors to attach multiple units together
- Overall dimensions: 102" L x 40" H
- Distance between vertical bars is 7"
- Rail diameter is 1 5/8"
- Weight: 56 lbs.



Order No.



SEE395
SEE396

Description

Galvanized Finish
Safety Yellow Finish

VERSA-GUARD® GATES

- Constructed of steel and aluminum
- Free-standing design allows setting up quickly wherever and whenever they are needed
- Protects workers or customers from injuries
- Collapsed design also allows unit to store easily
- Painted black and yellow to provide high visibility



| Order No. | Expanded Width' | Height" | Number of Posts | Description | Wt. lbs. |
|---------------|-----------------|---------|-----------------|-------------------------|----------|
| SE921 | 11 | 37 | 2 | With Stationary Feet | 25 |
| SEE437 | 11 | 39 | 2 | With 3" Locking Casters | 29 |
| SEE438 | 15 | 37 | 3 | With Stationary Feet | 35 |
| SEE439 | 15 | 39 | 3 | With 3" Locking Casters | 39 |
| MN471 | - | - | - | Wall Mounting Brackets | 1.2 |

PLASTX™ A-FRAME BARRICADE

- Ideal as a temporary or long term solution to cordon off areas
- Patented Plastx™ will not rot, rust, crack or peel and is chemical resistant
- ADA compliant to MUTCD standards
- For a complete unit order two legs and one board, add a second board for increased stability

PLASTX™ A-FRAME BARRICADE LEG

- Mounting holes will accommodate all manufactured boards
- Holds up to two 8' L x 2" W x 8" H boards
- 26" L x 2" W x 42" H
- Available in white or orange

PLASTX™ A-FRAME BARRICADE T-BOARD

- 7 years UV package protects against deterioration
- Made of extruded grade PVC
- Available with hi-intensity stripes or engineer grade stripes
- 8' L x 2" W x 8" H
- Available in black and orange stripes or white and orange stripes



SEI204

SEI202

| Order No. | Mfg. No. | Colour |
|----------------------|---------------|-------------------------|
| BARRICADE LEG | | |
| SEI202 | 97-01-004 | White |
| SEI203 | 97-01-004O | Orange |
| T-BOARD | | |
| SEI204 | 97-01-029B-02 | Black and Orange Stripe |
| SEI205 | 97-01-029-02 | White and Orange Stripe |

PORTABLE MOBILE BARRIERS

Close off an area for maintenance or to isolate a potential safety hazard. Mobile, easy to transport, set up, take down and efficient to store.

- For indoor use
- Two 5" non-marking wheels
- Four locking straps to secure barrier in closed position
- Flexible, can be set straight, curved or in a circle
- Easy to store
- Open: 13' L x 1" W x 40" H
- Closed: 2' L x 13" W x 40" H
- Weight: 32 lbs.
- ANSI approved colour and graphics

Order No. **SAJ714**

Mfg. No. 9S11



Rubbermaid
Commercial Products

EZ-SPAN™ EXPANDABLE PLASTIC BARRICADES

- Made of durable recyclable polypropylene
- Expandable barricade provides an attractive, visible warning barrier
- Rugged enough for outdoor use and it is weatherproof, maintenance free and contains no parts that will rust or corrode
- Expands up to 11 1/2', folds down to a compact 16 1/2" x 3' high
- Plastic feet will not scratch or mar expensive floors
- Weighs only 15 lbs, lightweight enough to be carried and deployed by one person
- For use in lobbies or any public area during maintenance or construction

Order No. **SAQ195**




PERIMETER GUARDS

- Create your own barrier guards with two styles to choose from: 2" x 2" welded wire mesh or 2" square tube
- Both feature a unique 49 1/2" overall height, and are easily installed
- Posts are constructed of 2" square tube with 5/16" base plate with holes for anchoring to floor
- Hardware to attach add-on sections is included
- Safety yellow or Kleton blue finish



KLETON



Mesh style

MESH STYLE KITS

| Blue Order No. | Yellow Order No. | Description | Dimensions W" x H" | Wt. lbs. |
|----------------|------------------|-----------------|--------------------|----------|
| KH945 | RL848 | Starter Section | 48 x 48 | 46 |
| KH946 | RL849 | Add-On Section | 48 x 48 | 34 |
| KH947 | RL850 | Starter Section | 96 x 48 | 65 |
| KH948 | RL851 | Add-On Section | 96 x 48 | 53 |

Note: Includes assembly fasteners, floor anchors and post caps

MESH STYLE INDIVIDUAL COMPONENTS

| Blue Order No. | Yellow Order No. | Description | Dimensions W x H | Wt. lbs. |
|----------------|------------------|----------------|------------------|----------|
| KD036 | KD130 | Mesh Panel | 4' x 4' | 20 |
| KD037 | KD131 | Mesh Panel | 8' x 4' | 39 |
| KH861 | KD129 | Post Universal | 49 1/2" H | 13 |
| KD053 | KH860 | Post Universal | 99" H | 22 |

HARDWARE REQUIRED

| Order No. | Description |
|-----------|---|
| KD001 | Floor Anchors (Two per Post) |
| MMH262 | 5/16" x 3" Carriage Bolt (Four per Frame) |
| MMB721 | 5/16" Hex Nut (One Nut for Each MMH262) |
| KD116 | Post Caps (One per Post) |

Tubular style perimeter guards



TUBULAR STYLE

| Order No. | Description | Dimensions W' x H" | Wt. lbs. |
|-----------|-----------------|--------------------|----------|
| KD132 | Starter Section | 4 x 49 1/2 | 45 |
| KD133 | Add-On Section | 4 x 49 1/2 | 32 |
| KD134 | Starter Section | 8 x 49 1/2 | 66 |
| KD135 | Add-On Section | 8 x 49 1/2 | 53 |

HARDWARE REQUIRED


| Order No. | Description |
|-----------|----------------------------|
| KD001 | Floor Anchors (2 per post) |
| KD116 | Post Caps (1 per post) |

SAFETY GUARDS

- Protect your equipment and personnel from accidental damage and injury with these low profile safety guards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" base, complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coat finish



KLETON



| Order No. | Dimensions | | | Wt. lbs. |
|-----------|------------|---|----|----------|
| | W" | x | H" | |
| KD127 | 24 | x | 18 | 65 |
| KH855 | 36 | x | 18 | 75 |
| KD128 | 48 | x | 18 | 85 |
| KD136 | 24 | x | 42 | 95 |
| KD856 | 36 | x | 42 | 110 |
| KD139 | 48 | x | 42 | 115 |

HEAVY-DUTY STEEL BOLLARDS

- Protect your warehouse equipment, as well as high traffic areas with these heavy-duty steel bollards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" steel base, complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coated finish



KLETON



| Order No. | Height" | Wt. lbs. |
|-----------|---------|----------|
| KD125 | 24 | 30 |
| KH857 | 36 | 40 |
| KD126 | 48 | 50 |

UPRIGHT PROTECTORS

- Protects industrial racking from damaging impacts that cause unsafe conditions
- Made from 1/4" thick steel
- 4 pre-drilled holes made for 1/2" anchors (not included)
- Safety yellow powder coated finish



KLETON

| Order No. | O.A. Dimensions | | | | | Wt. lbs. |
|-----------|-----------------|---|----|---|--------|----------|
| | W" | x | D" | x | H" | |
| KH858 | 7 | x | 7 | x | 12 | 12 |
| RB925 | 7 | x | 7 | x | 18 1/4 | 15 |



Customise it to your specifications.



Speed Bumps

SPEED BUMPS

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil and weather variations
- Perfect for speed reduction in parking lots, school zones and areas with heavy pedestrian traffic
- Black with bright yellow reflective stripes for maximum daytime visibility
- Reflectors offer maximum night time visibility
- Easily installed with 14" rebar spike for permanent or temporary installation
- 11" W x 2 1/4" H

| Order No. | Length | Spikes Required | Weight lbs. |
|--------------------|--------|-----------------|-------------|
| SPEED BUMP | | | |
| SEH142 | 4' | 5 | 35 |
| SEH143 | 6' | 4 | 55 |
| REBAR SPIKE | | | |
| SEH144 | 14" | - | - |



ZENITH
Safety Products

SPEED BUMPS


- Lightweight, durable speed bump is designed to help keep speed levels down
- Made with 100% recycled plastic, they are impervious to road chemicals and corrosion
- Molded-in colour, which eliminates the need for painting traffic marks
- Can be installed side by side to create lengths of 6, 9, 12 feet or more
- Dirt is easily removed with either soap and water or a commercial solvent
- Lightweight; 3-bolt anchoring system facilitates relocation
- Hardware included
- Safety yellow

SPECIFICATIONS:

Dimensions: 36" L x 10 1/2" W x 2" H

Securing Holes: Countersunk 1/2" diameter

| Order No. | Length' | Wt. lbs. |
|---------------|---------|----------|
| SEC432 | 3 | 35 |



DBS
Driven to Satisfy

CAR STOPS

- Durable, bring order to parking lots
- Solid colouring throughout means they never need painting and will retain an attractive appearance
- Made with 100% recycled plastic, they are protected against damages brought on by road chemicals, deterioration and corrosion, eliminating the danger of exposed reinforcing rods seen in traditional concrete car stops
- Predrilled and can be installed by one person
- Hardware sold separately
- 6' length available in safety yellow, handicap blue and cement grey
- 4' length available in safety yellow only



| Specifications: | | 4' | 6' |
|--------------------------------|-----------------|---------------------------|-----|
| Width: 6" at base 2" at top | Hardware: | • 1/2" x 8" lag screws | 2 3 |
| | | • 9/16" washers | 2 3 |
| | | • Expanding nylon anchors | 3 3 |
| Height: 4" | Securing holes: | Countersunk 1/2" diameter | |

| Yellow Order No. | Mfg. No. | Blue Order No. | Mfg. No. | Grey Order No. | Mfg. No. | L' | Wt. lbs. |
|------------------|----------|------------------|----------|----------------|----------|----|----------|
| CAR STOPS | | | | | | | |
| SE102 | 7040 | - | - | - | - | 4 | 29 |
| SE105 | 7050 | SE106 | 7052 | SE107 | 7053 | 6 | 41 |
| HARDWARE | | | | | | | |
| Order No. | Mfg. No. | Description | | Wt. lbs. | | | |
| SE108 | 7056 | For 4' Car Stops | | 1 | | | |
| SE109 | 7055 | For 6' Car Stops | | 1 | | | |



MODULAR CABLE & HOSE PROTECTION SYSTEMS

FEATURES:

- Polyurethane construction, non-conductive material
- 36" length per lineal protector
- Five bar tread plate surface
- Safety warning symbols molded into protector
- Modular interlocking design
- Recessed carrying handle
- Patented T-Connectors to extend to any length
- Universal safety colours

BENEFITS:

- Weather and abrasion resistant; high load-bearing capacity
- Insulates electrical cables from human contact
- Increases traction
- Lightweight; easy to transport, set-up, breakdown, and store; multi-length applications
- Allows for moving with ease
- High visibility



T-connector systems



KH699



KH700



KH702

CHECKERS
INDUSTRIAL SAFETY PRODUCTS, INC.


| Order No. | Description | A L" | B W" | C H" | D Channel W" | E Channel H" | Max. Load lbs. per tire at 21°C | Wt. lbs. |
|-----------------------------------|-----------------------------|-------|--------|---------|--------------|--------------|---------------------------------|----------|
| EXTRA HEAVY-DUTY | | | | | | | | |
| KH687 | 5-Channel Protector | 36 | 20 | 2 5/16 | 1 1/4 | 1 1/4 | 20150 | 25 |
| KH688 | 5-Channel End Caps (Female) | 7 1/2 | 20 | 2 5/16 | 1 1/4 | 1 1/4 | 20150 | 3.5 |
| | 5-Channel End Caps (Male) | 5 1/4 | 20 | 2 5/16 | 1 1/4 | 1 1/4 | 20150 | 3.5 |
| KH691 | 4-Channel Protector | 36 | 20 | 2 5/16 | 1 5/6 | 1 1/4 | 20150 | 26 |
| KH692 | 4-Channel End Caps (Female) | 7 1/2 | 20 | 2 5/16 | 1 5/6 | 1 1/4 | 20150 | 3.5 |
| | 4-Channel End Caps (Male) | 5 1/4 | 20 | 2 5/16 | 1 5/6 | 1 1/4 | 20150 | 3.5 |
| KH695 | 3-Channel Protector | 36 | 20 | 3 1/16 | 2 1/4 | 2 1/4 | 14210 | 28 |
| KH696 | 3-Channel End Caps (Female) | 8 1/4 | 20 | 3 1/16 | 2 1/4 | 2 1/4 | 14210 | 4 |
| | 3-Channel End Caps (Male) | 6 | 20 | 3 1/16 | 2 1/4 | 2 1/4 | 14210 | 4 |
| KH699 | 2-Channel Protector | 36 | 22 | 4 1/8 | 3 1/4 | 3 1/4 | 10880 | 33 |
| HEAVY-DUTY GENERAL PURPOSE | | | | | | | | |
| KH700 | 5-Channel Protector | 36 | 17 1/4 | 1 15/16 | 1 5/16 | 1 5/16 | 10500 | 22 |
| KH701* | 5-Channel End Caps | 4 3/4 | 17 1/4 | 1 15/16 | 1 5/16 | 1 5/16 | 10500 | 2.7 |
| KH702 | 1-Channel Protector | 36 | 11 1/2 | 1 5/8 | 1 1/4 | 1 1/4 | 11700 | 13 |

*Female and male end cap included

LIGHT-DUTY 5-CHANNEL SYSTEMS

- Gripper® connector system
- Made from tough, high impact absorbing, non-conductive polyurethane
- Resistant to oil, fuels and lubricants
- Recessed carrying handle molded in to the underside of the protector
- Capacity: 5000 lbs. per tire at 21°C
- Colours: grey and safety yellow

CHECKERS
INDUSTRIAL SAFETY PRODUCTS, INC.



Gripper® connector system

| Order No. | Description | Overall Dimensions | | | Channel Dimensions | | Wt. lbs. |
|-----------|---------------------|--------------------|--------|-------|--------------------|-------|----------|
| | | A L" | B W" | C H" | D Dia." | E H" | |
| KH981 | 5-Channel Protector | 36 | 16 4/9 | 1 3/5 | 1 1/4 | 1 1/4 | 12.75 |
| KH986 | 3-Channel Protector | 36 | 18 1/5 | 2 1/4 | 2 1/4 | 2 1/4 | 23 |

INDUSTRIAL CORD COVERS

- Protect your cables from foot and vehicular traffic
- Constructed from non-conductive vulcanized rubber
- Suitable for indoor and outdoor use
- Withstands car and light truck traffic up to 5000 lbs. per axle
- Stronger and longer lasting than PVC covers
- Excellent in temperatures from -40°C to 150°C
- Black with yellow safety stripe



LIND **E**QUIPMENT

| 5' Order No. | 10' Order No. | Description | W" | H" | Channel | |
|--------------|---------------|-------------|-------|-------|---------|-------|
| | | | | | W" | H" |
| KH907 | KH908 | 1 Channel | 3 1/4 | 3/4 | 3/4 | 1/2 |
| KH909 | KH910 | 1 Channel | 3 | 1 | 1 | 3/4 |
| KH911 | KH912 | 2 Channels | 5 1/2 | 1 1/8 | 7/8 | 3/4 |
| KH913 | - | 1 Channel | 6 | 1 7/8 | 1 1/2 | 1 1/2 |

High-Visibility Safety Apparel

WHAT IS THE CSA STANDARD FOR HIGH VISIBILITY SAFETY APPAREL (HVSA)?

CSA Standard Z96-09 is the standard for HVSA. It provides a standard for the elements that go in to the construction of an HVSA garment, which includes two types of materials: fluorescent background materials for daytime visibility, and retro-reflective tape for nighttime visibility. CSA also provides a standard for the design of the garment, according to the three different classes.

BACKGROUND MATERIAL

Colours for background material can be fluorescent yellow-green, fluorescent orange-red or fluorescent red. These change in FR garments, which cannot hold fluorescent dyes because of the materials used. In these cases the material must be bright yellow-green or bright orange only. The requirements can be found in the CSA standard table 2a for fluorescent materials and table 2b for bright (FR) materials.



RETRO-REFLECTIVE STRIPE

If the retro-reflective stripe is going to be coloured, it can be fluorescent yellow-green, fluorescent red-orange or fluorescent red. Otherwise, it should be a standard retro-reflective of either white or silver striping. Retro-reflective stripes can either be level 2, level 1, or level FR, depending on the class of the garment required. The minimum performance levels for these stripes can be found in tables 5, 6, and 7 of the CSA standard Z96-09.

DESIGN


Class 1

A Class 1 garment provides minimal visibility. The retro-reflective material must consist of two vertical stripes on the front, an "X" on the back, and a horizontal band around the waist. The horizontal band may optionally continue between the two vertical stripes on the front. Fluorescent background material is not mandatory on a Class 1 garment





Class 2

A Class 2 garment has the same requirements for retro-reflective tape as a Class 1. A Class 2 garment also provides full coverage of the upper torso with fluorescent background material, including over the shoulders, front, back and sides. Coverage on the side of the torso under the arms must cover at least 50% of the length of the entire garment.



Class 3

A class 3 garment includes all of the same requirements as a Class 2 garment, with the addition of retro-reflective bands on each limb. Additional fluorescent background material is not necessarily required, but will provide greater surface area for improved daytime visibility.



TRAFFIC VESTS

- High-visibility lightweight polyester mesh provides daytime visibility
- 2" yellow reflective stripes
- Bright reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release



ZENITH®
Safety Products

| Order No. | Size |
|-----------|----------|
| SEF093 | Medium |
| SEF094 | Large |
| SEF095 | X-Large |
| SEF096 | 2X-Large |

TRAFFIC SAFETY VESTS

- Lightweight and comfortable, fluorescent orange or fluorescent lime-yellow sports mesh knit fabric provides daytime visibility
- 2" reflective stripes offer maximum nighttime visibility
- Front velcro enclosure permits optimal fitting
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



ZENITH®
Safety Products

| Order No. | Colour | Size |
|-----------|-------------|----------|
| SEB698 | Orange | Medium |
| SEB699 | Orange | Large |
| SEB700 | Orange | X-Large |
| SEB701 | Orange | 2X-Large |
| SEB702 | Lime-Yellow | Medium |
| SEB703 | Lime-Yellow | Large |
| SEB704 | Lime-Yellow | X-Large |
| SEB705 | Lime-Yellow | 2X-Large |

MESH SURVEYORS SAFETY VESTS

- Fluorescent orange sports mesh knit fabric
- Contrasting yellow trim for daytime visibility
- 2" reflective stripes
- 5-point tear-away
- Two lower pockets
- Upper radio pocket
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements

safe+
sound
SAFETYWEAR



| Order No. | Mfg. No. | Size |
|-----------|-------------|----------|
| SAR618 | SS5-ORS-M | Medium |
| SAR619 | SS5-ORS-L | Large |
| SAR620 | SS5-ORS-XL | X-Large |
| SAR621 | SS5-ORS-2XL | 2X-Large |

5-POINT TEAR-AWAY TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility
- 2" yellow reflective stripes
- Bright reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



ZENITH®
Safety Products

| Order No. | Size |
|-----------|----------|
| SEF097 | Medium |
| SEF098 | Large |
| SEF099 | X-Large |
| SEF100 | 2X-Large |

SURVEYOR TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility
- 4" yellow/silver reflective stripes offer maximum nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- Two top Velcro sealed pockets and two bottom open pockets
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



| Order No. | | Size |
|-----------|-------------|----------|
| Orange | Lime-Yellow | |
| SEF101 | SEK232 | Medium |
| SEF102 | SEK233 | Large |
| SEF103 | SEK234 | X-Large |
| SEF104 | SEK235 | 2X-Large |

ZENITH®
Safety Products

SAFETY VESTS WITH CONTRASTING STRIPE

- Fluorescent lime-yellow wicking polyester fabric
- 4" fluorescent orange/silver tape
- 5-point tear-away
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements

safe+
sound
SAFETYWEAR



| Order No. | Mfg. No. | Size |
|-----------|-------------|----------|
| SAR636 | SE3-FLY-M | Medium |
| SAR637 | SE3-FLY-L | Large |
| SAR638 | SE3-FLY-XL | X-Large |
| SAR639 | SE3-FLY-2XL | 2X-Large |

High-Visibility Safety Apparel

POLYCOTTON SAFETY VESTS

- Fluorescent lime-yellow poly/cotton twill
- 2" silver reflective stripes
- Two radio loops
- Two lower pockets with flaps
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



| Order No. | Mfg. No. | Size |
|-----------|-------------|----------|
| SEA619 | SP2-FLY-M | Medium |
| SEA620 | SP2-FLY-L | Large |
| SEA621 | SP2-FLY-XL | X-Large |
| SEA622 | SP2-FLY-2XL | 2X-Large |



INSULATED SAFETY VESTS

- Polyurethane-coated polyester outer shell
- 2" silver reflective stripes
- Insulated for extra warmth in the fall and winter
- Waterproof, windproof, breathable and washable
- Two outside pockets lined with polar fleece
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



| Order No. | Mfg. No. | Colour | Size |
|-----------|-------------|-------------|----------|
| SEB281 | VT2-FLY-M | Lime-Yellow | Medium |
| SEB282 | VT2-FLY-L | Lime-Yellow | Large |
| SEB283 | VT2-FLY-XL | Lime-Yellow | X-Large |
| SEB284 | VT2-FLY-2XL | Lime-Yellow | 2X-Large |
| SEB276 | VT2-ORS-M | Orange | Medium |
| SEB277 | VT2-ORS-L | Orange | Large |
| SEB278 | VT2-ORS-XL | Orange | X-Large |
| SEB279 | VT2-ORS-2XL | Orange | 2X-Large |



SEB276



PREMIUM POLYESTER T-SHIRTS

- Moisture wicking, lightweight, soft and breathable fabric
- Fluorescent lime-green 100% polyester "bird's eye" mesh material
- 3" fluorescent orange/silver dual reflective stripes
- Upper left breast pocket with velcro closure
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



| Order No. | | Size |
|------------|--------|----------|
| Lime-Green | Orange | |
| SEF109 | SEL243 | Medium |
| SEF110 | SEL244 | Large |
| SEF111 | SEL245 | X-Large |
| SEF112 | SEL246 | 2X-Large |



POLYESTER SAFETY VESTS

- Fluorescent polyester fabric available in lime-yellow or orange
- 2" silver reflective stripes
- Zippered front
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



| Order No. | Mfg. No. | Colour | Size |
|-----------|-------------|-------------|----------|
| SAR632 | SI1-FLY-M | Lime-Yellow | Medium |
| SAR633 | SI1-FLY-L | Lime-Yellow | Large |
| SAR634 | SI1-FLY-XL | Lime-Yellow | X-Large |
| SAR635 | SI1-FLY-2XL | Lime-Yellow | 2X-Large |
| SAR627 | SI1-ORS-M | Orange | Medium |
| SAR628 | SI1-ORS-L | Orange | Large |
| SAR629 | SI1-ORS-XL | Orange | X-Large |
| SAR630 | SI1-ORS-2XL | Orange | 2X-Large |



FIRE RETARDANT SAFETY VESTS

- Bright orange fire retardant treated cotton fabric
- 2" silver reflective tape
- Contrasting yellow trim for daytime visibility
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 FR requirements



| Order No. | Mfg. No. | Size |
|-----------|-------------|----------|
| SAR655 | SF1-ORS-M | Medium |
| SAR656 | SF1-ORS-L | Large |
| SAR657 | SF1-ORS-XL | X-Large |
| SAR658 | SF1-ORS-2XL | 2X-Large |



SPORTS MESH SAFETY T-SHIRTS

- Fluorescent lime-yellow sports mesh knit fabric
- 2" silver reflective stripes
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



| Order No. | Mfg. No. | Size |
|-----------|-------------|----------|
| SAV013 | KS1-FLY-M | Medium |
| SAV014 | KS1-FLY-L | Large |
| SAV015 | KS1-FLY-XL | X-Large |
| SAV016 | KS1-FLY-2XL | 2X-Large |



POLYCOTTON SAFETY T-SHIRTS

- Fluorescent polycotton knit fabric available in lime-yellow or orange
- 2" silver reflective stripes
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



| Lime-Yellow Order No. | Mfg. No. | Orange Order No. | Mfg. No. | Description | Size |
|-----------------------|-------------|------------------|-------------|--------------|----------|
| SAV009 | KP1-FLY-M | SEA659 | KP1-ORS-M | Short Sleeve | Medium |
| SAV010 | KP1-FLY-L | SEA660 | KP1-ORS-L | Short Sleeve | Large |
| SAV011 | KP1-FLY-XL | SEA661 | KP1-ORS-XL | Short Sleeve | X-Large |
| SAV012 | KP1-FLY-2XL | SEA662 | KP1-ORS-2XL | Short Sleeve | 2X-Large |
| SEA708 | KP4-FLY-M | SEA713 | KP4-FLY-M | Long Sleeve | Medium |
| SEA709 | KP4-FLY-L | SEA714 | KP4-FLY-L | Long Sleeve | Large |
| SEA710 | KP4-FLY-XL | SEA715 | KP4-FLY-XL | Long Sleeve | X-Large |
| SEA711 | KP4-FLY-2XL | SEA716 | KP4-FLY-2XL | Long Sleeve | 2X-Large |



POLYCOTTON SAFETY CREWNECK SWEATSHIRTS

- Fluorescent polycotton knit fabric available in lime-yellow or orange
- 2" silver reflective stripes
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



| Order No. | Mfg. No. | Colour | Size |
|-----------|-------------|-------------|----------|
| SEA604 | KC4-FLY-M | Lime-Yellow | Medium |
| SEA605 | KC4-FLY-L | Lime-Yellow | Large |
| SEA606 | KC4-FLY-XL | Lime-Yellow | X-Large |
| SEA607 | KC4-FLY-2XL | Lime-Yellow | 2X-Large |
| SEA609 | KC4-ORS-M | Orange | Medium |
| SEA610 | KC4-ORS-L | Orange | Large |
| SEA611 | KC4-ORS-XL | Orange | X-Large |
| SEA612 | KC4-ORS-2XL | Orange | 2X-Large |



SAFETY HOODED SWEATSHIRTS

- Fluorescent polycotton knit fabric available in lime-yellow or orange
- 2" silver reflective stripes
- Hood with draw string
- Front pouch pocket
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



| Order No. | Mfg. No. | Colour | Size |
|-----------|-------------|-------------|----------|
| SAR663 | KC5-FLY-M | Lime-yellow | Medium |
| SAR664 | KC5-FLY-L | Lime-yellow | Large |
| SAR665 | KC5-FLY-XL | Lime-yellow | X-Large |
| SAR666 | KC5-FLY-2XL | Lime-yellow | 2X-Large |
| SAR659 | KC5-ORS-M | Orange | Medium |
| SAR660 | KC5-ORS-L | Orange | Large |
| SAR661 | KC5-ORS-XL | Orange | X-Large |
| SAR662 | KC5-ORS-2XL | Orange | 2X-Large |



JOURNEYMAN 3-IN-1 SAFETY JACKETS

- 100% waterproof, windproof, and machine washable
- All-season 3-in-1 design includes zip-in fleece liner
- Premium 300 Denier Ripstop polyester material gives good abrasion, puncture, rip, and snag resistance
- Jacket shell is flexible even in sub-zero conditions
- Double-sewn, taped and heat-sealed seams
- Heavy-duty brass snaps
- Both shell and zip-in fleece meet CSA standard Z96-09, Class 2, Level 2 requirements

| Orange Order No. | Mfg. No. | Lime-Yellow Order No. | Mfg. No. | Size |
|------------------|------------|-----------------------|------------|----------|
| SEF133 | 6400JO-S | SEF140 | 6400JG-S | Small |
| SEF134 | 6400JO-M | SEF141 | 6400JG-M | Medium |
| SEF135 | 6400JO-L | SEF142 | 6400JG-L | Large |
| SEF136 | 6400JO-XL | SEF143 | 6400JG-XL | X-Large |
| SEF137 | 6400JO-2XL | SEF144 | 6400JG-2XL | 2X-Large |
| SEF138 | 6400JO-3XL | SEF145 | 6400JG-3XL | 3X-Large |
| SEF139 | 6400JO-4XL | SEF146 | 6400JG-4XL | 4X-Large |



High-Visibility Safety Apparel

RZ900 PREMIUM TRAFFIC RAIN SUITS

- 0.35 mm thick Hi-Viz yellow triple layer laminated PVC/polyester/PVC
- 3M™ Scotchlite™ reflective material for maximum visibility
- 2" reflective stripes
- Jacket features storm flap, dome fasteners, two patch pockets, corduroy collar and detachable hood
- Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Non-conductive fasteners
- Ultrasonically welded seams
- Meets CSA standard Z96-02 standard, Class 3, Level 2 requirements



| Order No. | Size |
|-----------|----------|
| SEH113 | Small |
| SEH114 | Medium |
| SEH115 | Large |
| SEH116 | X-Large |
| SEH117 | 2X-Large |
| SEH118 | 3X-Large |
| SEH119 | 4X-Large |



WINTER PARKAS

- Fluorescent lime-yellow polyurethane coated polyester outer shell
- Black trim on cuffs of arms and legs as well as lower hem of jacket for added protection from wear and soiling
- 2" silver reflective stripes
- Breathable, waterproof and windproof
- Warm insulation with wicking liner
- Outer pockets lines in polar fleece for extra warmth
- Zippered, removable insulated hood with drawstring and velcro closure at neck
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



3-IN-1 INSULATED PARKAS

- Fluorescent lime-yellow polyurethane coated polyester outer and inner shells
- Black trim on cuffs of arms and legs as well as lower hem of jacket for added protection from wear and soiling
- 2" silver reflective stripes
- Breathable, waterproof, and waterproof
- Outer shell is a mesh lines rain jacket with two slash pockets and a hood that stores in the collar
- Inner shell is an insulated winter liner with two front pockets with flaps, two inside pockets, and an inside cell phone pocket, all secured with velcro
- Inner shell also has removable sleeves to convert to a vest
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



| Order No. | Mfg. No. | Size |
|-----------|-------------|----------|
| SEA562 | PT2-FLY-M | Medium |
| SEA563 | PT2-FLY-L | Large |
| SEA564 | PT2-FLY-XL | X-Large |
| SEA565 | PT2-FLY-2XL | 2X-Large |



| Order No. | Mfg. No. | Size |
|-----------|-------------|----------|
| SEA557 | PTX-FLY-M | Medium |
| SEA558 | PTX-FLY-L | Large |
| SEA559 | PTX-FLY-XL | X-Large |
| SEA560 | PTX-FLY-2XL | 2X-Large |



TROOPER RAIN SUITS

- Fluorescent lime-yellow polyurethane coated polyester stretch fabric
- 2" silver reflective stripes
- Tear, chemical, abrasion, and puncture-resistant
- Stretchy, breathable, washable, windproof and waterproof
- Seams sealed and welded
- Velcro adjustment on leg cuff
- Hood enclosed in collar
- Meets CSA standard Z96-09 Class 3, Level 2 requirements



| Order No. | Mfg. No. | Size |
|-----------|-------------|----------|
| SEA669 | RTS-FLY-M | Medium |
| SEA670 | RTS-FLY-L | Large |
| SEA671 | RTS-FLY-XL | X-Large |
| SEA672 | RTS-FLY-2XL | 2X-Large |



TOUGH & DRY RAIN SUITS

- Fluorescent lime-yellow polyurethane coated polyester
- 2" silver reflective stripes
- Breathable, washable, windproof and waterproof
- Black at lower sleeves, cuffs, and waist for longer wear
- Seams sealed and welded
- Velcro adjustment on leg cuff
- Hood enclosed in collar
- Meets CSA standard Z96-09 Class 3, Level 2 requirements



| Order No. | Mfg. No. | Size |
|-----------|--------------|----------|
| SEA600 | RTS2-FLY-M | Medium |
| SEA601 | RTS2-FLY-L | Large |
| SEA602 | RTS2-FLY-XL | X-Large |
| SEA603 | RTS2-FLY-2XL | 2X-Large |



GLOWEAR POWER-CAP™

- Two ultra-bright LEDs in the brim, and two additional LEDs concealed under brim (C.U.B. Technology™) deliver hands-free illumination in dark work spaces
- Choose two brim LEDs for illumination up to 50', two C.U.B. LEDs for close-up tasks, or all four for maximum visibility
- On/Off switch located conveniently under brim
- Four long-life lithium batteries (included) provide more than 30 hours of continuous light, and are easily replaceable
- Available with or without GloWear logo
- One size

| Order No. | Mfg. No. | Colour |
|-----------|----------|-------------|
| SEC725 | 23272 | Black |
| SEC727 | 23270 | Lime-Yellow |
| SEC731 | 23271 | Orange |

Other colours available. Also available without GloWear logo, please call for details.



ARM & LEG BANDS

- 2" lime-yellow/silver reflective bands
- Velcro closure permits optimal fit
- Available in various lengths




| Order No. | Length" |
|-----------|---------|
| SEF122 | 10 |
| SEF123 | 12 |
| SEF124 | 13 1/2 |
| SEF125 | 15 |
| SEF126 | 17 |
| SEF127 | 19 |



TRAFFIC HARNESSSES

- 1 1/2" lime-yellow/silver reflective stripes
- Elasticized material permits optimal fit
- Four strap adjusters and front clip for maximum adjustability



| Order No. | Size |
|-----------|----------|
| SEF117 | Medium |
| SEF118 | Large |
| SEF119 | X-Large |
| SEF120 | 2X-Large |
| SEF121 | 3X-Large |



HIGH VISIBILITY FLEECE TOQUES

- Fluorescent lime-yellow or orange
- 100% polyester fleece
- One size fits all
- Machine washable



| Order No. | Mfg. No. | Colour |
|-----------|----------|-------------|
| SEA779 | F07-FLY | Lime-Yellow |
| SEB590 | F07-ORS | Orange |



HARD HATS KITS

- Silver reflective with coloured chevrons, increasing visibility from all angles
- Acrylic adhesive offering dielectric properties
- Reflexite reflective tape
- Three strips per kit
- Standard chevron colours: red, blue, white, black, green, other available upon request



| Order No. | Mfg. No. | Size |
|-----------|----------|-------|
| SEA703 | HH1-RD | Red |
| SEA704 | HH1-BL | Blue |
| SEA705 | HH1-WH | White |
| SEA706 | HH1-BK | Black |
| SEA707 | HH1-GR | Green |



LEIGHTNING HI-VISIBILITY® EARMUFFS

- Fluorescent lime-yellow earcups provide additional visibility and contrast on the job
- Air Flow Control™ technology provides better attenuation, especially at low frequencies
- Robust design withstands demanding use, especially in tough environments
- Ideal for roadway construction, utility workers, survey engineers, ferry service operators, emergency response workers, railroad workers, and many others



SAO695



| Order No. | Mfg. No. | Style | NRR dB |
|-----------|----------|-----------|--------|
| SAO695 | 1013941 | Over-Head | 30 |
| SAO696 | 1013942 | Foldable | 27 |

High-Visibility Safety Apparel

SUPERIOR QUALITY HIGH VISIBILITY SPLIT COWHIDE FITTERS THINSULATE™-LINED GLOVES

- Good abrasion resistance
- 100-g Thinsulate™ liner provides superior warmth
- Full leather-tipped fingers and knuckle strap
- Two gray reflective stripes offer maximum visibility
- Rubberized safety cuff

ZENITH®
Safety Products



SEK238

| Order No. | Colour | Size |
|-----------|--------------------|-------|
| SED161 | Fluorescent Yellow | Large |
| SEK238 | Fluorescent Orange | Large |

HIGH VISIBILITY NATURAL RUBBER ACRYLIC LINED GLOVES

- Latex palm coating
- 100% acrylic thermal liner offers superior cold protection
- 7-gauge seamless terry knitted and brushed lining
- Resists abrasions, cuts and punctures
- Exceptional comfort and fit
- Uncoated back permits breathability and limits perspiration
- Fluorescent yellow shell and blue coating offer maximum visibility
- Crinkle finish coating provides superior wet and dry grip
- Accepted for use in Canadian food processing facilities
- Case Qty: 60
- Sold per pair

Applications: Fishing industry, cold/outdoor environments, glass/wood handling, masonry and general maintenance



| Order No. | Size |
|-----------|------|
| SEC797 | 7 |
| SEC798 | 8 |
| SEC799 | 9 |
| SEC800 | 10 |
| SEC801 | 11 |

ZENITH®
Safety Products

HIGH VISIBILITY THERMAL WATERPROOF GLOVES

- 40-g 3M™ Thinsulate™ insulation
- Hipora breathable waterproof and windproof liner
- 3M™ Scotchlite™ reflection
- Abrasion-resistant textured PVC on palm and fingers
- Durable synthetic leather palm and fingers
- PVC-reinforced thumb/index finger saddle
- Padded knuckle for added protection
- Breathable neoprene cuff with hook and loop closure
- Reinforced fingertips
- Machine washable
- Case Qty: 6
- Sold per pair

Applications: Lifting, packing, shipping and traffic directing



| Order No. | Mfg. No. | Size |
|-----------|----------|----------|
| SAP871 | 16412 | Small |
| SAP872 | 16413 | Medium |
| SAP873 | 16414 | Large |
| SAP874 | 16415 | X-Large |
| SAP875 | 16416 | 2X-large |



SUPERIOR QUALITY HIGH VISIBILITY GRAIN COWHIDE FITTERS THINSULATE™-LINED GLOVES

- Premium construction, superior quality
- 100-g Thinsulate™ liner provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- Two gray reflective stripes offer maximum visibility
- Rubberized safety cuff

ZENITH®
Safety Products



SED428

| Order No. | Colour | Size |
|-----------|--------------------|-------|
| SED428 | Fluorescent Yellow | Large |
| SEK237 | Fluorescent Orange | Large |

SUPERIOR QUALITY HIGH VISIBILITY SPLIT COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton-lined palm
- Full leather-tipped fingers and knuckle strap
- Two gray reflective stripes offer maximum visibility
- Rubberized safety cuff

ZENITH®
Safety Products



SED160

| Order No. | Colour | Size |
|-----------|--------------------|-------|
| SED160 | Fluorescent Yellow | Large |
| SEK236 | Fluorescent Orange | Large |

GRAIN COWHIDE FITTERS STANDARD QUALITY GLOVES

- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water absorption better than split leather
- Starched safety cuff
- Full leather-tipped fingers and knuckle strap

Applications: Material handling, fabrication, metal handling and construction

ZENITH®
Safety Products



SEK242

| Order No. | Description | Size |
|-----------|------------------------|-------|
| SEK239 | High Visibility Green | Large |
| SEK242 | High Visibility Orange | Large |