

8" AC METAL AXIAL BLOWERS

- 1/3 HP, 3 A, 115 V motor
- Lightweight, compact unit offers the highest output available from an 8" axial blower
- Tough steel construction with a durable grill, convenient carry handle and rubber feet
- Design with canister allows ducting to collapse into a built-in canister for easy storage, and can be stored vertically to use a minimum amount of space
- Designed to work separately or with canister and ducting
- Explosion proof models feature statically conductive ducting
- The explosion proof blower has an explosion-proof single phase motor with a NEMA rated 115 V plug for use with an explosion proof socket (sold separately), meets Class I, Divisions 1 and 2, Groups C and D and Class II, Divisions 1 and 2, Groups F and G
- Certified to C22.2 No.113 standard by cETL

ALLEGRO
INDUSTRIES

BB140



Order No.	Mfg. No.	Description	Free Air CFM	CFM at One 90° Bend	CFM at Two 90° Bends	Wt. lbs.
BB139	9513	w/o Canister	1275	661	582	19
BB140	9514	w/Canister and 15' Ducting	1275	661	582	32
BB141	9514-25	w/Canister and 25' Ducting	1275	661	582	46

EXPLOSION-PROOF

BB142	9513-05	w/o Canister	890	825	770	31
BB143	9514-05	w/Canister and 15' Ducting	890	825	770	49
EA500	9514-06	w/Canister and 25' Ducting	890	825	770	57

DUCTING

- Lightweight, retractable and designed for maximum air handling capabilities
- Built for dual direction flow with minimum friction loss
- Statically conductive ducting provides a safe positive means of discharging static buildup
- Vinyl and polyester materials
- Single-ply
- Heat resistant up to 150°F
- Retractable, non-collapsible design
- Class 1 hard drawn spring steel wire helix
- Statically conductive ducting features integrated extended solid grounding wires at each end, and are rated to 100000 OHMS or less per square inch
- Meets ASTM 227 specs
- Statically conductive ducting meet requirements of UL-94-VO



Order No.	Diameter"	Length'
DUCTING		
BB163	8	6
BB164	8	15
BB166	8	25
BB168	16	15
BB170	16	25

Order No.	Diameter"	Length'
STATICALLY CONDUCTIVE DUCTING		
BB165	8	15
BB167	8	25
BB169	16	15
BB171	16	25

Other sizes available upon request

FUME EXTRACTOR ARMS

- An extractor arm extracts smoke, dust and gases directly at the source, before the contamination spreads into the premises and is inhaled
- Superior extraction arm and advanced design "Parallelogram" counterbalancing system that eliminates the need for continual adjustment of friction joints and allows for an unparalleled ease of movement
- Ideal solution for most "source-capture" applications and specifically recommended for applications requiring an "easy to position" extractor that does not require constant adjustment
- Compact and smooth design, excellent for areas with low ceiling
- 5-year limited warranty

Flexi Construction: Internal supporting mechanism made of mild steel tubing, three spring-assisted joints to provide precise counterbalancing of the extractor's inner and outer arm. Comes with a black baked-on enamel steel hood with optimized airflow and ring handle, and built in damper and with black baked-on enamel wall bracket. Motor and fan not included.

WALL MOUNTED EXTRACTION ARMS

Flexi I, 6.5" dia. Order No.	Mfg. No.	Flexi II, 8" dia. Order No.	Mfg. No.	Description
BA660	P-007	BA978	P-143	7' (2 m) Extractor Arm w/Wall Bracket
BA661	P-008	BA979	P-144	10' (3 m) Extractor Arm w/Wall Bracket
BA662	P-009	BA980	P-145	14' (4 m) Extractor Arm w/Wall Bracket
BA663	P-010	BA985	P-146	17' (5 m) Extractor Arm w/Wall Bracket

FANS FOR FUME EXTRACTORS

- Powerful, silent, energy efficient fans provide even airflow with the lowest possible power consumption
- Extra bracket required for use with booms (use BA694 for 6.5" boom and EA456 for 8" boom)

Order No.	Mfg. No.	Voltage/ Phases/Amp	HP	Free-Blowing CFM	Nominal (At-The-Hood) CFM
EA562	P-149	115/1/60	1.0	1200	1 @ 700 CFM
EA263	P-149-1	115/1/60	1.0	1200	1 @ 700 CFM
BA683	P-152-1	115/1/60	1.5	1400	1 @ 1000 CFM
BA689	P-152-2	208-230-460/3/60	2.0	1700	2 @ 600 CFM or 1 @ 900 CFM
BA693	P-152-3	575/3/60	2.0	1700	2 @ 600 CFM or 1 @ 900 CFM
EA264	P-154-1	208-230-460/3/60	3.0	1800	3 @ 600 CFM or 2 @ 900 CFM
EA265	P-154-2	575/3/60	3.0	1800	3 @ 600 CFM or 2 @ 900 CFM
EA266	LD-130-1	208-230-460/3/60	5.0	2000	4 @ 600 CFM or 3 @ 900 CFM
EA267	LD-130-2	575/3/60	5.0	2000	4 @ 600 CFM or 3 @ 900 CFM
EA268	LD-150-1	208-230-460/3/60	7.5	3000	6 @ 600 CFM or 5 @ 900 CFM
EA269	LD-150-2	575/3/60	7.5	3000	6 @ 600 CFM or 5 @ 900 CFM



H MAX F SERIES COMBOS

- Boom and extractor arm combos
- Combos specially developed for welding, mixing of chemicals, grinding, and other applications when you need to reach over long distances
- Hoses are made of flame proof PVC with internal steel spiral
- Comes with Super-Flex® horizontal arm with ball bearing, extractor arm, hood with ring handle and built-in damper, wall bracket, hose and hood
- Fan and motor not included

Order No.	Description
BA675	20' Boom and Extractor Arm Combo
BA678	24' Boom and Extractor Arm Combo
BA680	28' Boom and Extractor Arm Combo

lev-co

Cylinder Cabinets

GAS CYLINDER CABINETS

- Heavy-duty construction
- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- 14-gauge checker plate shelves and roof
- English and French warning labels included
- Padlock hasp for added security

- Innovative door design allows for left or right opening installation
- Easy assemble, knock-down feature saves on shipping costs
- **SEB837** and **SEB838** are all welded and fully assembled

KLETON



SAF848

SAF837



SEB838



SEB837



SAF847

COMPRESSED GAS (9" DIAMETER CYLINDERS)

Order No.	Mfg. No.	Dimensions W" x D" x H"	Cylinder Capacity	Wt. lbs.
SAF837	OG	44 x 30 x 74	10	210
SAF848*	2-OG	88 x 30 x 74	20	420

*Consists of two units of the SAF837

LIQUID PROPANE (35 LB CYLINDERS)

Order No.	Mfg. No.	Dimensions W" x D" x H"	Cylinder Capacity	Wt. lbs.
SEB837	XLP1737	30 x 17 x 37	2	70
SEB838	XLP1769	17 x 17 x 69	2	85
SAF836	LP6	44 x 30 x 37	6	135
SAF847	OG-2LPSHELF	44 x 30 x 74	12	270

Notes: Constructed to meet or exceed strict CSA International B149.2-00 Propane Storage and Handling Code. Cylinders must be stored vertically at all times.

ALUMINUM CYLINDER LOCKER STORAGE

Safely secure LPG and oxygen cylinders from theft and unauthorised access with cylinder lockers from Justrite®. Constructed of 100% welded aluminum they won't rust, corrode or discolour. Aluminum, expanded metal panels are the heaviest in the industry – 20% heavier than others – offering additional resistance to tampering. Justrite® offers an exclusive solid aluminum roof panel that slants to the back to shed water and ice.

Aluminum cylinder storage lockers are ideal for any facility using a forklift truck or welding equipment. Compare features and benefits! These sturdy cylinder lockers offer today's best value for safely storing gas cylinders.



Comes complete with warning and full/empty cylinder labels. Extruded framework provides superior strength.

Heavy expanded aluminum for improved security. All-welded aluminum construction resists abusive outdoor elements – will not rust or discolour.

Easy to use rack positions cylinders securely and stores 20 and 33 lbs. cylinders.

Designed to accept padlock (not included) to prevent unauthorised access.


Cylinders stay clear of ground with strong floor plate.

Pre-drilled hole at each corner for anchoring. Accepts 1/2" anchor for maximum security and stability.

Shipped fully assembled to save on set-up time. Weighs 66% lighter than steel... costs less to ship.



Vertical Storage Locker
20 Compressed Gas Cylinders
SAI577



Vertical Storage Locker
10 Compressed Gas Cylinders
SAI576



Vertical Storage Locker
16 LPG Cylinders
SAI575



Vertical Storage Locker
8 LPG Cylinders
SAI574



Vertical Storage Locker
4 LPG Cylinders
SAI573



Complies with NFPA 58 and OSHA 1910.110 or CSA-B149.2.

Order No.	Mfg. No.	Description	Cylinder Type	Capacity	Dimensions W" x D" x H"	Wt. lbs.
SAI573	23009	4-Cylinder Vertical	LPG	4 - 20 or 33-lb Cylinders	30 x 32 x 33 1/2	88
SAI574	23010	8-Cylinder Vertical	LPG	8 - 20 or 33-lb Cylinders	30 x 32 x 65	95
SAI575	23011	16-Cylinder Vertical	LPG	16 - 20 or 33-lb Cylinders	60 x 32 x 65	204
SAI576	23006	10-Cylinder Vertical	Compressed Gas	Up to 10 Comp. Gas Cylinders	30 x 32 x 65	102
SAI577	23007	20-Cylinder Vertical	Compressed Gas	Up to 20 Comp. Gas Cylinders	60 x 32 x 65	187

MINI-MIG WELDING CARTS

MM-8 SERIES CYLINDER CARTS

- Designed to carry a variety of mini-MIG, inverters, and plasma machines
- Cylinder capacity: 9 1/2"
- Dimensions: 18" W x 36" D x 17" H
- Weight: 48 lbs.

Order No. ML419



DUAL-CYLINDER DOLLY™


- Accommodates cylinders up to 12" in diameter, including a class 300 SCF industrial gas cylinder and a no. 5 acetylene cylinder
- Composite construction withstands extreme weather conditions
- Tough 16 1/2" diameter pneumatic wheels gives maneuverability on rough terrain
- Powder-coated steel 36" built-in tool/supplies tray
- Handle offers maximum stability allowing for wrapping of hose equipment
- Rust, corrosion and spark resistant
- Will not dent, chip or scratch paint from cylinders
- Dimensions: 36.88" W x 23 1/2" D x 45" H
- Load capacity: 500 lbs.
- Weight: 57 lbs.

Order No. SAP856
Mfg No. 7302-BK



GAS CYLINDER CARTS

- Choice of carts for a wide range of cylinder sizes and terrains



	Order No.	Base W" x D"	Wheels	Capacity	Wt. lbs.
A	ML413	25 x 13	16" Dia. Pneumatic	244 cu.ft. Oxygen, 300 cu.ft. Acetylene Cylinders	55
B	ML414	12 x 10	10" Dia. Semi-Pneumatic	300 cu.ft. 9" Dia. Cylinder	22
C	ML415	25 x 13	14" Dia. x 3" Rubber	244 cu.ft. Oxygen, 300 cu.ft. Acetylene Cylinders	55
D	ML416	12 x 18	10" Dia. Semi-Pneumatic	144 cu.ft. or 244 cu.ft., Oxygen, 130 cu.ft. Acetylene Cylinders	27
E	ML417	19 x 10	10" Dia. Semi-Pneumatic	144 cu.ft. or 244 cu.ft., Oxygen, 130 cu.ft. Acetylene Cylinders	30
F	TTT455	12 x 14	8" Dia. Rubber Semi-Pneumatic	244 cu.ft. Oxygen Cylinder	30

2-CYLINDER POLY-STAND™

- Free-standing design maximizes floor space
- Made of polyethylene resisting sparking, rust and corrosion
- Prevents accidental tipping with durable nylon straps to keep cylinders and stand secure
- Ideal for inexpensive wall-mounted storage
- Accommodates two cylinders with diameters of 3" to 12 3/8" diameter
- Dimensions: 28" W x 14" D x 30" H
- Load bearing capacity: 400 lbs.
- Weight: 14 lbs.
- OSHA 29 CFR.1910 approval

Order No. SE966
Mfg No. 7212-YE



UNIVERSAL MODULAR CYLINDER BRACKETS

- Design your own configuration
- Units link together to customize the amount of cylinders needed
- Attaches to any wall securely and easily
- Yellow polyethylene
- Accommodates 3" to 10" diameter cylinders
- Straps included
- Dimensions: 15.3" W x 3.3" D x 6.3" H
- Weight: 1 lbs.
- OSHA 29 CFR.1910 approved
- Sold individually

Order No. SED115
Mfg. No. 7216-YE



Welding Safety

24-OZ. FIBREGLASS LAVASHIELD™ WELDING BLANKETS

- 24-oz. black fibreglass with neoprene coated on both sides
- Hemmed on all sides with Kevlar® thread that has been double-locked stitched
- Large brass grommets added for extra durability and easy handling
- Temperature resistance: 1000°F (538°C)

Applications: Heavy-duty vertical curtain protection against sparks, molten metal splash, welding spatter and grinding spray. General purpose drop cloth for protection against welding spatter.



Order No.	Dimensions'
NT896	6 x 6
NT821	6 x 8



WILSON* WELD-O-GLASS WELDING BLANKETS

- 24-oz. black fibreglass, vermiculite coated
- Heavy-duty, general purpose welding blankets
- Provides protection from sparks, spatter and slag
- Temperature resistance: 1200°F



Order No.	Mfg. No.	Dimensions'
146-3100	37595	3 x 3
146-1312	36302	6 x 6
146-1367	36318	6 x 8

30-OZ. FIBREGLASS LAVASHIELD™ WELDING BLANKETS

- 30-oz. gold fibreglass with neoprene coated on both sides
- Hemmed on all sides with Kevlar® thread that has been double-locked stitched
- Large brass grommets added for extra durability and easy handling
- Temperature resistance: 1000°F (538°C)

Applications: Heavy-duty drop cloth and vertical curtain protection against sparks, molten metal splash, welding spatter and grinding spray.



Order No.	Dimensions'
NT822	6 x 6
NT823	6 x 8



WILSON* FLAMESHIELD SOLDERING & WELDING PADS

- Made of carbon felt
- Protects walls, joints and wall studs from burn damage associated with low-temperature soldering
- An excellent blanket for weld sparks and spatter
- A must for every toolbox and maintenance service vehicle



Order No.	Mfg. No.	Dimensions"
TTV108	36678	9 x 12

18-OZ. SILICA LAVASHIELD™ WELDING BLANKETS

- 18-oz. Sahara brown silica fabric
- Hemmed on all sides with Kevlar® thread that has been double-locked stitched
- Large brass grommets added for extra durability and easy handling
- Temperature resistance: 2192°F (1200°C)

Applications: General purpose drop cloth and vertical curtain protection against extremely high temperature sparks, molten splash, welding spatter and grinding spray.



Order No.	Dimensions'
NT824	3 x 3
NT825	6 x 6



WILSON* WELDING UMBRELLAS

- Provides protection from inclement weather
- Features lightweight aluminum frame and tilt mechanism
- Cover made of Rip-Stop vinyl which is water-resistant, fire-retardant and very tear-resistant



Order No.	Mfg. No.	Dimensions		
		Dia.'	x	H'
146-2050	36684	6.5	x	7

WELDING HELMETS

- Lightweight design with ratchet headgear
- Comes complete with shade 10 lens
- Choice of 2" x 4 1/4" flip front or 4 1/2" x 5 1/4" wide vision fixed front

NT645



NT687



Order No.	Description	Window Dimensions"	
NT645	Flip Front	2	x 4 1/4
NT687	Fixed Front	4 1/2	x 5 1/4

JACKSON SAFETY* WH10 PASSIVE WELDING HELMETS

- Narrow shell design is perfect for work in tight space
- Extended front increases throat protection against sparks, slag and other physical hazards
- Comes standard with cover plate and shade 10 polycarbonate filter plate
- Meets ANSI standard Z87.1 and compliant with CSA standard Z94.3

SD617



PB193



Order No.	Mfg. No.	Description	Colour
HSL-2 HELMETS - 2" X 4 1/4"			
PB193	14982	Flip Front	Black
SD618	14983	Flip Front	Blue
HSL-100 HELMETS - 4 1/2" X 5 1/4"			
SD617	14975	Fixed Front	Black
SAN172	14976	Fixed Front	Blue

JACKSON SAFETY* WH20 860P LEATHER WELDING HELMETS

- Ideal for use in confined spaces
- Tough, pliable, breathable leather covering
- Flip-front glass holder, 2" x 4 1/4"
- Includes adjustable headgear

Order No. 141-1120

Mfg. No. 14531



JACKSON SAFETY* WH20 H500 FIBREGLASS HANDSHIELD

- For quick inspection, providing guidance and monitoring robotic welds
- Designed for high-heat applications
- Features fibreglass helmet with injection-molded plastic handle
- Fixed front, 5 1/4" x 4 1/4"
- Must purchase a filter prior to use
- Lens plates sold separately
- Meets ANSI standard Z87.1

Order No. SAN181

Mfg. No. 14967



JACKSON SAFETY* 370 SERIES REPLACEMENT HEADGEAR

- Removable comfort cradle is a pivoting head pad that conforms to any head size
- 3-position slider adjusts distance of the lens from your eyes for precise vision
- Crown strap adjustment allows the headgear to be raised or lowered for maximum comfort and performance
- Sweatband helps absorb perspiration
- Vertical lock-in eliminates helmet creeping
- Compatible with HaloX, Nitro*, Nexgen*, Master 3-N-1, Solera, Truesight*, Boss* 3-N-1 and Professional welding helmets

Order No. SEA270

Mfg. No. 20696



JACKSON SAFETY* HELMET BAGS

- Made of heavy-duty denier fabric with drawstring closure
- Features velcro close front lens pocket and two side mesh tool pockets
- Fits all Jackson Safety* helmets

Order No. TTU304

Mfg. No. 18935



JACKSON SAFETY* WELDING HELMETS

Design to perform in a range of welding conditions, the Jackson Safety* welding helmets brand are available in a variety of materials including fibreglass and vulcanized fibre. Choose from a selection of filters – from passive to digital ADF platforms and numerous graphic designs to reflect personal style. WH series tiers highlight increasing levels of performance within the Jackson Safety* welding helmets product line.

JACKSON SAFETY* WH40 SMARTTIGER* BALDER* WELDING HELMETS

- Internal adjustable shade 9-13
- Internal adjustable sensitivity
- Aerodynamic shell designed for better fume deflection
- Solar-powered unit with two arc sensors
- Can be used for torch cutting
- Lightweight at 19.2 oz
- Auto-on ADF is always ready to weld
- Meets ANSI standard Z87.1 and compliant with CSA standard Z94.3
- 5-year warranty



Order No.	Mfg. No.	Description
SEH126	37188	Black
SEH127	37187	Torch Dancer
SDL094	37247	External Safety Lens, 10/Pkg.
SDL095	37249	Internal Safety Lens, 10/Pkg.



SEH126



SEH127

JACKSON SAFETY* WH70 BH3* BALDER* WELDING HELMETS

- Superior angle of view
- Enhanced visibility and colour recognition
- Variable shade 9-13, adjustable sensitivity and opening time delays
- Solar-powered unit with two arc sensors
- Curved front cover plate offers reduced heat build-up, reflections and fogging
- Aerodynamic shell designed for better fume deflection
- Can be used for torch cutting
- Quick and easy replacement of safety plates
- Lightweight at 19.84 oz.
- Auto-on ADF is always ready to weld
- Meets ANSI standard Z87.1 and compliant with CSA standard Z94.3
- 5-year warranty

Order No.	Mfg. No.	Description
SEH125	37191	Black
SDL094	37247	External Safety Lens, 10/Pkg.
SDL096	37248	Internal Safety Lens, 10/Pkg.



JACKSON SAFETY* WH60 TRUESIGHT* DIGITAL ADF WELDING HELMETS

- Variable shade 5-13, sensitivity and delay adjustments
- LED indicator for weld, torch, and grind modes
- Four independent sensors positioned to reduce possibility of blockage during weld
- Amber band pass for enhanced clarity of weld puddle
- Built-in magnification lens
- No retainer for easy helmet installation and removal
- Two, easy to replace AAA batteries with low battery indicator
- Meets ANSI standard Z87.1 and compliant with CSA standard Z94.3



SEC603



SEC599



SEC600



SEC601



SEC602

Order No.	Mfg. No.	Description
SEC603	29371	HLX with Truesight* Digital ADF, Black
SEC599	30314	HLX with Truesight* Digital ADF, Tattoo
SEC600	30315	HLX with Truesight* Digital ADF, Serpent
SEC601	30316	HLX with Truesight* Digital ADF, Arc Angel
SEC602	30317	HLX with Truesight* Digital ADF, Ace of Spades
SEC604	30319	Truesight* ADF Cartridge 4 1/2" x 5 1/4"
SEC605	30320	Truesight* External Safety Lens
SEC606	30321	Truesight* Internal Safety Lens

JACKSON SAFETY* WH50 BOSS* 3-N-1 VARIABLE ADF WELDING HELMETS

- Variable shade 9-12, sensitivity and delay adjustments
- Technology allows unit to detect welds less than 5 amps
- Versatile 3-N-1 built-in functions: Weld, torch, grind
- Two independent sensors
- Amber view lens allows for enhanced clarity of weld puddle
- Auto On/Auto Off
- Requires two AAA batteries (included)
- Low battery indicator
- Built-in mag lens holder
- Meets ANSI standard Z87.1 and compliant with CSA standard Z94.3

TTT937



TTT938



Order No.	Mfg. No.	Description
TTT938	20658	HSL100 Gun Metal w/Boss* ADF
TTT937	20659	HLX100 Heavy metal w/Boss* ADF
TTU307	21277	HLX100 I ² w/Boss* ADF
TTT939	20657	Boss* ADF Cartridge Only

JACKSON SAFETY* WH30/WH40 ELEMENT* ADF WELDING HELMETS

- Lightweight shell weighs only 6 oz.
- Available in two different auto-darkening filters: ADF fixed shade 10 and ADF variable shade 9-13
- Two independent arc sensors
- Solar powered unit
- Meets ANSI standard Z87.1 and compliant with CSA standard Z94.3



SEA770



SEA769



Order No.	Mfg. No.	Description
WH30 ELEMENT*		
SEA770	23286	Welding Helmet-Fixed Shade 10 ADF, 3.5" x 4.33"
SEA772	23440	Fixed Shade 10 Lens ADF Kit - Includes 5 Front and 2 Rear Safety Plates
WH40 ELEMENT*		
SEA769	23282	Welding Helmet-Variable ADF, 3.5" x 4.33"
SEA771	29127	Variable Lens ADF Kit - Includes 5 Front and 2 Rear Safety Plates

JACKSON SAFETY* WH40 NITRO* VARIABLE ADF WELDING HELMETS

- Offers welders outstanding features at an economical price point
- Variable shade 9-13, sensitivity and delay adjustments
- Lightweight – Only weighs 1 pound fully assembled
- Three independent sensors
- Solar powered
- Meets ANSI standard Z87.1 and compliant with CSA standard Z94.3



Order No.	Mfg. No.	Description
SAS083	21931	Blue Nitro*
SAS084	21947	ADF Cartridge Only
SEA270	20696	370 Series Headgear
SEA573	22603	Kit Includes 5 Front and 2 Rear Safety Plates
SAS086	21119	24-Pc. Back Cover Plate, 5/Bag

JACKSON SAFETY* ELEMENT* REPLACEMENT HEADGEARS

- Teeth are automatically disengaged during adjustment
- Compatible with Element* helmets only

Order No. SED982
Mfg. No. 23442



R60 AIRMAX WELDING POWERED AIR PURIFYING RESPIRATORS (PAPR)

- Powered air purifying respirator offers affordable protection from harmful contaminants while you weld
- Features a WH40 series variable auto-darkening filter, adjustable shade 9-13 with light shade 4
- Flame resistant face-seal protects against sparks
- Lightweight blower unit mounts on adjustable waist belt
- Audible alarm signals user when battery charge or new filter is required
- Flame resistant breathing hose
- Lightweight lithium ion battery provides eight hours of power
- NIOSH approved HE filtration from particulate contaminants



Order No.	Mfg. No.	Description
SED529	12993	R60 Airmax PAPR
SED532	13043	ADF Protective Plates (5 Fronts, 2 Backs)
SED535	13051	Replacement Battery
SED536	13053	Replacement HE Filter

Other replacement parts are available

ALL OPTREL® HELMETS:

- Use a combination of LCD technology and solar cells eliminating the need for On/Off switches
- Provide full time IR/UV protection at all times in the unlikely event of a cartridge failure
- Water resistant to IP76 standards against humidity and moisture
- Meet worldwide safety standards including CSA, ANSI and DIN



P550 SERIES WELDING HELMETS

- Optimized cover lens for perfect protection against spatters and fumes
- Enlarged LCD provides a comfortable viewing area
- Automatic cartridge with shade selection from DIN 9 – 13 infinitely adjustable by an adjustment knob
- Offers a infinitely variable sensitivity and delay function
- Solar powered unit
- Application ranges: All electric arc welding processes; prohibited for laser welding
- Not suitable for over-head welding
- Compliant with CSA standard Z94.3
- 2-year warranty

SED542

SED543

SED544

SED545



ACCESSORIES

Order No.	Mfg. No.	Description	Qty/Pkg.
COVER LENSES			
SAX006	5000.001	Inner Cover Lenses	5
SED552	5000.250	Outside Cover Lenses	5
MAGNIFICATION LENSES			
SAX008	5000.050	1.00 Diopter	1
SAX009	5000.051	1.50 Diopter	1
SAX010	5000.052	2.00 Diopter	1
SAX011	5000.053	2.50 Diopter	1

HELMETS

Order No.	Mfg. No.	Description	Colour
SED542	1007.000	Unpainted (No Side Cover)	Black
SED543	1007.010	Reptile Side Cover	Black/Green
SED544	1007.020	Bulldog Side Cover	Black/White
SED545	1007.030	Tiger Side Cover	White/Black
SED546	5012.700	Auto-Darkening Filter	-



E600 SERIES WELDING HELMETS

- Patented telescoping headgear provides maximum field of view and balance
- Sliding sensor bar is a must for production welding applications
- 2" x 4" viewing area
- Variable sensitivity control to configure arc detection sensors
- Solar powered with replaceable lithium batteries for maximum possible service life
- Exterior control panel for convenient configuration without removing your helmet
- Grind mode, a must for grinding and very handy for plasma cutting
- Compliant with CSA standard Z94.3

e650

- 9 through 13 variable shade control
- Traditional green welding lens



Order No.	Mfg. No.	Description	Colour
SAX003	1006.300	e650 Helmet	Black Unpainted
SAX004	1006.310	e650 Helmet	Shiny Ruby
SAX005	5012.440	Auto-Darkening Filter	-

e670

- 9 through 13 automatic and manual shade control
- Automatic control offers hands free operation, automatically changes shade based on the intensity of the arc
- Approved for overhead welding



Order No.	Mfg. No.	Description	Colour
SAW999	1006.200	e670 Helmet	Black Unpainted
SAX001	1006.210	e670 Helmet	Cosmic Green
SAX002	5012.420	Auto-Darkening Filter	-

e680

- Expansive variable shade range of 5 through 13
- Approved for overhead welding



Model No.	Mfg. No.	Description	Colour
SAW997	1006.143	e680 Helmet	Black
SEI954	1006.110	e680 Helmet	Dark Blue
SAW996	1006.180	e680 Helmet	Medium Blue
SEI955	1006.160	e680 Helmet	Cosmic Green
SAW998	5012.400	Auto-Darkening Filter	-

SAM897

ACCESSORIES

Order No.	Mfg. No.	Description	Qty/Pkg.
SAM897	5000.210	Front Cover Lenses	2
SAM898	5000.212	Front Cover Lenses	5
SAX006	5000.001	Inner Cover Lenses	5
SAX008	5000.050	Magnification Lens, 1.00 Diopter	1
SAX009	5000.051	Magnification Lens, 1.50 Diopter	1
SAX010	5000.052	Magnification Lens, 2.00 Diopter	1
SAX011	5000.053	Magnification Lens, 2.50 Diopter	1
616-1570	5003.250	Replacement Headgear	1



WELDCAP®

- Comfort of a lightweight ballcap and the advantages of a full welding helmet with ADF
- Extensive viewing area enlarges line of sight by 2.7 times
- Automatic darkening filter shade 9-12
- Grinding mode shade 3
- Rigid plastic face shield and robust flame retardant textile fabric cap
- Meets ANSI standard Z87.1+ for impact resistance



Order No.	Mfg. No.	Description	Qty /Pkg.
SEK224	1008.000	Weldcap®	1
SEK225	5000.260	Front Cover Lens	5
SEK226	5000.040	Inside Cover Lens	5
SEK227	5002.700	Nose Clip	2
SEK228	5002.800	Replacement Textile Cap	1
SEK229	5002.720	Battery Cover	2
SEK230	5002.900	Belt Clip	1

SEK224



SEK225



SEK227



SEK226



SEK230



NOVA AUTO-DARKENING FILTERS

- Automatically darken to shade 10
- Fits most competitive 2" x 4 1/4" openings
- Solar powered
- 2-year warranty

Order No. SAJ757
Mfg. No. 5012.238



HELMET ACCESSORIES

HARD HAT ADAPTERS

- Simply remove existing headgear from any Optrel® helmet and install adapter
- For use with the majority of popular hard hat models
- Slip-on/off spring assembly for easy installation



Order No.	Mfg. No.	Description
SAN048	5011.180	Fits all non-slotted hard hats
SED541	5011.185	Fits all slotted hard hats



LEATHER NECK PROTECTORS

- Coverage of the entire lower neck and back regions of head



Order No.	Mfg. No.	Description
SAN049	4028.016	Fits all Optrel® helmets



LEATHER CHEST PROTECTORS

- Insures the safety of welder's chest region
- Clip attachment grips the rim of helmet
- Provides secure fit while eliminating the need for velcro-type attachments on shell



Order No.	Mfg. No.	Description
SAN051	4028.015	Fits all Optrel® helmets



OTHER ACCESSORIES

- Sweatbands - For use with all Optrel® helmets
- Carry-Bag - Back-pack style



Order No.	Mfg. No.	Description	Qty/Pkg.
SAN046	5004.073	Sweatbands	2
SEK875	9410.043.00	Carry-Bag	1



SAN046



Goggles & Lenses

FLEXIBLE FRAME GOGGLES

- Soft PVC frame seals out light leaks
- Choice of 2" x 4 1/4" fixed front or flip front design
- Comes complete with shade 5 lens



Order No.	Description
NT646	Fixed Front
NT647	Flip Front



CUP GOGGLES

- Rigid 2" (50 mm) round lens cup goggle
- Comes complete with shade 5 lens



Order No.	Description
NT648	Fixed Front



V-MAXX™ GOGGLES

- Sleek wraparound styling
- Direct vent for impact resistance and indirect vent for chemical splash applications
- Peel-off goggle covers available to extend useful life of the lens
- OTG compatible
- 180° clear field of vision
- Lenses coated with Fog-ban® anti-fog coating
- Pivoting headband clips to adjust strap around hard hats or hearing protection
- Adjustable elastic or neoprene headband
- Certified to CSA standard Z94.3



Order No.	Mfg. No.	Description	Lens Tint
SAI907*	11250830	Indirect Vent, Black Frame and Headband	Shade 3.0
SAI908*	11250850	Indirect Vent, Black Frame and Headband	Shade 5.0
SAI905*	11250800	Direct Vent, Red Headband	Clear, Fog-ban®
SAI906	11250810	Indirect Vent, Black Neoprene Headband	Clear, Fog-ban®
SAI909	11250860	Goggle Covers, 10/Pkg.	-

* Elastic headband

JACKSON SAFETY* V80 WILDCAT* GOGGLES

- Extreme heat resistance, will not melt, drip or ignite at 350°F for five minutes
- Adjustable side vents to help increase airflow
- Fits naturally to the contour of your face
- Lightweight and comfortable with a pivot headband that allows for optimal placement
- Meets ANSI standard Z87.1+ and compliant with CSA standard Z94.3



Order No.	Mfg. No.	Lens Tint
TTT946	20525	Clear Anti-Fog
TTT947	20526	Smoke Anti-Fog
TTT948	20527	Amber Anti-Fog
TTT949	20528	Shade 3.0 Anti-Fog
TTT950	20529	Shade 5.0 Anti-Fog

JACKSON SAFETY* V90 SHIELD* GOGGLES

- Features the Monogoggle* XTR* with indirect ventilation and a polycarbonate shield for full face protection
- Shield detaches from the goggles
- Curved face shield conforms to shape of face offering added protection
- Can be used over most prescription eyeglasses
- Meets ANSI impact standard Z87.1+




Order No.	Mfg. No.	Lens Tint
TTT954	18621	Clear Anti-Fog
TTT955	18631	Shade 3.0 Anti-Fog
TTT956	18633	Shade 5.0 Anti-Fog

FILTER PLATE LENSES

- Provides ultimate protection against ultraviolet and infrared rays present during the welding process
- Attenuates varying proportions of ultraviolet, visible and infrared rays in conformance with industry standards
- Precision ground and edged to allow a proper and safe fit
- Optically correct and precisely shaded
- Hardened glass

Order No.	Mfg. No.	Shade
2" x 4 1/4"		
SAN061	FS-1H-4	4
SAN062	FS-1H-5	5
SAN063	FS-1H-6	6
SAN064	FS-1H-7	7
SAN065	FS-1H-8	8
SAN066	FS-1H-9	9
SAN067	FS-1H-10	10
SAN068	FS-1H-11	11
SAN069	FS-1H-12	12
SAN070	FS-1H-13	13
SAN071	FS-1H-14	14
4 1/2" x 5 1/4"		
SAN073	FS-5H-5	5
SAN074	FS-5H-6	6
SAN075	FS-5H-7	7
SAN076	FS-5H-8	8
SAN077	FS-5H-9	9
SAN078	FS-5H-10	10
SAN079	FS-5H-11	11
SAN080	FS-5H-12	12
SAN081	FS-5H-13	13
SAN082	FS-5H-14	14
50 MM		
SAN083	FL-5H-4	4
SAN084	FL-5H-5	5



SAN067



SAN078




SAN083

MAGNIFYING LENSES

- Makes a welder's work easier and more comfortable
- Useful for precision welding jobs
- Offers optically balanced magnifications in 0.25 increments
- 2" x 4 1/4"

Order No.	Diopter Strength
GLASS	
NT652	0.75
NT653	1.00
NT654	1.25
NT905	1.50
NT655	1.75
NT656	2.00
NT657	2.25
NT658	2.50
NT659	3.00
PLASTIC	
SAN095	1.00
SAN096	1.25
SAN097	1.50
SAN098	1.75
SAN099	2.00
SAN100	2.25
SAN101	2.50




NT657



SAN100

CLEAR COVER LENSES

- Polycarbonate lenses are for eye protection against light impact such as sparks and small particles
- Cast resin lenses are also for eye protection and are more resistant to heat, scratching and pitting
- Clear glass lenses are not impact resistant and are only for use against spatter

Order No.	Mfg. No.	Dimensions	
POLYCARBONATE			
NT601		2"	x 4 1/4"
NT602		4 1/2"	x 5 1/4"
CAST RESIN			
SAN055	PP-2	2"	x 4 1/4"
SAN056	PP-4	4 1/2"	x 5 1/4"
SAN057	PL-5	50 mm	
CLEAR GLASS			
SAN058	GP-2	2"	x 4 1/4"
SAN059	GP-4	4 1/2"	x 5 1/4"



NT602



NT601

OMNI-VIEW® GOLD FILTER PLATES

- Made of breakage resistant polycarbonate
- Allows welder to see more in clearer and natural colours
- Gold coating reflects harmful infrared generated by an arc, keeping eyes cooler and more comfortable

Order No.	Mfg. No.	Shade
2" X 4 1/4"		
SAN106	FP2G-8	8
SAN107	FP2G-9	9
SAN108	FP2G-10	10
SAN109	FP2G-11	11
SAN110	FP2G-12	12
4 1/2" X 5 1/4"		
SAN117	FP4G-8	8
SAN118	FP4G-9	9
SAN119	FP4G-10	10
SAN120	FP4G-11	11
SAN121	FP4G-12	12



SAN120



SAN108

MILLER®/HOBART® COMPATIBLE AUTO-CHANGE COVER LENSES

- Replacement lenses provide an effective and cost efficient method of protecting investment
- Made of 100% impact-resistant polycarbonate



Order No.	Mfg. No.	Type of Lens	Qty /Pkg.	For use with Helmets
TTU323	231410/770237	Inside/Outside	5	FS/XL/Xli /Xlix/Performance
TTU324	770240	Outside	5	XL/Xli
TTU325	770241	Outside	5	Xlix
TTU326	216327	Inside	5	Elite/Digital Elite
TTU327	216326	Outside	5	Elite/Digital Elite
TTU328	231410	Inside	5	Pro-Hobby
TTU329	231411	Outside	5	Pro-Hobby
TTU330	231921	Outside	5	Performance

Welding Safety

LAVA BROWN LEATHER JACKETS

- Designed to allow complete body movement and freedom
- Heat and flame-resistant leather is made from durable side split cowhide
- Seams are double lockstitched
- Include full-sized pocket and multiple-snap adjustment cuffs
- Roll-up collar stops shooting spatter



Order No.	Size	Chest Measurements
TTU398	Medium	40-42"
TTU399	Large	44-46"
TTU400	X-Large	48-50"
TTU401	2X-Large	52-54"
TTU402	3X-Large	56-58"
TTU403	5X-Large	64-66"



PROBAN WELDING JACKETS

COOL PROTECTION, COOL LOOK!

- Superior flame, heat and abrasion-resistant, select cowhide sleeves for heavy duty protection
- 30" length jacket made of black 9 oz. Proban FR-7A flame-retardant cotton sateen for safety and cool comfort
- Five-snap closure front minimises hot shooting spatter from entering
- Inside utility pocket for safety and convenience



Order No.	Size	Chest Measurements
TTV013	Medium	40-42"
TTV014	Large	44-46"
TTV015	X-Large	48-50"
TTV016	2X-Large	52-54"
TTV017	3X-Large	56-58"
TTV018	5X-Large	64-66"



LAVA BROWN LEATHER ACCESSORIES

- Designed to allow even weight distribution on the user to reduce fatigue
- Heat and flame-resistant leather is made from durable side split cowhide



Order No.	Size
A. SLEEVE	
TTU389	23" L, Pair
B. CAPE SLEEVES	
TTU407	Small
TTU405	Medium
TTU406	Large
TTU408	X-Large
TTU409	2X-Large
TTU410	3X-Large



C. BIBS	
TTU411	14" L
TTU412	20" L
D. SPLIT LEG APRONS & CHAPS	
TTU396	42" L
TTU397	48" L
TTU404	Chaps
E. WAIST APRONS	
TTU392	24" L
F. BIB APRONS	
TTU393	36" L
TTU394	42" L
TTU395	48" L
G. SPATS	
TTU390	6" L, Pair
TTU391	14" L, Pair



GOLDEN BROWN LEATHER JACKETS

- Made of heat and abrasion-resistant select split cowhide
- Sewn with Kevlar® thread for added seam strength
- Roll-up collar with velcro closure and welted shoulder seams
- Reinforced double leather snap panel



Order No.	Size	Chest Measurements
TTU384	Medium	40-42"
TTU385	Large	44-46"
TTU386	X-Large	48-50"
TTU387	2X-Large	52-54"
TTU388	3X-Large	56-58"



FLAME RETARDANT CLOTHING

- Manufactured from flame-retardant treated cotton sateen
- Will retain its flame-retardant properties for up to 50 normal washings
- Specially-designed underarm sport cut and hemmed collar
- 9-oz. jackets include inside pocket and five snaps
- 9-oz. cape sleeves come with six snap fasteners for bib (sold separately)



Order No.	Size	Chest Measurements
JACKETS		
TTU998	Medium	40-42"
TTU999	Large	44-46"
TTV001	X-Large	48-50"
TTV002	2X-Large	52-54"
TTV003	3X-Large	56-58"
TTV004	5X-Large	64-66"



CAPE SLEEVES		
TTV005	Medium	40-42"
TTV006	Large	44-46"
TTV007	X-Large	48-50"
TTV008	2X-Large	52-54"
TTV009	3X-Large	56-58"




BIB & SLEEVES		
TTV010	20" Length Bib	-
TTV011	18" Long Sleeve, Pair	-
TTV012	23" Long Sleeve, Pair	-

WELDERS' CAPS

- Athletic mesh lining to allow sweat vapour to quickly evaporate
- Pre-shrunk and pre-softened lightweight fabric, flame retardant until washed
- Air cushioned front lining for comfort and sweat absorbency
- **Sold per package**

Assorted styles include: Happy Hour, Nautical, Free Spirit, Safari, Paradise, Camo, Feast and Wild.



Assorted Order No.	Camo Order No.	Size	Qty /Pkg.
NT838	NT843	7 1/8	12
NT839	NT844	7 1/4	12
NT840	NT845	7 3/8	12
NT841	NT846	7 1/2	12
NT842	NT847	7 5/8	12

WELDERS' DOORAGS

- Athletic mesh lining to allow sweat vapour to quickly evaporate
- Pre-shrunk and pre-softened lightweight fabric, flame retardant until washed
- Air cushioned front lining for comfort and sweat absorbency
- Assorted styles
- One size fits all
- **Sold per package**




Camo



Free Spirit



Wild



Order No.	Assorted Styles	Qty /Pkg.
NT835	Camo, Wild, Safari	12
NT836	Happy Hour, Feast, Free Spirit	12
NT837	Authentic Woodland Camo	12

COTTON WELDERS' BEANIES

- 100% flame resistant cotton
- Added protection under welding helmet
- Two colours (black and white)
- One size fits all
- Imprint available with minimum quantity

Order No. SEE845



HEADGEAR PADS & SWEATBANDS


- Field tested to improve helmet grip with maximum perspiration absorption
- Headgear pads are flame retardant for added safety
- Made of an absorbent air cushioned layer lined with 10% fleece cotton
- Velcro fastening system is designed to fit all major brands of headgear
- Sweatbands come with elastic strap
- **Sold per package of two**



Suspender headgear



Sweatbands



Non-suspender headgear

Order No.	Description
620-3200V	Suspender Pads For Use With Hard Hats
SAM548	Sweatbands
620-3100V	Non-Suspender Pads For Use With Welding Helmets

CHILL-ITS® 6700 COOLING BANDANAS & 6710 TRIANGLE HATS

- Soak in cold water to activate
- Remains hydrated up to four hours
- Activated cooling polymers bring cooling power where you need it most to fight heat stress and fatigue
- Reusable, just re-soak



Order No.	Mfg. No.	Colour
BANDANAS		
SEB128	12306	Navy Western
SEB136	12305	Red Western
SEB134	12304	Camouflage
SEB139	12341	Flames
SEB137	12307	Blue
TRIANGLE HATS		
SAP942	12326	Navy Western
SAP941	12325	Red Western
SAP943	12324	Camouflage
SEC860	12327	Blue



SEB128



SAP942

WELDING KNEE PADS

- Made of heat resistant leather
- Flexible non-skid cap designed to stand up to the everyday demands of the welding environment
- Ideal for welding as well as high heat applications such as smelters and foundries
- **Sold per pair**

Order No. SM777
Mfg. No. 6991-01Q



Welding Safety

WELDERS' DEERSKIN TIG GLOVES

- Premium split deerskin leather construction
- Designed for precision welding applications
- Superior fit and dexterity
- Double thumb strap extends wear life
- 4" gauntlet cuff provides superior protection
- Exceptionally soft finish
- Case qty: 120
- Sold per pair



Order No.	Size
SM597	Small
SM598	Medium
SM599	Large
SM600	X-Large
SAP293	2X-Large

WELDERS' COMFOFLEX™ PEARL DEERSKIN GLOVES

- 14 1/2" incredibly soft, genuine North American deer hide
- Flame retardant, air cushioned, sweat absorbent lining
- Thick pliable layer of protection that easily molds to your hand for added comfort
- Kevlar® thread
- Size: Large
- Case qty: 40
- Sold per pair

Order No. 610-2850



WELDERS' SOFTOUCH™ PIGSKIN TIG GLOVES

- Seamless index finger construction provides unobstructed control over small diameter welding rods and ultra light TIG torches
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Extra long cuff offers wrist and forearm protection against heat
- 4" split pigskin cuff, seamless index finger
- Case qty: 72
- Sold per pair



Order No.	Size
610-2008M	Medium
610-2008	Large

WELDERS' PIGSKIN TIG GLOVES

- Premium grain pigskin leather construction
- Designed for precision welding applications
- Excellent fit and dexterity
- Exceptional durability
- Double thumb strap extends wear life
- 4" gauntlet cuff provides superior protection
- Case qty: 120
- Sold per pair



Order No.	Size
SAN639	Small
SAN640	Medium
SAN641	Large
SAN642	X-Large

WELDERS' STANDARD QUALITY GLOVES

- Rugged split cowhide leather construction
- Excellent abrasion resistance
- Full thermal cotton lining provides added heat protection
- Weltered seams at all critical points
- Case qty: 72
- Sold per pair



SAO130



SAO131



Order No.	Description	Size
SAO130	Gloves	Large
SAO131	One-Finger Mitts	Large

WELDERS' SUPERIOR QUALITY GLOVES

- Top split cowhide leather construction
- Excellent abrasion resistance
- Double thumb strap extends wear life
- Full thermal cotton lining provides added heat protection
- Weltered seams at all critical points
- Case qty: 72
- Sold per pair



SAO128

SAO129

Order No.	Description	Size
SAO128	Gloves	Large
SAP352	Gloves	X-Large
SAO129	One-Finger Mitts	Large

WELDERS' PREMIUM QUALITY GLOVES

- Premium split cowhide leather construction
- Excellent abrasion resistance
- Double thumb strap extends wear life
- Full thermal cotton lining provides added heat protection
- Weltered seams at all critical points
- Sewn with Kevlar® thread to avoid burning
- Size: Large
- Case qty: 72
- Sold per pair

Order No. SAN635



WELDERS' PREMIUM QUALITY FOAM-LINED GLOVES

- Premium split cowhide leather construction
- Excellent abrasion resistance
- Full reinforced thumb strap extends wear life
- Cotton covered foam lining provides superior heat protection
- Weltd seams at all critical points
- Sewn with Kevlar® thread to avoid burning
- Size: Large
- Case qty: 72
- Sold per pair

Order No. SAN277



WELDERS' COMFOFLEX™ PREMIUM QUALITY GLOVES

- Heat and flame resistant shoulder split cowhide
- Fully sock lined for added comfort
- Kevlar® stitched weltd seams
- 13 1/2" long with reinforced thumb
- Size: Large
- Case qty: 72
- Sold per pair

Order No. 610-0328



WELDERS' BISON TIG GLOVES

- Premium grain bison leather construction
- Bison leather is more form fitting and has a greater resistance to heat and flame than other leathers
- Unparalleled fit and dexterity with exceptional durability
- Kevlar® stitching improves seam strength and reduces seam burnout
- Weltd seams and straight thumb for expert control
- 4" gauntlet cuff provides superior protection
- Designed for precision welding applications
- Case qty: 72
- Sold per pair

Order No.	Size
TTU540	Medium
TTU541	Large
TTU542	X-Large



WELDERS' COMFOFLEX™ PREMIUM LINED GLOVES

- Flame retardant, air cushioned, sweat absorbent lining
- Provides incomparable comfort and extra insulation
- 14" buck tan, heat resistant side split cowhide
- Kevlar® thread
- Case qty: 72
- Sold per pair

Order No.	Description
610-2000	Welding Gloves
610-2178	One-Finger Mitts
610-2076	Pigskin Gloves



610-2000

WELDERS' HEAVY-DUTY GENERAL PURPOSE BISON GLOVES

- Premium grain bison leather construction with split bison leather palm
- Bison leather is more form fitting and has a greater resistance to heat and flame than other leathers
- Unlined palm for increased comfort and dexterity
- Comfoflex™ lining on back of hand provides superior heat and sweat absorption
- Fully weltd Kevlar® stitched seams improves seam strength and reduces seam burnout
- 6" gauntlet cuff for increased protection
- Reinforced thumb extends wear life
- Case qty: 72
- Sold per pair



Order No.	Size
TTU543	Medium
TTU544	Large
TTU545	X-Large



WELDERS' PIPELINER GLOVES

- Premium split cowhide leather exterior construction
- Full grain cowhide leather interior provides incomparable comfort
- Protective leather patch on back of left hand
- Excellent abrasion resistance
- Sewn with Kevlar® thread to avoid burning
- Reinforced thumb extends wear life
- Case qty: 72
- Sold per pair

Order No.	Size
SAV008	Large
SEB930	X-Large



HIGH HEAT HAND SHIELDS

- Aluminized PFR rayon reflects 95% radiant heat
- 5-ply DuPont® Kevlar® sewn and split cowhide backing for extra durability
- Leather and elastic strap system
- Case qty: 144
- Sold individually



Order No.	Description
TTV019	Hand Shield
SE549	Premium Hand Shield




TTV019

Welding Safety

COMBOFRAME ADJUSTABLE MODULAR WELDING SCREENS

FRAMES

- Innovative COMBOframe combines high durability with extreme versatility
- Made with heavy-duty finished steel tubing and connects with spring-pins
- Assembles in less than five minutes, no tools required
- Adjustable to fit both 6' and 8'-wide welding screens
- Includes 360° swivel connectors that allow various configurations



Yellow



Orange



Green



Olive



LAVASHIELD™ CURTAINS

- Specially formulated 14-mil thick vinyl
- **NT832** and **NT833**: 12 oz. cotton duck canvas
- Grommets every 12" interval
- Screen edges are hemmed with DuPont® Kevlar® stitching
- Resists to UV rays, flame and abrasion
- Sold per panel

CURTAINS & FRAMES

Order No.	Dimensions W' x H'	Transparency	UV Resistance	Colour	Order No.
NT888	6 x 6	High	Moderate	Yellow	NT826
NT889	8 x 6	High	Moderate	Yellow	NT827
NT890	6 x 6	High	Moderate	Orange	NT828
NT891	8 x 6	High	Moderate	Orange	NT829
NT892	6 x 6	Moderate	Moderate	Green	NT830
NT893	8 x 6	Moderate	Moderate	Green	NT831
NT894	6 x 6	Opaque	Maximum	Olive	NT832
NT895	8 x 6	Opaque	Maximum	Olive	NT833

CURTAINS ONLY

FRAMES ONLY

Model No.	Description
NT834	Modular Frame, Adjustable Width 6' or 8'

OPTIONAL CASTERS

Model No.	Description
SEB618*	2" Rubber Caster with Brake

*Sold individually, two casters required per frame's foot




WILSON* WELDING SCREENS

- Comprised of 1" square steel tubing assembled with unique corner brackets for the toughest frame product available
- Minimizes frame wobble and sway
- Offer unique combination of strength, sturdiness and safety
- Orange Spectra see thru curtain filters 100% of far UV radiation and 100% of blue light
- Heavy-duty 14-mil vinyl film minimizes arc glare
- Custom sizes available
- Sold per panel



2 panels shown




WELDSAPE® NO. 447

- Dramatically reduces fatigue while withstanding the challenges of welding environments
- Specially formulated to repel sparks and hot metal shards, the thick rubber surface has a melt point of over 500°F
- The super resilient Nitricell® sponge base is a nitrile rubber composite that offers unparalleled comfort
- All edges are safety bevelled
- 3/8" thick
- Green rating > 33% post industrial material
- Colour: Black

3-YEAR WARRANTY



Anti-fatigue mat specifically designed for welding!



Order No.	Dimensions W' x L'
NG181	2 x 3
NG182	3 x 5